



Superior Design. Superior Performance.
Superior Fire Feature Systems.



Standard Ring Burner with 180K BTU's

Don't settle for less.




CFB180 CROSS**FIRE**\* Brass Burner with 180k BTU's

The patented CROSSFIRE® Brass Burner is the most fuel efficient burner in the industry, producing beautiful, tall, bright flames all while consuming less gas.

100% Brass. Lifetime Warranty. Made in the United States.

## SIX STEPS TO FIRE!

- 1 Measure the interior dimension of your fire pit.
- 2 Choose the corresponding Plate or Pan size. (Pans include a 2" welded sidewall).
- 3 Select Burner based on appropriate size and fuel type. (Natural Gas or Liquid Propane).
- 4 Choose the Ignition System: match lit or a fully automatic ignition system.
- (5) Add Optional Electronic Accessories: remote control options, dial timers, and emergency stop buttons.
- 6 Complete the fire pit with Media: steel or ceramic logs, lava rock, or fire glass.



#### PLEASE REMEMBER

- Plate should be sized slightly smaller than the measurement of the opening. This allows easier insertion and, if needed, removal for service.
- For outdoor use only. Installation and service must be performed by a qualified installer, service agency, or gas supplier. Installation and use must follow all local codes.
- Manufacturer recommends 3" of clearance from all interior sides of enclosure to nearest jet to avoid damage to enclosure.
- Modification of product will void any certification and warranty. (See page 69 for warranty information.)
- Follow all installation instructions and local codes. A copy of the Owner's Guide and Instruction Manual can be found on our website.


The Dealer Catalog is intended only for the possession and use of the Distribution Partners of Warming Trends and contains confidential information not meant to be disclosed to others, including competitors. Sharing, duplicating or distributing the Dealer Catalog is prohibited to anyone other than Dealers, Distributors or others authorized in writing by Warming Trends®. Our Distribution Partners may share prices or other information in the Dealer Catalog with customers as needed to enable individual sales.

Warming Trends maintains a Minimum Advertised Price (MAP) policy and it is strictly enforced with each or our selling partners.

For more information and resource materials, please visit our website.www.Warming-Trends.com

#### **PATENTED**

www.warming-trends.com/patents



### **QUICK REFERENCE GUIDES**

If you have a standard-sized fire feature or are planning to retrofit a Warming Trends® burner into an existing fire pit, the list below will help you determine which burner will be the best fit for you.

#### BURNER MATCH FOR COMMON INTERIOR DIMENSIONS

for Circular or Square Fire Pits

INTERIOR DIMENSION	CIRCULAR	SQUARE
THE REPORT OF THE PROPERTY OF	CFB60	CFB60
	CFB84	CFB84
18"	CFBCTL120	CFBST120
	CFBO140	CFBO140
	CFB120	CFB120
24"	CFBCTXL120	CFBO180
	CFBO180	
30"	CFB180	CFB180
	CFB240	CFB240
	CFBCT240	CFBST240
	CFBO280	CFBO280
	CFB240	CFB240
2.41	CFB290	CFB290
36"	CFBO280	CFBO280
		CFBST400
	CFB350	CFB350
42"	CFBCT440	CFBST500
	CFBO360	CFBO360
48"	CFB350	CFB350
60"	CFB450	CFB450

#### **TECH TIP**

Paver Kits are becoming more popular and Warming Trends offers kits - including burner, plate, flex line and key valve kits - specifically designed to work with a variety of paver company block features. See page 57 for our Universal Paver Kit selection.


Warming Trends burners come standard as Match Lit Systems but fully automatic ignition systems are available and are recommended for 300K BTU systems and larger. Ignition systems can be found on page 61.

#### **BURNER, PLATE, PARTS & IGNITION COMPATIBILITY**


Not all burne shown below		Circular Plate	Square Plate	Rectangular Plate	FK1	FK2	PBIK	3VIK	24VIKHC	P24VIKSCCG	P24VIKHCCG
ORIGINAL											
CFB60	18"	Х	Х		Х		Х	Х	Х	Х	
CFB84	18"	Χ	Х		Х		Х	Х	Χ	Х	
CFB120	24"	Х	Х		Х		Х	Х	Х	Х	
CFB180	30"	Х	Х		Х		Х		Х	Х	
CFB240	30"	Х	Х		Х		Х		Х	Х	
CFB290	36"	Χ	Х			Х	Х		Х	Х	
CFB350	48"	Χ	Х			Х			Х		Х
CFB450	60"	Χ	Х			X					Х
OCTAGONA	L										
CFBO140	18"	Χ	Х		Х		Х		Х	Х	
CFBO180	24"	Χ	Х		Х		Х		Х	Х	
CFBO280	30"	Х	Х			Х	Х		Х	Х	
CFBO360	42"	Χ	Х			Х			Х		Х
TREE-STYLES	5										
CFBT110	11" x 20"			Х	Х		Х	Χ	Х	Х	
CFBT170	11" x 28"			Х	Х		Х		Х	Х	
CFBT230	11" x 36"			Х	Х		Х		Х	Х	
CFBT290	14" x 44"			Х		Х	Х		X	Х	
CFBT350	14" x 58"			Х		Х			Χ		Х
CFBT410	14" x 66"			Х		Х					Х
CFBT470	14" x 74"			X		Х					X
LINEARS					,						
CFBL90	6" x 20"			Х	Х		Х	Х	Χ	Х	
CFBL110	6" x 26"			Х	Χ		Х	Х	Χ	X	
CFBL130	8" x 32"			Х	Х		Х	X	X	X	
CFBL150	8" x 38"			Х	Х		Х		Χ	X	
CFBL190	8" x 44"			X	Х		Х		Х	Х	
CFBL210	10" x 50"			Х	Х		Х		Χ	X	
CFBL250	10" x 56"			Х		Х	Х		X	X	
CFBL270	12" x 62"			Х		X	Х		X	X	

Find inspirational photos, videos, and more on our website www.Warming-Trends.com

#### **ELECTRONICS AND CLEARANCES**



For Match Lit Diagram, please see page 4.




#### **CERTIFIED UNITS**

Compliance with the following codes:

- 1. 2021, 2018, 2015, 2012, and 2009 International Fire Code® (IFC)
- 2. 2021, 2018, 2015, 2012, and 2009 International Fuel Gas Code® (IFGC)
- 3. 2018, 2015, 2012 and 2009 Uniform Mechanical Code® (UMC)\*
- 4. 2020, 2015 and 2010 Natural Gas and Propane Installation Code\*\*
  - \*Uniform Plumbing Code is a copyrighted publication of the International Association of Plumbing and Mechanical Officials
    \*\*Copyrighted publication of Canadian Standard Association





1. ANSI Z21.97/CSA 2.41-2017 Outdoor Decorative Gas Appliances

Product: Outdoor Decorative Gas Fire Pit and Fireplaces

#### MATCH LIT:

Model # CFB60 NG/LP as match lit Model # CFB120 NG/LP as match lit Model # CFB180 NG/LP as match lit Model # CFB240 NG/LP as match lit Model # CFB290 NG/LP as match lit Model # CFBL90 NG/LP as match lit Model # CFBL110 NG/LP as match lit Model # CFBL130 NG/LP as match lit Model # CFBL150 NG/LP as match lit Model # CFBL190 NG/LP as match lit Model # CFBL210 NG/LP as match lit Model # CFBL250 NG/LP as match lit Model # CFBL270 NG/LP as match lit Model # CFBL320 NG/LP as matchlit Model # CFB60 2XL NG/LP as match lit Model # CFBH120 NG/LP as match lit Model # CFBH160 NG/LP as match lit Model # CFBH200 NG/LP as match lit Model # CFBH240 NG/LP as match lit Model # CFBH260 NG/LP as match lit Model # CFBH300 NG/LP as match lit Model # CFBH340 NG/LP as match lit Model # CFBH420 NG/LP as match lit Model # CFBT110 NG/LP as match lit Model # CFBT170 NG/LP as match lit Model # CFBT230 NG/LP as match lit Model # CFBT290 NG/LP as match lit Model # CFBT350 NG/LP as match lit Model # CFBT410 NG/LP as match lit. Model # CFBT470 NG/LP as match lit Model # CFBO180 NG/LP as match lit Model # CFBO280 NG/LP as match lit Model # CFBO360 NG/LP as match lit Model # WTV40 NG/LP as matchlit Model # WTV60 NG/LP as matchlit Model # WTV120 NG/LP as matchlit Model # WTV120 NG/LP as matchlit Model # WTV180 NG/LP as matchlit Model # WTVES120 NG/LP as matchlit Model # WTVES180 NG/LP as matchlit Model # WT230 NG/LP as matchlit Model # WTV350 NG/LP as matchlit

#### SPARK IGNITER OPERATED UNITS

Model # WTV40 NG/LP with PBIK Model # WTV60 NG/LP with PBIK Model # CFB60 2XL NG/LP with PBIK Model # CFB60 NG/LP with PBIK Model # CFB120 NG/LP with PBIK Model # CFB180 NG/LP with PBIK Model # CFB290 NG/LP with PBIK Model # CFBH120 NG/LP with PBIK Model # CFBH160 NG/LP with PBIK Model # CFBH200 NG/LP with PBIK Model # CFBH240 NG/LP with PBIK Model # CFBH260 NG/LP with PBIK Model # CFBH300 NG/LP with PBIK Model # CFBH340 NG/LP with PBIK Model # CFBH420 NG/LP with PBIK Model # CFBL90 NG/LP with PBIK Model # CFBL110 NG/LP with PBIK Model # CFBL130 NG/LP with PBIK Model # CFBL150 NG/LP with PBIK Model # CFBL170 NG/LP with PBIK Model # CFBL180 NG/LP with PBIK Model # CFBL210 NG/LP with PBIK

Model # CFBL250 NG/LP with PBIK Model # CFBL270 NG/LP with PBIK Model # CFBL320 NG/LP with PBIK Model # CFBO180 NG/LP with PBIK Model # CFBO280 NG/LP with PBIK Model # CFBO360 NG/LP with PBIK Model # CFBT110 NG/LP with PBIK Model # CFBT170 NG/LP with PBIK Model # CFBT230 NG/LP with PBIK Model # CFBT290 NG/LP with PBIK Model # CFBT350 NG/LP with PBIK Model # CFBT410 NG/LP with PBIK Model # CFBT470 NG/LP with PBIK Model # WTV120 NG/LP with PBIK Model # WTV180 NG/LP with PBIK Model # WTVES120 NG/LP with PBIK Model # WTVES180 NG/LP with PBIK Model # WTVT230 NG/LP with PBIK Model # WTVT350 NG/LP with PBIK

#### **3V BATTERY OPERATED UNITS**

Model # CFB60 NG/LP with 3VIK Model # CFB120 NG/LP with 3VIK Model # CFB240 NG/LP with 3VIK Model # CFBL90LP NG/LP with 3VIK Model # CFBL110LP NG/LP with 3VIK Model # CFBL130LP NG/LP with 3VIK Model # CFBL150LP NG/LP with 3VIK Model # CFBL190LP NG/LP with 3VIK Model # CFBL210LP NG/LP with 3VIK Model # CFBL250LP NG/LP with 3VIK Model # CFB60 2XL NG/LP with 3VIK Model # CFBH120LP NG/LP with 3VIK Model # CFBH160LP NG/LP with 3VIK Model # CFBH200LP NG/LP with 3VIK Model # CFBH240LP NG/LP with 3VIK Model # CFBH260LP NG/LP with 3VIK Model # CFBH300LP NG/LP with 3VIK Model # CFBH340LP NG/LP with 3VIK Model # CFBT110LP NG/LP with 3VIK Model # CFBT170LP NG/LP with 3VIK Model # CFBT230LP NG/LP with 3VIK Model # CFBT290LP NG/LP with 3VIK Model # CFBT350LP NG/LP with 3VIK Model # CFBT410LP NG/LP with 3VIK Model # CFBT470LP NG/LP with 3VIK Model # CFBO180 NG/LP with 3VIK Model # CFBO280 NG/LP with 3VIK Model # CFBO360 NG/LP with 3VIK Model # WTV60 NG/LP with 3VIK Model # WTV120 NG/LP with 3VIK Model # WTV180 NG/LP with 3VIK

#### 24 VOLT STANDARD ELECTRONIC IGNITION SYSTEMS - Standard Capacity

Model # CFB60 NG/LP with 24VIKS0 Model # CFB120 NG/LP with 24VIKSC Model # CFB180 NG/LP with 24VIKSC Model # CFB240 NG/LP with 24VIKSC Model # CFBL90 NG/LP with 24VIKSC Model # CFBL110 NG/LP with 24VIKSC Model # CFBL130 NG/LP with 24VIKSC Model # CFBL150 NG/LP with 24VIKSC Model # CFBL190 NG/LP with 24VIKSC Model # CFB60 2XL NG/LP with 24VIKSC Model # CFBH120 NG/LP with 24VIKSC Model # CFBH160 NG/LP with 24VIKSC Model # CFBH200 NG/LP with 24VIKSC Model # CFBT110 NG/LP with 24VIKSC Model # CFBT170 NG/LP with 24VIKSC Model # CFBO180 NG/LP with 24VIKSC Model # CFBO280 NG/LP with 24VIKSC Model # WTV60 NG/LP with 24VIKSC Model # WTV120 NG/LP with 24VIKSC Model # WTV180 NG/LP with 24VIKSC

### 24 VOLT STANDARD ELECTRONIC IGNITION SYSTEMS - High Capacity

Model # CFB240 NG/LP with 24VIKHC Model # CFB290 NG/LP with 24VIKHC Model # CFB300 NG/LP with 24VIKHC Model # CFBL210 NG/LP with 24VIKHC Model # CFBL250 NG/LP with 24VIKHC Model # CFBL270 NG/LP with 24VIKHC Model # CFBL320 NG/LP with 24VIKHC Model # CFBH240 NG/LP with 24VIKHC Model # CFBH260 NG/LP with 24VIKHC Model # CFBH300 NG/LP with 24VIKHC Model # CFBH340 NG/LP with 24VIKHC Model # CFBH420 NG/LP with 24VIKHC Model # CFBT230 NG/LP with 24VIKHC Model # CFBT290 NG/LP with 24VIKHC Model # CFBT350 NG/LP with 24VIKHC Model # CFBT410 NG/LP with 24VIKHC Model # CFBT470 NG/LP with 24VIKHC Model # CFBO180 NG/LP with 24VIKHC Model # CFBO280 NG/LP with 24VIKHC Model # CFBO360 NG/LP with 24VIKHC Model # WTV60 NG/LP with 24VIKHC Model # WTV120 NG/LP with 24VIKHC Model # WTV180 NG/LP with 24VIKHC

#### 24 VOLT PREMIUM ELECTRONIC IGNITION SYSTEMS - Standard Capacity

Model # CFB60 NG/LP with P24VIKSC Model # CFB120 NG/LP with P24VIKSC Model # CFB180 NG/LP with P24VIKSC Model #CFB240 NG/LP with P24VIKSC Model # CFB290 NG/LP with P24VIKSC Model # CFBL90 NG/LP with P24VIKSC Model # CFBL110 NG/LP with P24VIKSC Model # CFBL130 NG/LP with P24VIKSC Model # CFBL150 NG/LP with P24VIKSC Model # CFBL190 NG/LP with P24VIKSC Model # CFBL210 NG/LP with P24VIKSC Model # CFBL250 NG/LP with P24VIKSC Model # CFBL270 NG/LP with P24VIKSC Model # CFB60 2XL NG/LP with P24VIKSC Model # CFBH120 NG/LP with P24VIKSC Model # CFBH160 NG/LP with P24VIKSC Model # CFBH200 NG/LP with P24VIKSC Model # CFBH240 NG/LP with P24VIKSC Model # CFBH260 NG/LP with P24VIKSC Model # CFBT110 NG/LP with P24VIKSC Model # CFBT170 NG/LP with P24VIKSC Model # CFBT230 NG/LP with P24VIKSC Model # CFBT290 NG/LP with P24VIKSC Model #CFBO180 NG/LP with P24VIKSC Model #CFBO280 NG/LP with P24VIKSC Model # WTV60 NG/LP with P24VIKSC Model # WTV120 NG/LP with P24VIKSC Model # WTV180 NG/LP with P24VIKSC

#### 24 VOLT PREMIUM ELECTRONIC IGNITION SYSTEMS - High Capacity

Model # CFB300 NG/LP with P24VIKHC Model # CFBL320 NG/LP with P24VIKHC Model # CFBH300 NG/LP with P24VIKHC Model # CFBH340 NG/LP with P24VIKHC Model # CFBH420 NG/LP with P24VIKHC Model # CFBT350 NG/LP with P24VIKHC Model # CFBT410 NG/LP with P24VIKHC Model # CFBT470 NG/LP with P24VIKHC Model # CFBT30 NG/LP with P24VIKHC Model # CFBO360 NG/LP with P24VIKHC Model # WTV120 NG/LP with P24VIKHC Model # WTV120 NG/LP with P24VIKHC

High Capacity (HC) ignitions may be substituted for Standard Capacity (SC) ignitions.

V1.R3




# OPTIONS FOR CIRCULAR OPENINGS

Designed for circular fire features, these CROSS**FIRE**® Brass Burners range from 60K to 450K BTUs.

Need a different size or shape? We're happy to help. Call our Flame Consultants at 877 556 5255







For 18" opening or larger

SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS		
CFB60NG   CFB60LP	60K BTU Original Brass Burner	4 lbs	11" x 11" x 5"		
Recommended parts: Plate: ALPL18C (circle) • ¾" Flex Line Kit • Optional 3x Support Collars					
CFB60NGALPL18C CFB60LPALPL18C	with 18" Circular Plate	9 lbs	19" x 19" x 7"		
CFB60NGALPL18CFK1 CFB60LPALPL18CFK1	with 18" Circular Plate + ¾" Flex Line Kit	12 lbs	19" x 19" x 7"		
Compatible Ignition Systems: Push Button, 3	Volt, 24 Volt Spark Ignition, 24 Volt Hot Surf	face Ignition (SC)			







#### ORIGINAL CFB84


For 18" opening or larger

DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS
84K BTU Original Brass Burner	4 lbs	11" x 11" x 5"
• ¾" Flex Line Kit • Optional 3x Support	Collars	
with 18" Circular Plate	9 lbs	19" x 19" x 7"
with 18" Circular Plate + ¾" Flex Line Kit	12 lbs	19" x 19" x 7"
	84K BTU Original Brass Burner  • ¾" Flex Line Kit • Optional 3x Support  with 18" Circular Plate	84K BTU Original Brass Burner 4 lbs  • ¾" Flex Line Kit • Optional 3x Support Collars  with 18" Circular Plate 9 lbs

		_	onal Type)	Gas Type		Size o Plate		Flex Line Kit
SKU BREAKDOWN	CFB	0	3 6 0	N G	ALPL	4 2	С	F K 2
	ROSSFIRI rass Burne		BTU		Plate or Pan		hap f Pla	



For 24" opening or larger SKU (NG OR LP)




WT

SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS		
CFB120NG   CFB120LP	120K BTU Original Brass Burner	8 lbs	15" x 15" x 5"		
Recommended parts: Plate: ALPL24C (circle) • ¾" Flex Line Kit • Optional 4x Support Collars					
CFB120NGALPL24C CFB120LPALPL24C	with 24" Circular Plate	13 lbs	25" x 25" x 7"		
CFB120NGALPL24CFK1 CFB120LPALPL24CFK1	with 24" Circular Plate + ¾" Flex Line Kit	16 lbs	25" x 25" x 7"		
Compatible Ignition Systems: Push Button 3	Volt 24 Volt Spark Ignition 24 Volt Hot Surf	ace Ignition (SC)			




#### **ORIGINAL CFB180**

For 30" opening or larger




SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS		
CFB180NG   CFB180LP	180K BTU Original Brass Burner	9 lbs	19" x 19" x 7"		
Recommended parts: Plate: ALPL30C (circle) • ¾" Flex Line Kit • Optional 5x Support Collars					
CFB180NGALPL30C CFB180LPALPL30C	with 30" Circular Plate	17 lbs	31" x 31" x 7"		
CFB180NGALPL30CFK1 CFB180LPALPL30CFK1	with 30" Circular Plate + ¾" Flex Line Kit	20 lbs	31" x 31" x 7"		
Compatible Ignition Systems: Push Button, 24	4 Volt Spark Ignition, 24 Volt Hot Surface Igr	nition (SC)			

#### PLATE AND PAN OPTIONS ON PAGE 44




For 30" opening or larger


SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS			
CFB240NG   CFB240LP	240K BTU Original Brass Burner	12 lbs	23" x 23" x 7"			
Recommended parts: Plate: ALPL30C (circle) • ¾" Flex Line Kit • Optional 5x Support Collars						
CFB240NGALPL30C CFB240LPALPL30C	with 30" Circular Plate	20 lbs	31" x 31" x 7"			
CFB240NGALPL30CFK1 CFB240LPALPL30CFK1	with 30" Circular Plate + ¾" Flex Line Kit	23 lbs	31" x 31" x 7"			
Compatible Ignition Systems: Push Button 2	1 Valt Spark Ignition 24 Valt Hot Surface Ign	pition (SC)				




For 36" opening or larger

SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS		
CFB290NG   CFB290LP	290K BTU Original Brass Burner	12 lbs	23" x 23" x 7"		
Recommended parts: Plate: ALPL36C (circle) • ¾" Dual Flex Line Kit • Optional 6x Support Collars					
CFB290NGALPL36C CFB290LPALPL36C	with 36" Circular Plate	24 lbs	37" x 37" x 9"		
CFB290NGALPL36CFK2 CFB290LPALPL36CFK2	with 36" Circular Plate + ¾" Dual Flex Line Kit	27 lbs	37" x 37" x 9"		
Compatible Ignition Systems: Push Button, 24 Volt Spark Ignition, 24 Volt Hot Surface Ignition (SC)					







LIGHT IT UP! IGNITION SYSTEMS START ON PAGE 61



14 ½"

#### **OCTAGONAL CFBO140**


#### For 18" opening or larger

CFBO140LPALPL18CFK1

SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS
CFBO140NG   CFBO140LP	140K BTU Octagonal Brass Burner	9 lbs	19" x 15" x 5"
Recommended parts: Plate: ALPL180	C (circle) • ¾" Flex Line Kit • Optional 3x Suppo	ort Collars	
CFBO140NGALPL18C CFBO140LPALPL18C	with 18" Circular Plate	13 lbs	19" x 19" x 7"
CFBO140NGALPL18CFK1	with 18" Circular Plate + ¾" Flex Line k	(it 17 lbs	19" x 19" x 7"

Compatible Ignition Systems: Push Button, 24 Volt Spark Ignition, 24 Volt Hot Surface Ignition (SC)








#### **OCTAGONAL CFBO180**


#### For 24" opening or larger

SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS		
CFBO180NG   CFBO180LP	180K BTU Octagonal Brass Burner	10 lbs	19" x 15" x 5"		
Recommended parts: Plate: ALPL24C (circle) • ¾" Flex Line Kit • Optional 4x Support Collars					
CFBO180NGALPL24C CFBO180LPALPL24C	with 24" Circular Plate	15 lbs	25" x 25" x 7"		
CFBO180NGALPL24CFK1 CFBO180LPALPL24CFK1	with 24" Circular Plate + ¾" Flex Line Kit	18 lbs	25" x 25" x 7"		
Compatible Ignition Systems: Push Button, 24	Volt Spark Ignition, 24 Volt Hot Surface Ign	ition (SC)			











#### **OCTAGONAL CFBO280**

For 30" opening or larger

SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS		
CFBO280NG   CFBO280LP	280K BTU Octagonal Brass Burner	13 lbs	25" x 25" x 7"		
Recommended parts: Plate: ALPL30C (circle) • ¾" Dual Flex Line Kit • Optional 5x Support Collars					
CFBO280NGALPL30C CFBO280LPALPL30C	with 30" Circular Plate	21 lbs	31" x 31" x 7"		
CFBO280NGALPL30CFK2 CFBO280LPALPL30CFK2	with 30" Circular Plate + ¾" Dual Flex Line Kit	24 lbs	31" x 31" x 7"		
Compatible Ignition Systems: Push Button, 2	4 Volt Spark Ignition, 24 Volt Hot Surface Iç	gnition (HC)	1		








#### **OCTAGONAL CFBO360**


For 42" opening or larger

SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS	
CFB360NG   CFB360LP	360K BTU Octagonal Brass Burner	22 lbs	31" x 31" x 7"	
Recommended parts: Plate: ALPL42C (circle) • ¾" Dual Flex Line Kit • Optional 7x Support Collars				
CFB360NGALPL42C CFB360LPALPL42C	with 42" Circular Plate	SHIPS FREIGHT		
CFB360NGALPL42CFK2 CFB360LPALPL42CFK2	with 42" Circular Plate + ¾" Dual Flex Line Kit	SHIPS FREIGHT		
Compatible Ignition Systems: 24 Volt Spark Ignition, 24 Volt Hot Surface Ignition (HC)				

#### FLEX LINE AND PARTS ON PAGE 65








#### **CIRCLE TREE-STYLE CFBCTL120**

#### For 18" opening or larger

SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS		
CFBCTL120NG   CFBCTL120LP	120K BTU Circle Tree-Style Brass Burner	5 lbs	11" x 11" x 5"		
Recommended parts: Plate: ALPL18C (circle) • ¾" Flex Line Kit • Optional 3x Support Collars					
CFBCTL120NGALPL18C CFBCTL120LPALPL18C	with 18" Circular Plate	12 lbs	19" x 19" x 7"		
CFBCTL120NGALPL18CFK1 CFBCTL120LPALPL18CFK1	with 18" Circular Plate + ¾" Flex Line Kit	15 lbs	19" x 19" x 7"		
Compatible Ignition Systems: Push Button, 3	Volt, 24 Volt Spark Ignition, 24 Volt Hot Surf	ace Ignition (SC)			






#### **CIRCLE TREE-STYLE CFBCTXL120**


#### For 24" opening or larger


SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS	
CFBCTXL120NG   CFBCTXL120LP	120K BTU Circle Tree-Style Brass Burner 7 lbs		11" x 11" x 5"	
Recommended parts: Plate: ALPL24C (circle) • ¾" Flex Line Kit • Optional 4x Support Collars				
CFBCTXL120NGALPL24C CFBCTXL120LPALPL24C	with 24" Circular Plate	18 lbs	25" x 25" x 7"	
CFBCTXL120NGALPL24CFK1 CFBCTXL120LPALPL24CFK1	with 24" Circular Plate + ¾" Flex Line Kit	21 lbs	25" x 25" x 7"	
Compatible Ignition Systems: Push Button, 3 Volt, 24 Volt Spark Ignition, 24 Volt Hot Surface Ignition (SC)				



16" 24"








#### **CIRCLE TREE-STYLE CFBCT240**

For 30" opening or larger


SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS	
CFBCT240NG   CFBCT240LP	240K BTU Circle Tree-Style Brass Burner	11 lbs	27" x 27" x 7"	
Recommended parts: Plate: ALPL30C (circle) • ¾" Flex Line Kit • Optional 5x Support Collars				
CFBCT240NGALPL30C CFBCT240LPALPL30C	with 30" Circular Plate	22 lbs	31" x 31" x 7"	
CFBCT240NGALPL30CFK1 CFBCT240LPALPL30CFK1	with 30" Circular Plate + ¾" Flex Line Kit	24 lbs	31" x 31" x 7"	
Compatible Ignition Systems: Push Button, 24	Volt Spark Ignition, 24 Volt Hot Surface Ign	ition (SC)		



#### For 42" opening or larger

SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS	
CFBCT440NG   CFBCT4400LP	440K BTU Circle Tree-Style Brass Burner	30 lbs	37" x 37" x 9""	
Recommended parts: Plate: ALPL42C (circle	e) • ¾" Dual Flex Line Kit • Optional 7x Sup	port Collars		
CFBCT440NGALPL42C CFBCT440LPALPL42C	with 42" Circular Plate	SHIPS FREIGHT		
CFBCT440NGALPL42CFK2 CFBCT440LPALPL42CFK2	with 42" Circular Plate + ¾" Dual Flex Line Kit	SHIPS FREIGHT		
Compatible Ignition Systems: 24 Volt Hot Su	ırface Ignition (HC)			

#### COMPLETE THE FEATURE WITH MEDIA, PAGE 66






# OPTIONS FOR SQUARE OPENINGS

Designed for square fire features, these CROSS**FIRE®** Brass Burners range from 60K to 450K BTUs.

Need a different size or shape? We're happy to help. Call our Flame Consultants at 877 556 5255







For 18" opening or larger

SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS
CFB60NG   CFB60LP	60K BTU Original Brass Burner	4 lbs	11" x 11" x 5"
Recommended parts: Plate: ALPL18S (square	e) • ¾" Flex Line Kit • Optional 3x Suppo	rt Collars	
CFB60NGALPL18S CFB60LPALPL18S	with 18" Square Plate	8 lbs	20" x 20" x 6"
CFB60NGALPL18SFK1 CFB60LPALPL18SFK1	with 18" Square Plate + ¾" Flex Line Kit	11 lbs	20" x 20" x 6"

Compatible Ignition Systems: Push Button, 3 Volt, 24 Volt Spark Ignition, 24 Volt Hot Surface Ignition (SC)








#### **ORIGINAL CFB84**


For 18" opening or larger

SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS
CFB84NG   CFB84LP	84K BTU Original Brass Burner	4 lbs	11" x 11" x 5"
Recommended parts: Plate: ALPL18S (squa	re) • ¾" Flex Line Kit • Optional 3x Suppo	rt Collars	
CFB84NGALPL18S CFB84LPALPL18S	with 18" Square Plate	8 lbs	21" x 21" x 7"
CFB84NGALPL18SFK1 CFB84LPALPL18SFK1	with 18" Square Plate + ¾" Flex Line Kit	11 lbs	21" x 21" x 7"

		_	onal Type)	Gas Type		Size of Plate	f	Flex Line Kit
SKU BREAKDOWN	CFB	0	3 6 0	N G	ALPL	4 2	C	F K 2
	CROSSFIRI rass Burne		BTU		Plate or Pan		hap Pla	









For 24" opening or larger

SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS	
CFB120NG   CFB120LP	120K BTU Original Brass Burner	iginal Brass Burner 8 lbs		
Recommended parts: Plate: ALPL24S (square) • ¾" Flex Line Kit • Optional 4x Support Collars				
CFB120NGALPL24S CFB120LPALPL24S	with 24" Square Plate	15 lbs	26" x 26" x 6"	
CFB120NGALPL24SFK1 CFB120LPALPL24SFK1	with 24" Square Plate + ¾" Flex Line Kit	18 lbs	26" x 26" x 6"	
Compatible Ignition Systems: Push Button, 3	Volt, 24 Volt Spark Ignition, 24 Volt Hot Surf	face Ignition (SC)		








#### **ORIGINAL CFB180**

For 30" opening or larger

SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS	
CFB180NG   CFB180LP	180K BTU Original Brass Burner	9 lbs	19" x 19" x 7"	
Recommended parts: Plate: ALPL30S (square) • ¾" Flex Line Kit • Optional 5x Support Collars				
CFB180NGALPL30S CFB180LPALPL30S	with 30" Square Plate	19 lbs	33" x 33" x 9"	
CFB180NGALPL30SFK1 CFB180LPALPL30SFK1	with 30" Square Plate + ¾" Flex Line Kit	22 lbs	33" x 33" x 9"	
Compatible Ignition Systems: Push Button, 24	Volt Spark Ignition, 24 Volt Hot Surface Igr	nition (SC)		


#### PLATE AND PAN OPTIONS ON PAGE 44





For 30" opening or larger

SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS		
CFB240NG   CFB240LP	240K BTU Original Brass Burner	12 lbs	23" x 23" x 7"		
Recommended parts: Plate: ALPL30S (square) • ¾" Flex Line Kit • Optional 5x Support Collars					
CFB240NGALPL30S CFB240LPALPL30S	with 30" Square Plate	20 lbs	33" x 33" x 9"		
CFB240NGALPL30SFK1 CFB240LPALPL30SFK1	with 30" Square Plate + ¾" Flex Line Kit	23 lbs	33" x 33" x 9"		
Compatible Ignition Systems: Push Button, 2-	4 Volt Spark Ignition, 24 Volt Hot Surface Ig	nition (SC)			




SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS	
CFB290NG   CFB290LP	290K BTU Original Brass Burner	12 lbs	23" x 23" x 7"	
Recommended parts: Plate: ALPL36S (square) • ¾" Dual Flex Line Kit • Optional 6x Support Collars				
CFB290NGALPL36S CFB290LPALPL36S	with 36" Square Plate	SHIPS	FREIGHT	
CFB290NGALPL36SFK2 CFB290LPALPL36SFK2	with 36" Square Plate + ¾" Dual Flex Line Kit	SHIPS	FREIGHT	

Compatible Ignition Systems: Push Button, 24 Volt Spark Ignition, 24 Volt Hot Surface Ignition (SC)


		_	onal Type)	Gas Type		Size of Plate	
SKU BREAKDOWN	CFB	0	3 6 0	N G	ALPL	4 2	C FK2
	CROSSFIRI		BTU		Plate or Pan		hape f Plate





#### For 48" opening or larger

SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS		
CFB350NG   CFB350LP	350K BTU Original Brass Burner	23 lbs	33" x 33" x 9"		
Recommended parts: Plate: ALPL48S (square) • ¾" Dual Flex Line Kit • Optional 8x Support Collars					
CFB350NGALPL48S CFB350LPALPL48S	with 48" Square Plate	SHIPS	FREIGHT		
CFB350NGALPL48SFK2 CFB350LPALPL48SFK2	with 48" Square Plate + ¾" Dual Flex Line Kit	SHIPS	FREIGHT		
Compatible Ignition Systems: 24 Volt Spark Ignition, 24 Volt Hot Surface Ignition (HC)					




For 60" opening or larger

SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS	
CFB450NG   CFB450LP	450K BTU Original Brass Burner	SHIPS FREIGHT		
Recommended parts: Plate: ALPL60S (square) • ¾" Dual Flex Line Kit • Optional 10x Support Collars				
CFB450NGALPL60S CFB450LPALPL60S	with 60" Square Plate	SHIP	S FREIGHT	
CFB450NGALPL60SFK2 CFB450LPALPL60SFK2	with 60" Square Plate + ¾" Dual Flex Line Kit	SHIP	S FREIGHT	
Compatible Ignition Systems: 24 Volt Spark Ignition, 24 Volt Hot Surface Ignition (HC)				

#### LIGHT IT UP! IGNITION SYSTEMS START ON PAGE 61






#### **OCTAGONAL CFBO140**

#### For 18" opening or larger

SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS
CED CA AONIC I CED CA AOLD	4.40K DTI LO	0.11	40" 45" 5"

CFBO140NG   CFBO140LP	140K BTU Octagonal Brass Burner	19" x 15" x 5"		
Recommended parts: Plate: ALPL18S (square) • ¾" Flex Line Kit • Optional 3x Support Collars				
CFBO140NGALPL18S CFBO140LPALPL18S	with 18" Square Plate	13 lbs	20" x 20" x 6"	
CFBO140NGALPL18SFK1 CFBO140LPALPL18SFK1	with 18" Square Plate + ¾" Flex Line Kit	16 lbs	20" x 20" x 6"	







#### **OCTAGONAL CFBO180**


#### For 24" opening or larger

SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS
CFBO180NG   CFBO180LP	180K BTU Octagonal Brass Burner	10 lbs	19" x 15" x 5"
Recommended parts: Plate: ALPL24S (square	e) • ¾" Flex Line Kit • Optional 4x Suppor	t Collars	
CFBO180NGALPL24S CFBO180LPALPL24S	with 24" Square Plate	17 lbs	26" x 26" x 6"
CFBO180NGALPL24SFK1 CFBO180LPALPL24SFK1	with 24" Square Plate + ¾" Flex Line Kit	20 lbs	26" x 26" x 6"
Compatible Ignition Systems: Push Button, 2	4 Volt Spark Ignition, 24 Volt Hot Surface Igr	nition (SC)	

		_	onal Type)	Gas Type		Size of Plate	f	Flex Line Kit
SKU BREAKDOWN	CFB	0	3 6 0	N G	ALPL	4 2	С	F K 2
	CROSSFIRI rass Burne		BTU		Plate or Pan		hap Pla	









#### **OCTAGONAL CFBO280**

For 30" opening or larger

SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS	
CFBO280NG   CFBO280LP	280K BTU Octagonal Brass Burner	13 lbs	25" x 25" x 7"	
Recommended parts: Plate: ALPL30S (square) • ¾" Dual Flex Line Kit • Optional 5x Support Collars				
CFBO280NGALPL30S CFBO280LPALPL30S	with 30" Square Plate	23 lbs	32" x 32" x 8"	
CFBO280NGALPL30SFK2 CFBO280LPALPL30SFK2	with 30" Square Plate + ¾" Dual Flex Line Kit	30 lbs	32" x 32" x 8"	
Compatible Ignition Systems: Push Button, 24	4 Volt Spark Ignition, 24 Volt Hot Surface I	gnition (HC)		








#### **OCTAGONAL CFBO360**

For 42" opening or larger


SKU (NG OR LP)	DESCRIPTION	TION SHIP WEIGHT		
CFBO360NG   CFB360LP	360K BTU Octagonal Brass Burner	nal Brass Burner 22 lbs		
Recommended parts: Plate: ALPL42S (square) • ¾" Dual Flex Line Kit • Optional 7x Support Collars				
CFBO360NGALPL42S CFBO360LPALPL42S	with 42" Square Plate	SHIPS FREIGHT		
CFBO360NGALPL42SFK2 CFBO360LPALPL42SFK2	with 42" Square Plate + ¾" Dual Flex Line Kit	SHIPS	FREIGHT	
Compatible Ignition Systems: 24 Volt Spark Ignition, 24 Volt Hot Surface Ignition (HC)				

#### FLEX LINE AND PARTS ON PAGE 65





1 1/4" 🗓




#### **SQUARE TREE-STYLE CFBST120**

For 18" opening or larger

SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS		
CFBST120NG   CFBST120LP	120K BTU Square Tree-Style Brass Burner	6 lbs	13" x 13" x 5"		
Recommended parts: Plate: ALPL18S (square) • ¾" Flex Line Kit • Optional 4x Support Collars					
CFBST120NGALPL18S CFBST120LPALPL18S	with 18" Square Plate	13 lbs	21" x 21" x 7"		
CFBST120NGALPL18SFK1 CFBST120LPALPL18SFK1	with 18" Square Plate + ¾" Flex Line Kit	15 lbs	21" x 21" x 7"		
Compatible Ignition Systems: Push Button, 3 Volt, 24 Volt Spark Ignition, 24 Volt Hot Surface Ignition (SC)					






30"


#### **SQUARE TREE-STYLE CFBST240**


For 30" opening or larger

SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS
CFBST240NG   CFBST240LP	240K BTU Square Tree-Style Brass Burner	11 lbs	21" x 21" x 7"
Recommended parts: Plate: ALPL30S (square	e) • ¾" Flex Line Kit • Optional 4x Support	Collars	
CFBST240NGALPL30S CFBST240LPALPL30S	with 30" Square Plate	25 lbs	33" x 33" x 7""
CFBST240NGALPL30SFK1 CFBST240LPALPL30SFK1	with 30" Square Plate + ¾" Flex Line Kit	27 lbs	33" x 33" x 7""










#### **SQUARE TREE-STYLE CFBST400**

#### For 36" opening or larger

SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS
CFBST400NG   CFBST400LP	400K BTU Square Tree-Style Brass Burner	18 lbs	29" x 29" x 7"
Recommended parts: Plate: ALPL36S (squa	re) • ¾" Dual Flex Line Kit • Optional 4x Su	ipport Collars	
CFBST400NGALPL36S CFBST400LPALPL36S	with 36" Square Plate	37 lbs	38" x 38" x 6"
CFBST400NGALPL36SFK2 CFBST400LPALPL36SFK2	with 36" Square Plate + ¾" Dual Flex Line Kit	40 lbs	38" x 38" x 6"
Compatible Ignition Systems: 24 Volt Spark	lanition 24 Volt Hot Surface lanition (HC)	1	,



#### For 42" opening or larger

SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS		
CFBST500NG   CFBST500LP	500K BTU Square Tree-Style Brass Burner	22 lbs	33" x 33" x 9"		
Recommended parts: Plate: ALPL42S (square) • ¾" Dual Flex Line Kit • Optional 7x Support Collars					
CFBST500NGALPL42S CFBST500LPALPL42S	with 42" Square Plate	SHIPS FREIGHT			
CFBST500NGALPL42SFK2 CFBST500LPALPL42SFK2	with 42" Square Plate + ¾" Dual Flex Line Kit	SHIPS FREIGHT			
Compatible Ignition Systems: 24 Volt Hot Surface Ignition (HC)					

#### COMPLETE THE FEATURE WITH MEDIA, PAGE 66





# OPTIONS FOR RECTANGULAR OPENINGS & FIREPLACES

Designed for rectangular fire features and outdoor fireplaces, these CROSS**FIRE**® Brass Burners range from 90K to 480K BTUs.

Need a different size or shape? We're happy to help. Call our Flame Consultants at 877 556 5255



#### TREE-STYLE CFBT110

For 20" x 11" opening or larger

SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS		
CFBT110NG   CFBT110LP	110K BTU Tree-Style Brass Burner	6 lbs	15" x 15" x 5"		
Recommended parts: Plate: ALPL2011 • ¾" Flex Line Kit • Optional 3x Support Collars					
CFBT110NGALPL2011 CFBT110LPALPL2011	with 20" x 11" Rectangular Plate	12 lbs	21" x 21" x 7"		
CFBT110NGALPL2011FK1 CFBT110LPALPL2011FK1	with 20" x 11" Plate + ¾" Flex Line Kit	15 lbs	21" x 21" x 7"		
Compatible Ignition Systems: Push Butt	on, 3 Volt, 24 Volt Spark Ignition, 24 Volt Hot Su	urface Ignition (SC)	'		



# 


#### TREE-STYLE CFBT170

For 28" x 11" opening or larger

SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS		
CFBT170NG   CFBT170LP	170K BTU Tree-Style Brass Burner	8 lbs	25" x 9" x 7"		
Recommended parts: Plate: ALPL2811 • ¾" Flex Line Kit • Optional 4x Support Collars					
CFBT170NGALPL2811 CFBT170LPALPL2811	with 28" x 11" Rectangular Plate	16 lbs	37" x 13" x 13"		
CFBT170NGALPL2811FK1 CFBT170LPALPL2811FK1	with 28" x 11" Plate + ¾" Flex Line Kit	15 lbs	37" x 13" x 13"		
Compatible Ignition Systems: Push Button, 24 Volt Spark Ignition, 24 Volt Hot Surface Ignition (SC)					

			onal Type)	Gas Type		Size of Plate	f	Flex Line Kit
SKU BREAKDOWN	CFB	0	3 6 0	N G	ALPL	4 2	C	F K 2
	CROSSFIRI rass Burne		BTU		Plate or Pan		hap Pla	





49" x 17" x 17"

For 36" x 11" opening or larger

SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS		
CFBT230NG   CFBT230LP	230K BTU Tree-Style Brass Burner	10 lbs	37" x 13" x 13"		
Recommended parts: Plate: ALPL3611 • ¾" Flex Line Kit • Optional 5x Support Collars					
CFBT230NGALPL3611 CFBT230LPALPL3611	with 36" x 11" Rectangular Plate	19 lbs	37" x 13" x 13"		
CFBT230NGALPL3611FK1 CFBT230LPALPL3611FK1	with 36" x 11" Plate + ¾" Flex Line Kit	22 lbs	37" x 13" x 13"		
Compatible Ignition Systems: Push Button, 24 Volt Spark Ignition, 24 Volt Hot Surface Ignition (SC)					




#### PLATE AND PAN OPTIONS ON PAGE 44

Compatible Ignition Systems: Push Button, 24 Volt Spark Ignition, 24 Volt Hot Surface Ignition (SC)

37 lbs

CFBT290LPALPL4414FK2







#### TREE-STYLE CFBT350


For 58" x 14" opening or larger


SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS		
CFBT350NG   CFBT350LP	350K BTU Tree-Style Brass Burner	20 lbs	61" x 9" x 9"		
Recommended parts: Plate: ALPL5814 • ¾" Dual Flex Line Kit • Optional 7x Support Collars					
CFBT350NGALPL5814 CFBT350LPALPL5814	with 58" x 14" Rectangular Plate	SHIPS FREIGHT			
CFBT350NGALPL5814FK2 with 58" x 14" Plate + ¾" Dual Flex Line SHIPS FREIGHT Kit					
Compatible Ignition Systems: 24 Volt Hot Sur	face Ignition (HC)				



SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS		
CFBT410NG   CFBT410LP	410K BTU Tree-Style Brass Burner	20 lbs	61" x 61" x 9"		
Recommended parts: Plate: ALPL6614 • ¾" Dual Flex Line Kit • Optional 8x Support Collars					
CFBT410NGALPL6614 CFBT410LPALPL6614	with 66" x 14" Rectangular Plate	SHIPS FREIGHT			
CFBT410NGALPL6614FK2 with 66" x 14" Plate + ¾" Dual Flex Line Kit SHIPS FREIGHT					
Compatible Ignition Systems: 24 Volt Hot Surface Ignition (HC)					








#### TREE-STYLE CFBT470

For 74" x 14" opening or larger

SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS	
CFBT470NG   CFBT470LP	470K BTU Tree-Style Brass Burner	SHIPS FREIGHT		
Recommended parts: Plate: ALPL7414 • ¾" Dual Flex Line Kit • Optional 9x Support Collars				
CFBT470NGALPL7414 CFBT470LPALPL7414	with 74" x 14" Rectangular Plate	SHIPS FREIGHT		
CFBT470NGALPL7414FK2 CFBT470LPALPL7414FK2	with 74" x 14" Plate + ¾" Dual Flex Line Kit	SHII	PS FREIGHT	
Compatible Ignition Systems: 24 Volt Hot Surface Ignition (HC)				





#### **DOUBLE TREE-STYLE CFBDT160**

For 22" x 17" opening or larger


SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS		
CFBDT160NG   CFBDT160LP	160K BTU Double Tree-Style Brass Burner	8 lbs	19" x 15" x 5"		
Recommended parts: Plate: ALPL2217 • ¾" Flex Line Kit • Optional 4x Support Collars					
CFBDT160NGALPL2217 CFBDT160LPALPL2217	with 22" x 17" Rectangular Plate	12 lbs	19" x 15" x 5"		
CFBDT160NGALPL2217FK1 CFBDT160LPALPL2217FK1	with 22" x 17" Plate + ¾" Flex Line Kit	15 lbs	25" x 25" x 7"		
Compatible Ignition Systems: Push Button, 24 Volt Spark Ignition, 24 Volt Hot Surface Ignition (SC)					

#### LIGHT IT UP! IGNITION SYSTEMS START ON PAGE 61



#### **DOUBLE TREE-STYLE CFBDT240**

For 29" x 17" opening or larger




SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS		
CFBDT240NG   CFBDT240LP	240K BTU Double Tree-Style Brass Burner	11 lbs	25" x 25" x 7"		
Recommended parts: Plate: ALPL2917 • ¾" Flex Line Kit • Optional 5x Support Collars					
CFBDT240NGALPL2917 CFBDT240LPALPL2917	with 29" x 17" Rectangular Plate	18 lbs	31" x 31" x 7"		
CFBDT240NGALPL2917FK1 CFBDT240LPALPL2917FK1	with 29" x 17" Plate + ¾" Flex Line Kit	21 lbs	31" x 31" x 7"		
Compatible Ignition Systems: Push Button, 24 Volt Spark Ignition, 24 Volt Hot Surface Ignition (SC)					




#### **DOUBLE TREE-STYLE CFBDT320**

For 41" x 18" opening or larger




SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS		
CFBDT320NG   CFBDT320LP	320K BTU Double Tree-Style Brass Burner	18 lbs	37" x 13" x 13"		
Recommended parts: Plate: ALPL4118 • ¾" Dual Flex Line Kit • Optional 6x Support Collars					
CFBDT320NGALPL4118 CFBDT320LPALPL4118	with 41" x 18" Rectangular Plate	SHIPS FREIGHT			
CFBDT320NGALPL4118FK2 CFBDT320LPALPL4118FK2	with 41" x 18" Plate + ¾" Dual Flex Line Kit	SHIPS FREIGHT			
Compatible Ignition Systems: 24 Volt Spark Ignition, 24 Volt Hot Surface Ignition (HC)					






#### **DOUBLE TREE-STYLE CFBDT400**

For 50" x 18" opening or larger



SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS	
CFBDT400NG   CFBDT400LP	400K BTU Double Tree-Style Brass Burner	22 lbs	49" x 9" x 9"	
Recommended parts: Plate: ALPL5018 • ¾" Dual Flex Line Kit • Optional 7x Support Collars				
CFBDT400NGALPL5018 CFBDT400LPALPL5018	with 50" x 18" Rectangular Plate	SHIPS FREIGHT		
CFBDT400NGALPL5018FK2 CFBDT400LPALPL5018FK2	with 50" x 18" Plate + ¾" Dual Flex Line Kit	SHIPS FREIGHT		
Compatible Ignition Systems: 24 Volt Spark Ignition, 24 Volt Hot Surface Ignition (HC)				




#### For 59" x 18" opening or larger

SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS
CFBDT480NG   CFBDT480LP	480K BTU Double Tree-Style Brass Burner	28 lbs	61" x 9" x 9"
Recommended parts: Plate: ALPL5918 • ¾" Dual Flex Line Kit • Optional 7x Support Collars			
CFBDT480NGALPL5918 CFBDT480LPALPL5918	with 59" x 18" Rectangular Plate	SHIPS FREIGHT	
CFBDT480NGALPL5918FK2 CFBDT480LPALPL5918FK2	with 59" x 18" Plate + ¾" Dual Flex Line Kit	SHIPS FREIGHT	
Compatible Ignition Systems: 24 Volt Spark Ignition, 24 Volt Hot Surface Ignition (HC)			

#### FLEX LINE AND PARTS ON PAGE 65





#### LINEAR CFBL90






#### LINEAR CFBL110








26'

22"






#### LINEAR CFBL130


For 32" x 8" opening or larger


SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS
CFBL130NG   CFBL130LP	130K BTU Linear Brass Burner	5 lbs	37" x 5" x 5"
Recommended parts: Plate: ALPL328	3⁄4" Flex Line Kit • Optional 4x Support Collar	rs .	
CFBL130NGALPL328 CFBL130LPALPL328	with 32" x 8" Rectangular Plate	11 lbs	37" x 13" x 13"
CFBL130NGALPL328FK1 CFBL130LPALPL328FK1	with 32" x 8" Plate + ¾" Flex Line Kit	14 lbs	37" x 13" x 13"
Compatible Ignition Systems: Push Butt	on, 24 Volt Spark Ignition, 24 Volt Hot Surface	Ignition (SC)	



SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS	
CFBL150NG   CFBL150LP	150K BTU Linear Brass Burner	5 lbs	37" x 5" x 5"	
Recommended parts: Plate: ALPL388 • ¾" Flex Line Kit • Optional 4x Support Collars				
CFBL150NGALPL388 CFBL150LPALPL388	with 38" x 8" Rectangular Plate	14 lbs	41" x 9" x 9"	
CFBL150NGALPL388FK1 CFBL150LPALPL388FK1	with 38" x 8" Plate + ¾" Flex Line Kit	17 lbs	41" x 9" x 9"	
Compatible Ignition Systems: Push Button, 24	Volt Spark Ignition, 24 Volt Hot Surface Ign	ition (SC)		

#### COMPLETE THE FEATURE WITH MEDIA, PAGE 66






#### LINEAR CFBL190


#### For 44" x 8" opening or larger


SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS
CFBL190NG   CFBL190LP	190K BTU Linear Brass Burner	6 lbs	49" x 5" x 5"
Recommended parts: Plate: ALPL4	48 • ¾" Flex Line Kit • Optional 5x Support Colla	rs	
CFBL190NGALPL448 CFBL190LPALPL448	with 44" x 8" Rectangular Plate	17 lbs	49" x 9" x 9"
CFBL190NGALPL448FK1 CFBL190LPALPL448FK1	with 44" x 8" Plate + ¾" Flex Line Kit	20 lbs	49" x 9" x 9"
Compatible Ignition Systems: Push	Button, 24 Volt Spark Ignition, 24 Volt Hot Surface	Ignition (SC)	



#### For 50" x 10" opening or larger

SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS		
CFBL210NG   CFBL210LP	210K BTU Linear Brass Burner	7 lbs	49" x 5" x 5"		
Recommended parts: Plate: ALPL5010 • ¾" Flex Line Kit • Optional 6x Support Collars					
CFBL210NGALPL5010 CFBL210LPALPL5010	with 50" x 10" Rectangular Plate	23 lbs	61" x 9" x 9"		
CFBL210NGALPL5010FK1 CFBL210LPALPL5010FK1	with 50" x 10" Plate + ¾" Flex Line Kit	26 lbs	61" x 9" x 9"		
Compatible Ignition Systems: Push Button, 24	Volt Spark Ignition, 24 Volt Hot Surface Igr	nition (SC)			









PLATE AND PAN OPTIONS ON PAGE 44



# 28" 18" | 18"




#### H-STYLE CFBH120

For 28" x 15" opening or larger

SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS
CFBH120NG   CFBH120LP	120K BTU H-Style Brass Burner	7 lbs	19" x 15" x 5"
Recommended parts: Plate: ALPL2815	• ¾" Flex Line Kit • Optional 4x Support Colla	rs	
CFBH120NGALPL2815 CFBH120LPALPL2815	with 28" x 15" Rectangular Plate	16 lbs	29" x 29" x 7"
CFBH120NGALPL2815FK1 CFBH120LPALPL2815FK1	with 28" x 15" Plate + ¾" Flex Line Kit	19 lbs	29" x 29" x 7"
Compatible Ignition Systems: Push But	ton, 3 Volt, 24 Volt Spark Ignition, 24 Volt Hot Su	rface Ignition (SC)	







#### H-STYLE CFBH160

For 34" x 17" opening or larger

SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSION
CFBH160NG   CFBH160LP	160K BTU H-Style Brass Burner	8 lbs	25" x 9" x 7"
Recommended parts: Plate: ALPL3417 •	¾" Flex Line Kit • Optional 5x Support Colla	rs	
CFBH160NGALPL3417 CFBH160LPALPL3417	with 34" x 17" Rectangular Plate	17 lbs	37" x 37" x 9"
CFBH160NGALPL3417FK1 CFBH160LPALPL3417FK1	with 34" x 17" Plate + ¾" Flex Line Kit	20 lbs	37" x 37" x 9"








#### H-STYLE CFBH200

For 40" x 17" opening or larger

SKU (NG OR LP) **DESCRIPTION** SHIP WEIGHT SHIP DIMENSIONS CFBH200NG | CFBH200LP 200K BTU H-Style Brass Burner 9 lbs 37" x 13" x 13" Recommended parts: Plate: ALPL4017 • ¾" Flex Line Kit • Optional 6x Support Collars CFBH200NGALPL4017 with 40" x 17" Rectangular Plate SHIPS FREIGHT CFBH200LPALPL4017 CFBH200NGALPL4017FK1 with 40" x 17" Plate + ¾" Flex Line Kit SHIPS FREIGHT CFBH200LPALPL4017FK1 Compatible Ignition Systems: Push Button, 24 Volt Spark Ignition, 24 Volt Hot Surface Ignition (SC)






#### H-STYLE CFBH240

For 46" x 17" opening or larger

SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS		
CFBH240NG   CFBH240LP	240K BTU H-Style Brass Burner	10 lbs	37" x 13" x 13"		
Recommended parts: Plate: ALPL4617 • ¾" Flex Line Kit • Optional 7x Support Collars					
CFBH240NGALPL4617 CFBH240LPALPL4617	with 46" x 17" Rectangular Plate	SHIP	S FREIGHT		
CFBH240NGALPL4617FK1 with 46" x 17" Plate + ¾" Flex Line Kit SHIPS FREIGHT					
Compatible Ignition Systems: Push Button, 2	24 Volt Spark Ignition, 24 Volt Hot Surface Ign	ition (SC)			

#### LIGHT IT UP! IGNITION SYSTEMS START ON PAGE 61







#### H-STYLE CFBH300

For 56" x 25" opening or larger

SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS	
CFBH300NG   CFBH300LP	300K BTU H-Style Brass Burner	20 lbs	49" x 17" x 17"	
Recommended parts: Plate: ALPL5625 • ¾	Dual Flex Line Kit • Optional 9x Support C	Collars		
CFBH300NGALPL5625 CFBH300LPALPL5625	with 56" x 25" Rectangular Plate	SHIPS FREIGHT		
CFBH300NGALPL5625FK2 CFBH300LPALPL5625FK2	with 56" x 25" Plate + ¾" Dual Flex Line Kit	SHIPS FREIGHT		
Compatible Ignition Systems: Push Button, 2	4 Volt Spark Ignition, 24 Volt Hot Surface Ig	nition (HC)		



SKU (NG OR LP)	DESCRIPTION	SHIP WEIGHT	SHIP DIMENSIONS	
CFBH340NG   CFBH340LP	340K BTU H-Style Brass Burner	14 lbs	49" x 17" x 17"	
Recommended parts: Plate: ALPL6225 • ¾" Dual Flex Line Kit • Optional 9x Support Collars				
CFBH340NGALPL6225 CFBH340LPALPL6225	with 62" x 25" Rectangular Plate	SHIPS FREIGHT		
CFBH340NGALPL6225FK2 with 62" x 25" Plate + ¾" Dual Flex Line Kit SHIPS FREIGHT				
Compatible Ignition Systems: 24 Volt Spark I	gnition, 24 Volt Hot Surface Ignition (HC)			




### **PLATES, PANS & COVERS**

Cut from aluminum using state-of-the-art water jet technology, Warming Trends plates and pans are corrosion resistant and include drainage vents.

#### TECH TIP

Plate should be sized slightly smaller than the measurement of the opening. This allows easier installation and removal for service.

#### CIRCULAR PLATES and PANS



#### **Plates**

SKU	DESCRIPTION	SHIP W	EIGHT + DIMS
ALPL18C	18" Circular	4 lbs	19" x 19" x 7"
ALPL24C	24" Circular	5 lbs	25" x 25" x 7"
ALPL30C	30" Circular	8 lbs	31" x 31" x 7"
ALPL36C	36" Circular	12 lbs	37" x 37" x 9"
ALPL42C	42" Circular	SHIF	'S FREIGHT
ALPL48C	48" Circular	SHIF	'S FREIGHT
ALPL60C	60" Circular	SHIF	'S FREIGHT
ALPL12-17C	12" - 17" Circular	4 lbs	19" x 19" x 7"
ALPL19-23C	19" - 23" Circular	5 lbs	25" x 25" x 7"
ALPL25-29C	25" - 29" Circular	8 lbs	31" x 31" x 7"
ALPL31-35C	31" - 35" Circular	12 lbs	37" x 37" x 9"
ALPL37-41C	37" - 41" Circular	SHIF	S FREIGHT
ALPL43-47C	43" - 47" Circular	SHIF	S FREIGHT
ALPL49-59C	49" - 59" Circular	SHIF	S FREIGHT
ALPL61-66C	61" - 66" Circular	SHIF	S FREIGHT
ALPL67-72C	67" - 72" Circular	SHIF	S FREIGHT
ALPL73-80C	73" - 80" Circular	SHIPS FREIGHT	
ALPLCUST	Aluminum plate customized to any shape or size	Call for Quote	



Pans (Pans include 2" welded sidewall)

SKU	DESCRIPTION	SHIP WE	EIGHT + DIMS
ALPAN18C	18" Circular	7 lbs	19" x 19" x 7"
ALPAN24C	24" Circular	9 lbs	25" x 25" x 7"
ALPAN30C	30" Circular	12 lbs	31" x 31" x 7"
ALPAN36C	36" Circular	17 lbs	37" x 37" x 9"
ALPAN42C	42" Circular	SHIF	'S FREIGHT
ALPAN48C	48" Circular	SHIF	'S FREIGHT
ALPAN60C	60" Circular	SHIF	'S FREIGHT
ALPAN12-17C	12" - 17" Circular	6 lbs	19" x 19" x 7"
ALPAN19-23C	19" - 23" Circular	9 lbs	25" x 25" x 7"
ALPAN25-29C	25" - 29" Circular	12 lbs	31" x 31" x 7"
ALPAN31-35C	31" - 35" Circular	16 lbs	37" x 37" x 9"
ALPAN37-41C	37" - 41" Circular	SHIF	'S FREIGHT
ALPAN43-47C	43" - 47" Circular	SHIPS FREIGHT	
ALPAN49-59C	49 - 59" Circular	SHIPS FREIGHT	
ALPANCUST	Aluminum pan customized to any shape or size	Call for Quote	



#### **SQUARE PLATES and PANS**



Plates

SKU	DESCRIPTION	SHIP W	EIGHT + DIMS
ALPL18S	18" Square	4 lbs	21" x 21" x 7"
ALPL24S	24" Square	7 lbs	27" x 27" x 7"
ALPL30S	30" Square	10 lbs	33" x 33" x 9"
ALPL36S	36" Square	15 lbs	39" x 39" x 7"
ALPL42S	42" Square	SHIF	PS FREIGHT
ALPL48S	48" Square	SHIF	PS FREIGHT
ALPL60S	60" Square	SHIPS FREIGHT	
ALPL12-17S	12" - 17" Square	4 lbs	19" x 19" x 7"
ALPL19-23S	19" - 23" Square	7 lbs	25" x 25" x 7"
ALPL25-29S	25" - 29" Square	10 lbs	31" x 31" x 7"
ALPL31-35S	31" - 35" Square	15 lbs	37" x 37" x 9"
ALPL37-41S	37" - 41" Square	SHIF	PS FREIGHT
ALPL43-47S	43" - 47" Square	SHIF	PS FREIGHT
ALPL49-59S	49" - 59" Square	SHIF	PS FREIGHT
ALPL61-66S	61" - 66" Square	SHIF	PS FREIGHT
ALPL67-72S	67" - 72" Square	SHIPS FREIGHT	
ALPL73-80S	73" - 80" Square	SHIPS FREIGHT	
ALPLCUST	Aluminum plate customized to any shape or size	Call for Quote	



SKU	DESCRIPTION	SHIP W	EIGHT + DIMS
ALPAN18S	18" Square	8 lbs	21" x 21" x 7"
ALPAN24S	24" Square	11 lbs	27" x 27" x 7"
ALPAN30S	30" Square	15 lbs	33" x 33" x 9"
ALPAN36S	36" Square	20 lbs	39" x 39" x 7"
ALPAN42S	42" Square	SHIF	PS FREIGHT
ALPAN48S	48" Square	SHIPS FREIGHT	
ALPAN60S	60" Square	SHIF	PS FREIGHT
ALPAN12-17S	12" - 17" Square	7 lbs	19" x 19" x 7"
ALPAN19-23S	19" - 23" Square	10 lbs	25" x 25" x 7"
ALPAN25-29S	25" - 29" Square	14 lbs	31" x 31" x 7"
ALPAN31-35S	31" - 35" Square	19 lbs	37" x 37" x 9"
ALPAN37-41S	37" - 41" Square	SHIF	PS FREIGHT
ALPAN43-47S	43" - 47" Square	SHIPS FREIGHT	
ALPAN49-59S	49" - 59" Square	SHIPS FREIGHT	
ALPANCUST	Aluminum pan customized to any shape or size	Call for Quote	

#### **RECTANGULAR PLATES**

SKU	DESCRIPTION	
	Length	Width
PLR2312	18" - 23.9"	6" - 12.9"
PLR2912	24" - 29.9"	6" - 12.9"
PLR3512	30" - 35.9"	6" - 12.9"
PLR4112	36" - 41.9"	6" - 12.9"
PLR4712	42" - 47.9"	6" - 12.9"
PLR5312	48" - 53.9"	6" - 12.9"
PLR6112	54" - 61.9"	6" - 12.9"
PLR6712	62" - 67.9"	6" - 12.9"
PLR7312	68" - 73.9"	6" - 12.9"
PLR7912	74" - 79.9"	6" - 12.9"
PLR8512	80" - 85.9"	6" - 12.9"
PLR9112	86" - 91.9"	6" - 12.9"
PLR9712	92" - 97.9"	6" - 12.9"
PLR10312	98" - 103.9"	6" - 12.9"
PLR10912	104" - 109.9"	6" - 12.9"
PLR11512	110" - 115.9"	6" - 12.9"
PLR12012	116" - 120"	6" - 12.9"
PLR2317	18" - 23.9"	13" - 17.9"
PLR2917	24" - 29.9"	13" - 17.9"
PLR3517	30" - 35.9"	13" - 17.9"
PLR4117	36" - 41.9"	13" - 17.9"
PLR4717	42" - 47.9"	13" - 17.9"
PLR5317	48" - 53.9"	13" - 17.9"
PLR6117	54" - 61.9"	13" - 17.9"
PLR6717	62" - 67.9"	13" - 17.9"
PLR7317	68" - 73.9"	13" - 17.9"
PLR7917	74" - 79.9"	13" - 17.9"
PLR8517	80" - 85.9"	13" - 17.9"
PLR9117	86" - 91.9"	13" - 17.9"
PLR9717	92" - 97.9"	13" - 17.9"
PLR10317	98" - 103.9"	13" - 17.9"
PLR10917	104" - 109.9"	13" - 17.9"
PLR11517	110" - 115.9"	13" - 17.9"
PLR12017	116" - 120"	13" - 17.9"

SKU	DESCRIPTION

	Length	Width
PLR2923	24" - 29.9"	18" - 23.9"
PLR3523	30" - 35.9"	18" - 23.9"
PLR4123	36" - 41.9"	18" - 23.9"
PLR4723	42" - 47.9"	18" - 23.9"
PLR5323	48" - 53.9"	18" - 23.9"
PLR6123	54" - 61.9"	18" - 23.9"
PLR6723	62" - 67.9"	18" - 23.9"
PLR7323	68" - 73.9"	18" - 23.9"
PLR7923	74" - 79.9"	18" - 23.9"
PLR8523	80" - 85.9"	18" - 23.9"
PLR9123	86" - 91.9"	18" - 23.9"
PLR9723	92" - 97.9"	18" - 23.9"
PLR10323	98" - 103.9"	18" - 23.9"
PLR10923	104" - 109.9"	18" - 23.9"
PLR11523	110" - 115.9"	18" - 23.9"
PLR12023	116" - 120"	18" - 23.9"
PLR4130	36" - 41.9"	24" - 30"
PLR4730	42" - 47.9"	24" - 30"
PLR5330	48" - 53.9"	24" - 30"
PLR6130	54" - 61.9"	24" - 30"
PLR6730	62" - 67.9"	24" - 30"
PLR7330	68" - 73.9"	24" - 30"
PLR7930	74" - 79.9"	24" - 30"
PLR8530	80" - 85.9"	24" - 30"
PLR9130	86" - 91.9"	24" - 30"
PLR9730	92" - 97.9"	24" - 30"
PLR10330	98" - 103.9"	24" - 30"
PLR10930	104" - 109.9"	24" - 30"
PLR11530	110" - 115.9"	24" - 30"
PLR12030	116" - 120"	24" - 30"

Ship Weight and Dimensions vary. Please contact for quote. Rectangular pans available.



#### CIRCULAR AND SQUARE COVERS

CCR6267 62.1" - 67.9" Circular + 2 handles. For 60.1" - 65.9" opening

CCR6872 68" - 72" Circular + 2 handles. For 66" - 70" opening

Circular SKU	DESCRIPTION	SHIP WEI	GHT + DIMS	
CCR1419	14" - 19.9" Circular + 1 handle. For 12" - 17.9" opening		ht and Dimensions vary	
FPC20C	20" Circular + 1 handle. For 18" opening	9 lbs	21" x 21" x 7"	
CCR2025	20.1" - 25.9" Circular + 1 handle. For 18.1" - 23.9" opening	Ship Weig	ht and Dimensions vary	
FPC26C	26" Circular + 1 handle. For 24" opening	13 lbs	27" x 27" x 7"	
CCR2631	26.1" - 31.9" Circular + 1 handle. For 24.1" - 29.9" opening	Ship Weig	ht and Dimensions vary	
FPC32C	32" Circular + 1 handle. For 30" opening	19 lbs	33" x 33" x 9"	
CCR3227	32.1" - 37.9" Circular + 1 handle. For 30.1" - 35.9" opening	Ship Weig	ht and Dimensions vary	
FPC38C	38" Circular + 2 handles. For 36" opening	23 lbs 39" x 39" x 7"		
CCR3843	38.1" - 43.9" Circular + 2 handles. For 36.1" - 41.9" opening		SHIPS FREIGHT	
FPC44C	44" Circular + 2 handles. For 42" opening		SHIPS FREIGHT	
CCR4449	44.1" - 49.9" Circular + 2 handles. For 42.1" - 47.9" opening		SHIPS FREIGHT	
FPC50C	50" Circular + 2 handles. For 48" opening		SHIPS FREIGHT	
CCR5055	50.1" - 55.9" Circular + 2 handles. For 48.1" - 53.9" opening		SHIPS FREIGHT	
CCR5661	56" - 61.9" Circular + 2 handles. For 54" - 59.9" opening		SHIPS FREIGHT	
FPC62C	62" Circular + 2 handles. For 60" opening		SHIPS FREIGHT	

_		
20	แล	re

SKU	DESCRIPTION	SHIP WE	IGHT + DIMS		
CSR1419	14" - 19.9" Square + 1 handle. For 12" - 17.9" opening	Ship Weig	ght and Dimensions vary		
FPC20S	20" Square + 1 handle. For 18" opening	10 lbs	23" x 23" x 7"		
CSR2025	20.1" - 25.9" Square + 1 handle. For 18.1" - 23.9" opening	Ship Weig	ght and Dimensions vary		
FPC26S	26" Square + 1 handle. For 24" opening	16 lbs	29" x 29" x 7"		
CSR2631	26.1" - 31.9" Square + 1 handle. For 24.1" - 29.9" opening	Ship Weig	Ship Weight and Dimensions vary		
FPC32S	32" Square + 1 handle. For 30" opening	23 lbs	37" x 37" x 9"		
CSR3237	32.1" - 37.9" Square + 1 handle. For 30.1" - 35.9" opening	Ship Weig	ght and Dimensions vary		
FPC38S	38" Square+ 2 handles. For 36" opening		SHIPS FREIGHT		
CSR3843	38.1" - 43.9" Square+ 2 handles. For 36.1" - 41.9" opening	SHIPS FREIGHT			
FPC44S	44" Square + 2 handles. For 42" opening	SHIPS FREIGHT			
CSR4449	44.1" - 49.9" Square + 2 handles. For 42.1" - 47.9" opening	SHIPS FREIGHT			
FPC50S	50" Square + 2 handles. For 48" opening	SHIPS FREIGHT			
CSR5055	50.1" - 55.9" Square + 2 handles. For 48.1" - 53.9" opening	SHIPS FREIGHT			
CSR5661	56" - 61.9" Square + 2 handles. For 54" - 59.9" opening		SHIPS FREIGHT		
FPC62S	62" Square + 2 handles. For 60" opening		SHIPS FREIGHT		
CSR6267	62.1" - 67.9" Square + 2 handles. For 60.1" - 65.9" opening		SHIPS FREIGHT		
CSR6872	68" - 72" Square + 2 handles. For 66" - 70" opening		SHIPS FREIGHT		

SHIPS FREIGHT

SHIPS FREIGHT

#### **RECTANGULAR COVERS**

**TECH TIP**Covers should be sized at least 2" larger than the measurement of the opening.
This allows easier installation and removal for service.

_		
C.	KU	DESCRIPTION
ີ	NU	


3 K U	DESCRIPTION		
	Length	Width	
CRR2312	18" - 23.9"	6" - 12.9"	18" - 23.9" x 6" - 12.9" Rectangular + 1 handle.
CRR2912	24" - 29.9"	6" - 12.9"	24" - 29.9" x 6" - 12.9" Rectangular + 1 handle.
CRR3512	30" - 35.9"	6" - 12.9"	30" - 35.9" x 6" - 12.9" Rectangular + 1 handle.
CRR4112	36" - 41.9"	6" - 12.9"	36" - 41.9" x 6" - 12.9" Rectangular + 2 handles.
CRR4712	42" - 47.9"	6" - 12.9"	42" - 47.9" x 6" - 12.9" Rectangular + 2 handles.
CRR5312	48" - 53.9"	6" - 12.9"	48" - 53.9" x 6" - 12.9" Rectangular + 2 handles.
CRR6112	54" - 61.9"	6" - 12.9"	54" - 61.9" x 6" - 12.9" Rectangular + 2 handles.
CRR6712	62" - 67.9"	6" - 12.9"	62" - 67.9" x 6" - 12.9" Rectangular + 2 handles.
CRR7312	68" - 73.9"	6" - 12.9"	68" - 73.9" x 6" - 12.9" Rectangular + 2 handles.
CRR7912	74" - 79.9"	6" - 12.9"	74" - 79.9" x 6" - 12.9" Rectangular + 2 handles.
CRR8512	80" - 85.9"	6" - 12.9"	80" - 85.9" x 6" - 12.9" Rectangular + 2 handles.
CRR9112	86" - 91.9"	6" - 12.9"	86" - 91.9" x 6" - 12.9" Rectangular + 2 handles.
CRR9712	92" - 97.9"	6" - 12.9"	92" - 97.9" x 6" - 12.9" Rectangular + 2 handles.
CRR10312	98" - 103.9"	6" - 12.9"	98" - 103.9" x 6" - 12.9" Rectangular + 2 handles.
CRR10912	104" - 109.9"	6" - 12.9"	104" - 109.9" x 6" - 12.9" Rectangular + 2 handles.
CRR11512	110" - 115.9"	6" - 12.9"	110" - 115.9" x 6" - 12.9" Rectangular + 2 handles.
CRR12212	116" - 120"	6" - 12.9"	116" - 120" x 6" - 12.9" Rectangular + 2 handles.
CRR2317	18" - 23.9"	13" - 17.9"	18" - 23.9" x 13" - 17.9" Rectangular + 1 handle.
CRR2917	24" - 29.9"	13" - 17.9"	24" - 29.9" x 13" - 17.9" Rectangular + 1 handle.
CRR3517	30" - 35.9"	13" - 17.9"	30" - 35.9" x 13" - 17.9" Rectangular + 1 handle.
CRR4117	36" - 41.9"	13" - 17.9"	36" - 41.9" x 13" - 17.9" Rectangular + 2 handles.
CRR4717	42" - 47.9"	13" - 17.9"	42" - 47.9" x 13" - 17.9" Rectangular + 2 handles.
CRR5317	48" - 53.9"	13" - 17.9"	48" - 53.9" x 13" - 17.9" Rectangular + 2 handles.
CRR6117	54" - 61.9"	13" - 17.9"	54" - 61.9" x 13" - 17.9" Rectangular + 2 handles.
CRR6717	62" - 67.9"	13" - 17.9"	62" - 67.9" x 13" - 17.9" Rectangular + 2 handles.
CRR7317	68" - 73.9"	13" - 17.9"	68" - 73.9" x 13" - 17.9" Rectangular + 2 handles.
CRR7917	74" - 79.9"	13" - 17.9"	74" - 79.9" x 13" - 17.9" Rectangular + 2 handles.
CRR8517	80" - 85.9"	13" - 17.9"	80" - 85.9" x 13" - 17.9" Rectangular + 2 handles.
CRR9117	86" - 91.9"	13" - 17.9"	86" - 91.9" x 13" - 17.9" Rectangular + 2 handles.
CRR9717	92" - 97.9"	13" - 17.9"	92" - 97.9" x 13" - 17.9" Rectangular + 2 handles.
CRR10317	98" - 103.9"	13" - 17.9"	98" - 103.9" x 13" - 17.9" Rectangular + 2 handles.
CRR10917	104" - 109.9"	13" - 17.9"	104" - 109.9" x 13" - 17.9" Rectangular + 2 handles.
CRR11517	110" - 115.9"	13" - 17.9"	110" - 115.9" x 13" - 17.9" Rectangular + 2 handles.
CRR12017	116" - 120"	13" - 17.9"	116" - 120" x 13" - 17.9" Rectangular + 2 handles.

Ship Weight and Dimensions vary. Please contact for quote. Rectangular pans available.

#### **RECTANGULAR COVERS**

SKU	DESCRIPTION		
	Length	Width	
CRR2923	24" - 29.9"	18" - 23.9"	24" - 29.9" x 18" - 23.9" Rectangular + 1 handle.
CRR3523	30" - 35.9"	18" - 23.9"	30" - 35.9" x 18" - 23.9" Rectangular + 1 handle.
CRR4123	36" - 41.9"	18" - 23.9"	36" - 41.9" x 18" - 23.9" Rectangular + 2 handles.
CRR4723	42" - 47.9"	18" - 23.9"	42" - 47.9" x 18" - 23.9" Rectangular + 2 handles.
CRR5323	48" - 53.9"	18" - 23.9"	48" - 53.9" x 18" - 23.9" Rectangular + 2 handles.
CRR6123	54" - 61.9"	18" - 23.9"	54" - 61.9" x 18" - 23.9" Rectangular + 2 handles.
CRR6723	62" - 67.9"	18" - 23.9"	62" - 67.9" x 18" - 23.9" Rectangular + 2 handles.
CRR7323	68" - 73.9"	18" - 23.9"	68" - 73.9" x 18" - 23.9" Rectangular + 2 handles.
CRR7923	74" - 79.9"	18" - 23.9"	74" - 79.9" x 18" - 23.9" Rectangular + 2 handles.
CRR8523	80" - 85.9"	18" - 23.9"	80" - 85.9" x 18" - 23.9" Rectangular + 2 handles.
CRR91123	86" - 91.9"	18" - 23.9"	86" - 91.9" x 18" - 23.9" Rectangular + 2 handles.
CRR9723	92" - 97.9"	18" - 23.9"	92" - 97.9" x 18" - 23.9" Rectangular + 2 handles.
CRR10323	98" - 103.9"	18" - 23.9"	98" - 103.9" x 18" - 23.9" Rectangular + 2 handles.
CRR10923	104" - 109.9"	18" - 23.9"	104" - 109.9" x 18" - 23.9" Rectangular + 2 handles.
CRR11523	110" - 115.9"	18" - 23.9"	110" - 115.9" x 18" - 23.9" Rectangular + 2 handles.
CRR12223	116" - 122"	18" - 23.9"	116" - 122" x 18" - 23.9" Rectangular + 2 handles.
CRR4130	36" - 41.9"	24" - 30"	36" - 41.9" x 24" - 30" Rectangular + 2 handles.
CRR4730	42" - 47.9"	24" - 30"	36" - 41.9" x 24" - 30" Rectangular + 2 handles.
CRR5330	48" - 53.9"	24" - 30"	48" - 53.9" x 24" - 30" Rectangular + 2 handles.
CRR6130	54" - 61.9"	24" - 30"	54" - 61.9" x 24" - 30" Rectangular + 2 handles.
CRR6730	62" - 67.9"	24" - 30"	62" - 67.9" x 24" - 30" Rectangular + 2 handles.
CRR7330	68" - 73.9"	24" - 30"	68" - 73.9" x 24" - 30" Rectangular + 2 handles.
CRR7930	74" - 79.9"	24" - 30"	74" - 79.9" x 24" - 30" Rectangular + 2 handles.
CRR8530	80" - 85.9"	24" - 30"	80" - 85.9" x 24" - 30" Rectangular + 2 handles.
CRR9130	86" - 91.9"	24" - 30"	86" - 91.9" x 24" - 30" Rectangular + 2 handles.
CRR9730	92" - 97.9"	24" - 30"	92" - 97.9" x 24" - 30" Rectangular + 2 handles.
CRR10330	98" - 103.9"	24" - 30"	98" - 103.9" x 24" - 30" Rectangular + 2 handles.
CRR10930	104" - 109.9"	24" - 30"	104" - 109.9" x 24" - 30" Rectangular + 2 handles.
CRR11530	110" - 115.9"	24" - 30"	110" - 115.9" x 24" - 30" Rectangular + 2 handles.
CRR12230	116" - 122"	24" - 30"	116" - 122" x 24" - 30" Rectangular + 2 handles.

Ship Weight and Dimensions vary. Please contact for quote. Rectangular pans available.



### READY-TO-FINISH KITS

Aluminum frames covered with concrete board, ready to be easily and quickly completed with your choice of stone or veneer.

Simply place on site, connect to the gas supply, add stone or other veneer and your fire feature is complete.

Need a different size or shape? We're happy to help. Call our Flame Consultants at 877 556 5255


#### RECTANGULAR LINEAR READY-TO-FINISH KITS

#### **TECH TIP**

Ready-to-Finish Kits come with a Fire Pit Vent Kit (FPVK) but they do not come pre-installed as placement and installation depends on veneer. Vents are to be installed by contractor on site.







#### FR4830NG | FR4830LP

48" L x 30" W x 18" H Aluminum Frame with Concrete Board Attached CFBL110 22" Linear Brass Burner 28" x 10" Aluminum Pan with 2" Sidewalls

Fire Pit Vent Kit


¾" Flex Line Kit

Key Valve Extension

Ignition systems available: Push Button, 3 Volt, 24 Volt Spark Ignition,

24 Volt Hot Surface Ignition (SC)

SHIPS FREIGHT



#### FR6036NG | FR6036LP

60" L x 36" W x 18" H Aluminum Frame with Concrete Board Attached CFBL150 30" Linear Brass Burner

38" x 14" Aluminum Pan with 2" Sidewalls

Fire Pit Vent Kit


34" Flex Line Kit

Key Valve Extension

Ignition systems available: Push Button, 24 Volt Spark Ignition,

24 Volt Hot Surface Ignition (SC)

SHIPS FREIGHT



#### FR7242NG | FR7242LP

72" L x 42" W x 18" H Aluminum Frame with Concrete Board Attached CFBL210 42" Linear Brass Burner

48" x 18" Aluminum Pan with 2" Sidewalls

Fire Pit Vent Kit

¾" Flex Line Kit

Key Valve Extension

Ignition systems available: Push Button, 24 Volt Spark Ignition,


24 Volt Hot Surface Ignition (SC)

SHIPS FREIGHT



#### RECTANGULAR TREE- STYLE READY-TO-FINISH KITS





#### FRT4830NG | FRT4830LP

48" L  $\times$  30" W  $\times$  18" H Aluminum Frame with Concrete Board Attached CFBT170 Tree-Style Brass Burner

28" x 10" Aluminum Pan with 2" Sidewalls

Fire Pit Vent Kit


¾" Flex Line Kit

Key Valve Extension

Ignition systems available: Push Button, 24 Volt Spark Ignition, 24 Volt Hot

Surface Ignition (SC)

SHIPS FREIGHT



#### FRT6036NG | FRT6036LP

60" L x 36" W x 18" H Aluminum Frame with Concrete Board Attached

CFBT230 Tree-Style Brass Burner 38" x 14" Aluminum Pan with 2" Sidewalls

Fire Pit Vent Kit


34" Flex Line Kit

Key Valve Extension

Ignition systems available: Push Button, 24 Volt Spark Ignition, 24 Volt Hot

Surface Ignition (SC)

SHIPS FREIGHT



#### FRT7242NG | FRT7242LP

72" L  $\times$  42" W  $\times$  18" H Aluminum Frame with Concrete Board Attached CFBT290 Tree-Style Brass Burner

48" x 18" Aluminum Pan with 2" Sidewalls

Fire Pit Vent Kit

¾" Dual Flex Line Kit

Key Valve Extension

Ignition systems available: Push Button, 24 Volt Spark Ignition, 24 Volt Hot

Surface Ignition (SC)

SHIPS FREIGHT



#### **CUSTOM READY-TO-FINISH KITS**

#### Your design is custom. Your fire feature should be, too.

Every day Warming Trends designs and manufactures truly custom fire feature solutions.


Let us create a custom feature for you. We'd love to help. **877 556 5255** 

#### **OCTAGONAL READY-TO-FINISH KITS**


#### **TECH TIP**

Ready-to-Finish Kits come with a Fire Pit Vent Kit (FPVK) but they do not come pre-installed as placement and installation depends on veneer. Vents are to be installed by contractor on site.






FO42NG   FO42LP	
42" W x 18" H Aluminum Frame with Concrete Board Attached CFB120 Original Brass Burner 24" Aluminum Pan with 2" Sidewalls Fire Pit Vent Kit ¾" Flex Line Kit Key Valve Extension Ignition systems available: Push Button, 3 Volt, 24 Volt Spark Ignition, 24 Volt Hot Surface Ignition (SC)	SHIPS FREIGHT



FO54NG   FO54LP	
54" W x 18" H Aluminum Frame with Concrete Board Attached CFB180 Original Brass Burner 30" Aluminum Pan with 2" Sidewalls Fire Pit Vent Kit 34" Flex Line Kit Key Valve Extension Ignition systems available: Push Button, 24 Volt Spark Ignition, 24 Volt Hot Surface Ignition (SC)	SHIPS FREIGHT





FO60NG   FO60LP	
60" W x 18" H Aluminum Frame with Concrete Board Attached CFB290 Original Brass Burner 36" Aluminum Pan with 2" Sidewalls Fire Pit Vent Kit ¾" Dual Flex Line Kit Key Valve Extension Ignition systems available: Push Button, 24 Volt Spark Ignition, 24 Volt Hot Surface Ignition (SC)	SHIPS FREIGHT

#### CIRCULAR READY-TO-FINISH KITS

#### **TECH TIP**

Ready-to-Finish Kits come with a Fire Pit Vent Kit (FPVK) but they do not come pre-installed as placement and installation depends on veneer. Vents are to be installed by contractor on site.







#### FC42NG | FC42LP

42" W  $\times$  18" H Aluminum Frame with Concrete Board Attached CFB120 Original Brass Burner

24" Aluminum Pan with 2" Sidewalls

Fire Pit Vent Kit


3/4" Flex Line Kit

Key Valve Extension

Ignition systems available: Push Button, 3 Volt, 24 Volt Spark Ignition,

24 Volt Hot Surface Ignition (SC)

SHIPS FREIGHT



#### FC54NG | FC54LP

54" W x 18" H Aluminum Frame with Concrete Board Attached

CFB180 Original Brass Burner

30" Aluminum Pan with 2" Sidewalls

Fire Pit Vent Kit


¾" Flex Line Kit

Key Valve Extension

Ignition systems available: Push Button, 24 Volt Spark Ignition, 24 Volt Hot

Surface Ignition (SC)

SHIPS FREIGHT



#### FC60NG | FC60LP

60" W  $\times$  18" H Aluminum Frame with Concrete Board Attached CFB290 Original Brass Burner

36" Aluminum Pan with 2" Sidewalls

Fire Pit Vent Kit


¾" Dual Flex Line Kit

Key Valve Extension

Ignition systems available: Push Button, 24 Volt Spark Ignition, 24 Volt Hot

Surface Ignition (SC)

SHIPS FREIGHT



#### FC72NG | FC72LP

72" W x 18" H Aluminum Frame with Concrete Board Attached

CFB350 Original Brass Burner

48" Aluminum Pan with 2" Sidewalls

Fire Pit Vent Kit

3/4" Dual Flex Line Kit

Key Valve Extension


Ignition systems available: 24 Volt Spark Ignition, 24 Volt Hot Surface

Ignition (HC)

SHIPS FREIGHT

#### **SQUARE READY-TO-FINISH KITS**





#### FS3636NG | FS3636LP

36" x 36" W x 18" H Aluminum Frame with Concrete Board Attached CFB120 Original Brass Burner 24" Aluminum Pan with 2" Sidewalls

Fire Pit Vent Kit


¾" Flex Line Kit

Key Valve Extension

Ignition systems available: Push Button, 3 Volt, 24 Volt Spark Ignition,

24 Volt Hot Surface Ignition (SC)

SHIPS FREIGHT



#### FS4848NG | FS4848LP

48" x 48" W x 18" H Aluminum Frame with Concrete Board Attached CFB180 Original Brass Burner

30" Aluminum Pan with 2" Sidewalls

Fire Pit Vent Kit


3/4" Flex Line Kit

Key Valve Extension

Ignition systems available: Push Button, 24 Volt Spark Ignition, 24 Volt Hot

Surface Ignition (SC)

SHIPS FREIGHT



#### FS5454NG | FS5454LP

54" x 54" W x 18" H Aluminum Frame with Concrete Board Attached

CFB290 Original Brass Burner 36" Aluminum Pan with 2" Sidewalls

Fire Pit Vent Kit


¾" Dual Flex Line Kit

Key Valve Extension

Ignition systems available: Push Button, 24 Volt Spark Ignition, 24 Volt Hot

Surface Ignition (SC)

SHIPS FREIGHT



#### FS6060NG | FS6060LP

60" x 60" W x 18" H Aluminum Frame with Concrete Board Attached

CFB300 Original Brass Burner

42" Aluminum Pan with 2" Sidewalls

Fire Pit Vent Kit


34" Dual Flex Line Kit

Key Valve Extension

Ignition systems available: 24 Volt Spark Ignition, 24 Volt Hot Surface

Ignition (HC)

SHIPS FREIGHT



## UNIVERSAL PAVER KITS

Universal Paver Kits are specifically designed to work with a variety of paver company block kits, including Techo-Bloc, Belgard, Keystone, and many others.

Please confirm interior dimensions of your pit and choose the corresponding Universal Paver Kit for your project.

Questions? We're happy to help. Call our Flame Consultants at 877 556 5255

#### UNIVERSAL PAVER KITS

Warming Trends Univseral Paver Kits include everything needed to complete or convert your paver fire pit. Included in each kit: CROSS**FIRE**<sup>®</sup> Brass Burner Aluminum Plate

- Flex Line Kit
- Key Valve Extension
- Flexible Metal Support Collars

Select the Warming Trends Universal Paver Kit that matches the interior dimensions of your fire pit.

Questions? Want to customize your kit? Give us a call at 877 556 5255



Aluminum Plate

KIT DOES NOT INCLUDE VENTS. (Manufacturer recommends 18 sq. inches of ventilation on opposing sides of the fire feature.)

KIT DOES NOT INCLUDE STONE/ ENCLOSURE.

**TECH TIP** 

Collars provide support for the aluminum plate and allow a range of plate sizes to be used, adding up to 3" to the plate size.

Whistle-Free Flex Line Kit


CROSS**FIRE**® Brass Burner



#### FLEXIBLE METAL SUPPORT COLLAR

COLLAR	19" Flexible Metal Support Collar	3 lbs	19" x 15" x 5"
--------	-----------------------------------	-------	----------------


Flexible Metal Support Collar




#### 17 1/2" x 32" to 20 1/2" x 35" RECTANGULAR OPENING

UPK160H3217NG   UPK160H321	7LP
CFBH160 H-Style Brass Burner 17 ½" x 32" Rectangular Aluminum Plate ¾" Flex Line Kit Key Valve, Key Valve Extension, Key (5) Collars	34 lbs 36" x 23" x 12"

UNIVERSAL PAVER KITS






 $\mathbb{I}\mathbb{M}$ 

#### 23" - 25" CIRCULAR OR SQUARE OPENING


UPK120C23NG   UPK120C23LP	
CFB120 Original Brass Burner 23" Circular Aluminum Plate ¾" Flex Line Kit Key Valve Extension (4) Collars	21 lbs 25" x 25" x 7"

UPK120S23NG   UPK120S23LP	
CFB120 Original Brass Burner 23" Square Aluminum Plate ¾" Flex Line Kit Key Valve Extension (4) Collars	21 lbs 26" x 26" x 7"




#### 26" - 28" SQUARE OPENING

UPK120S26NG   UPK120S26LP	
CFB120 Original Brass Burner 26" Square Aluminum Plate ¾" Flex Line Kit Key Valve Extension (4) Collars	22 lbs 29" x 29" x 7"




#### 29" - 31" CIRCULAR OR SQUARE OPENING

UPK180C29NG   UPK180C29LP	
CFB180 Original Brass Burner 29" Circular Aluminum Plate ¾" Flex Line Kit Key Valve Extension (5) Collars	28 lbs 31" x 31" x 7"




UPK180S29NG   UPK180S29LP	
CFB180 Original Brass Burner 29" Square Aluminum Plate ¾" Flex Line Kit Key Valve Extension (5) Collars	30 lbs 33" x 33" x 7"




#### 35" - 37" CIRCULAR OR SQUARE OPENING

UPK240C35NG   UPK240C35L	P
CFB240 Original Brass Burner 35" Circular Aluminum Plate 34" Flex Line Kit Key Valve Extension (6) Collars	41 lbs 37" x 37" x 7"




UPK240S35NG   UPK240S35LP	
CFB240 Original Brass Burner 35" Square Aluminum Plate ¾" Flex Line Kit Key Valve Extension (6) Collars	47 lbs 39" x 39" x 7"



#### 39" - 41" CIRCULAR OR SQUARE OPENING


UPK240C39NG   UPK240C39LP	
CFB240 Original Brass Burner 39" Circular Aluminum Plate ¾" Flex Line Kit Key Valve Extension (7) Collars	SHIPS FREIGHT



UPK240S39NG   UPK240S39LF	
CFB240 Original Brass Burner 39" Square Aluminum Plate ¾" Flex Line Kit Key Valve Extension (7) Collars	SHIPS FREIGHT

#### **ACCESSORIES**

Upgrade to electronic ignitions and turn your fire feature on at the flip of a switch (page 61.)





Complete the look of your fire feature with glass, lava, or steel or ceramic log sets (page 66.)





# IGNITIONS, PARTS, ACCESSORIES, & MEDIA

Light your fire feature with the simplicity of a match or choose a fully automatic ignition system.

Select the right accents to complement your feature's surroundings. Complete with a cover made to fit (page 47.)

#### **IGNITION SYSTEMS**



All CROSS**FIRE** Brass Burners come standard as a manual Match Lit System. Light a match and turn the key valve to ignite your fire feature burner.



#### **PUSH BUTTON IGNITION**

Upgrade to an electric Push Button Ignition. Turn the key valve to on position and push the button to ignite your burner.

SKU	DESCRIPTION	SHIP WEIG	iHT + DIMS
PBIK3.0	Push Button Ignition Kit: Spark Igniter Rod and Wire + Push Button Battery Operated Control Module	2 lbs	7" x 7" x 5"
PBIK3.0MBRKV12	Push Button Ignition Kit + Mounting Bracket + 1/2" Key Valve + (2) Pre-mounted 1/2" Street Elbows	2 lbs	11" x 11" x 5"
PBIK3.0MBRKV34	Push Button Ignition Kit + Mounting Bracket + 3/4" Key Valve + (2) Pre-mounted 3/4" Street Elbows	2 lbs	11" x 11" x 5"
PBIK3.0MBRFK1	Push Button Ignition Kit + Mounting Bracket + ¾" Flex Line Kit + (2) Pre-mounted ¾" Street Elbows	5 lbs	13" x 13" x 5"
PBIK3.0MBRFK2	Push Button Ignition Kit + Mounting Bracket + ¾" Dual Flex Line Kit + (2) Pre- mounted ¾" Street Elbows	7 lbs	15" x 15" x 5"
Replacement Parts			
PB-SI	Spark Igniter Rod and Wire	2 lbs	7" x 7" x 5"
PB-CM	Push Button Battery Operated Control Module	2 lbs	7" × 7" × 5"
MBR	Mounting Bracket with (2) Pre-mounted ¾" Street Elbows	3 lbs	11" x 11" x 5"



¾" Flex Line Kit included in the PBIK3.0MBRKV1

For use with any burner 249K BTUs and below.



¾" Dual Flex Line Kit included in the PBIK3.0MBRFK2

For use with any burner 250K BTUs and above.



#### 3 VOLT IGNITION

A battery-operated ignition system with on and off switch. 3 Volt Ignition supplies up to 120K BTUs. Remote control available.

SKU	DESCRIPTION	SHIP WEIG	GHT + DIMS
3VIK-NG 3VIK-LP	3 Volt Electronic Ignition System: Spark Igniter + Control Module + D-Cell Battery Pack + 3 Volt Gas Valve + up to 120K BTU + Ignition Switch	2 lbs	7" x 7" x 5"
Replacement Parts			
3VCM	3 Volt Control Module	2 lbs	7" x 7" x 5"
3VPA-NG 3VPA-LP	3 Volt Pilot Assembly (Pilot Tube + Igniter + Spark Wire + Igniter Bracket + Wind Cage)	2 lbs	11" x 11" x 5"
3VGV-NG 3VGV-LP	3 Volt 120K BTU Capacity Gas Valve	2 lbs	7" x 7" x 5"
3VBP	3 Volt Battery Pack	2 lbs	7" x 7" x 5"
3VSTEP	3 Volt Step Down Transformer	2 lbs	7" x 7" x 5"
MBR	Mounting Bracket for toggle switch	2 lbs	11" x 11" x 5"









#### 24 VOLT SPARK IGNITION

24 Volt Spark Ignition supplies up to 400K BTUs. Includes step down transformer for use with 24 Volt/110 Volt supply. Remote control options available.

SKU	DESCRIPTION	SHIP WEIG	GHT + DIMS
24VIKHC-NG 24VIKHC-LP	24 Volt Spark Ignition System: Spark Igniter + Control Module + 24 Volt Transformer + up to 400K BTU	17 lbs	13" x 13" x 13"
Replacement Parts			
24VGVHC-NG 24VGVHC-LP	24 Volt Spark Ignition 400K BTU Capacity Gas Valve	5 lbs	7" x 7" x 5"
24VCM	24 Volt Spark Ignition Control Module for use with 24 Volt Spark Ignition System	2 lbs	7" x 7" x 5"
24VPA-NG 24VPA-LP	24 Volt Spark Ignition Pilot Assembly (Pilot Tube + Igniter + Spark Wire + Igniter Bracket + Wind Cage) for use with 24 Volt Spark Ignition System	2 lbs	13" x 13" x 5"
24VT	For use with all 24 Volt Ignition Systems (Spark Ignition or Hot Surface Ignition)	5 lbs	7" x 7" x 5"



24VIKHC



Remote options available on page 64.



#### 24 VOLT HOT SURFACE IGNITION

24 Volt Hot Surface Ignition Standard Capacity supplies up to 290K BTUs. 24 Volt Hot Surface Ignition High Capacity supplies up to 512K BTUs. Includes step down transformer for use with 24 Volt/110 Volt supply. Remote control options available.

SKU	DESCRIPTION	SHIP WEIC	SHT + DIMS
P24VIKSCCG-NG P24VIKSCCG-LP	24 Volt Hot Surface Ignition System - Standard Capacity: Hot Surface Igniter + 50VA/24VAC Transformer + Maximum Gas Output 290K BTU/hr	18 lbs	13" x 13" x 13"
P24VIKHCCG-NG P24VIKHCCG-LP	24 Volt Hot Surface Ignition System - High Capacity: Hot Surface Igniter + 50VA/24VAC Transformer + Maximum Gas Output 512K BTU/hr	18 lbs	13" x 13" x 13"
Replacement Parts			
P24VCBSC	24 Volt 290K BTU Standard Capacity Hot Surface Ignition Control Box with Single Pilot Connections	2 lbs	8" x 8" x 8"
P24VCBHC	24 Volt 512K BTU High Capacity Hot Surface Ignition Control Box with Single Pilot Connections	2 lbs	8" x 8" x 8"
24VT	24 Volt Transformer for use with all 24 Volt Ignition Systems (Spark & Hot Surface Ignitions)	5 lbs	7" x 7" x 5"
P24VIKWC	Wind Cage	2 lbs	7" × 7" × 5"
P24VIKCGPA-NG P24VIKCGPA-LP	24 Volt Hot Surface Ignition Pilot Assembly (Dual Pilot Tubes + Igniter + Igniter Bracket + Wind Cage) for use with Hot Surface Ignition Systems (Standard & High Capacity)	2 lbs	13" x 13" x 5"
P24VCBSCCG	24 Volt Hot Surface Ignition 290K BTU Standard Capacity Control Box with Dual Pilot Connections	2 lbs	8" x 8" x 8"
P24VCBHCCG	Premium 24 Volt 512K BTU High Capacity Control Box with Dual Pilot Connections	2 lbs	8" x 8" x 8"



P24VIKSCCG



P24VCBHC





Dialer timer, emergency stop, and remote options available on page 64.

Low voltage Premium Ignition available. Call a Warming Trends Flame Consultant to discuss the best ignition system for your CROSSFIRE Brass Burner.



Aluminum covers help protect electronic ignition systems from the elements. Available in standard and custom sizes. Custom and standard sizes available, page 47.

#### **ELECTRONIC ACCESSORIES**

Want to turn your fire feature on remotely? We've got you covered. Electronic accessories that keep your fire feature safe and easy to use.



#### **3 VOLT REMOTE**

SKU DESCRIPTION		SHIP WEIGHT + DIMS	
3VRC	ON/OFF Remote Control for 3 Volt Ignition System	4 lbs	7" x 7" x 5"



#### 24 VOLT KEY CHAIN REMOTE

SKU	DESCRIPTION	SHIP WEIG	SHT + DIMS
KCRC	ON/OFF Wireless Key Chain Remote Control & Plug In Receiver for 24 Volt Ignition System	4 lbs	11" x 11" x 5"



#### **DIAL TIMERS**

Available in 2 hour and 12 hour options for automatic shut off, with or without NEMA Rated outdoor enclosure.

SKU	DESCRIPTION	SHIP WEIG	SHT + DIMS
DT2HR	2 Hour Dial Timer	2 lbs	7" x 7" x 5"
DT2HRNB	2 Hour Dial Timer with NEMA Rated Enclosure	5 lbs	8" x 8" x 8"
DT12HR	12 Hour Dial Timer	2 lbs	7" x 7" x 5"
DT12HRNB	12 Hour Dial Timer with NEMA Rated Enclosure	2 lbs	8" x 8" x 8"



#### **EMERGENCY STOP**

SKU	DESCRIPTION	SHIP WEIG	HT + DIMS
EMERSTOP	Push Button Emergency Stop with yellow shell and weatherproof lift cover. Recommended for commercial properties.	5 lbs	11" x 11" x 5"

**TECH TIP** 

Typically commercial projects require an Emergency Stop and electronic ignition. Consult your local code.

#### **PARTS**

SKU	DESCRIPTION	SHIP \	WEIGHT + DIM
FK1	For use with any burner 249K BTUs and below. Kit includes: (1) 36" L x $^{34}$ " Diameter Flex Line + $^{34}$ " Key Valve + 3" Key and 12" Key + (1) $^{12}$ " x 2" Nipple	3 lbs	13" x 13" x 5"
FK2	For use with any burner 250K BTUs and above. Kit includes: (2) 36" L x $3$ 4" Diameter Flex Line + $3$ 4" Key Valve + 3" Key and 12" Key + (2) $3$ 4" x 3" Nipple + (2) $3$ 4" Tee + (1) $3$ 4" x $3$ 5" Male Reducing Fitting	7 lbs	13" x 13" x 5"
FIT180	Flex Line & Key Valve Connection Fitting for use with any 121K - 249K BTU Burner. Kit includes: (1) 1/2" x 2" Nipple.	3 lbs	4" x 4" x 4"
FIT250	Flex Line & Key Valve Connection Fittings for use with any burner 249K - 299K BTU. Kit includes: (1) $3/4$ " x $1/2$ " MM Reducer Fitting + (2) $3/4$ " Tee + (1) $3/4$ " x $3$ " Nipple.	4 lbs	7" x 7" x 5"
FIT300	Flex Line & Key Valve Connection Fittings for 300k+ BTU Burner. Kit includes: (2) 3/4" x 3" Nipple + (2) 3/4" Tee.	2 lbs	7" x 7" x 5"
REDUCER3412	Reducer ¾" Male x ½" Male Fitting	2 lbs	4" x 4" x 4"
FL3612	36" L x ½" Diameter Flex Line (MM)	2 lbs	11" x 11" x 5"
FL3634	36" L x ¾" Diameter Flex Line (MM)	5 lbs	11" x 11" x 5"
KV12	½" Key Valve + 3" Key	2 lbs	7" x 7" x 5"
KV34	¾" Key Valve + 3" Key	2 lbs	7" x 7" x 5"
KEY12	12" Key	3 lbs	13" x 13" x 5"
KEY24	24" Key	2 lbs	25" x 5" x 5"
KVE	6 - 12" Key Valve Extension	2 lbs	13" x 13" x 5"
DRIPLEG12	½" Drip Leg Kit	2 lbs	11" x 11" x 5"
DRIPLEG34	¾" Drip Leg Kit	2 lbs	11" x 11" x 5"
LPRH	Liquid Propane Regulator mounted on $\frac{5}{16}$ " (internal diameter) 10' Hose with handwheel quick connect. For use up to 200K BTUs with a 20LB Propane Tank.	4 lbs	11" x 11" x 5"
LPHOSE10	LP 5/ <sub>16</sub> " (internal diameter) 10' Hose. For use with a 20lb propane tank	2 lbs	11" x 11" x 5"
REGLP200	Regulator %" in. NPT Female Outlet 200K BTU/hr capacity. Maximum inlet pressure 250 psi. Low pressure outlet 11 in. W.C. Liquid Propane	2 lbs	7" x 7" x 5"
ACCESSUA1414	Access panel: $16" \times 16"$ exterior frame and $14" \times 14"$ door opening for easy access to interior of fire feature	2 lbs	19" x 19" x 7"
FPVK	Fire Pit Vent Kit: (2) 12" x 4" Vents + 18 square inches of vent area per vent	2 lbs	13" x 13" x 5"
COLLAR	Paver Kit Adjustable Install Collar 19" + (6) Screws	2 lbs	19" x 15" x 5"

#### LAVA ROCK



BLR
1" - 1 ½" Black Lava Rock,
1 bag per 1 cubic foot




LRR
1" - 2" Gray/Black Rolled
Lava, 1 bag per 1 cubic foot

#### FIRE GLASS

#### **TECH TIP**

Easily calculate how much lava rock or fire glass will be needed with the Fire Glass calculator on our website.

34" Fire Glass. Colors may vary from photo.



#### **CERAMIC LOG SETS**



#### **WESTERN OAK LOG SETS**

Additional sizes available upon request.

SKU

WOS	Western Oak Log Set for 24" - 30" Fire Pit (8 Pieces)	31 lbs	(1 box) 24" x 13" x 10"
WOM	Western Oak Log Set for	64 lbs	(1 box)

DESCRIPTION SHIP WEIGHT + DIMS

36" - 42" Fire 32" x 16" x 11" Pit (12 Pieces) Western Oak Log Set for 48" Fire Pit (15 (1 box) 36" x 16" x 11" WOL 89 lbs Pieces)



#### **MOUNTAIN SPLIT LOG SETS**

Additional sizes available upon request.

SKU	DESCRIPTION	SHIP WEIGHT +	DIMS

MSS	Mountain Split Log Set for 24" - 30" Fire Pit (8 Pieces)	31 lbs	(1 box) 24" x 13" x 10"
MSM	Mountain Split Log Set for 36" - 42" Fire Pit (12 Pieces)	64 lbs	(1 box) 32" x 16" x 11"
MSL	Mountain Split Log Set for 48" Fire Pit (15 Pieces)	89 lbs	(1 box) 36" x 16" x 11"




#### STEEL LOG SETS

Available for 18", 24", 30", and 36" Fire Pits.

SKU	DESCRIPTION	SHIP WEIGHT + DIMS	
SLS18	Handcrafted to fit 18" Fire Pit	SHIPS FREIGHT	
SLS24	Handcrafted to fit 24" Fire Pit	SHIPS FREIGHT	
SLS30	Handcrafted to fit 30" Fire Pit	SHIPS FREIGHT	
SLS36	Handcrafted to fit 36" Fire Pit	SHIPS FREIGHT	
SLSCUST	Custom Handcrafted Steel Log Set	SHIPS FREIGHT	

Custom Steel and FireStorm® Log Sets are available. Give us a call at 877 556 5255



SKU	DESCRIPTION	SHIP WEIGHT + DIMS	
FSLS32LP	32" Steel log with integrated CFBL150 CROSSFIRE Brass Burner on a 38" x 10" aluminum plate for Liquid Propane	SHIPS FREIGHT	
FSLS32NG	32" Steel log with integrated CFBL150 CROSSFIRE Brass Burner on a 38" x 10" aluminum plate for Natural Gas	SHIPS FREIGHT	

#### Warrantv

#### FULL LIFETIME WARRANTY FOR WARMING TRENDS® BURNERS

WARMING TRENDS warrants that each WARMING TRENDS® Crossfire® and other jetted-flame-brass-burners (each as "Burner") is free from defects in materials and workmanship and conforms to its specifications, which are available upon request.

The warranty period for a Burner is lifetime warranty beginning on the date of purchase ("Warranty Period"). This Warranty is transferable, but we reserve the right to require proof of ownership for any transferred burners including proof that the Burner was not acquired through improper means or unauthorized re-sellers. During the Warranty Period, WARMING TRENDS provides repair and exchange services for the Burners, without charge. If a Burner does not function as warranted during the Warranty Period and, after a reasonable number of attempts, WARMING TRENDS is unable to either 1) make it do so or 2) replace it with one that is at least functionally equivalent, you may return it to WARMING TRENDS and your money will be refunded.

The warranty stated above will not apply to the extent that there has been misuse or use contrary to specifications or the appropriate user or operating manual, installation defect, accident, modification, unsuitable physical or operating environment, operation in other than the specified operating environment (e.g., outdoor burners should only be used outdoors) improper maintenance by you, or failure caused by a product for which WARMING TRENDS is not responsible. With respect to Burners, the warranty is voided by removal or alteration of any identification labels or marks on any Burner or part.

THESE WARRANTIES ARE YOUR EXCLUSIVE WARRANTIES AND REPLACE ALL OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

#### ITEMS NOT COVERED BY WARRANTY

Other than as expressly stated above, WARMING TRENDS does not warrant uninterrupted or error-free operation of any Burner or that WARMING TRENDS will correct all defects.

Warming Trends does not warranty any services related to our Burners, including installation, unless we provided those services to you. You may have warranty rights from the service provider, but we make no representations or warranties express or implied regarding any third party service provider. This warranty also does not apply to any fire logs (including the FireStorm® Steel Log) or any of the electronics used in connection with our Burners, which may be covered by separate warranties with different terms.

#### YOUR RIGHTS UNDER STATE LAW

This Warranty gives you specific legal rights, and you may also have other rights which vary from state to state. You may find this information from the Federal Trade Commission helpful in understanding your rights, but we recommend you speak to your attorney regarding your specific situation and the laws in your state or jurisdiction. https://www.consumer.ftc.gov/articles/0252-warranties

#### Ignition Systems Warranty

ALL BURNERS AND ELECTRONICS MUST BE COVERED WHEN NOT IN USE OR WARRANTY IS NULL AND VOID

Push Button Ignition Systems: There is no warranty offered on any push button ignition system.

#### **Electronic Ignition Systems:**

Residential Installations:

- 24VIK and 3VIK systems are fully warranted for one (1) year with a limited warranty for two (2) years from date of purchase. In the event a system must be replaced due to a defect/malfunction of the system, Warming Trends will repair or replace the system at no cost for the first year. In the event a system fails after the first year from date of purchase and within two years from date of purchase, Warming Trends will repair or replace the system for a cost of 50% of the current list price. This warranty does not cover labor costs.
- P24VIK systems purchased ON OR BEFORE April 15, 2018 are fully warranted for one (1) year with a limited warranty for two (2) years from date of purchase. In the event a system must be replaced due to a defect/malfunction of the system, Warming Trends will repair or replace the system at no cost for the first year. In the event a system fails after the first year and within two years of date of purchase, the cost for a replacement system is at a discount rate of 50% of the current listed price. This warranty does not cover labor costs.
- P24VIK Systems purchased AFTER April 15, 2018 are fully warranted for three (3) years from date of purchase. In the event a system must be replaced due to a defect/malfunction of the system, Warming Trends will repair or replace the system at no cost for the first three years. This warranty does not cover labor costs. Commercial Installations:
- 24VIK and 3VIK systems are fully warranted for twelve months from date of purchase. In the event a system must be replaced due to a defect/malfunction of the system, Warming Trends will repair or replace the system at no cost. This warranty does not cover labor costs.
- P24VIK Systems are fully warranted for one (1) year from date of purchase. In the event a system must be replaced due to a defect/malfunction of the system, Warming Trends will repair or replace the system at no cost for 12 months from the date of purchase. This warranty does not cover labor costs

Problems in the functioning of the systems due to gas plumbing or electrical installed by others are not covered by any warranty offered by Warming Trends.

No dealer, distributor, or other person has the authority to represent or warrant a Warming Trends™ product beyond the terms contained within this warranty, and Warming Trends assumes no liability for such warranty representations. Any questions concerning this warranty should be directed to the Warming Trends™ corporate office.

#### **Return Policy of Warranty Product**

Any Warming Trends™ product deemed by Warming Trends™ as defective and covered by the warranty may be returned to Warming Trends™ for assessment to determine if repair or replacement is necessary. In order to return a product, you must have a Return Merchandise Authorization number (RMA#). Please contact a Warming Trends™ representative at the corporate office to obtain an RMA#. All returned merchandise must have the RMA# clearly printed on the outside of the package. Return shipping costs are the purchaser's responsibility. Warming Trends™ is not responsible for product damaged or lost in transit. It is recommended that return items are shipped via a delivery service that can be tracked and/or insured to confirm receipt.



#### STANDARD BURNER ORDER FORM

Name	Dealer				
Address	Dealer City/State  Dealer Phone  Date				
City/State					
Phone					
FIRE PIT INFORMATION  Gas Pipe Size					
Gas Line Distance to Pit (ft)	No. of Connections on Line				
No. of Appliances on Gas Line (including fire pit) Inside Dimensions of Fire Pit (width)					
Other information					
Estimated BTUs Available(Reference Gas Sizing Chart)					
ORDER DETAIL  Burner Product #  Plate Pan Size  Flex Line Kit  Ignition System Match Lit Pus (check one)					
·	24 Volt Spark Ignition 24 Volt Hot Surface Ignition (Standard Capacity)				
	24 Volt Hot Surface Ignition (High Capacity)				
Electronic 3 Volt Remote 24 Add-Ons	Volt Key Chain Remote				
Emergency Stop 2 H	our Dial Timer 12 Hour Dial Timer				
Accessories Black Lava Rock Cera	amic Oak Logs (set size)				
Rolled Lava Stee	el Log Set <u>(set size)</u>				
Cover	Glass (color)				
Other information					

Submit orders to orders@warming-trends.com Please call with any questions 303 346 2224







#### **Counter Top Display**

Counter Top Displays includes a 17" tall triangle brushed aluminum base which holds a removable CFB60 CROSSFIRE Brass Burner on a 12" plate. The unit is ready to connect to a 1lb propane tank. This display is great for small spaces and the removable demo burner is the perfect portable sales tool.

The top reason consumers prefer to shop in-store versus online is to see, feel and experience the product in person.\*

Let your customers experience the performance of a Warming Trends **CROSSFIRE** Brass Burner.

#### **Floor Display**

The Floor Display is 30" tall and 18" square. The display includes a hollow metal frame, choice of four slide-in marketing panels, a plate with a mounted key valve, and a CFB60 CROSSFIRE Brass Burner. The unit is ready to connect to a 1lb propane tank (and can be modified to connect up to a 20 lb tank.) Perfect for a showroom display.

#### To order, please contact us at

orders@warming-trends.com or 877-556-5255.



