



Industry's only employee owned company

2024
Lake & Pond
Management
Catalog



Fountains, Lake Dyes,
Diffused Aeration & Water Treatments
EASYPRO.COM • 800-448-3873

From the Owners



SINCE 1970

Did you happen to notice something different about our front cover this year? As mentioned under the EasyPro logo on the cover, I am pleased to announce that EasyPro Pond Products is now the industry's first **100% employee owned company!** Through the creation of an ESOP (Employee Stock Ownership Plan), Chris and I have sold the company to our employees. While I will be on the board of directors and involved in the company for years to come yet, this transfer of ownership will allow EasyPro's outstanding employees to benefit from their work in a great and unique way. It will allow me more time with other business ventures and also more family time while ensuring EasyPro Pond Products will continue on with the same values and focus that it was founded on decades ago. I have been blessed far beyond my wildest dreams from this business, this industry and the many, many friendships I have made since starting EasyPro. Turning it over to my employees to continue on was the obvious choice since they are the ones who helped me build the company and know it inside and out already and it allows me to stay in the business, albeit behind the scenes more, to ensure a long and smooth transition. Our focus will continue to be Innovation, Quality and Experience as we move forward!



To the thousands of customers that have helped build the EasyPro brand, THANK YOU! We could not have done it without you. To the many awesome employees, both past and present, I have had the privilege of working with THANKYOU for your dedication and talents. We could not have done it without you. And most importantly, to God our Heavenly Father, THANKYOU for blessing this business and allowing it to grow far beyond what we ever imagined. I am excited to see what He has in store for EasyPro as we move forward! Best wishes for a prosperous 2024 to you all!

Dave and Chris Owning

Because of the Lord's great love we are not consumed, for his compassions never fail. They are new every morning; great is your faithfulness.

Lamentations 3:22-23




IMPORTANT INFORMATION

EasyPro Authorized Distributor and Dealer Program and Enforced MAP Policy

EasyPro has in place one of the strongest and most enforceable Unilateral Distributor and Dealer Authorization Program in the industry in conjunction with an actively enforceable MAP (Minimum Advertised Price) Policy, which allows us to protect the quality and value of the EasyPro Brand.

Authorized supply chain partners are confidently able to profitably capitalize on selling the added value of their services, product knowledge, and warranty services that unauthorized sellers will not be able to provide.

For more details about this program, email us at asp@easypro.com.



Pond & Water Feature Catalog

EasyPro offers a large selection of pond and water feature products. See our ever-expanding selection of garden fountains, pond and waterfall pumps, pond kits, waterfall/stream kits, aeration systems, compressors, water treatments and so much more!

We have a separate catalog devoted to ponds and water features for pond and water garden enthusiasts.

Contact us via phone or website to view or request copies of our catalogs!



800-448-3873

Catalog Symbols



RETAIL READY
Our most popular pond items packaged and ready for retail



MOTOR FREIGHT
Certain items ship motor freight only due to size or content



MADE IN THE USA!
We are proud to offer as many USA-made items as possible



DISCOUNTS
Buy it by the case and receive discounts!



ECO-FRIENDLY
Environmentally safe products, good for use with fish & plants



PRICE DROP
Lower prices on select products



MAP (Minimum Advertised Price) Protection

This symbol indicates MAP Protected products. Look for the green shield next to the List Price on all affected products. Contact us for the complete 2024 MAP price list.

Get it NOW!



Digital Promotion

EasyPro.com • Social Media Sharable "How To" Articles



Promotional Materials

Catalogs • Guides
Sell Sheets • Brochures



Branded Promotions

EasyPro® Branded Materials:
Banners • Displays

In Your Resource Portal

We're making it faster and easier than ever for you to access EasyPro dealer resources!

We understand that quick and easy access to business resources is vital. The EasyPro Resource Portal is your new go-to hub for:

- Order forms
- Product images
- Product videos
- Social media drag and drop ads
- "How To" Series articles
- Promotional materials
- Sell sheets
- Brochures
- Handouts
- Project calculators

Free Sales Tools!

Visit the EasyPro Portal today!



Digital Promotion - see more on page 89



Access a library of new and refreshed ready-to-use EasyPro® product posts for your social media accounts! We even help with suggested wording that you can copy/paste right into your own business posts.

Educate your customers about products and pond related issues by sharing the many "How To" Series articles available.



Promotional Materials - see more on page 89

Access PDF versions of the current EasyPro® catalogs along with data/sell sheets, and guides like the Effective Pond Management Brochure that educate and inspire you and your customers.



EasyPro Pond Products is a leader in the field of lake and pond management. Combined, our sales staff has over 150 years of lake and pond management experience.


We can assist you in developing a management plan for nearly any application, from small farm ponds to large lakes. We offer everything you need to monitor, treat and maintain earthen ponds and lakes. From testing equipment to weed/algae treatments to aeration systems, our experienced staff is happy to help with any management need.

Ponds and lakes are valuable natural resources. They add beauty to the landscape, provide recreation and are a habitat for fish and wildlife. A natural body of water is a complex biological, chemical and physical community. The quality of the water determines the health of the entire community and the aquatic organisms living within the system ... from microscopic bacteria to the largest fish!

The "engine" that drives everything within a body of water is the presence of oxygen in proper levels. A pond's condition deteriorates when its bottom environment cannot support aquatic life. The bottom is where the most oxygen is consumed and the farthest from the surface where it is replenished. Without adequate oxygen at the bottom, beneficial bacteria do not break down the organic waste. This results in increased layers of sediment (muck) along the pond bottom. Simply put, without oxygen a pond cannot clean itself!

Stratified without Aeration De-stratified with Aeration

- Warm, typically oxygen-rich
- Recurrent surface scum
- Floating weed masses
- Zone of decreasing water temperature
- Zone of decreasing dissolved oxygen
- Zone completely void of oxygen
- Cold water temperature
- Accumulating organic muck
- Weeds prevalent
- Unusable by fish and all aerobic organisms



- Uniform temperatures
- Uniform oxygen levels
- Fish can use the entire pond all year long
- Improved water clarity
- Reversed aging effects
- Improved natural pond bacteria populations
- Improved fish habitat
- Less organic material accumulation
- Protection from winter and summer fish kills
- An enhanced pond ecosystem
- Reduced surface scum build-up
- A better swimming and recreation area

Effective Pond Management PAF2


Introducing our new full-size, full color, educational brochure.

Leverage EasyPro's proven approach to effective pond management to communicate with your customers.

This easy-to-read guide helps you educate your customers about the importance of using a combination of aeration, beneficial bacteria and aquatic weed and algae control products to get the pond of their dreams.

- A great leave-behind to keep you in your customers' minds
- Features a space on the back cover to add your company name
- Packaged in quantities of 25*
- Download the PDF from easypro.com or your [resource portal](#) to share via email

* For higher quantities, please contact us for details.



Years of experience have taught us that three main tools are needed to effectively manage ponds and lakes:

1 Aeration (pages 23-84) Bubbling fountains and diffused air systems are commonly used to increase the natural levels of oxygen and help to create a stable and productive ecosystem. Fountains typically float on the surface and spray water up into the air. As the water droplets fall back to the surface they pick up oxygen. Fountains also create surface ripples and circulation which helps keep the surface clean. Diffused air systems utilize a shore-mounted air compressor that pumps oxygen through a hose to a diffuser lying on the pond bottom. Since the bottom of the pond is where the most oxygen is consumed, oxygen is delivered to where it's needed the most. As the bubbles rise out of the diffusers they create a "lifting" or boiling action which creates considerable circulation throughout the pond. This circulation helps to prevent water stratification (see drawing above).

2 Beneficial Bacteria (pages 5-7, 9) For nearly four decades we have been using bacteria to help Mother Nature keep waters clean and clear. The use of natural bacteria to help reduce sludge build-up is widely used and embraced. By adding billions of these naturally occurring organisms, you can reverse the aging process of ponds that occurs when fish waste, leaves, dead weeds/algae, runoff, etc. start to build up on the bottom. The results are improved water quality, reduced odors, improved oxygen levels and a better environment for fish and other aquatic life.

3 Aquatic Weed and Algae Controls (pages 11-22) There are a wide variety of treatment products available to safely control aquatic weeds and algae in ponds and lakes. These tested and approved products are a safe and quick way to gain control of waters that are infested with aquatic weeds or algae. The use of these products is a good short term solution, however, to gain long term control you should look at the overall ecosystem and determine the source of the problem. Often aeration and/or the use of bacteria will greatly improve the system and the use of aquatic weed and algae controls can be reduced.

ARCHWAY BIO™

Creating enjoyable waters...naturally.

Archway Bio is the division of EasyPro Pond Products that handles all the water treatment production. EasyPro is a full line blending, packaging and labeling company offering a wide selection of treatments under our own brand as well as offering private label and bulk treatment options. Our products are widely used in the pond, lake, septic and waste water fields by customers around the world.

EasyPro offers a wider selection of treatment options under our own brand name as well as bulk products for applicators and those using large quantities of material. In addition, we offer private labeling of water treatments (minimum order quantities apply), concentrates and custom blends for customers wanting unique product offerings. Please call us for more information.

1 Existing EasyPro branded products

For the re-seller looking for finished products, we provide an established brand with an extensive line of shelf-ready products.



2 Private Label

For distributors, mail order catalog companies, internet marketing companies or any other re-seller that wants completed finished products. You provide your brand and we'll package it with custom labels.



3 Bulk Product

For companies that cannot manufacture. Buy in bulk to repackage and label at your facility.



4 Concentrates & Raw Ingredients

For manufacturers that have the ability to blend, package and label products at their own facility



5 Customized Products & Packaging

For companies wanting unique product appearance and size. Choice of liquid/powder, tablets/packets and containers



Pond-Vive L

Liquid lake and pond bacteria

A convenient alternative to Pond-Vive in a liquid

- Similar formula to Pond-Vive powder, can be used to treat golf course ponds, farm ponds, municipal areas and similar applications
- Works to remove ammonia, nitrates, phosphates & sludge
- Application rate is one gallon per surface acre weekly for four weeks, then every two to four weeks for maintenance
- Two gallons will treat 1/4 acre pond for 10-16 weeks

Available in
55 gallon drum & 250 gallon tote
for large bodies of water.

See page 9

DOSAGE RATES

Initial Dose: One gallon per surface acre every week for four weeks, then maintenance dose.

Maintenance Dose: One gallon per surface acre every two weeks

Problem Ponds: One gallon per surface acre every week until desired results, then maintenance dose.



"We've tried many bacteria products over the years and found great success in Archway Bio's liquid pond bacteria for many of our high profile pond sites. Overall pond clarity and water quality parameters have been beyond our expectations".

Cory J Zickert, Wisconsin Lake & Pond Resource



Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
PB128	Pond-Vive L, one gallon bottle	4	434998	10 lbs.	\$49.99

Pond-Vive Beneficial Bacteria



SINCE 1970

Our Best Seller!



Pond-Vive

The natural, biological way to revive your pond

Pond-Vive is a proprietary blend of enzymes and beneficial bacteria formulated to help improve water quality and reduce sludge in ponds, lakes and other water bodies. By consuming and breaking down waste in the pond, Pond-Vive bacteria reduce the nutrient load of a pond to help keep it in balance and improve overall water quality. When used in conjunction with aeration Pond-Vive works with nature to provide clean, clear water and reduce reliance on pond chemicals.

- Reduce sludge buildup and eliminate pond odors
- Improve water clarity and reduce oxygen demand
- Eliminate excess nutrients
- Concentration level of five billion colony forming units per gram
- Enzymes - four strains which break down waste into an easier digestible form for the bacteria — speeds up the process!
- Easy to use eight ounce water soluble packets or loose powder
- Reduces ammonia, nitrite, nitrate and phosphate
- Barley straw additive
- Cold weather bacteria strains, for results in temperatures as low as 38°F

Available in several sizes from 5 pound pails for retail to 100 pound bulk drums



DOSAGE RATES

For best results Pond-Vive should be added every two weeks when water temperatures are above 55°F (can be added at colder temperatures but results will be diminished). The amount needed depends on the condition of the pond.

Newer ponds with little "muck"
Apply 4 lbs. per surface acre every two weeks

Older ponds with high levels of "muck"
Apply 6 lbs. per surface acre every two weeks

For best results the initial application should be doubled to jump start the process.

Example — One 10 lb. Pail Treats:

Pond Size	Newer Pond	Older Pond
1/4 Acre	5 Months	3 Months
1/2 Acre	2.5 Months	1.5 Months
1 Acre	1.25 Months	.75 Months

A 25 lb. pail extends months treated by 2.5 times

Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
Water Soluble Packets —					
PB5X	10 Eight ounce water soluble packets (5 lbs.)	4	462991	6 lbs.	\$89.99
PB10X	20 Eight ounce water soluble packets (10 lbs.)	4	9104990	11 lbs.	\$149.99
PB25X	50 Eight ounce water soluble packets (25 lbs.)	2	6244991	29 lbs.	\$349.99
PBX-50B	100 Eight ounce water soluble packets (50 lbs.)	—	7440997	53 lbs.	\$629.99
Loose Powder —					
PB25XL	25 lb. Bucket (with 8 oz. scoop)	2	7223999	29 lbs.	\$319.99
PB50XL	50 lb. Bucket (with 8 oz. scoop)	2	7412993	53 lbs.	\$589.99
PB100XL	100 lb. Fiber drum (with 8 oz. scoop)	—	2818992	105 lbs.	\$1169.99



PB100XL



800-448-3873



SINCE 1970

Sludge Remover Bacteria

Sludge Remover Pellets

Great for spot treating around docks, beaches or partially treating large ponds

Sludge Remover bacteria is designed specifically to remove organic sludge from the bottom of lakes and ponds. Sludge is the result of fish waste, dead algae or plant material, uneaten fish food, leaves and other debris. The pellets, when introduced to the water, sink, dissolve and begin to remove bottom organic sludge — often several inches per year.

Simply toss pellets or blocks in the water for easy application!

- Diminishes bottom sludge buildup
- Removes pond odors caused by stagnant water and decaying material
- Sinking pellets for precise and effective placement when spot treating
- Enhances water clarity and reduces murky water caused by organic wastes
- Helps lower oxygen demand in the pond
- Reduces problem causing nitrate and phosphates
- Fish, family and animal safe



Available in several sizes from 5 pound pails for retail to 50 pound boxes

DOSAGE RATES

Spot Treatment

One ounce of pellets covers approx. 200 - 250 square feet of shoreline or beach area — apply every two weeks

Full Pond Treatment

Two 8 ounce scoops per 1/4 acre every two weeks

Example — One 10 lb. Pail Treats:

Pond Size	Newer Pond	Older Pond
1/4 Acre	5 Months	3 Months
1/2 Acre	2.5 Months	1.5 Months
1 Acre	1.25 Months	.75 Months

A 25 lb. pail extends months treated by 2.5 times



Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
3 Gram Pellets —					
ABB05X	Sludge Remover pellets, 5 lb. pail	4	355997	6 lbs.	\$79.99
ABB10X	Sludge Remover pellets, 10 lb. pail	4	197992	11 lbs.	\$139.99
ABB25X	Sludge Remover pellets, 25 lb. pail	2	2230999	29 lbs.	\$329.99
ABB-50B	Sludge Remover pellets, 50 lb. box	—	8433997	53 lbs.	\$619.99



Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
1 Ounce Blocks —					
ABL05	Sludge Remover blocks, 5 lb. pail	4	262292	6 lbs.	\$88.99
ABL10	Sludge Remover blocks, 10 lb. pail	4	9107091	11 lbs.	\$152.99
ABL25	Sludge Remover blocks, 25 lb. pail	2	3248498	29 lbs.	\$354.99
SBB-50B	Sludge Remover blocks, 50 lb. box	—	5468996	53 lbs.	\$669.99





Super Concentrated Water Clarifier

Helps clear murky, turbid water by attracting suspended particles together, settling them to the bottom

- Works great when used with Pond-Vive, the clarifier settles the organic particles to the bottom where they are consumed by the Pond-Vive
- One gallon treats 250,000 gallons of pond water, ponds with high levels of suspended solids can be treated at double dosage or a second application
- For best results mix recommended amount with pond water and spray evenly over pond surface

Pro Tip For even better results!

Use with Pond-Vive on pages 5 & 6. The Clarifier settles particles to the bottom and the Pond-Vive eliminates them.



Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
WC128	Water Clarifier, 1 gallon	4	269991	10 lbs.	\$99.99



Phosphate Binder

A critical step in effective pond management & maintenance

This all natural powder formulation provides a non-chemical alternative to using aluminum sulphate (ALUM), to bind problem causing phosphates in pond water. It will also buffer pH, provide approximately 70 beneficial trace minerals, provide minor flocculation (settling) of mud and clay particles and aid in reducing ammonia.

- Improve clarity
- Reduce phosphates
- Stimulate biological activity
- Works great with bacteria

In Oklahoma and Arkansas, we manage over 1400 ponds. Several of our troubled ponds have required a different approach. Since using EasyPro Phosphate Binder in these problematic ponds, our algae has been reduced, density has been diminished and callbacks have gone to zero. Problems have decreased drastically with the use of Phosphate Binder in our waters.

Jason Webber, TurnPro Aquatics

DOSAGE RATE*
3-5 pounds per acre-foot of water to lower phosphate levels.



Contact us for pallet pricing on 45 lb. pails

Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
NPB15	Phosphate binder, 15 lb. pail	4	377693	17 lbs.	\$110.99
NPB45	Phosphate binder, 45 lb. pail	12	5149994	50 lbs.	\$199.99
NPB2200	Phosphate binder, SuperSak	1	14949992	2250 lbs.	\$6599.99

*Always refer to label for exact manufacturer's dosage rates and instructions.

Phosphorus is an important nutrient for aquatic plants. The amount found in water is generally not more than 0.1 ppm unless the water has become polluted from waste water sources or excessive fertilizer runoff. When phosphorus levels exceed what is required for normal pond health, a process called eutrophication or premature aging of a body of water can take place.

If water quality problems are caused by high phosphorus, treatments of EasyPro Phosphate Binder can be added. It works by binding reactive phosphorus at the molecular level and removing it from the water column. This removal helps to improve water quality in ponds and lakes.

Phosphate Testing

Pre-test:

0.374 mg/L

Post-test:

0.019 mg/L

Independent lab testing showed significant phosphate reduction after just one application



Pond-Vive Bacteria 8 oz. Packets

- Reduce sludge buildup
- Eliminate pond odors
- Reduce oxygen demand
- Eliminate excess nutrients
- Improve water clarity
- Safe for fish, family and animals



50 lb. box bulk 8 oz. water soluble packets

Part #	Size	Stocking Code	Ship Weight	List Price
PBX-50B	8 oz. packets	2440998	53 lbs.	\$629.99

Pond-Vive Bacteria Loose Powder

- Reduce sludge buildup
- Eliminate pond odors
- Reduce oxygen demand
- Eliminate excess nutrients
- Improve water clarity
- Safe for fish, family and animals



50 lb. box bulk loose powder includes 8 oz. scoop

Part #	Size	Stocking Code	Ship Weight	List Price
PB50XL	Loose powder 50#	3412993	53 lbs.	\$589.99
PB100XL	Loose powder 100#	5818994	106 lbs	\$1169.99

Pond-Vive L Liquid Bacteria



55 Gallon drum or 250 gallon tote



Part #	Stocking Code	Ship Weight	List Price
PB-55G	81349991	490 lbs.	\$1799.99
PB-250T	53224993	2100 lbs.	\$4299.99

Sludge Remover Bacteria 3 gr. Pellets



50 lb. box bulk 3 gram pellets



Part #	Stocking Code	Ship Weight	List Price
ABB-50B	3433997	53 lbs.	\$619.99

Sludge Remover Bacteria 1 oz. Blocks



50 lb. box bulk 1 oz. blocks



Part #	Stocking Code	Ship Weight	List Price
SBB-50B	2468998	53 lbs.	\$669.99



30 & 55
Gallon drums

Concentrated Lake Dye

Blue, Black and Serenity Blue Dyes available in bulk!

- One quart is equal to one gallon of other dyes on the market
- This is a non-toxic and harmless pond dye for use in ponds and lakes
- Waters can be used for swimming and irrigation once product is dispersed
- Compatible with most aquatic herbicides and algaecides



Part #	Description	Stocking Code	Approx. Ship Weight	List Price
ECPD-30G	Blue - 30 Gallon Drum	41650007	300 lbs.	\$2999.99
ECPD-55G	Blue - 55 Gallon Drum	62585007	500 lbs.	\$5499.99
ECPDBK-30G	Black - 30 Gallon Drum	41980002	300 lbs.	\$3749.99
ECPDBK-55G	Black - 55 Gallon Drum	33300007	500 lbs.	\$6874.99
ECPDSB-30G	Serenity Blue - 30 Gallon Drum	41650009	300 lbs.	\$3199.99
ECPDSB-55G	Serenity Blue - 55 Gallon Drum	62585001	500 lbs.	\$5899.99

Oxygen Based Pond Cleaner

Oxygen based pond cleaners have long been used in decorative ponds and water features to clean rocks, waterfalls and streams. This same great formula is also available in larger sizes for use in earthen ponds and lakes.



- Works immediately upon application
- Lifts debris to pond surface where it can be removed
- For spot treating use 2-3 pounds per 1000 square feet, for pond application use 12-15 pounds per acre-foot of water — a double dose can be used for problem situations
- Treat no more than 1/3 of the pond at a time
- Allow 48 hours between consecutive applications



Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
OXY25	Oxy cleaner, 25 lb. pail	2	792993	28 lbs.	\$123.99

Barley Pellets

100% natural product from concentrated barley straw

- Safe for use with aquatic life and pets
- Typically apply every six to eight weeks
- Fast acting - steady and extended release

DOSAGE RATE

3-5 pounds per acre-foot of water to lower phosphate levels.



Part #	Description	Stocking Code	Ship Weight	List Price
EBP40	Barley pellets, 40 lb. bag	459993	41 lbs.	\$79.99
EBP2000	SuperSak bulk barley pellets, 2000 lbs.	62249998	2050 lbs.	\$2999.99

Septic and Drain 2-in-1 Treatment

A natural bacteria product for treating residential septic systems and household drains

- Billions of enzyme producing bacteria work to accelerate the breakdown of common household wastes such as cooking greases, vegetable oils, fruit/vegetable wastes, sugars, starches, proteins, human wastes, toilet tissue and hair
- Helps keep septic systems operating efficiently when used regularly
- Pre-measured dissolvable packets that dissolve in minutes
- No messy powders or liquids
- Helps prevent costly and unpleasant system backups
- One year supply for 1000 gallon septic systems
- Reduces odors in drain lines and garbage disposals

Septic - One ounce water soluble packets:

For a 1000 gallon residential septic system — simply flush one packet per month to maintain a healthy septic system. Dosage can be increased for neglected systems.



Quick & Easy Septic Treatment

Simply drop one (unopened) water soluble packet into toilet. It will dissolve in minutes. Flush toilet to force product into septic tank. Keep remaining product out of the reach of children.



Household Drains

Drop one (unopened) water soluble packet into one gallon of warm water. Stir solution before applying. Keep remaining product out of the reach of children.



Pour one to two cups of solution down each sink, shower and garbage disposal drain. This will simultaneously treat your septic tank and restore slow flowing drains.

One ounce septic treatment



Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
SEP12	Septic treatment, one year supply	24	212743	1 lb.	\$16.99



SINCE 1970


Aquatic Rakes

Weed Rake

No need to worry which side lands up when you throw this rake out into the pond as there are teeth on both sides

This 32" wide rake features:

- 17 - 3" long teeth on each side of the rake
- Baked on, powder coat finish with 25' of rope



Part #	Description	Stocking Code	Ship Weight	List Price
EPR	32" Weed rake	7125778	6 lbs.	\$167.69

Aquatic Weed Cutter

28" wide aquatic weed cutter makes short work of cleaning up weed infested beaches and shorelines

- The reversible, double sided, serrated blade quickly cuts through even the thickest weeds
- The 11' long, two piece handle disassembles for easy storage
- Rust proof aluminum construction



Part #	Description	Stocking Code	Ship Weight	List Price
AWE	28" Aquatic weed cutter	3157242	7 lbs.	\$184.99



Deluxe Lake Rake

This 36" wide aluminum rake comes with a two piece, 11', rustproof, powder coated aluminum handle; detachable polyethylene float and a 20' length of rope. Use it to skim floating aquatic vegetation and algae from the pond surface or remove float to use on pond bottom.

- Strong and lightweight aluminum construction
- Two 5 1/2' heavy duty, well constructed aluminum powder coated handles with permanent 5" vinyl grip
- 36" aluminum head with 4" teeth
- 30" removable styrene floater for shoreline cleanup
- 20' of 5/16" nylon rope



Part #	Description	Stocking Code	Ship Weight	List Price
LR36	36" Deluxe lake rake	6144498	10 lbs.	\$169.99



Identifying Aquatic Weeds & Algae

Algae

Filamentous algae is most common, growing in mats and strings. Planktonic algae causes green water, it has millions of cells that cloud together. Chara is weed-like, it grows like a carpet along the bottom.

Cattails & Other Emergent Plants

Emergent plants grow around the perimeter of a pond in shallow water with all or most of their foliage above water. Examples are Cattails, Bulrush, Reeds, Purple Loose Strife, Pennywort and Pickerelwood.

Pondweeds

The pondweed family has over a dozen varieties with these four being the most common: Sago, Clasp Leaf, Curly Leaf, Large Leaf

Elodea

This plant grows in thick clumps and is usually not a big problem, the leaves are in whorls of three around the stem.

Duckweed and Watermeal

Duckweed is hard to control, it forms a thin layer over the surface in calm ponds. It will not grow well in moving water so use of a surface aerator will help in controlling growth.

Waterlilies

Waterlilies can become a problem in many ponds, they grow off of a large central root system (much like poplar trees). Some growth is great for shade and cover for fish, but when left unchecked they will over populate quickly.

Eurasian Watermilfoil

Spreads very easy since fragments of plant can re-root and grow. Do not try to remove by raking.

Other Less Common Weeds

Include Naiad, Coontail, Bladderwort, Hydrilla, Parrot Feather and Water Hyacinth



Filamentous Algae



Planktonic Algae



Chara Algae



Cattails




Sago



Clasp Leaf



Curly Leaf



Large Leaf



Elodea



Duckweed




Watermeal



Water Lilies



Eurasian Watermilfoil




Coontail



Naiad




Bladderwort



Hydrilla



Parrot Feather



Water Hyacinth



SINCE 1970

Aquatic Weed Control

Many states restrict the shipment of EPA registered chemicals into the state. At this time most products that are not EPA registered are not restricted. Please look next to each product to see if it is EPA registered. If it is, please consult the information below to see if it can be shipped into your state:

- AK, CA, CT, ID, HI, ME, MA, NH, NJ, NY, RI, VT & WA restrict the shipment of products into their states. Products can be bought from within the state but not shipped in.
- No products may be shipped into Canada. These products are labeled for sale in US and do not meet Canadian registration or label requirements.
- GreenClean (GC20, GC50) can be purchased in NY but you must obtain a permit to apply in that state, all other states OK. GreenClean Pro (GC50PRO) is restricted in MA.

The following chart shows which treatments work best on each aquatic plant†

E = Excellent Control • G = Good Control

Product	Most Algae	Emergents & Cattails	Water Lillies	Duckweed	Elodea	Pondweed Family	Naiads	Milfoil	Coontail	Bladder Wort	Hydrilla	Parrot Feather	Water Hyacinth
Citrine-Plus®	E										G		
EarthTec®	E												
Komeen® Descend	G			G	E	G	E	G	E		E		G
GreenClean® Pro	G												
Sonar®			G	E	G	G	G	E	G	G	G	E	
Harpoon®					E	G	E	G	E		E		E
Aquathol® Super K						E	G	G	G		G	E	
Hydrothol®	G				G	E	E	G	G		G		
Navigate®			G					E	G	G			G
Weedtrine®-D				G	G	G	G	G	G	G	G		
Reward®/Tribune™		G		G	G	G	G	G	G	G	G	G	E
Clipper™/Propeller®				E		E	E	E	E		E		
Nautique®	G (Chara)			G	E	E	E	E	E		E		E
Navitrol® DPF			E					E		E		G	

General restrictions on use of treated water

Number of Days Restricted (always refer to current product label for specific requirements)

Common Name	Active Ingredient	EPA Registered	% of Active Ingredient	Human			Animal	Irrigation		
				Safe to Drink	Safe to Swim	Safe for Fish Consumption	Safe to Drink	Turf	Forage	Food Crops
Citrine-Plus® Liquid	Copper Ethanolamine Complex (9% Copper)	Yes	27.9%	0	0	0	0	0	0	0
Citrine® Ultra	Copper Ethanolamine Complex (9% Copper)	Yes	27.8%	0	0	0	0	0	0	0
Citrine-Plus® Granular	Copper Ethanolamine Complex (3.7% Copper)	Yes	10.7%	0	0	0	0	0	0	0
EarthTec®	Copper Sulfate Pentahydrate	Yes	19.8%	0	0	0	0	0	0	0
Komeen® Descend	Copper Ethylenediamine Complex (22.9% Copper)	Yes	22.9%	0	0	0	0	0*	0*	0*
GreenClean® Pro	Sodium Carbonate Peroxyhydrate	Yes	85%	+	0	0	0	0	0	0
Nautique®	Copper Ethylenediamine Complex (9.1% Copper) Copper Triethanolamine Complex	Yes	13.2% 14.9%	0	0	0	0	0	0	0
Harpoon®	Copper Ethylenediamine Complex (3.41% Copper)	Yes	9.87%	0	0	0	0	0	0	0
Navigate®	Butoxyethyl Ester of 2, 4-D	Yes	27.6%	*	1	0	*	*	0	*
Aquashade®	Acid Blue 9	Yes	12.6%	+	0	0	0	0	0	0
	Acid Yellow 23	Yes	1.04%	+	0	0	0	0	0	0
Cygnat Select	Acid Blue 9	No	26%	+	0	0	0	0	0	0
EasyPro® Liquid Dye-Blue	Acid Blue 9	No	50%	+	0	0	0	0	0	0
Sonar®	Fluridone	Yes	41.7%	0	0	0	0	14-30	14-30	14-30
Clipper™/Propeller®	Flumioxazin	Yes	51%	0	0	0	0	0-3	*	5
Aquathol® Super K	Dipotassium salt of endothall	Yes	63%	*	0	0	0	0*	0*	0*
Aquathol® Liquid	Dipotassium salt of endothall	Yes	40.3%	*	0	0	0	0*	0*	0*
Navitrol® DPF	Tricopyr	Yes	14%	*	*	0	*	120*	*	120*
Hydrothol® 191 Granular	Mono (N,N-dimethylalkylamine) salt of endothall	Yes	11.2%	0	0	0	0	0*	0*	0*
Weedtrine®-D	Diquat DiBromide	Yes	8.5%	1-3	0	0	1	1-3	1-3	5
Reward®/Tribune®	Diquat DiBromide	Yes	37.3%	1-3	0	0	1	1-3	*	5

In cases where restrictions are not given in above chart, consult your State Conservation Commission or Fish and Game Department for specific restrictions. Chemical manufacturers and manufacturer's representatives can also supply you with specific recommendations based upon water usage. *See label for restriction information + Not for use in potable water

Permits may be required to apply these products. Consult appropriate local agencies for more information.

NOTICE: Copper sulfate is not included in this chart nor is it recommended due to problems with copper buildup in sediments and toxicity to aquatic organisms.

†Always refer to label for exact manufacturer's dosage rates and instructions.



The use of fish safe dye is a common part of an overall pond maintenance program.

Pond dyes may be poured directly into the pond (preferably in several locations). Upon complete dispersal, these dyes are non-staining and are fish, pet and wildlife safe. No water restrictions are associated with the use of pond dye.

Concentrated Pond Dye — Liquid

These concentrated dyes will save you in shipping costs

- One quart is equal to one gallon of other dyes on the market
- This is a nontoxic and harmless pond dye for use in ponds and lakes
- Waters can be used for swimming and irrigation once product is dispersed
- Compatible with most aquatic herbicides and algacides
- Black dye creates a more reflective surface appearance while the blue dye creates "Caribbean" blue water
- Serenity dye is a mix of blue and black

LIQUID DOSAGE RATE†

One quart treats one acre of water 4' deep (approx. one million gallons)



Half and full pallet discounts available - contact us for high volume needs

Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
ECPD	Blue Pond Dye, 1 quart	No	12	820995	3 lbs.	\$29.99
ECPDBK	Black Pond Dye, 1 quart	No	12	824494	3 lbs.	\$34.99
ECPDSB	Serenity Pond Dye, 1 quart	No	12	322392	3 lbs.	\$31.99



Concentrated Pond Dye — Powder



- Dry powder dye is cheaper to ship than liquid
- Four - 4 ounce water soluble packets (WSP) per pouch, simply toss into pond for easy application
- Safe for use with fish and aquatic life
- Three WSPs (water soluble packets) will treat one acre, 3'-4' deep
- Each WSP is double sealed in water soluble film

Great Value

- Buy a case of 5 pouches (20 WSPs)
Treats 6.66 surface acres, 4' deep

Best Value

- Buy a master case of 20 pouches (80 WSPs)
Treats 26.6 surface acres, 4' deep

WSP DOSAGE RATE†

Each four ounce water soluble packet treats 1/3 acre, 3'- 4' deep




Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
PD4P	Blue Pond Dye (dry), 4pk pouch	No	5	327298	2 lbs.	\$38.99
PD4PBK	Black Pond Dye (dry), 4pk pouch	No	5	730094	2 lbs.	\$42.99
PD4PSB	Serenity Pond Dye (dry), 4pk pouch	No	5	128698	2 lbs.	\$40.99



†Always refer to label for exact manufacturer's dosage rates and instructions.

Aquashade® is an E.P.A. registered pond dye that will help reduce aquatic plant growth by restricting sunlight into the pond inhibiting photosynthesis in young bottom growing plants.

Other brands of pond dye are also available which will improve the appearance of surface waters and overall aesthetic appeal of the pond.



Aquashade®

As with all dyes — apply early in season for best results

- Registered with the E.P.A. for weed and algae prevention
- One gallon treats one acre, 4' deep
- Safe for use with fish and aquatic life

Dosage Rate†
One gal. treats one acre of water 4' deep (approx. one million gallons)



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
AQ10	Aquashade, 1 gallon liquid	Yes	4	359102	12 lbs.	\$73.09



Cygnnet Select

- Cygnnet Select comes in one gallon containers — one gallon treats one acre, 4' deep
- Cygnnet Select is not E.P.A. registered and therefore is more economical than Aquashade®
- Customers repeatedly tell us that they do not notice any performance difference between these two products

Dosage Rate†
One gal. treats one acre of water 4' deep (approx. one million gallons)



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
DPD	Cygnnet Select Dye, 1 gallon	No	4	532243	12 lbs.	\$42.59



†Always refer to label for exact manufacturer's dosage rates and instructions.





Filamentous Algae



Chara Algae



Planktonic Algae

Algaecides

Filamentous algae is made up of long strands of algae cells joined end to end. Often referred to as "string algae", this unsightly nuisance forms large mats on the surface, grows like moss on rocks, logs or other underwater structures and is very prolific.

Chara is a bottom growing algae that resembles a plant like form.

Often mistaken for an aquatic plant, Chara grows in dense patches but is not rooted to the bottom. A strong, musky odor and gritty texture is observed when the plant is examined out of the water. Usually found in clear, often spring fed ponds.

Planktonic algae or "pea soup algae" is caused by microscopic algae cells free floating in water. Mild cases may cause pond to have greenish tinge to it while a severe bloom will block visibility into the water.

Fortunately most types of algae are fairly easy to control. The products on these two pages are all fish safe and will provide effective control of algae when used according to the label. Unfortunately algae can be quick to return after a treatment. Ducks, herons and other wildlife can easily transport it between bodies of water. Repeated applications throughout a season may be necessary.



EarthTec® Liquid

Highly soluble, liquid formula disperses itself! Environmentally responsible algae control for lakes, ponds, fountains and water features.

Earthtec® kills algae quickly and maintains control for up to 30 days. Liquid formula is easy to apply - simply pour and walk away!

- Fast, visible results, usually within 24 hours and provides durational control for up to 30 days
- EarthTec® can be applied bi-monthly as preventative treatment
- Liquid formula is self-dispersing in bodies of water up to three acres. For larger bodies of water, pour in multiple places.
- Product does not settle out and remains in solution to prevent algae regrowth until product is depleted
- Certified to NSF ANSI 60 standard as a drinking water additive
- Not for use in water housing copper-sensitive fish, such as koi and trout

Dosage Rate[†]
0.33 to 5.43 gallons
per acre-foot



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
ETEC1	EarthTec Algaecide - 1 Gallon	Yes**	4	243496	12 lbs.	\$57.99
ETEC25*	EarthTec Algaecide - 2.5 Gallon	Yes**	2	689992	26 lbs.	\$119.99

*Must ship as hazardous material with additional charges via UPS or motor freight. **EPA Registered in every state as an algaecide

New!



Komeen® Descend

Sprays like a liquid, stays in place like a granule

MicroCRYSTAL Technology makes Komeen Descend the first of its kind in aquatics. It sprays like a liquid, but stays in place like a granule for improved contact exposure time and better results.

- MicroCRYSTAL Technology
- No irrigation restrictions
- Easy to handle
- Low PPE
- Effective control on vallisneria, hydrilla, pondweeds, etc. and filamentous and macro algae
- Not for use in water housing copper-sensitive fish, such as koi and trout

Dosage Rate[†]
1.25 to 3.3 gallons
per acre-foot

Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
KOMD25	Komeen Descend - 2.5 gallons	Yes	2	7136109	27 lbs.	\$169.99

*Must ship as hazardous material with additional charges via UPS or motor freight.

†Always refer to label for exact manufacturer's dosage rates and instructions.

Citrine-Plus® Liquid

Strong algaecide and herbicide formulation provides fast results on most types of algae.

- A chelated copper algaecide that is safer to use than copper sulfate
- Use for surface or suspended algae
- Apply by sprayer to surface, for best results use with activator on page 18
- Larger containers up to 250 gallon totes available. Please inquire.
- Not for use in water housing copper-sensitive fish, such as koi and trout

Dosage Rate[†]

0.6 to 3 gallons per acre-foot



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
CPL	Citrine Liquid, 1 gallon	Yes	4	944682	12 lbs.	\$55.09

Citrine® Ultra Liquid

Powerful results on tough-to-kill algae

- Ideal for thick walled filamentous algae, colonial planktonic algae and Chara
- No water use restrictions
- Dilute and apply by sprayer for best results
- Surfactant/activator mixed in already — no need for additional mixing
- Available in 2.5 gallon containers
- Not for use in water housing copper-sensitive fish, such as koi and trout

Dosage Rate[†]

0.6 to 3 gallons per acre-foot



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
CPLU25*	Citrine Ultra, 2.5 gallons	Yes	2	5107823	26 lbs.	\$129.69

*Must ship as hazardous material with additional charges via UPS or motor freight.

Citrine® Plus Granular

Controls bottom-growing algae and Hydrilla

- The granular form of Citrine®
- Rapid sinking granules for targeted delivery
- For bottom filamentous algae: 20 to 60 pounds per surface acre
- For chara: 30 to 90 pounds per surface acre
- Not for use in water housing copper-sensitive fish, such as koi and trout

Dosage Rate[†]

20 to 90 pounds per surface acre



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
CPG1	Citrine Granular, 12 lb. jug	Yes	4	649745	14 lbs.	\$62.39
CPG3	Citrine Granular, 30 lb. bag	Yes	3	395251	32 lbs.	\$121.49

[†]Always refer to label for exact manufacturer's dosage rates and instructions.



GreenClean PRO

Granular

- Concentrated - twice the active ingredient as regular GreenClean!
- For use in ponds 1/4 acre or larger due to concentrated formula
- Use approximately 8-25 pounds per acre-foot as a preventative every two to four weeks

Dosage Rate[†]
One bag treats up to 34 acre-feet



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
GC50PRO*	50 lb. Bag GreenClean Pro	Yes	—	5128506	24 lbs.	\$169.99

*Must ship as hazardous material with additional charges via UPS or motor freight.

Fast Acting!

GreenClean

Granular

- EPA registered, non-copper algaecide
- Works through oxidation to provide fast results
- Organic certified by OMRI (Organic Materials Review Institute). No harm to fish or environment when used at recommended rates, no water use restrictions
- Algae can be killed within 24 - 48 hours of application, starts working in minutes

Dosage Rate[†]
As Preventative
16 to 50 lbs. per acre-foot
As Treatment
50 to 180 lbs. per acre-foot



Part #	Description	Size	Treats Up To	Case Quantity	Stocking Code	Ship Weight	List Price
GC20	GreenClean granular	20 lbs.	7 acre ft	—	470493	24 lbs.	\$93.99
GC50	GreenClean granular	50 lbs.	17 acre ft	—	3127497	55 lbs.	\$169.99

Cygnnet Plus (Activator)

Improves effectiveness of liquid herbicides

- Cygnnet Plus is a liquid additive for use along with liquid herbicides and algaecides to enhance effectiveness
- The surfactant in these products eliminates beading, providing a uniform spray solution. This ensures maximum contact with the plant's foliage. The low viscosity oil in these products breaks down the waxy coating on leaf surfaces for improved penetration and coverage.

Dosage Rate[†]
Mix three ounces per gallon of water in sprayer



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
CK1	Cygnnet Plus, 1 quart	No*	12	417606	2 lbs.	\$23.39
CK2	Cygnnet Plus, 1 gallon	No*	4	735478	11 lbs.	\$45.69

*Restricted into CA, ID, WA and Canada

†Always refer to label for exact manufacturer's dosage rates and instructions.

Navigate® Granular

For selective control of unwanted aquatic plants

- A 2, 4-D based herbicide for control of water lilies, coontail, Eurasian milfoil, parrot feather, watershield and bladderwort.
- Granular form makes it ideal for spot treating
- Formulated on specially treated granules for controlled release in the water
- Granules sink quickly to lake or pond bottoms and release the weed controlling active ingredient into the critical root zone area for plant absorption
- Slight water restrictions (see chart page 13)

Dosage Rate[†]
28 to 56 pound
per acre-foot



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
NV50	Navigate, 50 lb. bag	Yes	—	6287917	52 lbs.	\$336.29

Navitrol® DPF Granular

Easy-to-apply triclopyr formulation eliminates nuisance aquatic plants.

- A selective aquatic herbicide that allows desirable native plants to remain for fish habitat, cover and oxygen production
- Can be applied as a spot treatment, or as a large scale treatment
- An alternative to 2, 4-D treatments (Navigate®)
- Especially effective in controlling Eurasian watermilfoil, an aggressive, exotic species found throughout the U.S.
- Water can be used immediately for recreational activities such as swimming or fishing, as well as animals drinking the water.

Dosage Rate[†]
14 to 268 pounds
per acre-foot



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
NDPF50	Navitrol DPF herbicide, 50 lb. bag	Yes	—	7229834	52 lbs.	\$287.29

Nautique® Liquid

Fast-acting, economical contact pond herbicide

- Nautique's copper ions inhibit plant photosynthesis, cutting off the food source of undesired plants and providing rapid results
- Dual chelated copper product controls eel grass, water celery, hydrilla, naiads, chara, elodea, sago, American thin leaf pondweed and more!
- Available in 1 and 2.5 gallon containers
- Tank mix and apply with sprayer
- No restrictions on water usage
- Not for use in water housing copper-sensitive fish, such as koi and trout

Dosage Rate[†]
1.5 to 3 gallons
per acre-foot



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
NAU10	Nautique herbicide, 1 gallon	No*	4	769774	12 lbs.	\$78.69
NAU25*	Nautique herbicide, 2.5 gallon	No*	2	8136207	24 lbs.	\$152.39

*Must ship as hazardous material with additional charges via UPS or motor freight.

[†]Always refer to label for exact manufacturer's dosage rates and instructions.



Aquathol® K and Aquathol® Super K

Available in liquid and concentrated granular forms

- Excellent for spot treatment of hydrilla, pondweed and Eurasian watermilfoil
- Dosage rate is variable according to plant species and treatment area
- Aquathol® Super K granular form — 10 or 20 pound containers
- Granular herbicide utilizing Culigel® super absorbent polymer technology.
- Six times more concentrated than regular Aquathol®.
- Aquathol® K liquid form — 1 or 2.5 gallon jugs

Dosage Rate[†]

Granular: 3.3 to 22 lbs.
per acre-foot



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
AQU10	Aquathol Super K granular, 10 lbs.	Yes	4	4334734	12 lbs.	\$386.99
AQU20*	Aquathol Super K granular, 20 lbs.	Yes	2	4545659	23 lbs.	\$637.49
AQUL10	Aquathol K liquid, 1 gallon	Yes	4	1131855	12 lbs.	\$161.29
AQUL25*	Aquathol K liquid, 2.5 gallon	Yes	2	6269706	25 lbs.	\$328.49

*Must ship as hazardous material with additional charges via UPS or motor freight.

Hydrothol®

Granular Contact Herbicide



- Fast acting herbicide is effective on a variety of aquatic weeds including milfoil, coontail, hydrilla, sago pondweed, leafy pondweed, curly leaf pondweed and others.
- Hydrothol® should only be used for spot treating
- Use Aquathol® early in the season when plants are young and easier to treat
- Slight water restrictions (see chart page 13)

Dosage Rate[†]

108 to 270 pounds
per acre-foot



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
HYD20	Hydrothol granular, 20 lb. bag	Yes	2	3104197	22 lbs.	\$135.69
HYD40*	Hydrothol granular, 40 lb. box	Yes	—	3198464	43 lbs.	\$257.69

*40 lb. box contains two 20 lb. bags



Harpoon®

Granular Contact Herbicide

- Treat from the bottom up! Harpoon® sinks down to effectively control bottom-growing copper sensitive aquatic species.
- Ideal for sites where water use cannot be restricted. Treated water can be used immediately for irrigation, animal consumption, swimming or fishing.
- Effectively controls hydrilla, naiads, coontail, elodea, water hyacinth and others. In waters with low alkalinity (hardness), Harpoon® may also control Eurasian watermilfoil, sago, curly-leaf and select other weeds in the pondweed family
- Can be applied as a spot treatment or large scale treatment

Dosage Rate[†]

40 to 240 pounds
per acre-foot



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
HARP40	Harpoon granular, 40 lb. bag	Yes	—	6139994	43 lbs.	\$174.99

[†]Always refer to label for exact manufacturer's dosage rates and instructions.

Weedtrine® D

Fast acting, broad range weed control

This 8.53% diquat dibromide product is a non-volatile herbicide for use in controlling submersed and floating aquatic weeds. Absorption and herbicidal action of Weedtrine D is usually quite rapid.

- Broad range herbicide that controls duckweed, coontail, elodea, naiad, pondweed and milfoil
- Applied with common sprayers, use with activator (page 18)
- Results often begin to show in as little as three days, five day water restriction

Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
WTD	Weedtrine D, 1 gallon	Yes	4	877792	12 lbs.	\$79.99

Dosage Rate[†]
 Per Acre: Duckweed 5 to 7 gallons,
 submersed weeds 5 to 10 gallons



Reward® Concentrated

Broad range weed control

A fast acting 37.3% diquat dibromide herbicide that desiccates plant tissue on contact. Reward® stops plant photosynthesis within minutes depending on conditions. Effective on a wide variety of submersed, emergent and floating aquatic plants.

- This liquid herbicide is applied by sprayer and should not be applied to turbid waters
- There is very little risk of environmental damage since Reward's concentration rapidly decreases as it is absorbed into the aquatic vegetation
- Should be used with activator (page 18) for best results

Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
REW10	Reward, 1 gallon	Yes	4	6146138	12 lbs.	\$190.29
REW25*	Reward, 2.5 gallons	Yes	2	5318451	26 lbs.	\$417.19

*Must ship as hazardous material with additional charges via UPS or motor freight.

Dosage Rate[†]
 1 to 2 gallons
 per acre



Tribune™

Fast-acting aquatic herbicide

- This herbicide/algaecide is rapidly absorbed by the treated aquatic vegetation to desiccate (dehydrate) plant tissue on contact
- Effective on a wide variety of submersed, emergent and floating aquatic plants.
- Stops plant photosynthesis within minutes depending on conditions
- Applied by sprayer (should not be applied to turbid waters)
- Should be used with an activator (page 18) for best results
- Active ingredient is 37.3% diquat dibromide

Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
TRIB25*	Tribune liquid herbicide, 2.5 gal.	Yes	2	3212994	26 lbs.	\$299.99

*Must ship as hazardous material with additional charges via UPS or motor freight.

Dosage Rate[†]
 1 to 2 gallons
 per acre



†Always refer to label for exact manufacturer's dosage rates and instructions.





Propeller® Fast acting, contact aquatic herbicide

- Controls selected submersed, emergent and floating aquatic weeds. It is most effective when applied to young, actively growing weeds in water with a pH of less than 8.5.
- A new treatment option at a time when herbicide resistance, variable response and environmental concern issues loom large
- Ideal for duckweed, watermeal, Eurasian milfoil and water lettuce
- Non-corrosive, fine granule – mix with water to apply. Active ingredient is 51% Flumioxazin.

Dosage Rate[†]

6 to 12 oz. per acre
for duckweed/watermeal
1.1 to 2.1 lbs. per acre-foot
for submersed plants



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
PRP1	Propeller aquatic herbicide, 1 lb.	Yes	4	481135	2 lbs.	\$98.69
PRP5	Propeller aquatic herbicide, 5 lbs.	Yes	4	4317696	6 lbs.	\$383.49

No shipment to AK, CA, CT, ID, HI, ME, MA, NH, NY, RI, VT, WA & Canada



Clipper™ Fast and selective control of tough invasive and nuisance plants

This 51% Flumioxazin product is very versatile and has been showing excellent results in aquatic environments on a variety of plants. This product is fast, effective, and breaks down quickly in the water to leave no accumulation in the sediment — making it less of an environmental concern than other, more persistent herbicides.

- Intended to provide aquatic plant managers with new treatment options at a time when herbicide resistance, variable response and environmental concern issues loom large
- Ideal for duckweed, watermeal, Eurasian milfoil, water lettuce and several types of submersed weeds
- Non corrosive, dry powder - mix with water to apply

Dosage Rate[†]

Use 1.1 lbs. per acre-foot for
duckweed/watermeal control



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
CLIP5	Clipper Broad Spectrum, 5 lbs.	Yes	—	2331124	6 lbs.	\$395.99



Sonar® A.S. A specialty herbicide that controls a broad range of aquatic weeds

This 41.7% fluridone product is excellent for whole pond and lake treatments. A selective systemic aquatic herbicide for management of aquatic vegetation in fresh water ponds, lakes, reservoirs, drainage and irrigation canals. It is important to maintain the recommended concentration in contact with the target plants for a minimum of 45 days.

- Sonar should be applied early in the season, prior to or just after plant growth begins
- Very effective on duckweed and milfoil
- Treatments last for several seasons in many cases, depending on plants
- Absorbed by the plants and inhibits the weed's ability to make food, causing it to die
- Complete kill can take 30 to 90 days

Dosage Rate[†]

32 ounces treats
up to one acre

Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
SO8	Sonar - treats up to 1/4 acre, 8 oz.	Yes	6	5311123	1 lb.	\$384.29
SOP	Sonar - treats up to 1/2 acre, 16 oz.	Yes	6	6510739	2 lbs.	\$616.19
SOQ	Sonar - treats up to one acre, 32 oz.	Yes	6	4938728	4 lbs.	\$1110.19
SOG	Sonar - treats up to four acres, 1 gal.	Yes	4	72366371	12 lbs.	\$2710.09



†Always refer to label for exact manufacturer's dosage rates and instructions.

Diffused Aeration Experts!


As one of the country's largest manufacturers of diffused aeration systems, EasyPro has the products and the experience to help you with nearly any aeration project. From oil fracking ponds to wastewater lagoons to backyard recreational ponds and lakes, we have solutions for a huge range of applications.



Not only does EasyPro build our aeration systems here in the USA, we source all major components of our systems from USA made products! From our aeration cabinets — to our weighted airline — to our self-sinking diffuser bases, we strive to use "Made in the USA" parts whenever possible!



Let us help you select the proper system



Google Earth™ Designs


On the following pages are numerous complete aeration systems for a wide range of ponds. If you are unsure which one is best for you or if you have unique requirements please send us your information and we will do a Google Earth layout for you. We need from you:

1. Physical address - please note, newer ponds may not yet show up on Google
2. Depth of pond - important for determining diffuser locations
3. Where power is available and what type of power (115v/230v)

Fill out our online Aeration System Request form (under the Resources tab at easypro.com) or send this information to: aeration@easypro.com and we will be happy to design a system for you!

Custom Systems

Custom systems are our specialty! When one of our many standard systems doesn't fit your application, we can build a custom system to meet your exact needs. The type of compressor, number of diffusers, size/length of tubing and cabinet options are all able to be adjusted based on your needs. We welcome the opportunity to create systems for unique and challenging applications!



Google and the Google logo are registered trademarks of Google, Inc., used with permission.

“ The “engine” that drives everything within a body of water is the presence of oxygen in proper levels. ”

Ponds and lakes are valuable natural resources. They add beauty to the landscape, provide recreation and are a habitat for fish and wildlife. A natural body of water is a complex biological, chemical and physical community. The quality of the water determines the health of the entire community and the aquatic organisms living within the system ... from microscopic bacteria to the largest fish!

The “engine” that drives everything within a body of water is the presence of oxygen in proper levels. A pond’s condition deteriorates when its bottom environment cannot support aquatic life. The bottom is where the most oxygen is consumed and the farthest from the surface where it is replenished. Without adequate oxygen at the bottom, beneficial bacteria do not break down the organic waste. This results in increased layers of sediment (muck) along the pond bottom. Simply put, without oxygen a pond cannot clean itself!

Stratified without Aeration

De-stratified with Aeration

- Warm, typically oxygen-rich
- Recurrent surface scum
- Floating weed masses

- Zone of decreasing water temperature
- Zone of decreasing dissolved oxygen

- Zone completely void of oxygen
- Cold water temperature
- Accumulating organic muck
- Weeds prevalent
- Unusable by fish and all aerobic organisms

- Uniform temperatures
- Uniform oxygen levels
- Fish can use the entire pond all year long
- Improved water clarity
- Reversed aging effects
- Improved natural pond bacteria populations
- Improved fish habitat
- Less organic material accumulation
- Protection from winter and summer fish kills
- An enhanced pond ecosystem
- Reduced surface scum build-up
- A better swimming and recreation area

PRO-TIP Selecting EasyPro® Diffused Aeration Systems

On the following pages you will find EasyPro diffused aeration systems in complete kits. From basic kits to deluxe kits to custom kits, we have a wide range of aeration options.



Basic Aeration Systems

All the components necessary to aerate a pond. A compressor, tubing, diffuser(s) and fittings are sized to work together for a working aeration system. These kits will require additional weather protection for the compressor, but the kit as a whole provides a complete system.



Sentinel Deluxe Aeration Systems

Sentinel systems are designed for convenience and reliability. These systems contain a compressor mounted in a deluxe cabinet, tubing, diffuser(s) and fittings. All sized to work together for a working aeration system.

Customized Systems - Adding Tubing, Diffusers and Cabinets Customize a Basic or Deluxe system if tubing or diffuser types need to be adjusted. Kits designed to be customized are designated in the part number by “A” or “LD”. “A” kits are systems without tubing*. “LD” kits are systems without diffusers. Custom tubing lengths, choosing a preferred diffuser type or adding a cabinet/enclosure can be done by starting with one of these kits and making appropriate adjustments. *PA34-2 kits do not have tubing either



Tubing
see page 52



Diffusers
see pages 54-55



Cabinets & Enclosures
see pages 56-58

EasyPro Pond Products is a leader in the field of lake and pond management. Combined, our sales staff has over 150 years of lake and pond management experience — we can assist you in developing a management plan for nearly any application, from small farm ponds to large lakes.

We offer everything you need to monitor, treat and maintain earthen ponds and lakes. From testing equipment to weed/algae treatments to aeration systems, our experienced staff is happy to help with any management need.

Have questions? Call the aeration experts at 800-448-3873!

The amount of surface area an aeration system will effectively cover is greatly dependent on two factors - depth and shape.


Depth

The diagram to the right shows how much surface area is effectively aerated per air diffuser at various depths:

Example

Our PA34 pond aerator would aerate only 1/4 of an acre if operated in 5' deep water, while aerating up to 1 1/2 acres if operating in 16' - 20' of water.

Ponds that are irregular or odd shaped will also reduce size of aeration area — call our technical assistance department for additional help.




The deeper an air diffuser is located, the more "boiling action" it will create and a larger area will be aerated.

Shape

Pond shape affects the amount of diffusers needed. Irregular shaped ponds require multiple diffusers to adequately aerate entire water column.

A unique shaped pond or lake will require more diffusers to cover the same surface area.



EasyPro Aeration Systems Overview

We offer many configurations of aeration systems to ensure that you can order the exact system that you need for your application.

The chart on the right shows a simplified view of the ending letters of our aeration kit part numbers and what components are contained in each kit.

These kits are located on pages 28-36.

Base Kit Ends In:	Includes Compressor	Includes Diffuser	Includes Tubing	Includes Ground Cabinet	Includes Post Mount Cabinet	Includes Manifold/Outlet Assembly
A	YES	YES	—	—	—	YES
AD	YES	YES	—	YES	—	YES
ADLD	YES	—	—	YES	—	YES
ADP	YES	YES	—	—	YES	YES
ADPLD	YES	—	—	—	YES	YES
ALD	YES	—	—	—	—	YES
D	YES	YES	YES	YES	—	YES
DLD	YES	—	YES	YES	—	YES
DP	YES	YES	YES	—	YES	YES
DPLD	YES	—	YES	—	YES	YES
LD	YES	—	—	—	—	YES
WLD	YES	—	YES	—	—	YES



Effective Pond Management Brochure


Educate your customers about the importance of aeration with our full-size, full color, Effective Pond Management Brochure. Find it on page 3!

Diffused Air De-Icing Systems

Protect your dock investment from costly ice damage

Diffused air de-icing systems are an excellent choice for keeping water open around boat lifts, docks, piers, marinas and other structures needing to be ice-free in the northern climate. A minimum of three foot deep water is needed for diffused air to be effective. Ice damage can be very costly and paying to have docks and boat lifts removed and installed every year has considerable cost. For just a few dollars per month in electric, a diffused air system will maintain open water and prevent these yearly expenses.

Two 60 watt KLC compressors keep the docks and boat lifts shown ice-free for less than \$10 per month!




STRATUS KLC SERIES Shallow Water Systems for 3'-6' depths



- Low electrical consumption; as low as \$5 per month
- See page 50 for Stratus KLC compressor detail
- 1/2" Quick Sink tubing and self-weighted diffusers for easy installation and optimal performance

STRATUS SRC SERIES Deep Water Systems for 7'+ depths



- Energy efficient; as low as \$27 per month
- See page 44 for Stratus SRC compressor detail
- 3/8" Quick Sink tubing and self-weighted diffusers for easy installation and optimal performance

Part #	Description	Max. Dock Length	Compressor Part Number	DM2 Diffuser	Quick Sink Tubing	Stocking Code	Ship Weight	List Price
DKSW30	Shallow Water Kit	30'	KLC60	2	50'	1524999	46, 27 lbs.	\$699.99
DKSW45	Shallow Water Kit	45'	KLC80	3	100'	5667492	51, 54 lbs.	\$889.99
DKDW60	Deep Water Kit	60'	SRC50	4	150'	41049996	23, 45, 35 lbs.	\$1399.99
DKDW100	Deep Water Kit	100'	SRC75	6	325'	41424996	26, 61, 69 lbs.	\$1899.99



**For Large-Scale Marine De-Icing Solutions,
EasyPro® has the products and experience to help you with de-icing!**



Aeration Kits for Shallow Ponds

For ponds 7' deep or less, these linear powered aeration systems are a great choice

- Extremely energy efficient
- Very quiet operation
- Long lasting, oil free design
- Weather resistant enclosures - can be used outdoors, for maximum longevity use additional protection from elements
- **With self-weighted diffusers for easier installation**
- Three year warranty on compressors, five years on tubing/diffusers

Choose from either single or double diffuser system. Single diffuser is ideal for round or regular shaped ponds. Use the dual diffuser system for long and narrow or irregular shaped ponds. Both kits include Quick Sink tubing for easy installation.



PA8SWN



PA6SWN

Part #	Description	½" Quick Sink Tubing	Stocking Code	Ship Weight	List Price
PA6SWN	Single diffuser system with KLC60 compressor	50'	2389998	22, 27 lbs.	\$519.99
PA8SWN	Double diffuser system with KLC80 compressor	100'	7599994	28, 60 lbs.	\$799.99



Shallow water diaphragm repair kits

KLC68DK	Diaphragm repair kit for KLC60/KLC80 compressors	—	546127	1 lb.	\$61.49
KLC468F	Filter replacement for KLC60/KLC80 compressors	—	64429	1 lb.	\$5.89

Aeration Kits for ¼ Acre or Smaller Ponds

1/20 hp Diaphragm Air Compressor Kit

This continuous duty pump is ideal for aeration of smaller, shallower ponds. Will operate to a depth of 12', motor draws 1.5 amps and pumps .7 cfm of air.

- PA10W includes air compressor, 50' of ¾" Quick Sink Tubing, one DM2 membrane air diffuser manifold with check valve and underlay, fittings and clamps
- PA10WK kit includes above items and an SC25 weatherproof cabinet

Part #	Description	Stocking Code	Ship Weight	List Price
PA10W	1/20 hp kit with Quick Sink tubing	7442494	22 lbs.	\$589.99
PA10WK	1/20 hp kit with Weatherproof Cabinet	3591369	44 lbs.	\$788.49



With self-weighted diffusers for easier installation

Kits available with cabinet included!



SC25

1/8 hp Diaphragm Air Compressor Kit

- Ideal for ponds 12' or deeper where the PA10 (above) will not work
- Will operate up to 30' deep, motor draws 4.2 amps and pumps 1.1 cfm of air
- PA12W includes compressor, 50' of ¾" Quick Sink Tubing, one DM2 membrane air diffuser manifold with check valve and underlay, fittings and hose clamps
- PA12WK kit includes above items and an SC25 weatherproof cabinet

Part #	Description	Stocking Code	Ship Weight	List Price
PA12W	1/8 hp kit with Quick Sink tubing	2569997	32 lbs.	\$759.99
PA12WK	1/8 hp kit with Weatherproof Cabinet	4712489	54 lbs.	\$949.99



Rocking Piston Aeration



SINCE 1970

Aerate up to **1 acre**

- ¼ acre at 5'-8' deep
- ½ acre at 8'-12' deep
- 1 acre at 12'-16' deep

PA34 Rocking Piston Aeration Systems

Designed for ponds up to 50' deep



PA34 Complete Systems

Complete aeration systems available with or without cabinets. See below for customizable systems

Features

- 1/4 hp Stratus SRC Gen 2 compressor - two year warranty
- Outlet assembly with pressure relief valve
- 100' of 3/8" Poly or Quick Sink tubing - five year warranty
- One QS1 **self-weighted** rubber membrane diffuser assembly with five year warranty. Approximately 2.3 cfm air flow per diffuser.



PA34D

Sentinel



OR



D and DP Deluxe & Sentinel Systems Contain:

- Your choice of lockable 18" ground/post mount or 22" ground cabinet - each with five year warranty
- Compressor, airlines, plumbing, pressure gauge and cooling fan and electrical outlet are pre-installed
- Includes pre-installed outlet assembly with pressure relief valve and pressure gauge

Best Seller!



PA34W



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA34	SRC25	(1) QS1	3/8" Poly	100'	—	8599994	34 lbs.	\$799.99
PA34W	SRC25	(1) QS1	3/8" Quick Sink	100'	—	1659998	52 lbs.	\$879.99
PA34DP	SRC25	(1) QS1	3/8" Quick Sink	100'	SC18	41025176	38, 34 lbs.	\$1363.59
PA34D	SRC25	(1) QS1	3/8" Quick Sink	100'	SC22	51200682	63, 29 lbs.	\$1597.59
SC18SU	Sound proofing upgrade for SC18 cabinet (installed)					857745	—	\$76.99
SC22SU	Sound proofing upgrade for SC22 cabinet (installed)					289998	—	\$119.99

All kits 115v, add "2" behind part number for 230v motor

PA34 Customizable Systems

All PA34 kits contain EasyPro's Stratus SRC25 Compressor.

See page 25 for chart showing an overview of all customizable systems and components included.

Customize your choice of base kit (shown here) with tubing (page 52), diffusers (page 54), and cabinets (pages 56-57).



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA34WLD	SRC25	—	3/8" Quick Sink	100'	—	8555374	42 lbs.	\$740.49
PA34DLD	SRC25	—	3/8" Quick Sink	100'	SC22	51096062	63, 23 lbs.	\$1458.09

All kits 115v, add "2" behind part number for 230v motor

Many system configurations available. Call for details and pricing.




Rocking Piston Aeration

SINCE 1970

PA34-2 Rocking Piston Aeration Systems

Designed for ponds up to 50' deep



1/2 acre at 5'-8' deep
1 acre at 8'-12' deep
2 acres at 12'-16' deep

Aerate up to

2

acres

PA34-2 Complete Systems

Complete aeration systems available with or without cabinets. See below for customizable systems



PA34-2



Features

- 1/4 hp Stratus SRC Gen 2 compressor - two year warranty
- Two valve manifold with pressure relief valve
- No tubing included for custom lengths as needed, set up for 3/8" tubing — see page 52
- Two QS1 **self-weighted** rubber membrane diffuser assemblies with five year warranty. Approximately 1.1 cfm air flow per diffuser.



OR



D and DP Deluxe & Sentinel Systems Contain:

- Your choice of lockable 18" ground/post mount or 22" ground cabinet - each with five year warranty
- Compressor, airlines, plumbing, pressure gauge and cooling fan and electrical outlet are pre-installed
- Includes pre-installed outlet assembly with pressure relief valve and pressure gauge



PA34-2D



No electricity near your pond?
See our remote valve upgrade on page 37.

Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA34-2	SRC25	(2) QS1	—	—	—	2719994	36 lbs.	\$959.99
PA34-2DP	SRC25	(2) QS1	—	—	SC18	41089976	42, 19 lbs.	\$1449.99
PA34-2D	SRC25	(2) QS1	—	—	SC22	31265486	63, 19 lbs.	\$1683.99
SC18SU	Sound proofing upgrade (installed)					857745	—	\$76.99
SC22SU	Sound proofing for SC22 cabinet (installed)					289998	—	\$119.99

All kits 115v, add "2" behind part number for 230v motor



PA34-2 Customizable Systems

All PA34-2 kits contain EasyPro's Stratus SRC25 Compressor.

See page 25 for chart showing an overview of all customizable systems and components included.

Customize your choice of base kit (shown here) with tubing (page 52), diffusers (page 54), and cabinets (pages 56-57).



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA34-2LD	SRC25	—	—	—	—	4510768	36 lbs.	\$681.09
PA34-2DLD	SRC25	—	—	—	SC22	81056256	63 lbs.	\$1405.09

Kit is 115v, add "2" behind part number for 230v motor



Many system configurations available. Call for details and pricing.

Rocking Piston Aeration




SINCE 1970

Aerate up to **2** acres

½ acre at 5'-8' deep
1 acre at 8'-12' deep
2 acres at 12'-16' deep

PA65 Rocking Piston Aeration Systems

Designed for ponds up to 50' deep



PA65 Complete Systems

Complete aeration systems available with or without cabinets.
See below for customizable systems

Features

- 1/2 hp Stratus SRC Gen 2 compressor - two year warranty
- Outlet assembly with two valve manifold and pressure relief valve
- 200' of 3/8" Quick Sink tubing - five year warranty
- Two QS2 self-weighted rubber membrane diffuser assemblies. Approximately 2.2 cfm air flow per diffuser



D and DP Deluxe Sentinel Systems Contain:

- Your choice of lockable 18" ground/post mount or 22" ground cabinet - each with five year warranty
- Compressor, airlines, plumbing, pressure gauge and cooling fan and electrical outlet are pre-installed
- Includes pre-installed outlet assembly with pressure relief valve and pressure gauge



No electricity near your pond?
See our remote valve upgrade on page 37.



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA65W	SRC50	(2) QS2	3/8" Quick Sink	200'	—	11049998	25, 70 lbs.	\$1399.99
PA65DP	SRC50	(2) QS2	3/8" Quick Sink	200'	SC18	141997	46, 70 lbs.	\$1889.99
PA65D	SRC50	(2) QS2	3/8" Quick Sink	200'	SC22	159548	69, 70 lbs.	\$2123.99
SC18SU	Sound proofing upgrade (installed)					857745	—	\$76.99
SC22SU	Sound proofing for SC22 cabinet (installed)					289998	—	\$119.99


All kits 115v, add "2" behind part number for 230v motor



PA65 Customizable Systems

All PA65 kits contain EasyPro's Stratus SRC50 Compressor.
See page 25 for chart showing an overview of all customizable systems and components included.

Customize your choice of base kit (shown here) with tubing (page 52), diffusers (page 54), and cabinets (pages 56-57).



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA65A	SRC50	(2) QS2	—	—	—	8892494	47 lbs.	\$1189.99
PA65WLD	SRC50	—	3/8" Quick Sink	200'	—	2764034	46 lbs.	\$1018.79
PA65ALD	SRC50	—	—	—	—	4606533	25 lbs.	\$808.79
PA65ADP	SRC50	(2) QS2	—	—	SC18	126247	44, 22 lbs.	\$1679.99
PA65DPLD	SRC50	—	3/8" Quick Sink	200'	SC18	113401	46, 46 lbs.	\$1508.79
PA65ADPLD	SRC50	—	—	—	SC18	97651	46 lbs.	\$1298.79
PA65AD	SRC50	(2) QS2	—	—	SC22	143798	69, 22 lbs.	\$1913.99
PA65DLD	SRC50	—	3/8" Quick Sink	200'	SC22	130952	69, 46 lbs.	\$1742.79
PA65ADLD	SRC50	—	—	—	SC22	115202	69 lbs.	\$1532.79

All kits 115v, add "2" behind part number for 230v motor

Many system configurations available. Call for details and pricing.




Rocking Piston Aeration

SINCE 1970

PA66 Rocking Piston Aeration Systems

Designed for ponds up to 50' deep



3/4 acre at 5'-8' deep
1 1/2 acre at 8'-12' deep
3 acres at 12'-16' deep

Aerate up to

3

acres

PA66 Complete Systems

Complete aeration systems available with or without cabinets. See below for customizable systems



PA66W



Features

- 1/2 hp Stratus SRC Gen 2 compressor - two year warranty
- Outlet assembly with three valve manifold and pressure relief valve
- 300' of 3/8" Quick Sink tubing - five year warranty
- Three QS2 self-weighted rubber membrane diffuser assemblies. Approximately 1.5 cfm air flow per diffuser



OR



D and DP Deluxe Sentinel Systems Contain:

- Your choice of lockable 18" ground/post mount or 22" ground cabinet - each with five year warranty
- Compressor, airlines, plumbing, pressure gauge and cooling fan and electrical outlet are pre-installed
- Includes pre-installed outlet assembly with pressure relief valve and pressure gauge



PA66D



No electricity near your pond?
See our remote valve upgrade on page 37.

Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA66W	SRC50	(3) QS2	3/8" Quick Sink	300'	—	71289993	38, 25, 69 lbs.	\$1719.99
PA66DP	SRC50	(3) QS2	3/8" Quick Sink	300'	SC18	41665226	46, 33, 69 lbs.	\$2216.99
PA66D	SRC50	(3) QS2	3/8" Quick Sink	300'	SC22	51840731	69, 33, 69 lbs.	\$2450.99
SC18SU	Sound proofing upgrade (installed)			—	—	857745	—	\$76.99
SC22SU	Sound proofing for SC22 cabinet (installed)			—	—	289998	—	\$119.99


All kits 115v, add "2" behind part number for 230v motor



PA66 Customizable Systems

All PA65 kits contain EasyPro's Stratus SRC50 Compressor. See page 25 for chart showing an overview of all customizable systems and components included.

Customize your choice of base kit (shown here) with tubing (page 52), diffusers (page 54), and cabinets (pages 56-57).



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA66A	SRC50	(3) QS2	—	—	—	71049994	33, 25 lbs.	\$1399.99
PA66WLD	SRC50	—	3/8" Quick Sink	300'	—	2861066	25, 69 lbs.	\$1148.09
PA66ALD	SRC50	—	—	—	—	9621061	25 lbs.	\$828.09
PA66ADP	SRC50	(3) QS2	—	—	SC18	31425222	46, 33 lbs.	\$1896.99
PA66DPLD	SRC50	—	3/8" Quick Sink	300'	SC18	71236297	46, 69 lbs.	\$1645.09
PA66ADPLD	SRC50	—	—	—	SC18	8996299	46 lbs.	\$1325.09
PA66AD	SRC50	(3) QS2	—	—	SC22	11600734	69, 33 lbs.	\$2130.99
PA66DLD	SRC50	—	3/8" Quick Sink	300'	SC22	21411807	69, 69 lbs.	\$1879.09
PA66ADLD	SRC50	—	—	—	SC22	91171808	69 lbs.	\$1559.09

All kits 115v, add "2" behind part number for 230v motor



Many system configurations available. Call for details and pricing.

Rocking Piston Aeration




SINCE 1970

Aerate up to **3** acres

¾ acre at 5'-8' deep
1½ acre at 8'-12' deep
3 acres at 12'-16' deep

PA83 Rocking Piston Aeration Systems

Designed for ponds up to 50' deep



PA83 Complete Systems

Complete aeration systems available with or without cabinets.
See below for customizable systems

Features

- 3/4 hp Stratus SRC Gen 2 compressor - two year warranty
- Outlet assembly with three valve manifold and pressure relief valve
- 300' of ¾" Quick Sink tubing - five year warranty
- Three QS2 **self-weighted** rubber membrane diffuser assemblies. Approximately 2.1 cfm air flow per diffuser

D Deluxe Sentinel Systems Contain:

- 22" ground cabinet with five year warranty
- Compressor, airlines, plumbing, pressure gauge and cooling fan and electrical outlet are pre-installed
- Includes pre-installed outlet assembly with pressure relief valve and pressure gauge



PA83W



No electricity near your pond?
See our remote valve upgrade on page 37.



PA83D



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA83W	SRC75	(3) QS2	¾" Quick Sink	300'	—	81484994	26, 69, 33 lbs.	\$1979.99
PA83D	SRC75	(3) QS2	¾" Quick Sink	300'	SC22	12035735	70, 69, 33 lbs.	\$2710.99
SC22SU	Sound proofing for SC22 cabinet (installed)					289998	—	\$119.99

All kits 115v, add "2" behind part number for 230v motor

PA83 Customizable Systems

All PA83 kits contain EasyPro's Stratus SRC75 Compressor.
See page 25 for chart showing an overview of all customizable systems and components included.

Customize your choice of base kit (shown here) with tubing (page 52), diffusers (page 54), and cabinets (pages 56-57).



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA83A	SRC75	(3) QS2	—	—	—	81214994	26, 33 lbs.	\$1619.99
PA83WLD	SRC75	—	¾" Quick Sink	300'	—	71056061	69, 26 lbs.	\$1408.09
PA83ALD	SRC75	—	—	—	—	5786069	26 lbs.	\$1048.09
PA83AD	SRC75	(3) QS2	—	—	SC22	71765732	70, 33 lbs.	\$2350.99
PA83DLD	SRC75	—	¾" Quick Sink	300'	SC22	21606807	70, 69 lbs.	\$2139.09
PA83ADLD	SRC75	—	—	—	SC22	91336806	70 lbs.	\$1779.09

All kits 115v, add "2" behind part number for 230v motor

Many system configurations available. Call for details and pricing.




Rocking Piston Aeration

SINCE 1970

PA86 Rocking Piston Aeration Systems

Designed for ponds up to 50' deep



1 acre at 5'-8' deep
2 acre at 8'-12' deep
4 acres at 12'-16' deep

Aerate up to
4 acres

PA86 Complete Systems

Complete aeration systems available with or without cabinets.
See below for customizable systems

Features

- 3/4 hp Stratus SRC Gen 2 compressor - two year warranty
- Outlet assembly with three valve manifold and pressure relief valve
- 600' of 3/8" Quick Sink tubing - five year warranty
- Three QS2 self-weighted rubber membrane diffuser assemblies. Approximately 1.5 cfm air flow per diffuser

Deluxe Sentinel Systems Contain:

- 22" ground cabinet with five year warranty
- Compressor, airlines, plumbing, pressure gauge and cooling fan and electrical outlet are pre-installed
- Includes pre-installed outlet assembly with pressure relief valve and pressure gauge



PA86W



PA86D

Sentinel

No electricity near your pond?
See our remote valve upgrade on page 37.

Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA86W	SRC75	(4) QS2	3/8" Quick Sink	600'	—	21874994	33, 44, 69, 69 lbs.	\$2499.99
PA86D	SRC75	(4) QS2	3/8" Quick Sink	600'	SC22	82421237	73, 44, 69, 69 lbs.	\$3224.99
SC22SU	Sound proofing for SC22 cabinet (installed)					289998	—	\$119.99

All kits 115v, add "2" behind part number for 230v motor



PA86 Customizable Systems

All PA86 kits contain EasyPro's Stratus SRC75 Compressor.
See page 25 for chart showing an overview of all customizable systems and components included.

Customize your choice of base kit (shown here) with tubing (page 52), diffusers (page 54), and cabinets (pages 56-57).



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA86A	SRC75	(4) QS2	—	—	—	71394998	33, 44 lbs.	\$1859.99
PA86WLD	SRC75	—	3/8" Quick Sink	600'	—	31303081	33, 69, 69 lbs.	\$1737.49
PA86ALD	SRC75	—	—	—	—	5823082	33 lbs.	\$1097.49
PA86AD	SRC75	(4) QS2	—	—	SC22	11941235	73, 44 lbs.	\$2584.99
PA86DLD	SRC75	—	3/8" Quick Sink	600'	SC22	41849327	73, 69, 69 lbs.	\$2462.49
PA86ADLD	SRC75	—	—	—	SC22	91369326	73 lbs.	\$1822.49

All kits 115v, add "2" behind part number for 230v motor



Many system configurations available. Call for details and pricing.

EASYPRO.COM




Shallow Pond Aeration



SINCE 1970

PA50 Rotary Vane Aeration Systems

Designed for ponds up to 18' deep



Aerate up to **2** acres

- ½ acre at 5'-8' deep
- 1 acre at 8'-12' deep
- 2 acres at 12'-16' deep

PA50 Complete Systems

Complete aeration systems available with or without cabinets. See below for customizable systems

Features

- 1/4 hp Stratus rotary vane compressor with one year warranty
- Outlet assembly with two valve manifold and pressure relief valve
- 200' of ½" Quick Sink tubing - five year warranty
- Two QS2 **self-weighted** rubber membrane diffuser assemblies. Approximately 2.2 cfm air flow per diffuser

D Deluxe Sentinel Systems Contain:

- 22" ground cabinet with five year warranty
- Compressor, airlines, plumbing, pressure gauge and cooling fan and electrical outlet are pre-installed
- Includes pre-installed outlet assembly with pressure relief valve and pressure gauge



No electricity near your pond?
See our remote valve upgrade on page 37.

Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA50	RV33	(2) QS2	½" Poly	200'	—	51162491	72 lbs.	\$1549.99
PA50W	RV33	(2) QS2	½" Quick Sink	200'	—	21387498	65, 49, 49 lbs.	\$1849.99
PA50D	RV33	(2) QS2	½" Quick Sink	200'	SC22	21933736	84, 25, 46, 46 lbs.	\$2574.99
SC22SU	Sound proofing for SC22 cabinet (installed)					289998	—	\$119.99

All kits 115v, add "2" behind part number for 230v motor



PA50 Customizable Systems

All PA50 kits contain EasyPro's Stratus RV33 Compressor. See page 25 for chart showing an overview of all customizable systems and components included. Customize your choice of base kit (shown here) with tubing (page 52), diffusers (page 54), and cabinets (pages 56-57).



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight (lbs.)	List Price
PA50A	RV33	(2) QS2	—	—	—	71124991	62 lbs.	\$1499.99
PA50WLD	RV33	—	½" Quick Sink	200'	—	61101533	38, 49, 49 lbs.	\$1468.79
PA50AD	RV33	(2) QS2	—	—	SC22	51671237	84, 25 lbs.	\$2224.99
PA50DLD	RV33	—	½" Quick Sink	200'	SC22	91647778	84, 46, 46 lbs.	\$2193.79
PA50ADLD	RV33	—	—	—	SC22	91385274	84 lbs.	\$1843.79

All kits 115v, add "2" behind part number for 230v motor



Many system configurations available. Call for details and pricing.




Rotary Vane Aeration

SINCE 1970

PA75 Rotary Vane Aeration Systems

Designed for ponds up to 18' deep



1 acre at 5'-8' deep
2 acre at 8'-12' deep
4 acres at 12'-16' deep

Aerate up to
4 acres

PA75 Complete Systems

Complete aeration systems available with or without cabinets.
See below for customizable systems



PA75W



Features

- 3/4 hp Stratus rotary vane compressor with one year warranty
- Outlet assembly with four valve manifold and pressure relief valve
- 600' of 1/2" Quick Sink tubing - five year warranty
- Four QS2 self-weighted rubber membrane diffuser assemblies. Approximately 2.4 cfm air flow per diffuser

D Deluxe Sentinel Systems Contain:

- 22" ground cabinet with five year warranty
- Compressor, airlines, plumbing, pressure gauge and cooling fan and electrical outlet are pre-installed
- Includes pre-installed outlet assembly with pressure relief valve and pressure gauge



PA75D



No electricity near your pond?
See our remote valve upgrade on page 37.

Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA75W	RV75	(4) QS2	1/2" Quick Sink	600'	—	82489994	6@49, 44, 65 lbs.	\$3319.99
PA75D	RV75	(4) QS2	1/2" Quick Sink	600'	SC22	43039986	470 lbs.	\$4049.99
SC22SU	Sound proofing for SC22 cabinet (installed)					289998	—	\$119.99


All kits 115v, add "2" behind part number for 230v motor



PA75 Customizable Systems

All PA75 kits contain EasyPro's Stratus RV75 Compressor.
See page 25 for chart showing an overview of all customizable systems and components included.

Customize your choice of base kit (shown here) with tubing (page 52), diffusers (page 54), and cabinets (pages 56-57).



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight (lbs.)	List Price
PA75A	RV75	(4) QS2	—	—	—	61672494	65, 44 lbs.	\$2229.99
PA75WLD	RV75	—	1/2" Quick Sink	600'	—	41936534	6@49, 65 lbs.	\$2582.09
PA75AD	RV75	(4) QS2	—	—	SC22	62222481	180 lbs.	\$2959.99
PA75DLD	RV75	—	1/2" Quick Sink	600'	SC22	52486525	430 lbs.	\$3312.09
PA75ADLD	RV75	—	—	—	SC22	81669022	140 lbs.	\$2222.09

All kits 115v, add "2" behind part number for 230v motor



Many system configurations available. Call for details and pricing.

EASYPRO.COM


Shallow Pond Aeration



SINCE 1970

PA100 Rotary Vane Aeration Systems

Designed for ponds up to 18' deep



Aerate up to
6 acres

1 ½ acre at 5'-8' deep
3 acre at 8'-12' deep
6 acres at 12'-16' deep

PA100 Complete Systems

Complete aeration systems available with or without cabinets.
See below for customizable systems

Features

- 1 hp Stratus rotary vane compressor with one year warranty
- Outlet assembly with six valve manifold and pressure relief valve
- 800' of ½" Quick Sink tubing - five year warranty
- Six QS2 **self-weighted** rubber membrane diffuser assemblies. Approximately 2.2 cfm air flow per diffuser

D Deluxe Sentinel Systems Contain:

- 22" ground cabinet with five year warranty
- Compressor, airlines, plumbing, pressure gauge and cooling fan and electrical outlet are pre-installed
- Includes pre-installed outlet assembly with pressure relief valve and pressure gauge



PA100D

Sentinel



PA100W



No electricity near your pond?
See our remote valve upgrade on page 37.




Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA100W	RV100	(6) QS2	½" Quick Sink	800'	—	83374991	8@49, 2@33, 68 lbs.	\$4499.99
PA100D	RV100	(6) QS2	½" Quick Sink	800'	SC22	43909982	600 lbs.	\$5209.99
SC22SU	Sound proofing for SC22 cabinet (installed)					289998	—	\$119.99

All kits 115v, add "2" behind part number for 230v motor

PA100 Customizable Systems

All PA50 kits contain EasyPro's Stratus RV33 Compressor.
See page 25 for chart showing an overview of all customizable systems and components included.

Customize your choice of base kit (shown here) with tubing (page 52), diffusers (page 54), and cabinets (pages 56-57).




Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA100A	RV100	(6) QS2	—	—	—	52399996	68, 2@33 lbs.	\$3199.99
PA100WLD	RV100	—	½" Quick Sink	800'	—	92544799	8@49, 68 lbs.	\$3393.09
PA100AD	RV100	(6) QS2	—	—	SC22	62934987	230 lbs.	\$3909.99
PA100DLD	RV100	—	½" Quick Sink	800'	SC22	33079788	540 lbs.	\$4103.09
PA100ADLD	RV100	—	—	—	SC22	12104781	150 lbs.	\$2803.09

All kits 115v, add "2" behind part number for 230v motor

Many system configurations available. Call for details and pricing.

Remote Access Valve Assemblies

- In some situations it is easier to locate a compressor near an existing power supply that is far away from the pond and extend the tubing rather than run power to pond's edge.
- Typically a single, larger diameter, poly tubing will carry all the air from the compressor down to the edge of the pond where the valve assembly will be located. This prevents having to run multiple smaller lines between compressor and shore.
- These assemblies are simply an "adder" to the kit cost. A single line set up coming off the compressor is included along with a modified valve assembly for installation by the pond.



Simply order the correct remote valve part number shown below along with your desired aeration kit. Then add the cost shown below to the kit cost for total package price.

Rocking Piston Systems* Add-Ons

Part #	Order With	Stocking Code	List Price
RPA62	Two or three valve outlets - set up for 5/8" line	732991	\$42.99
RPA75	Four to six valve outlets - set up for 3/4" line	332996	\$42.99

Single line systems (PA34) do not need modification for remote operation

Rotary Vane Systems* Add-Ons


Part #	Order With	Stocking Code	List Price
RVA10	Two valve (PA50) outlets, set up for 1" line	140997	\$53.99
RVA12	Four to six valve outlets - set up for 1 1/4" line	640993	\$53.99

**For dual compressor systems, use quantity of two for remote valve assembly price adder.*

Valve Boxes

- Use these handy boxes to conceal the valve underground and yet have easy access
- Box is black in color, lids are green

Part #	Size	Stocking Code	Ship Weight	List Price
VB10	10" diameter x 10" deep	432543	2 lbs.	\$41.99
VB14	14" x 19" x 12" deep	639278	15 lbs.	\$49.09



Large Aeration Systems



SINCE 1970

EasyPro offers an unlimited number of options for aerating large bodies of water. Typically we prefer to use multiple smaller systems around the perimeter of a lake but in some cases, one or two large compressor stations are utilized and then air is pumped all around the lake from those points. EasyPro offers stock aeration systems for lakes up to 20 acres and custom aeration for larger lakes. Custom systems can run up to 100+ diffusers from a single compressor. These systems are custom designed for each application rather than sold in "kit" form due to the complexity and uniqueness of each body of water.

Rocking Piston Systems

These double compressor systems are designed for large ponds and lakes where high volumes of air are needed.

Two compressors are mounted in the SC28N large cabinet (page 58), allowing up to eight air lines from a single location.

Since the amount of tubing needed can vary widely in larger projects, these systems are designed with everything you need for a complete system, less the tubing.

- Choose from 1/2 or 3/4 hp compressors, see chart below for number of QS2 self-weighted diffusers per system
- Cabinets are mounted on equipment base and come complete with compressors, valve assemblies, pressure gauge, pressure relief valves, high volume cooling fans and electrical box
- Cabinets feature dual fans for increased cooling capability
- Now includes fittings for either 3/8" or 1/2" Quick Sink tubing. Purchase tubing separately on page 52.

DCS systems include self-weighted diffusers.
Add sound proofing SC28SU. See page 57.



Power cords available from cabinets for plug-n-go operation.
Contact us for details

Part #	Compressors	Voltage	Qty. Diffusers/ Air Outlets	Total cfm	Stocking Code	Ship Weight	List Price
DCS64AD	(2) 1/2 hp, SRC50	115	4	9	23024851	185 lbs.	\$4015.79
DCS64AD2	(2) 1/2 hp, SRC502	230	4	9	83024854	185 lbs.	\$4015.79
DCS66AD	(2) 1/2 hp, SRC50	115	6	9	33381309	209 lbs.	\$4490.99
DCS66AD2	(2) 1/2 hp, SRC502	230	6	9	63381305	209 lbs.	\$4490.99
DCS86AD	(2) 3/4 hp, SRC75	115	6	13	73643207	227 lbs.	\$4840.19
DCS86AD2	(2) 3/4 hp, SRC752	230	6	13	13643208	227 lbs.	\$4840.19
DCS88AD	(2) 3/4 hp, SRC75	115	8	13	93999662	250 lbs.	\$5315.49
DCS88AD2	(2) 3/4 hp, SRC752	230	8	13	43999663	250 lbs.	\$5315.49



Need Large Lake Aeration? We Can Help!

Let us help you determine which products work best for your needs. We will put together a complete aeration quote for you.

Due to the complex nature, please allow extra time when designing these projects.



High Pressure Rocking Piston Systems

New high-pressure 2 hp rocking piston aeration system! This system includes our brand-new SRC200 compressor. It's a rugged, reliable workhorse and the most powerful rocking piston compressor on the market! With these systems, you can reach deeper depths and achieve longer runs than ever before, all with smaller airlines. If you are facing a job that requires long tubing runs, or has deeper than normal depths, look no further!

- Includes new 2 hp SRC200 compressor
- Your choice of (6) or (10) diffusers
- Offers longer tubing run capabilities than any other system
 - 1,500' with 3/8" tubing*
 - 4,000' with 1/2" tubing*
 - 20,000' with 5/8" tubing*
- *based on 2 cfm per line/the DCS206HP system*
- Cabinets are mounted on equipment base and come complete with compressor, valve assemblies, pressure gauge, pressure relief valves, high volume cooling fans, and electrical box
- Now includes fittings for either 3/8" or 1/2" Quick Sink tubing. Purchase tubing separately on page 52.



Part #	Compressor	Voltage	Qty. Diffusers/Air Outlets	Total cfm	Stocking Code	Ship Weight	List Price
DCS206HP	SRC2002	230	6	12	94649992	304 lbs.	\$6199.99
DCS210HP	SRC2002	230	10	12	45174998	328 lbs.	\$6899.99



Rotary Vane Systems

These double compressor systems are designed for large ponds and lakes where high volumes of air are needed.

Two compressors are mounted in the SC28N large cabinet (page 58), allowing up to twelve air lines from a single location.

Since the amount of tubing needed can vary widely in larger projects, these systems are designed with everything you need for a complete system, less the tubing.

- Available in 1/4, 3/4 and 1 hp dual compressor systems or custom order with mixed hp sizes in same cabinet
- Cabinets are mounted on equipment base and come complete with compressors, valve assemblies, pressure gauge, pressure relief valves, high volume cooling fans and electrical box
- Cabinets feature dual fans for increased cooling capability
- Setup for 1/2" Quick Sink tubing. Purchase tubing separately on page 52.

DCS systems include self-weighted diffusers. Add sound proofing SC28SU. See page 58.



Part #	Compressors	Voltage	Qty. Diffusers/Air Outlets	Total cfm	Stocking Code	Ship Weight	List Price
DCS54AD	(2) 1/4 hp, RV33	115	4	9	93199452	217 lbs.	\$4248.59
DCS54AD2	(2) 1/4 hp, RV33	230	4	9	43199458	217 lbs.	\$4248.59
DCS78AD	(2) 3/4 hp, RV75	115	8	20	34436169	304 lbs.	\$5897.49
DCS78AD2	(2) 3/4 hp, RV75	230	8	20	54436166	304 lbs.	\$5897.49
DCS112AD	(2) 1 hp, RV100	115	12	26	25760171	371 lbs.	\$7662.89
DCS112AD2	(2) 1 hp, RV100	230	12	26	75760174	371 lbs.	\$7662.89



Wind Driven Aerators

Let Mother Nature aerate your pond

Windmill aerators can save \$30-\$50 per month in electric costs, paying for themselves in a few short years. Ideal for aerating remote ponds with no electricity nearby.

- Stable, four leg design
- Long-lasting, reinforced neoprene diaphragm
- 6' diameter head with 12 blades operates in wind as low as five miles per hour
- Produces 2.4-5 cfm (depending on air speed) for ponds up to 40' deep
- Over speed protection — tail section will turn head in high winds preventing over spinning
- Includes 48" long anchor stakes
- Hinge kits included with 16' and 20' units
- Can effectively aerate ponds up to two acres depending on shape and depth
- Windmills can sit up to 1000' away from pond's edge — use poly tubing on page 52

Five Year Limited Warranty



Windmill Kits - include 50' of poly tubing, 100' of Quick Sink tubing and dual head Quick Sink diffuser


Part #	Description	Overall Height	Base Stance	Stocking Code	Ship Weight (lbs.)	List Price
BWM12W	12' four legged Becker Windmill Kit	15'	4'-4" sq	22092493	54, 75, 11, 58, 2@49, 16	\$2699.99
BWM16W	16' four legged Becker Windmill Kit	19'	5'-8" sq	22324996	54, 75, 11, 58, 2@49, 43, 16	\$2999.99
BWM20W	20' four legged Becker Windmill Kit	23'	7'-0" sq	62441247	54, 75, 11, 58, 3@49, 43, 16	\$3149.99
BWM20DLX	20' four legged Becker Windmill Deluxe Kit*	23'	7'-0" sq	62596247	54, 75, 11, 58, 4@49, 43, 25	\$3349.99

*Deluxe Kit contains 2-way splitter, 50' poly, 200' Quick Sink tubing and 2 single head Quick Sink diffusers

Windmill Only - customize with diffusers and tubing on pages 52, 54 & 55 (sold separately)



Part #	Description	Overall Height	Base Stance	Stocking Code	Ship Weight (lbs.)	List Price
BWM12	12' four legged Becker Windmill Kit	15'	4'-4" sq	91859999	54, 75, 11, 58, 49	\$2399.99
BWM16	16' four legged Becker Windmill Kit	19'	5'-8" sq	22014996	54, 75, 11, 58, 49, 43	\$2599.99
BWM20	20' four legged Becker Windmill Kit	23'	7'-0" sq	62169997	54, 75, 11, 58, 2@49, 43	\$2799.99



Windmill Head Only

Already have a windmill tower or want to build your own?

- Available in a kit that includes tubing and diffuser(s), or as head only.
- Long-lasting, reinforced neoprene diaphragm
- 6' diameter head with 12 blades operates in wind as low as five miles per hour
- Produces 2.4-5 cfm (depending on air speed) for ponds up to 40' deep
- Over speed protection — tail section will turn head in high winds preventing over spinning
- Can effectively aerate ponds up to two acres depending on shape and depth
- Windmills can sit up to 1000' away from pond's edge — use poly tubing on page 52.

Windmill Head Kit Includes

- Functional head • QS2 Diffuser • Fittings
- 50' poly tubing • 100' of 1/2" Quick Sink tubing

**Five Year
Limited Warranty**



Part #	Description	Overall Diameter	Stocking Code	Ship Weight (lbs.)	List Price
BWMH	Functional windmill head	72"	41487995	54, 75, 11, 8	\$1919.99
BWMHW	Functional windmill head kit	72"	41666245	54, 75, 11, 49, 16, 8	\$2149.99



Becker Windmill Parts and Accessories



Diaphragm Kit

Includes:

- 1 - Replacement diaphragm
- 2 - O-rings
- 2 - Umbrella valves
- 2 - Long threaded alignment studs
- 4 - Short threaded alignment studs

Part #	Stocking Code	Ship Weight	List Price
BWMRK	974993	1 lb.	\$99.99



Windmill Freeze Control System

- Recommended whenever the windmill is located away from the pond's edge
- If the line starts to freeze, the control valve opens and feeds ethanol alcohol (or rubbing alcohol) into the line to melt the ice, the valve then closes and normal operation resumes

Part #	Stocking Code	Ship Weight	List Price
WMFC	7212462	6 lbs.	\$249.95



Red Stripe Kit

Add the Red Stripe Kit to your order. It's like putting racing stripes on a classic roadster!

Stickers are pre-cut and easy to apply.



Part #	Stocking Code	Ship Weight	List Price
BWMRED	915493	1 lb.	\$19.99



Windmill Hinge Set

Hinges install at the base for easier installation. Also useful to lower tower for future maintenance or impending storms.

Included with 16' & 20' Windmill Kits!



Part #	Stocking Code	Ship Weight	List Price
BWHS	741242	3 lbs.	\$54.99

More Windmill Parts & Accessories

Part #	Description	Stocking Code	Ship Weight	List Price
WD1	Aeration Accessory Kit - 50' poly tubing, QS2 diffuser, clamps and tubing connector	3172494	16 lbs.	\$229.99
WD2	Aeration Accessory Kit - 50' poly tubing, 2 - QS1 diffusers, 2 way splitter and clamps	7262497	25 lbs.	\$349.99
L5PVC1	1/2" ID X 1" OD - Quick Sink PVC Hose - 100' Roll Boxed	9131243	44 lbs.	\$174.99

See pages 52, 54 and 55 for additional tubing and diffuser options.



**Aerates
up to
20' deep!**



NA2W

NightAir™ Solar Aeration Systems

More air. More solar power. More battery.

This revolutionary new battery back up aeration system has the highest rated CFM of any battery back up solar system. It has a larger, higher output compressor with over 600 watts of solar power and 400 Ah total on the batteries.

- 24 volt brushless piston compressor
 - No sound reduction kit needed
- Two deep cycle AGM 200 Ah batteries
- Bluetooth enabled solar controller
- 20 hours per day operation
- 2.2 CFM output at 5 psi
- Turnkey system - the only thing needed is concrete


Warranty:

- 2 year warranty on compressors and electrical components
- 5 year warranty on all diffusers, bases and airlines
- 15 year warranty on all solar panels
- Lifetime warranty against rust on all aluminum cabinets

Part #	Description	Recommended Pond Size	# of Diffusers	1/2" Weighted Tubing	Stocking Code	Ship Weight	List Price
NA1W	NightAir™ Single Diffuser System	up to .75 acres	1 Dual	100'	19606869	763 lbs.	\$12,395.95
NA2W	NightAir™ (2) Diffuser System	up to 1.5 acres	2 Single	200'	59761862	815 lbs.	\$12,595.95
NA3W	NightAir™ (3) Diffuser System	up to 2.5 acres	3 Single	500'	410226866	971 lbs.	\$13,195.95



TA3W



**Aerates
up to
20' deep!**

TurboAir™ 24v Direct Drive Solar Aeration Systems

Highest CFM in the industry for Direct Drive Solar

The TurboAir™ 24v Direct Drive Solar Aeration System offers two high output solar panels with the proprietary MaxEnergy™ controller providing significantly longer run times. The all-inclusive kits allows for easy and quick installation, you just add the concrete.

- Highest CFM in the industry for 24v DC Direct Drive Solar Systems
 - 3.7 CFM @ 10 psi
- 24v DC Rocking Piston Compressor
- Two solar panel system with easy install racking
- Optional sound reduction kit available
- Two high efficiency DC fans for maximum cooling

Warranty:

- 2 year warranty on compressors and electrical components
- 5 year warranty on all diffusers, bases and airlines
- 15 year warranty on all solar panels
- Lifetime warranty against rust on all aluminum cabinets

Part #	Description	Recommended Pond Size	# of Diffusers	1/2" Weighted Tubing	Stocking Code	Ship Weight	List Price
TA1W	TurboAir™ Single Diffuser System	up to .75 acres	1 Dual	100'	14671569	410 lbs.	\$5495.95
TA2W	TurboAir™ (2) Diffuser System	up to 1.5 acres	2 Single	200'	54841562	465 lbs.	\$5695.95
TA3W	TurboAir™ (3) Diffuser System	up to 2.5 acres	3 Single	500'	45351566	620 lbs.	\$6295.95
SRK	Soundproofing Kit - Includes powder coated fan cover & sound deadening acoustical foam				9234565	10 lbs.	\$275.95

Deep Water Deluxe Solar Aeration Systems

Designed for ponds and lakes, up to four acres and 35' deep

The Deep Water Solar Aeration Systems utilize rocking piston compressors to deliver effective aeration to deeper water depths than other traditional solar systems.

These direct drive systems operate during daylight hours and are designed to start earlier, run later and even operate on moderately cloudy days, giving you more operating time. The results are much more total cfm of air delivered per day than other non-battery systems currently on the market.

Features:

- Oil-less rocking piston compressor with hard coated aluminum cylinder and permanently lubricated bearings - available in 3 different sizes
- Aerates ponds up to 35' deep
- High output solar panels
- Pre-cut fabricated racking to make panel installation easier*
- Quick connect cable for easy assembly
- Self-weighted, self-cleaning diffuser
- Optional sound reduction kit available

Warranty:

- 3 year warranty on compressor (Excludes wearable items; piston cup, valves, etc. - air filters must be cleaned or replaced every 6 months)
- 5 year warranty on airlines and diffusers
- 15 year warranty on all solar panels
- Lifetime warranty against rust on all aluminum cabinets



SASD12



SASD23



Aerates up to 35' deep!

Part #	Description	Recommended Pond Size	# of Diffusers	1/2" Weighted Tubing	# of Solar Panels	Stocking Code	Ship Weight	List Price
SASD12	1/4 hp Deluxe System	up to 1.5 acres	2 Single	200'	3	14879369	270 lbs.	\$6295.95
SASD23	1/2 hp Deluxe System	up to 2.5 acres	3 Dual	300'	4	55886862	370 lbs.	\$7595.95
SRK	Soundproofing Kit - Includes powder coated fan cover & sound deadening acoustical foam					9234565	10 lbs.	\$275.95





Rocking Piston Compressors

Stratus SRC series "Gen 2" rocking piston compressors are specifically designed for the demanding job of 24 hour operation. The oil-less design makes them ideal for pond aeration systems. Available in 1/4, 1/2, 3/4 and 2 hp models, the Stratus SRC series compressors are assembled in the USA.

Features

- Universal dual voltage, 1725 RPM (60Hz) motor
- Oil-less operation
- Permanently lubricated bearings
- Includes **Stratus Smart-Start** technology to start under load
- Superior quality, flexible cup material for increased reliability
- Die-cast body components for overall strength
- Single or double cylinder design
- Inlet/Outlet Size:
 - 1/4 hp - 3/4 hp: 1/4" fpt
 - 2 hp: 3/8" fpt
- Maximum psi:
 - 1/4 hp - 3/4 hp: max 30 psi
 - 2 hp: max 125 psi

Units include

- Air inlet filter
- Rubber feet
- 5' power cord

**2 Year
Warranty**



All Stratus SRC compressors operate under 70dB. (About the volume of normal conversation) And they're even quieter when mounted in cabinets!

See our cabinet options on pages 56-58.



Units include: Air inlet filter, rubber feet, 5' power cord

Part #	hp	Amps* /Volts	Cost per 24 Hours**	cfm Air Flow @ Water Depth of:						Stocking Code	Ship Weight	List Price
				0'	10'	20'	30'	40'	50'			
SRC25	1/4	1.7/115	\$0.40	2.3	2.2	2.0	1.9	1.8	1.7	7494991	17 lbs.	\$659.99
SRC252	1/4	0.9/230	\$0.40	2.3	2.2	2.0	1.9	1.8	1.7	4494999	17 lbs.	\$659.99
SRC50	1/2	3.6/115	\$0.86	4.5	4.3	4.2	4.0	3.8	3.6	5614996	22 lbs.	\$819.99
SRC502	1/2	1.8/230	\$0.86	4.5	4.3	4.2	4.0	3.8	3.6	9614997	22 lbs.	\$819.99
SRC75	3/4	4.5/115	\$1.10	6.5	6.0	5.5	5.2	5.0	4.7	3749998	26 lbs.	\$999.99
SRC752	3/4	2.3/230	\$1.10	6.5	6.0	5.5	5.2	5.0	4.7	2749992	26 lbs.	\$999.99
SRC2002	2	4.5/230	\$4.96	12	11.7	11.4	11.2	10.8	10.5	92249993	62 lbs.	\$2999.99

*Amps measured at 10' operating depth

**Cost figured at .09¢ per kwh, 24/7 operation, 10' operating depth. Actual electrical data will depend on operating conditions.



SRC Compressor Parts & Accessories

SRC Compressor Rebuild Kits



- Kits include piston cup, cylinders, O-rings and cup retainer screws
- SRC75K includes valve plates with leaf valves installed



Part #	Stocking Code	Ship Weight	List Price
SRC25K	674991	1 lb.	\$99.99
SRC50K	3138740	1 lb.	\$184.99
SRC75K	7179997	1 lb.	\$239.99
SRC200K	6299995	1 lb.	\$399.99



SRC25VP

SRC50VP

- SRC25VP and SRC50VP are complete valve plates with leaf valves installed

Part #	Stocking Code	Ship Weight	List Price
SRC25VP	567492	1 lb.	\$89.99
SRC50VP	3142493	2 lbs.	\$189.99

SRC Air Filters & Element

GAF2 filters are standard for SRC rocking piston compressors

GAFE replacement filter elements for all SRC models




GAFE

GAF2

Part #	Description	Stocking Code	List Price
GAF2	Complete filter - 1/4" mpt	338626	\$51.49
GAFE	Replacement element	65244	\$6.99

SRC Shock Mount Foot

- Four per compressor, all SRC models use same feet. 1/4 - 20 threads



Part #	Stocking Code	List Price
SRC50VP	23749	\$4.99

SRC Capacitors

- Start/run capacitors



SRC50CAP


Part #	Description	Stocking Code	List Price
SRC50CAP	1/4 & 1/2 hp	645971	\$61.29
SRC75CAP	3/4 hp	939224	\$52.29

ERP Compressor Parts & Accessories

ERP Compressor Rebuild Kits



Rebuilding ERP Compressors Step-By-Step



- Kits include piston ring, gaskets, seals and leaf valves

Part #	Stocking Code	Ship Weight	List Price
ERP25K	150246	1 lb.	\$66.99
ERP50K	596741	1 lb.	\$128.99
ERP75K	8112499	1 lb.	\$149.99



ERP50CAP

ERP Capacitors

- All models have field changeable start/run capacitors.

Part #	Fits Compressor	Stocking Code	List Price
ERP25CAP	ERP25 - 115 volt	614541	\$19.39
ERP252CAP	ERP252 - 230 volt	916194	\$21.59
ERP50CAP	ERP50 - 115 volt	717922	\$23.89
ERP502CAP	ERP502 - 230 volt	318294	\$24.39
ERP75CAP	ERP75 - 115 volt	622423	\$29.89
ERP752CAP	ERP752 - 230 volt	323922	\$31.89

ERP Air Filters & Element



ERP12E

ERP2

ERP1 & ERP2 Filter Features

- Good for sound reductions of 2 to 4 dB
- For compressor units up to 7.5 cfm
- Provide excellent filtration in areas of fine dust
- Connections: 1/4" mpt on ERP1 and 3/8" mpt on ERP2

Part #	Fits Compressor	Stocking Code	List Price
ERP1	Filter - 1/4 & 1/2 hp for ERP25/50	622491	\$29.99
ERP2	Filter - 3/4 hp for ERP75	922494	\$29.99
ERP12E	Filter element for F1/F2	18248	\$10.99

See page 47 for valved outlets, pressure gauges and relief valves



Rotary Vane Compressors




- Long lasting, continuous duty compressors offer less depth capabilities than the diaphragm or rocking piston compressors but produce considerably more air per hp
- Medium pressure, oil free compressors are excellent for pond and lake aeration or de-icing
- Carbon vanes self adjust to maintain maximum efficiency and are easily replaced when worn out
- All models have an 18' maximum operating depth,
- Units include air filter and 6' power cord with plug
- Air outlet assemblies are available (see page 47) with two to six valves, allowing one pump to supply up to six air manifolds
- Units available in 115 or 230 volt
- One year warranty



Part #	Description	Volts	Amps	cfm Air Flow @ Water Depth of:				Stocking Code	Ship Weight	List Price
				0'	6'	12'	18'			
RV33	¼ hp Stratus rotary vane	115	5	4.5	4.3	4.0	3.6	6704999	34 lbs.	\$939.99
RV332	¼ hp Stratus rotary vane	230	2.5	4.5	4.3	4.0	3.6	8704995	34 lbs.	\$939.99
RV75	¾ hp Stratus rotary vane	115	12	10.0	9.6	9.2	9.0	3974993	53 lbs.	\$1299.99
RV752	¾ hp Stratus rotary vane	230	6	10.0	9.6	9.2	9.0	1974997	53 lbs.	\$1299.99
RV100	1 hp Stratus rotary vane	115	14	13.5	12.4	11.7	10.4	81304995	58 lbs.	\$1739.99
RV1002	1 hp Stratus rotary vane	230	7	13.5	12.4	11.7	10.4	21304996	58 lbs.	\$1739.99

Rotary Vane Compressor Parts & Accessories

Vane Kits for RV33 - 100 Compressors



Rotary vane compressors each have four self-wearing vanes, when worn they no longer catch air resulting in reduction of air flow.

- Kits include four vanes, gasket and two black, internal air filters
- Ship weight - 2 lbs.

Part #	Description	Stocking Code	List Price
RV33V	RV33 repair kit	7115494	\$153.99
RV75V	RV75 repair kit	3146996	\$195.99
RV100V	RV100 repair kit	6229492	\$305.99

Internal Air Filters

Rotary vane compressors have two internal air filters. Air filter elements are included in repair kits or can be purchased separately. Black plug that holds filter does not come in repair kit.

All models use the same plugs and filters.



Part #	Description	Stocking Code	List Price
RVBF	Internal filter	35546	\$7.39
RVBP	Black plug	78244	\$10.99
RVBO	O-ring	93595	\$4.79

Air Filters & Filter Elements

Fits rotary vane compressors above

AC432 filter has 3/8" female threaded inlet

Ship weight - 1 lb. each.



Part #	Description	Stocking Code	List Price
AC432	3/8" fpt complete filter	633741	\$44.99
AC393	Replacement filter element	511394	\$15.19


Check Valve for RV Compressors

Installs on the inlet side of the rotary vane compressors

- Installs between compressor and air filter (air filter not included)
- Prevents back flow of water in air lines
- Ship weight 1 lb.



Part #	Fits	Stocking Code	List Price
RVC	RV33	429991	\$39.99
RVC2	RV75, RV100	729993	\$39.99



Valved Outlet Air Assemblies


- Use when operating two or more pond diffusers from single pump
- Built-in pressure relief valve protects the pump if airlines become kinked, plugged or frozen
- Union coupling allows for quick and easy removal of the pump
- Air flow to each diffuser is controlled by adjustable ball valve
- 2' piece of flexible hose included on each line to dissipate heat and allow for easy tubing connection
- See remote valve assemblies on page 37 for applications where compressor is away from pond's edge

Rocking Piston Air Outlet Assemblies

- Includes pressure relief valve and swivel union for easy removal from compressor
- 1/4" threaded air inlets - fits all rocking piston compressors
- Set up for 3/8" tubing

Part #	Outlets	Stocking Code	Ship Weight	List Price
ERP1V*	1	126994	2 lbs.	\$35.99
ERP2V	2	779497	3 lbs.	\$105.99
ERP3V	3	996742	5 lbs.	\$128.99
ERP4V	4	3123748	7 lbs.	\$164.99
ERP5V	5	5146991	9 lbs.	\$195.99
ERP6V	6	6164993	10 lbs.	\$219.99

*Control valve not included with ERP1V




Rotary Vane Air Outlet Assemblies

- 1/4" threaded air inlets - for RV33 compressors
- 3/8" threaded air inlets - for RV75/RV100 compressors
- Set up for 1/2" tubing



Part #	Outlets	Stocking Code	Ship Weight	List Price
VO2N	2	7101243	4 lbs.	\$134.99
VO4N	4	6157498	6 lbs.	\$209.99
VO6N	6	5217492	8 lbs.	\$289.99



Liquid Filled Pressure Gauges

- Fits easily onto rocking piston valves or rotary vane outlets
- 1/4" mpt connection
- Use on aeration systems to monitor operating pressure and ensure compressor is not overloaded



Part #	Range	Stocking Code	Ship Weight	List Price
G30L	0-30 psi	417992	1 lb.	\$23.99
G50L	0-50 psi	819497	1 lb.	\$25.99

Pressure Relief Valves

- Protects your air compressor from excessive back pressure from frozen or kinked airlines, operating too deep, etc.
- 1/4" mpt

Available in

- 10 psi - Rotary vane compressors
- 25 psi - Stratus SRC rocking piston compressors
- 40 psi - Stratus ERP rocking piston compressors



Part #	Psi	Stocking Code	Ship Weight	List Price
PR10	10	611993	1 lb.	\$15.99
PR25	25	211997	1 lb.	\$15.99
PR40	40	911996	1 lb.	\$15.99



Regenerative Blowers

- The industry choice when high oxygen, low energy consumption and reliable service is needed
- Blowers have only one moving part – the impeller – and since the impeller touches nothing, there is no wear, no seals, no vibrations and no lubrication to be done
- 50 and 60 Hz operation, automatic thermal overload protection, UL approved and CSA certified, can be mounted in any position, lightweight, durable and compact
- Includes inlet air filter and outlet bleed valve
- 6' power cord on all blowers 1 hp and smaller

Larger and three phase blowers are available — please inquire!

Part #	hp	Volts	Amps@ 115v	cfm Air Flow @ Water Depth of:					Max. Depth	Outlet Pipe Size	Stocking Code	Ship Weight	List Price
				20'	30'	40'	50'	60'					
GB11	1/8	115/230	2.0	14	–	–	–	–	29"	1 1/2"	4663991	24 lbs.	\$829.99
GB21	1/8	115/230	3.8	28	19	–	–	–	39"	1 1/2"	7879994	28 lbs.	\$1099.99
GB31N	1/2	115/230	5.6	35	27	19	11	–	52"	1 1/2"	6911993	37 lbs.	\$1139.99
GB41	1	115/230	9.8	73	64	52	28	–	58"	2"	51087995	45 lbs.	\$1359.99
GB415	1 1/2	115/230	20.7	110	102	88	78	64	63"	2"	81519999	65 lbs.	\$1899.99
GB51	2 1/2	115/230	23.6	135	125	111	100	82	65"	2"	41663996	83 lbs.	\$2079.99
GB63	5	230/460-3*	6 @ 460 Volt	188	178	167	157	147	105"	2"	72031998	115 lbs.	\$2539.99

*5 hp are three phase motors - specify 230 or 460v. All other blowers are also available in three phase.

Please specify 115 or 230 volt when ordering. Blower will be wired 115v if not specified!



1.5 to 5 hp
Ship
Motor
Freight



Blower Only

Gast blowers are also available as blower only, no inlet air filter or bleed valve. Ideal for replacement applications where filter and bleed valve already exist. 6' power cord included on 1 hp and smaller units.

Part #	Description	Stocking Code	Ship Weight	List Price
GB11B	1/8 hp blower, no filter or bleed valve	7615994	21 lbs.	\$769.99
GB21B	1/8 hp blower, no filter or bleed valve	4831998	25 lbs.	\$1039.99
GB31BN	1/2 hp blower, no filter or bleed valve	3863992	32 lbs.	\$1079.99
GB41B	1 hp blower, no filter or bleed valve	21023994	38 lbs.	\$1279.99
GB415B	1 1/2 hp blower, no filter or bleed valve	61423995	57 lbs.	\$1779.99
GB51B	2 1/2 hp blower, no filter or bleed valve	41567995	75 lbs.	\$1959.99
GB63B*	5 hp blower, no filter or bleed valve	61839996	104 lbs.	\$2299.99

*3 Phase only - specify 230 or 460v



1.5 to 5 hp
Ship
Motor
Freight

Replacement Air Filters for 1/8 to 5 hp Blowers



Use these high volume air filters as replacements on our Gast blowers (above) or any application requiring high volumes of prefiltered air

Complete Filter



Part #	Mpt Connection	Fits Blowers hp	Stocking Code	Ship Weight	List Price
SOL3	1 1/4"	1/8, 1/2, 1/2	744096	2 lbs.	\$62.99
SOL5	2"	1	362998	3 lbs.	\$89.99
SOL7	2"	1 1/2, 2 1/2, 5*	5108494	4 lbs.	\$154.99

*5 hp blowers have two filters



Replacement Filter Cartridge

Includes canister and foam prefilter

Part #	Stocking Code	Ship Weight	List Price
SOL31	416796	1 lb.	\$23.99
SOL51	727998	1 lb.	\$39.99
SOL71	641294	2 lbs.	\$58.99



GAST Diaphragm Compressors

Both the DC22 and DC12 come with a one year warranty
 Brass barbed adapters included on both models for easy connection to 3/8" tubing

DC22

- Small, continuous duty diaphragm compressor is surprisingly powerful
- The 1/20 hp motor draws only one amp electric but operates up to 12' deep and produces .7 cfm air flow
- Permanently lubricated ball bearing motors designed for years of trouble free service

DC12

- Oil-less compressor works well for continuous pond aeration
- Higher pressure allows for aeration in ponds up to 35' deep
- Compressor comes with 6' power cord and inlet air filter



Part #	Description	Cfm	Voltage	Amps	Stocking Code	Ship Weight	List Price
DC22	1/20 hp diaphragm compressor	.7	115	1	6311993	7 lbs.	\$415.99
DC12	1/8 hp high pressure diaphragm compressor	1.1	115	4.2	8449991	12 lbs.	\$599.99



DC Diaphragm Compressor Parts & Accessories

DC22, DC12, Repair Kits

- If your air compressor runs but does not pump air after a couple years of service, chances are the diaphragm has cracked
- Kits include the diaphragm, head gasket and parts needed to rebuild compressor to "like new" performance
- Ship weight - 2 lbs.



Part #	Description	Stocking Code	List Price
RK22	DC22 (1/20 hp) repair kit	674997	\$99.99
DC12RK	DC12 (1/8 hp) repair kit	464876	\$86.49

Air Filters & Elements

Can also be used on a variety of other units as replacement air filters. Ship weight - 1 lb. each.

DC22F Air filter is one piece, no replaceable element available

ERPF1 is available as complete filter or element only (ERPF12E)



Part #	Description	Stocking Code	List Price
DC22F	Replacement filter - DC22	115446	\$20.59
ERPF1	Complete filter - 1/4" mpt	622491	\$29.99
ERPF12E	Replacement element	18248	\$10.99

Installed by homeowner, Joseph Pesek (IN)



STRATUS KLC SERIES



KLC25



KLC40, KLC60 & KLC80



KLC100 & KLC120



Linear Diaphragm Air Compressors

These compressors combine outstanding performance with great value!

- Ultra quiet operation with very low energy usage
- Long life, even in continuous applications with minimal maintenance
- cUL and UL listed for outdoor use
- Operation at deeper than recommended depths will require more frequent replacement of diaphragms

3 Year Warranty

KLC Diaphragm Repair Kits

Part #	Stocking Code	List Price
KLC25DK	627828	\$37.09
KLC40DK	734047	\$45.39
KLC68DK	346121	\$61.49
KLC100DK*	261041	\$81.39

*For KLC100 & KLC120

Part #	Watts	Compressor Outlet Size (Nominal)	cfm Air Flow @ Water Depth of:									Stocking Code	Ship Weight	List Price
			0'	2'	4'	6'	8'	10'	12'	14'				
KLC25	23	5/8"	1.3	1	0.8	.06	0.4	0.1	—	—	6168747	7 lbs.	\$224.99	
KLC40	36	5/8"	2.1	1.9	1.6	1.3	0.9	0.6	0.2	—	3209995	13 lbs.	\$279.99	
KLC60	60	5/8"	3.1	2.8	2.4	2.0	1.6	1.2	0.7	0.3	1247493	15 lbs.	\$329.99	
KLC80	70	5/8"	3.7	3.4	3.1	2.8	2.4	2.0	1.5	0.9	9299998	15 lbs.	\$399.99	
KLC100	112	5/8"	4.2	4.1	4.0	3.6	3.1	2.5	2.0	1.2	7412496	21 lbs.	\$549.99	
KLC120	130	1"	4.9	4.8	4.6	4.3	4.0	3.5	3.0	2.9	1472492	21 lbs.	\$629.99	

Recommended operation in shaded area



Linear Piston Compressors

3 Year Warranty



ML28

ML45

ML60/ML80

ML100/ML120

ML200

ML Piston Repair Kits

Part #	Stocking Code	List Price
ML28RK	155710	\$71.89
ML45RK	367189	\$86.69
ML60RK	7112062	\$144.59
ML80RK	9122914	\$158.59
ML120RK*	4189716	\$244.79
ML200RK	5376107	\$485.29

*for ML100 & ML120

- Quiet, energy efficient, weather resistant and durable
- These compressors utilize a small piston instead of a diaphragm to pump air
- UL listed for outdoor use — ideal for pond aeration
- It is not at all uncommon for these motors to operate continuously for seven to nine years — a perfect choice for summer and winter aeration needs
- 5' power cord with 115 volt plug included
- A rubber elbow is included for outlet connection

Part #	Watts	Compressor Outlet Size	cfm Air Flow @ Water Depth of:					Max. Depth	Max. PSI	Stocking Code	Ship Weight	List Price
			0'	2'	4'	6'	8'					
ML28	26	5/8"	1.3	1.2	0.8	0.5	—	6'	2.6	6232031	8 lbs.	\$299.39
ML45	45	3/4"	1.8	1.7	1.5	1.1	—	6'	2.6	5273267	8 lbs.	\$352.59
ML60	60	3/4"	2.5	2.5	2.3	1.4	0.5	8'	3.5	3349987	13 lbs.	\$451.59
ML80	86	3/4"	3.0	2.9	2.8	2.1	1.2	8'	3.5	2368898	14 lbs.	\$475.99
ML100	95	1"	4.6	4.5	4.2	3.7	1.8	9'	4.0	9552955	22 lbs.	\$713.49
ML120	118	1"	5.2	5.1	4.8	4.5	2.6	9'	4.0	4579386	22 lbs.	\$747.59
ML200	215	1"	9.9	9.1	8.4	7.3	6.0	10'	4.4	7929992	28 lbs.	\$1199.99

Recommended operation in shaded area



SINCE 1970

Linear Aeration Kits

Need some Koi Loving Care?

Our best selling koi pond filtration for good reason - these kits are reliable, effective and affordable.

- Ensure adequate oxygen and circulation during hot summer months
- De-icing capability during freezing months
- Kits available for water gardens and koi ponds up to 30,000 gallons
- Quiet and energy efficient
- All kits include compressor with 6' power cord, rubber membrane diffuser(s), connectors and 3/8" Quick Sink tubing

3 Year Warranty



LA1

KLC25 Compressor
23 watt / 1.3 cfm

Estimated operating cost: \$1.51/mo.*



LA2

KLC40 Compressor
36 watt / 2.1 cfm

Estimated operating cost: \$2.37/mo.*



LA3

KLC60 Compressor
60 watt / 3.1 cfm

Estimated operating cost: \$3.94/mo.*



LA4

KLC80 Compressor
70 watt / 3.7 cfm

Estimated operating cost: \$4.60/mo.*

Part #	Compressor Part Number	Watts	3/8" Tubing	Air Diffusers Output	Aerates Ponds Up To**	Max. Depth Recommended	Stocking Code	Ship Weight	List Price
LA1	KLC25	23	25'	1	1000-7500 gallons	6'	3202498	15 lbs.	\$269.99
LA2	KLC40	36	50'	2	2000-15000 gallons	6'	3284998	29 lbs.	\$379.99
LA3	KLC60	60	75'	3	3000-22500 gallons	7'	9352497	37 lbs.	\$469.99
LA4	KLC80	70	100'	4	4000-30000 gallons	8'	6427492	45 lbs.	\$569.99

See page 50 for more information on compressors

*Estimated operating cost based on 24/7 operation at \$.09 per kWh. Actual cost will vary with operating conditions.

**Fish load, filtration capacity and other factors affect actual maximum pond size.



Deluxe Linear Aeration Kits

3 Year Warranty

- Extra Quiet — you can barely hear them from only 5' away
- Energy Efficient — operates for only pennies per day
- Very Reliable — motors can often run constant for 5 - 8 years
- Oil-less Design — provides clean, dry air with minimal maintenance
- UL Listed — for outdoor use
- Each kit includes compressor, 15' of weighted airline and air diffuser

LA5W

Includes ML28 compressor, 15' of QuickSink weighted tubing and RAD6 air diffuser

LA10W

Includes ML45 compressor, 15' of QuickSink weighted tubing and RAD12 air diffuser



LA15W

Includes ML80 compressor, 15' of QuickSink weighted tubing and two RAD1250 air diffusers connected together



Part #	Compressor Part Number	cfm Air Output	Aerates Ponds Up to	Electrical Usage	Warranty	Stocking Code	Ship Weight	List Price
LA5W	ML28	1.0	25'	25 watts	3 years	3235951	13 lbs.	\$314.09
LA10W	ML45	1.6	50'	45 watts	3 years	7288798	18 lbs.	\$383.89
LA15W	ML80	2.8	75'	80 watts	3 years	4396482	24 lbs.	\$526.69

See page 50 for more information on compressors



EASYPRO.COM





"Quick Sink" Weighted PVC Airline

Thick wall PVC hose is guaranteed not to crack or split!
Works in all temperatures for easy installation even in cold weather!

5 Year Warranty!



Large rolls ship motor freight


Part #	Length	Stocking Code	Ship Weight	List Price
3/8" Quick Sink Airline (.687" O.D.)				
L3PVC	Cut any length	31134	20 lbs./100'	\$1.50/foot
L3PVC5	50' roll-boxed	344997	10 lbs.	\$59.99
L3PVC1	100' roll-boxed	782493	20 lbs.	\$109.99
L3PVCR	500' Roll	6374991	115 lbs.	\$499.99

1/2" Quick Sink Airline (1" O.D.)				
L5PVC	Cut any length	31614	44 lbs./100'	\$2.15/foot
L5PVC1	100' roll-boxed	4131240	44 lbs.	\$174.99
L5PVCR	500' Roll	7637491	245 lbs.	\$849.99

5/8" Quick Sink Airline (1.12" O.D.)				
L6PVC	Cut any length	31951	53 lbs./100'	\$2.60/foot
L6PVC1	100' roll-boxed	5149994	53 lbs.	\$199.99
L6PVCR	500' Roll	2689999	290 lbs.	\$919.99

3/4" Quick Sink Airline (1.36" O.D.)				
L7PVC	Cut any length	32447	77 lbs./100'	\$3.25/foot
L7PVCR	300' Roll	3637494	260 lbs.	\$849.99

Pallet discounts available - call for details!



Polyethylene Airline — Non-Weighted

Durable tubing used between compressor and weighted tubing when compressor is located away from pond's edge

- Can be buried or left exposed
- Available in a variety of roll lengths to minimize fittings



Part #	Size (I.D.)	Roll Length	Stocking Code	Ship Weight	List Price
PT035	3/8"	50	517591	3 lbs.	\$21.99
PT031	3/8"	100	231999	5 lbs.	\$39.99
PT032	3/8"	200	863993	8 lbs.	\$79.99
PT051	1/2"	100	439197	5 lbs.	\$48.99
PT052	1/2"	200	675996	10 lbs.	\$94.99
PT054	1/2"	400	1119992	19 lbs.	\$149.99
PT062	5/8"	200	795996	11 lbs.	\$119.99
PT064	5/8"	400	1183998	22 lbs.	\$229.99



Stainless Steel Hose Clamps

These clamps have hundreds of uses! Keep plenty on hand for all your air and water plumbing projects!



Part #	Size (I.D.)	Stocking Code	Case Quantity	List Price
HC1	1/4" - 5/8"	71428	100	\$1.89
HC2	3/8" - 7/8"	21423	100	\$1.89
HC3	7/16" - 1"	41641	100	\$2.19
HC34	1/2" - 1 1/4"	91641	100	\$2.19
HC4	3/4" - 1 3/4"	91796	50	\$2.39
HC5	2 1/2" - 3 1/2"	52247	50	\$2.99

Tubing Fittings Tubing available on page 52

Couplings



Part #	Size	Stocking Code	List Price
IC1212	5/8" x 5/8"	21423	\$2.19
IC1234	5/8" x 3/4"	52146	\$3.29
IC3434	3/4" x 3/4"	91882	\$2.89

Male Adapters



Part #	Size	Stocking Code	List Price
PMA12	1/2" mpt x 5/8" barb	61623	\$2.49
PMA34	3/4" mpt x 3/4" barb	81944	\$2.99
PMA3412	3/4" mpt x 5/8" barb	72722	\$4.19

Brass Male Adapters



Part #	Size	Stocking Code	List Price
BA37	1/4" mpt x 3/8" barb	42247	\$2.99
BA50	1/4" mpt x 1/2" barb	72997	\$3.99

Couplings



Part #	Size	Stocking Code	List Price
TC3838	3/8" x 3/8"	2976	\$1.39
TC1212	1/2" x 1/2"	41043	\$1.49
TC1238	1/2" x 3/8"	71189	\$1.69

Male Adapters



Part #	Size	Stocking Code	List Price
TA1238	1/2" mpt x 3/8" barb	81187	\$1.69
TA1212	1/2" mpt x 1/2" barb	71189	\$1.69
TA3438	3/4" mpt x 3/8" barb	61394	\$1.99
TA3412	3/4" mpt x 1/2" barb	31327	\$1.89

Splitters

SPL Splitters

- Ideal for water or air
- 1/2" barbed inlets
- 3/8" barbed outlets
- 1/4" ball valves



SPL382



Part #	Size	Stocking Code	Ship Weight	List Price
SPL382	2 valves	829997	1 lb.	\$39.99
SPL383	3 valves	637495	2 lbs.	\$49.99
SPL384	4 valves	344992	3 lbs.	\$59.99

Larger aluminum block and valves for higher flow applications

- Ideal for water or air
- 1/2" barbed inlets
- 1/2" barbed outlets
- 1/2" ball valves



SPL122



Part #	Size	Stocking Code	Ship Weight	List Price
SPL122	2 valves	137494	2 lbs.	\$49.99
SPL123	3 valves	644997	2 lbs.	\$59.99
SPL124	4 valves	852498	3 lbs.	\$69.99

Don't see the fittings you need?

The EasyPro Pond & Water Feature catalog has a huge selection of plumbing fittings and accessories. Request a copy on our website www.easypro.com or call us toll free at 800-448-3873



Aeration Accessory Kit

This kit has 140 of the most commonly used fittings for installing aeration systems including connectors, adapters, stainless clamps and more. Each kit also has a nut driver, tubing cutter and Teflon tape all in a convenient storage case.



Part #	Description	Stocking Code	Ship Weight	List Price
PATK	Aeration accessory kit	3185719	8 lbs.	\$260.99





**5 Year
Warranty**

Quick Sink Self-Weighted Diffusers

Same great membrane diffuser performance now in a self-sinking design


- Self-weighted base with powder coated finish
- Sch. 80 PVC air manifold check valve
- Includes inlet air fittings for 3/8", 1/2" or 5/8" tubing; tubing clamps and strain relief
- Built in check valve prevents backflow of water up air line

**Snap Code
for Video**

**See the QS
Diffusers in
action here!**



*Shown assembled
with strain relief
included for durability*





**Self-weighted design eliminates need for gravel
and reduces installation time!**

Part #	Description	Recommended Airflow (cfm)	Stocking Code	Ship Weight	List Price
QS1	Self-weighted single diffuser	.8 - 3	9112499	9 lbs.	\$149.99
QS2	Self-weighted dual diffuser	1.6 - 6	1153742	11 lbs.	\$204.99



Air Diffuser Manifolds *Self-weighted design for easy installation!*

- Polyethylene underlay keeps diffuser from settling into pond bottom
- Available with self-weighted RAD650W diffusers or AS650 alumina air diffusers
- Includes check valve to prevent water from filling air line when not in use, strain relief barb fitting for tubing connection, underlay and clamp



Part #	Number of Diffusers	Recommended Airflow (cfm)	Tubing Connection	Size of Underlay	Stocking Code	Ship Weight	List Price
--------	---------------------	---------------------------	-------------------	------------------	---------------	-------------	------------

Manifolds with Membrane Diffusers

DM2	2	.8 - 3.4	3/8", 1/2" & 5/8"	11 1/4" x 20"	371246	9 lbs.	\$94.99
DM4	4	1.6 - 6.8	3/8", 1/2" & 5/8"	22 1/2" x 22 1/2"	7110998	11 lbs.	\$147.99
DM6	6	2.4 - 10.2	3/8", 1/2" & 5/8"	22 1/2" x 22 1/2"	8142494	14 lbs.	\$189.99

Manifolds with Alumina Diffusers

DM2S	2	1.0 - 1.4	3/8", 1/2" & 5/8"	11 1/4" x 20"	882491	8 lbs.	\$109.99
DM4S	4	2.0 - 2.8	3/8", 1/2" & 5/8"	22 1/2" x 22 1/2"	5134995	9 lbs.	\$179.99
DM6S	6	3.0 - 4.2	3/8", 1/2" & 5/8"	22 1/2" x 22 1/2"	4172497	10 lbs.	\$229.99

Improved membrane design!

- Enhanced durability
- Improved efficiency
- Lower maintenance

New Improved Design



MD3

Bottom View of MD3

Membrane Diffusers

A great alternative to air stones in many aeration applications

- Hundreds of "I" slots that open as air pressure builds inside of the diffuser
- Center of the membrane does not have slots and acts as a check valve when air flow stops
- Diffusers have a 3/4" male thread inlet and are 10" in diameter
- Uniform bubble distribution with up to 3 cfm air flow

Part #	Case Quantity	Stocking Code	Ship Weight	List Price
MD3	20	529998	2 lbs.	\$39.99



Rubber Membrane Air Diffusers

Incredibly strong. Ideal for pond aeration, circulation and destratifying applications

- Unlike air stones these diffusers are easy to clean
- In testing they produce a slightly larger air bubble than air stones which translates into less oxygen transfer into the water, so for fish holding tanks, raceways, fish production ponds, etc. we recommend staying with the air stones below
- Barbed inlets have multiple size barbs, simply cut to fit tubing
- Excellent for ponds and water gardens since they actually produce more circulation and water movement



6" weighted diffuser now available
Part #RAD650W

Part #	Length	Inlet Air Fitting	Recommended Airflow (cfm)	Maximum Airflow (cfm)	Case Quantity	Stocking Code	Ship Weight	List Price
RAD4	4"	1/4" - 3/8"	.2	1.1	12	610347	1 lb.	\$13.79
RAD6	6"	1/4" - 3/8"	.4	1.7	12	513794	1 lb.	\$18.39
RAD650	6"	1/2" mpt	.4	1.7	12	813792	1 lb.	\$18.39
RAD650W	6"	1/2" mpt weighted	.4	1.7	12	117392	2 lbs.	\$23.19
RAD8	8"	3/8" - 1/2"	.7	2.5	12	617025	1 lb.	\$22.69
RAD850	8"	1/2" mpt	.7	2.5	12	717024	1 lb.	\$22.69
RAD12	12"	3/8" - 1/2"	.9	3.5	6	426846	2 lbs.	\$35.79
RAD1250	12"	1/2" mpt	.9	3.5	6	226848	2 lbs.	\$35.79



Pro-Glass Alumina Air Stones

Alumina Air Stones – three times stronger than white silica air stones!

- Creates finer bubbles for increased aeration efficiency with no increase in pressure
- Inlet fittings are set into the body of the diffuser, making them much less likely to break or twist loose
- Higher density means self weighting
- More resistant to ozone

The Best Choice for aquaculture applications!



Manufactured for EasyPro in the USA

Contact us for volume pricing

Part #	Dimensions	Fitting Size	Recommended Airflow (cfm)	Stocking Code	Ship Weight	List Price
AS15	1 1/2" x 1 1/2" x 1 1/2"	3/16" barb	.20	48692	1 lb.	\$11.99
AS325	1 1/2" x 1 1/2" x 3"	1/4" barb	.30	611961	1 lb.	\$16.49
AS337	1 1/2" x 1 1/2" x 3"	3/8" barb	.30	913043	2 lbs.	\$17.99
AS637	1 1/2" x 1 1/2" x 6"	3/8" barb	.50	814134	2 lbs.	\$19.49
AS650	1 1/2" x 1 1/2" x 6"	1/2" npt	.50	714136	2 lbs.	\$19.49
AS937	1 1/2" x 1 1/2" x 9"	3/8" barb	.75	224645	2 lbs.	\$33.99
AS950	1 1/2" x 1 1/2" x 9"	1/2" npt	.75	624647	2 lbs.	\$33.99
AS1237	1 1/2" x 1 1/2" x 12"	3/8" barb	1.0	326099	3 lbs.	\$35.99
AS1250	1 1/2" x 1 1/2" x 12"	1/2" npt	1.0	526092	3 lbs.	\$35.99



EasyPro offers a variety of weatherproof enclosures to protect aeration compressors from the elements. Without protection the life of any air system will be greatly reduced.

Mock Rock™ Landscape Boulders

These Mock Rock™ Boulders are ideal for concealing air pumps, water pumps, pond filters, UVs, lighting transformers and other equipment.

- Commercial grade construction stands up to the elements, will not fade or crack, recycled material
- All rocks come standard with one vent, additional vents can be ordered if needed



Three Sizes

DMBR: Measures 19" long x 14" wide x 12" high, includes one 3" vent

DLB1: Measures 30" long x 23" wide x 18" high, includes one 3" vent

DLB2[†]: Measures 56" long x 42" wide x 30" high, includes one 4" vent
[†]ships motor freight

Part #	Color	Recommended for	Vent Included	Stocking Code	Ship Weight	List Price
DMBR	Brown	Linear compressors, CMC3-ML80	One 3" vent	879492	4 lbs.*	\$105.99
DLB1F	Gray	Compressors up to PA66, small pond filters	One 3" vent	3118492	6 lbs.*	\$157.99
DLB1R	Brown	Compressors up to PA66, small pond filters	One 3" vent	6118494	6 lbs.*	\$157.99
DLB2F	Gray	PA75+ or multiple compressors	One 4" vent	1322278	28 lbs. [†]	\$429.69
DLB2R	Brown	PA75+ or multiple compressors	One 4" vent	9322276	28 lbs. [†]	\$429.69
DLB3S	—	Additional 3" louvered vent installed	—	313346	1 lb.	\$17.79
DLB4S	—	Additional 4" screened vent installed	—	222275	1 lb.	\$29.69

*Dimensional shipping rate applies †Ships motor freight




Roto-Molded Cabinets

This polyethylene cabinet is an economical alternative to the steel cabinets

Designed to hold air compressors up to the RV33 (1/4 hp rotary vane) in size. The small foot print makes it easy to hide!

- Ideal for housing all linear compressors, DC22 (PA10), DC12 (PA12), SRC25 (PA34), SRC50 (PA66) and RV33 (PA50)

- Roto-molded in a tan color which blends well into existing landscape
- Built in louvers allow fresh air into cabinet, an optional cooling fan is recommended for large compressors or in hot locations, fan comes installed in opposite hole with louver



Part #	Description	Stocking Code	Ship Weight	List Price
SC25	Cabinet, 15" w x 25" l x 15" h	2179992	22 lbs.	\$239.99
SC25F1	Cabinet with 115v fan installed	3224997	24 lbs.	\$299.99
SC25F2	Cabinet with 230v fan installed	9232498	24 lbs.	\$309.99
SC25SU	Sound proofing for SC25 (installed)	265248	—	\$86.99



Post Mounted Lockable Cabinets

Top and front wall open for easy access and service

- 11½" w x 18" l x 11 ½" t - will hold all linear compressors and the DC12, DC22, SRC25, SRC50 compressors
- 18 gauge galvanized steel with powder coat finish
- Three 1¼" knock outs for airlines plus one for power source
- All cabinets come complete with mounting bracket, cooling fan and electrical box
- Also available with a raised base for use on the ground when pole mounting is not an option
- 5' power cord pre-wired to plug cabinet into GFCI protected outlet
- 115v 13 amp max. / 230v 15 amp max.



SC18



Sound proofing option available — high quality acoustical foam reduces motor sound considerably



Part #	Description	Stocking Code	Ship Weight	List Price
SC18	Pole mount cabinet with 115v fan	8307492	19 lbs.	\$409.99
SC182	Pole mount cabinet with 230v fan	6314994	19 lbs.	\$419.99
SC18G	Ground mount cabinet with 115v fan	9314991	22 lbs.	\$419.99
SC18G2	Ground mount cabinet with 230v fan	3322495	22 lbs.	\$429.99
SC18SU	Sound proofing upgrade (installed)	257749	–	\$76.99

SC18G



Lockable Steel Cabinets

Standard Cabinet

- 16½" w x 22" l x 19" t - will hold all compressors up to RV100 or multiple smaller units with stainless steel lock to protect against vandalism
- Includes compressor mounting base to keep compressor up off floor
- 14 gauge galvanized steel with powder coat paint finish
- Tapered lid - makes front wall shorter allowing easier access to compressor
- Has six 1¼" knockouts for airlines and one knockout for incoming power
- Optional fans recommended on any compressors operating in hot climates and on 3/4 hp and larger in all climates



SC22



Now with 6 foot power cord!



SC22D1

Deluxe Cabinet

- Standard cabinet above with cooling fan and electrical box installed
- Cooling fan kits include fan, guard, power cord and hardware
- 6' power cord pre-wired to plug cabinet into GFCI protected outlet
- 115v 15 amp max. / 230v 15 amp max.



Part #	Description	Stocking Code	Ship Weight	List Price
SC22	Standard locking cabinet	7397494	50 lbs.	\$529.99
SC22D1	Deluxe cabinet with electric & 115v fan installed	6502492	53 lbs.	\$669.99
SC22D2	Deluxe cabinet with electric & 230v fan installed	3509993	53 lbs.	\$679.99
SC22SU	Sound proofing for SC22 cabinet (installed)	289998	–	\$119.99



SC28N cabinets are engineered to hold two 1 hp compressors with up to 12 airlines!




SC28N with optional sound proof package and equipment pad

Large Lockable Steel Cabinets

Features

These larger cabinets are ideal for lake aeration projects where multiple compressors are used or for applications needing one compressor and a liquid dosing pump.

- 16 gauge galvanized steel with powder coat finish
- 24" w x 28" l x 20" t, includes two motor mounting plates
- Deluxe cabinets include electrical box and dual high volume cooling fan installed
- Locking hinges hold lid open during service and maintenance
- Order equipment pad for dusty applications (bottom air intake on cabinets) or soft/mucky sites to support the weight of the cabinet



SC28ND1
Inside detail with 115v dual cooling fans



SC28N with optional SMBASE33 equipment pad

Part #	Description	Stocking Code	Ship Weight	List Price
SC28N	Large locking cabinet	4712497	85 lbs.	\$949.99
SC28ND1	Deluxe large cabinet with electric & 115v dual cooling fans installed	2899996	94 lbs.	\$1199.99
SC28ND2	Deluxe large cabinet with electric & 230v dual cooling fans installed	9899993	94 lbs.	\$1199.99
SC28NFK1	Dual cooling fan kit** for SC28N cabinet, 115v	8103492	5 lbs.	\$137.99
SC28NFK2	Dual cooling fan kit** for SC28N cabinet, 230v	2104997	5 lbs.	\$139.99
SC28SU	Sound proofing for SC28N cabinet (installed)	1104998	2 lbs.	\$139.99
SMBASE33	Optional equipment pad, 32" x 32" x 3" thick	893499	18 lbs.	\$109.99

**Fan kits above include fans, guards, power cords and mounting hardware for SC28N cabinet



Large Cabinets Ship Motor Freight

Lockable Steel Cabinet Accessories

Part #	Description	Stocking Code	Ship Weight	List Price
SCFK1	Cooling fan kit* for SC18, SC22 cabinet, 115v	150998	2 lbs.	\$67.99
SCFK2	Cooling fan kit* for SC18, SC22 cabinet, 230v	752492	2 lbs.	\$69.99

*Fan kits above include fan, guard, power cord and mounting hardware

SCELK1	Electrical component kit* for SC22, 115v	520999	1 lb.	\$27.99
SCELK2	Electrical component kit* for SC22, 230v	929243	1 lb.	\$38.99
SCFAN1	Replacement fan for SC18, SC22, SC25, SC28N - 115v	532924	2 lbs.	\$43.89
SCFAN2	Replacement fan for SC18, SC22, SC25, SC28N - 230v	836521	2 lbs.	\$48.69
SCFANG	Replacement fan guard for SC18, SC22, SC25, SC28N	25326		\$7.09
SC28ELK1	Electrical component kit* for SC28, 115v	959995	2 lbs.	\$79.99
SC28ELK2	Electrical component kit* for SC28, 230v	3104999	2 lbs.	\$139.99

*All electrical kits include outlet, pvc and mounting hardware. No power cord included.

Pre-2020 Replacement Parts for SC28

SC28FK1	Cooling fan kit** for SC28 cabinet, 115v	8164992	5 lbs.	\$219.99
SC28FK2	Cooling fan kit** for SC28 cabinet, 230v	217249	5 lbs.	\$229.99

**Fan kits above include fan, power cord and mounting hardware for SC28 cabinet



Electrical Outlet



SCFAN1 Replacement Fan Only



SCFANG Replacement Fan Guard



SCCF1 Replacement Fan

Surface Aeration

EasyPro offers a wide variety of fountains and surface aerators. Our volume allows us to sell the best fountains at the lowest prices. A variety of patterns, sizes (ranging from 1/3 to 25 hp) and light packages for night time displays, assures we have a fountain for most every application. Shop and compare – we offer the best selection and lowest prices in the industry.

Surface fountains are a popular choice when decorative looks are desired. Golf courses, parks, office buildings and housing developments are all common places you see fountains used.

Many different spray patterns are available creating aesthetically pleasing looks while creating circulation and aeration. Since fountains float on the surface, circulation does not reach all the way to the bottom in deep applications which reduces their effectiveness.

Fountains create good water movement at the pond's surface and are helpful in keeping pollen, duckweed, watermeal and other surface debris under control.



Surface aeration is available in several styles ranging from high volume to highly decorative. Since water is heavy, the more decorative the spray pattern is the less volume of water is pumped. Here is a brief look at each style of surface aeration:



High Volume

These units focus on moving the maximum amount of water and not on decorative looks. Fish farms, waste water treatment ponds, retention ponds and other applications requiring maximum water movement with high oxygen transfer will benefit the most from this design. While not the prettiest to look at, these units are by far the best bang for the dollar when water quality management is needed.



Medium Volume

A modified version of the high volume units above, these fountains use a nozzle to guide the water into a "V" shaped display. Some volume is sacrificed to achieve the higher spray, but overall, decent water movement is produced. A good compromise between high volume and decorative units. These units are a good choice for ponds requiring water quality improvement but also a visually attractive display.



Decorative

For ponds requiring maximum visual appeal. Instead of a high volume propeller, decorative fountains use an impeller to build pressure and then force the water out through various nozzles to create a tall, visually appealing fountain. These units pump minimal water and create minimal circulation so they should be viewed as mostly decorative. Office buildings, condo associations, parks, zoos are the most common applications. We strongly recommend the use of a diffused aeration system in conjunction with a decorative fountain if water quality management is needed.

Mini Pond Fountain / AquaFloat

Finally the Perfect Fountain for Small Ponds!



STARBURST MINI FLOATING POND FOUNTAIN

Designed for ponds as small as 15' in diameter and features built-in, super bright lights and super easy installation.

- Powered by an energy-efficient asynchronous mag drive pump
- Six super bright, cool white LED lights embedded in float
- Spray pattern: 2.5' tall x 6' diameter
- Float diameter: 15"
- Minimum required pond depth: 18"
- Wattage: Fountain 110 watts, Lights 5 watts
- 30' Cord
- One year limited warranty



Beautiful BY DAY
Even Better AT NIGHT



Part #	Description	Stocking Code	Ship Weight	List Price
MWF36	Starburst Mini Fountain	4449997	13 lbs.	\$599.99



2.5' tall x 6' diameter
Recommended for ponds larger than 15' in diameter

AquaFloat Floating Fountain Head

Build Your Own Fountain!

- Build your own fountain by simply hooking a pump to this head
- Ideal for use with existing lawn sprinkling pump
- The fountain head has a 24" diameter high density float and a decorative float cover
- The spray nozzle threads on/off for easy cleaning
- Inlet connection is 2" female threads



24"

Fountain Performance Chart					
Rocket Nozzle			Wide Umbrella Nozzle		
Spray Pattern	gpm	Ft. of Head	Spray Pattern	gpm	Ft. of Head
6'h x 3'd	40	10'	4'h x 15'd	62	11'
8'h x 3'd	45	13'	6'h x 20'd	77	14'
10'h x 3'd	51	15'	8'h x 24'd	82	19'
12'h x 3'd	55	16'			
14'h x 3'd	61	20'			
16'h x 3'd	65	23'			

Ft. of head column is the amount of pressure the nozzle requires.

Select a pump that will deliver the gpm @ ft. of head shown



Rocket Nozzle




Wide Umbrella Nozzle



Narrow Umbrella Nozzle

Part #	Description	Stocking Code	Ship Weight	List Price
ACF1N	Fountain head w/rocket nozzle	6172498	14 lbs.	\$229.99
ACF2N	Fountain head w/wide umbrella nozzle	9172497	14 lbs.	\$229.99
ACF3N	Fountain head w/narrow umbrella nozzle	3172496	14 lbs.	\$229.99
ACFRN	Rocket nozzle only	544991	3 lbs.	\$59.99
ACFWU	Wide umbrella nozzle only	444994	3 lbs.	\$59.99
ACFNU	Narrow umbrella nozzle only	144992	3 lbs.	\$59.99



AquaFountain™ 1/2 hp & 1 hp Fountains

Beautiful • Reliable • Affordable



Rocket Nozzle



Wide Umbrella Nozzle



Narrow Umbrella Nozzle

For over 25 years AquaFountains have proven themselves to be beautiful, reliable and affordable!

- Long lasting, energy efficient motor designed for continuous duty operation, with built in thermal and over current protection
- Floats are made from high density foam and protected by a decorative float cover
- Intake screens are aluminum and prevent leaves, algae, sticks, etc. from plugging pump
- 30" minimum operating depth
- 115v units come with timer and GFI; 230v units include timer only, purchase GFI locally
- Pre-assembled and ready to install

See pages 62-64 for AquaShine™ light kits that turn your fountain into a beautiful night time display

2 Year Warranty



Fountains include rocket and umbrella nozzles. Purchase narrow umbrella separately below.

GFI with timer included on all 115v models
230v units include timer only panel, without GFI



GFI3

Part #	hp	Power Cord Length/Gauge	Voltage /Amps	Rocket Spray Dimensions	Wide Umbrella Dimensions	Stocking Code	Ship Weight	List Price
--------	----	-------------------------	---------------	-------------------------	--------------------------	---------------	-------------	------------



1/2 hp, 115v

AF50	1/2	100'/12 ga.	115/7.0	8' H x 2' dia.	6' H x 15' dia.	41379493	59 lbs.	\$1779.99
AF5015	1/2	150'/12 ga.	115/7.0	8' H x 2' dia.	6' H x 15' dia.	81549993	67 lbs.	\$1999.99
AF5020	1/2	200'/10 ga.	115/7.0	8' H x 2' dia.	6' H x 15' dia.	12014992	102 lbs.	\$2599.99



1 hp, 115v

AF100	1	100'/12 ga.	115/11.0	16' H x 5' dia.	8' H x 26' dia.	71666247	82 lbs.	\$2149.99
AF10015	1	150'/10 ga.	115/11.0	16' H x 5' dia.	8' H x 26' dia.	22061493	110 lbs.	\$2659.99
AF10020	1	200'/10 ga.	115/11.0	16' H x 5' dia.	8' H x 26' dia.	32286247	125 lbs.	\$2949.99



AF5020
AF10015
AF10020
AF100220
AF100225

1 hp, 230v

AF1002*	1	100'/12 ga.	230/5.5	16' H x 5' dia.	8' H x 26' dia.	81666246	78 lbs.	\$2,149.99
AF100215*	1	150'/12 ga.	230/5.5	16' H x 5' dia.	8' H x 26' dia.	21782494	90 lbs.	\$2,299.99
AF100220*	1	200'/12 ga.	230/5.5	16' H x 5' dia.	8' H x 26' dia.	51914243	98 lbs.	\$2,469.99
AF100225*	1	250'/12 ga.	230/5.5	16' H x 5' dia.	8' H x 26' dia.	92069241	106 lbs.	\$2,669.99
SCFNU	Narrow umbrella nozzle only					544992	3 lbs.	\$59.99

*230 volt fountains only have timer. GFI must be purchased locally.

AquaShine Fountain Lights



SINCE 1970

Are you ready for the best value in fountain lighting?

Color Changing



Warm White

AquaShine™ Fountain Light Kits

2 Light Kits
for Fountains
up to 3/4 hp



Digital Timer/Controller
& Remote Control*

Quick Connect Power Cable
Choose 100', 150' or 200'



Hardware Pack

2 x 1 Splitter



x2

2 Stainless Steel LED Lights
with 2' Pigtails and 2 Brackets

3 Light Kits
for Fountains
up to 2 hp



Digital Timer/Controller
& Remote Control*

Quick Connect Power Cable
Choose 100', 150' or 200'



Hardware Pack

3 x 1 Splitter



x3

3 Stainless Steel LED Lights
with 2' Pigtails and 3 Brackets

4 Light Kits
for Fountains
up to 3 hp



Digital Timer/Controller
& Remote Control*

Quick Connect Power Cable
Choose 100', 150' or 200'



Hardware Pack

4 x 1 Splitter



x4

4 Stainless Steel LED Lights
with 2' Pigtails and 4 Brackets

6 Light Kits
for 3 hp to 5 hp
Fountains



Digital Timer/Controller
& Remote Control*

Quick Connect Power Cable
Choose 100', 150' or 200'



Hardware Pack

1 - 2 x 1 Splitter
2 - 3 x 1 Splitters



x6

6 Stainless Steel LED Lights
with 2' Pigtails and 6 Brackets

*Remote Control not included in Warm White Fountain Light (WFL) kits

Now that we've got your attention, check out pages 63-64! >>>

Power Cords for AquaShine™ Light Kits

Quick Connect ends allow for easy cord replacement and allow existing light systems to be lengthened. (400' maximum)

LKC5100
5 pin cord for
RGBW Color
Changing Lights



Part #	Description	Length	Quick Connect Pins	Stocking Code	Ship Weight	List Price
LKC5100	100' Power cord for RGBW color changing lights	100'	5	2244128	12 lbs.	\$314.99
LKC5150	150' Power cord for RGBW color changing lights	150'	5	1368125	18 lbs.	\$474.99
LKC5200	200' Power cord for RGBW color changing lights	200'	5	5488241	23 lbs.	\$629.99
LKC2100	100' Power cord for warm white lights	100'	2	7154993	12 lbs.	\$199.99
LKC2150	150' Power cord for warm white lights	150'	2	1213129	18 lbs.	\$274.99
LKC2200	200' Power cord for warm white lights	200'	2	5278991	23 lbs.	\$359.99



Digital Controllers for AquaShine™ Lights

RGBC4M

Warm White - 2 pin

RGB Color Changing - 5 pin

Part #	Max Lights	Stocking Code	Ship Weight	List Price
WLC4	4	9131741	3 lbs.	\$169.99
WLC6	6	1205375	3 lbs.	\$264.99

Part #	Max Lights	Stocking Code	Ship Weight	List Price
RGBC4M	4	1201499	8 lbs.	\$259.99
RGBC6M	6	5294491	11 lbs.	\$379.99



800-448-3873



SINCE 1970

AquaShine Fountain Lights

AquaShine™ LED Fountain Lights

Stainless Steel Color Changing LED Light Kits

Brilliant color changing lights are sure to make your fountain dazzle long after the sun goes down!

- Stainless steel 17 watt lights have both true warm white diodes and color changing diodes
- Quick connect plugs on controller, cables and lights for easy assembly. Each light has a 2' pigtail.
- Stainless steel mounting brackets and hardware
- Weather resistant digital timer/controller with remote control makes selecting a color and adjusting the brightness easy.
- Remote control works up to 1000' away!
- All power cords, splitters and lights can be changed or replaced easily using modular quick connect components
- Red, green, blue, warm white, lavender, cyan and yellow-green solid colors plus several pre-programmed sequences with additional colors.
- 2, 3, 4 and 6 light kits available.

Three year warranty on lights
One year warranty on controller and cord

See page 62 for "What's in a Kit", additional power cords and digital controllers



Shown with EasyPro Aqua Fountain & Narrow Umbrella Nozzle sold on page 65



Shown on the Kasco 1 hp Fountain

2, 3, 4 and 6 Light Kits designed for use with
Kasco 1/2-5 hp Fountains - pages 65-67
EasyPro Aqua Fountains - page 61
EasyPro Floating Fountain Heads - page 60
Works well with most common fountains. Slight on-site hardware modification may be needed.

Part #	Description	Power Cord	Stocking Code	Ship Weight	List Price
--------	-------------	------------	---------------	-------------	------------

Two Light Kits for fountains up to 3/4 hp

RGB2-100	2 RGBW LED Light Kit for fountains up to 3/4 hp	100'	4914498	16, 12 lbs.	\$1179.99
RGB2-150	2 RGBW LED Light Kit for fountains up to 3/4 hp	150'	71038493	16, 18 lbs.	\$1339.99
RGB2-200	2 RGBW LED Light Kit for fountains up to 3/4 hp	200'	21162496	16, 23 lbs.	\$1499.99



Three Light Kits for fountains up to 2 hp

RGB3-100	3 RGBW LED Light Kit for fountains up to 2 hp	100'	51131491	18, 12 lbs.	\$1459.99
RGB3-150	3 RGBW LED Light Kit for fountains up to 2 hp	150'	11263245	18, 18 lbs.	\$1629.99
RGB3-200	3 RGBW LED Light Kit for fountains up to 2 hp	200'	71371743	18, 23 lbs.	\$1769.99

Four Light Kits for fountains up to 2 hp

RGB4-100	4 RGBW LED Light Kit for fountains up to 2 hp	100'	21356248	20, 12 lbs.	\$1749.99
RGB4-150	4 RGBW LED Light Kit for fountains up to 2 hp	150'	51472491	20, 18 lbs.	\$1899.99
RGB4-200	4 RGBW LED Light Kit for fountains up to 2 hp	200'	11596495	20, 23 lbs.	\$2059.99

Six Light Kits for fountains up to 5 hp - fit Kasco one piece floats

RGB6N-100	6 RGBW LED Light Kit for fountains up to 5 hp	100'	21983998	31, 12 lbs.	\$2559.99
RGB6N-150	6 RGBW LED Light Kit for fountains up to 5 hp	150'	52092491	31, 18 lbs.	\$2699.99
RGB6N-200	6 RGBW LED Light Kit for fountains up to 5 hp	200'	12262995	31, 23 lbs.	\$2919.99

AquaShine™ LED Fountain Lights

Stainless Steel Warm White LED Light Kits

Radiant warm white LED fountain light kits that bring your fountain to life!

- Stainless steel 11 watt lights with warm white diodes
- Quick connect plugs on controller, cables and lights for easy assembly. Each light has a 2' pigtail.
- Stainless steel mounting brackets and hardware
- Weather resistant digital timer/controller with built-in voltage regulator can be used with cords up to 300'.
- All power cords, splitters and lights can be changed or replaced easily using modular quick connect components
- 2, 3, 4 and 6 light kits available.

Three year warranty on lights.
One year warranty on controller and cord.



2 Light Kit
Shown on EasyPro
1 hp AquaFountain



3 Light Kit
Shown on Kasco
1 hp Fountain



Shown above with
EasyPro AquaFountain
& Narrow Umbrella
Nozzle.

Shown on right
with EasyPro Aqua
Fountain & Rocket
Nozzle.

AquaFountains sold
on page 61.



2, 3, 4 and 6 Light Kits designed for use with
Kasco 1/2-5 hp Fountains - pages 65-67
EasyPro Aqua Fountains - page 61
EasyPro Floating Fountain Heads - page 60
Works well with most common fountains.
Slight on-site hardware modification may be needed.

- These kits replace our previous SLK fountain lights and feature a number of upgrades.

See page 62 for "What's in a Kit", additional power cords and digital controllers

Part #	Description	Power Cord	Stocking Code	Ship Weight	List Price
--------	-------------	------------	---------------	-------------	------------

Two Light Kits for fountains up to 3/4 hp

WFL2-100	2 Warm White LED Light Kit for fountains up to 3/4 hp	100'	4697498	11, 12 lbs.	\$899.99
WFL2-150	2 Warm White LED Light Kit for fountains up to 3/4 hp	150'	7767243	11, 18 lbs.	\$989.99
WFL2-200	2 Warm White LED Light Kit for fountains up to 3/4 hp	200'	2836992	11, 23 lbs.	\$1079.99

Three Light Kits for fountains up to 2 hp

WFL3-100	3 Warm White LED Light Kit for fountains up to 2 hp	100'	5875741	14, 12 lbs.	\$1129.99
WFL3-150	3 Warm White LED Light Kit for fountains up to 2 hp	150'	1960995	14, 18 lbs.	\$1239.99
WFL3-200	3 Warm White LED Light Kit for fountains up to 2 hp	200'	71038493	14, 23 lbs.	\$1339.99

Four Light Kits for fountains up to 2 hp

WFL4-100	4 Warm White LED Light Kit for fountains up to 2 hp	100'	21084993	16, 12 lbs.	\$1399.99
WFL4-150	4 Warm White LED Light Kit for fountains up to 2 hp	150'	51162491	16, 18 lbs.	\$1499.99
WFL4-200	4 Warm White LED Light Kit for fountains up to 2 hp	200'	11239995	16, 23 lbs.	\$1599.99

Six Light Kits for fountains up to 5 hp - fit Kasco one piece floats

WFL6N-150	6 Warm White LED Light Kit for fountains up to 5 hp	100'	71549997	23, 12 lbs.	\$1999.99
WFL6N-100	6 Warm White LED Light Kit for fountains up to 5 hp	150'	81596491	23, 18 lbs.	\$2059.99
WFL6N-200	6 Warm White LED Light Kit for fountains up to 5 hp	200'	81627494	23, 23 lbs.	\$2099.99





EST. 1970

Kasco 1/2 to 5 hp VFX Aerating Fountains

These Kasco fountains combine decorative good looks along with high oxygen transfer, making them the perfect choice for surface aeration. Kasco fountains are easy to install and energy efficient.

- Outstanding oxygen transfer rates, aesthetically pleasing patterns and low overall operating costs — each unit is fully self contained and floats in place in your pond or lake
- They come complete with motor assembly, float, bottom screen, mooring ropes, power cord and control panel (includes a weatherproof enclosure, GFI protection, a timer for fountain and a photo eye for lights)
- New one piece float on 2 & 5 hp fountains



VFX2400
Float style varies by hp size



Part #	Description	Cord Length	Voltage	Amps	Min. Water Depth	Approx. gpm	Warranty	Stocking Code	Ship Weight	List Price
--------	-------------	-------------	---------	------	------------------	-------------	----------	---------------	-------------	------------

1/2 hp - 5' high x 15' diameter spray pattern

VFX2400	1/2 hp fountain	100'	115	5.6	15"	89	2 Years	21504704	36, 21*	\$1835.00
VFX2400-150	1/2 hp fountain	150'	115	5.6	15"	89	2 Years	41957342	28, 24, 21*	\$2387.00

3/4 hp - 5.5' high x 21' diameter spray pattern

VFX3400	3/4 hp fountain	100'	115	7.3	18"	111	2 Years	61585887	41, 21*	\$1934.00
VFX3400-150	3/4 hp fountain	150'	115	7.3	18"	111	2 Years	72047546	32, 24, 21*	\$2497.00
VFX3400H	3/4 hp fountain	100'	230	3.7	18"	111	2 Years	32842949	45, 8, 17*	\$3467.00
VFX3400H-150	3/4 hp fountain**	150'	230	3.7	18"	111	2 Years	93376763	31, 24, 8, 17*	\$4118.00

1 hp - 8' high x 26' diameter spray pattern

VFX4400	1 hp fountain**	100'	115	11.3	19"	186	2 Years	62209083	34, 17, 21*	\$2694.00
VFX4400-150	1 hp fountain**	150'	115	11.3	19"	186	2 Years	32660086	34, 40, 21*	\$3244.00
VFX4400-200	1 hp fountain**	200'	115	11.3	19"	186	2 Years	33014326	34, 52, 21*	\$3676.00
VFX4400H	1 hp fountain	100'	230	5.7	19"	186	2 Years	53163561	50, 8, 17*	\$3858.00
VFX4400H-150	1 hp fountain**	150'	230	5.7	19"	186	2 Years	13733465	35, 24, 8, 17*	\$4553.00
VFX4400H-200	1 hp fountain**	200'	230	5.7	19"	186	2 Years	13917145	35, 31, 8, 17*	\$4777.00

2 hp - 8' high x 32' diameter spray pattern. Also available with three phase motors. Call for details.


VFX8400H	2 hp fountain**	100'	230	11	20'	336	3 Years	45172569	56, 17, 8, 11, 26*	\$6308.00
VFX8400H-150	2 hp fountain**	150'	230	11	20'	336	3 Years	95307045	56, 24, 8, 11, 26*	\$6472.00
VFX8400H-200	2 hp fountain**	200'	230	11	20'	336	3 Years	95448905	56, 31, 8, 11, 26*	\$6645.00

5 hp - 9' high x 34' diameter spray pattern. Also available with three phase motors. Call for details.


VFX5.1H	5 hp fountain**	100'	230	20	26'	800	3 Years	66646104	86, 26, 8, 11, 40*	\$8105.00
VFX5.1H-150	5 hp fountain**	150'	230	20	26'	800	3 Years	47327526	86, 48, 8, 11, 40*	\$8936.00
VFX5.1H-200	5 hp fountain**	200'	230	20	26'	800	3 Years	47853146	86, 60, 8, 11, 40*	\$9577.00

*Dimensional rates apply on floats **Power cord includes quick disconnect
Note: All 5 hp Kasco units and units with 150'+ cords ship factory direct.

See pages 62-64 and page 70 for light kits to turn your fountain into a beautiful night time display



Kasco® J Series Decorative Fountain Nozzles




Fountain Nozzles for Kasco J Series 2, 3, 5 hp units

- Increased flow for dramatically cleaner and defined patterns without increased amp draw
- One piece, tapered float for easier assembly and improved look at the surface
- Twist and lock nozzles for easy pattern changes
- Float pairs perfectly with snap-on clips in Kasco light kits. See light kits on pages 62-64 and page 70.
- Five year warranty on 3 and 5 hp units



Pattern	3/4 hp Ht. x Dia.	1 hp Ht. x Dia.	2 hp Ht. x Dia.	3 hp Ht. x Dia.	5 hp Ht. x Dia.
Willow	6.5' x 21'	9' x 31'	-	-	-
Sequoia	13' x 8'	18' x 11'	-	-	-
Cypress	7' x 17'	9' x 28'	-	-	-
Linden	9' x 29'	12' x 31'	15.5' x 38'	20.5' x 38'	24.5' x 46'
Birch	7' x 5'	11' x 8'	11' x 10'	16' x 12'	24' x 14'
Balsam	-	-	14' x 32'	19' x 34'	18' x 34'
Spruce	-	-	21' x 10'	26' x 12'	31' x 12'
Redwood	-	-	22' x 6'	27' x 6'	32' x 6'

Kasco Premium Nozzles for J Series Fountains



These nozzles can be purchased separately. Will need to specify year of fountain. Call to order.



J Series Decorative Fountains

3/4 to 5 hp — You get multiple spray nozzles with each fountain, allows you to change the look of your fountain as desired. See pages 63, 64 and 70 for light kits.

Kasco
Authorized Service Center

EasyPro can handle all Kasco fountain warranty and non-warranty repairs in-house

Features

- Multiple spray patterns with each J Series fountain
- Fountains come complete with motor, float, nozzles, power cord, control panel (with timer/GFI) and mooring ropes
- Operate in as little as 18-26 inches of water (depends on hp)
- All fountains may be shipped small parcel for convenience

J Series Warranties

- 3/4 and 1 hp : two year warranty
- 2 hp: three year warranty
- 3 and 5 hp: five year warranty



Part #	Description	Cord Length	Voltage	Amps***	Min. Water Depth	Warranty	Stocking Code	Ship Weight	List Price
--------	-------------	-------------	---------	---------	------------------	----------	---------------	-------------	------------

3/4 hp J Series Fountains

JF3400	3/4 hp fountain	100'	115	6.7	18"	2 Years	21785964	42, 21*	\$2178.00
JF3400-150	3/4 hp fountain	150'	115	6.7	18"	2 Years	42250902	34, 24, 21*	\$2745.00
JF3400-200	3/4 hp fountain	200'	115	6.7	18"	2 Years	42459182	34, 31, 21*	\$2999.00
JF3400H	3/4 hp fountain	100'	230	3.3	18"	2 Years	63044667	42, 8, 18*	\$3713.00
JF3400H-150	3/4 hp fountain	150'	230	3.3	18"	2 Years	73581766	34, 24, 8, 18*	\$4368.00
JF3400H-200	3/4 hp fountain	200'	230	3.3	18"	2 Years	33752329	34, 31, 8, 18*	\$4576.00

1 hp J Series Fountains

JF4400	1 hp fountain	100'	115	10.7	19"	2 Years	62457547	37, 17, 21*	\$2997.00
JF4400-150	1 hp fountain	150'	115	10.7	19"	2 Years	72915106	37, 40, 21*	\$3555.00
JF4400-200	1 hp fountain	200'	115	10.7	19"	2 Years	33289029	37, 52, 21*	\$4011.00
JF4400H	1 hp fountain	100'	230	5.3	19"	2 Years	53507961	45, 8, 18*	\$4278.00
JF4400H-150	1 hp fountain**	150'	230	5.3	19"	2 Years	14098365	37, 24, 8, 18*	\$4998.00
JF4400H-200	1 hp fountain**	200'	230	5.3	19"	2 Years	14285325	37, 31, 8, 18*	\$5226.00

2 hp J Series Fountains - Also available with three phase motors. Call for details.

JF8400H	2 hp fountain**	100'	230	10	20'	3 Years	55117626	59, 17, 8, 10, 26*	\$6241.00
JF8400H-150	2 hp fountain**	150'	230	10	20'	3 Years	35220946	59, 24, 8, 10, 26*	\$6367.00
JF8400H-200	2 hp fountain**	200'	230	10	20'	3 Years	35361987	59, 31, 8, 10, 26*	\$6539.00

3 hp J Series Fountains - Also available with three phase motors. Call for details.

JF3.1H	3 hp fountain**	100'	230	13.4	24'	5 Years	65915483	68, 17, 8, 10, 34*	\$7214.00
JF3.1H-150	3 hp fountain**	150'	230	13.4	24'	5 Years	36055706	68, 24, 8, 10, 34*	\$7385.00
JF3.1H-200	3 hp fountain**	200'	230	13.4	24'	5 Years	36621506	68, 60, 8, 10, 34*	\$8075.00

5 hp J Series Fountains - Also available with three phase motors. Call for details.

JF5.1H	5 hp fountain**	100'	230	20	26'	5 Years	56921629	88, 26, 8, 11, 40*	\$8441.00
JF5.1H-150	5 hp fountain**	150'	230	20	26'	5 Years	97731785	88, 48, 8, 11, 40*	\$9429.00
JF5.1H-200	5 hp fountain**	200'	230	20	26'	5 Years	98334485	88, 60, 8, 11, 40*	\$10,164.00

*Dimensional rates apply on floats **Power cord includes quick disconnect
 Note: All 3 hp and 5 hp Kasco units and units with 150'+ cords ship factory direct.
 ***Amp draw may vary up to 10% depending on nozzle used

Kasco Surface Aerators

Summary

- 50' power cord standard, longer lengths available
- Designed for continuous duty operation in fresh or salt water
- Thermal overload protection with automatic reset
- Easy to install/remove, making it great for portable emergency operation
- Warranties: two years on 1/2 - 1 hp, three years on 2 - 5 hp
- Operates in as little as 15" of water
- Control panel not included, see page 70



Part #	Description	Voltage/Amps	Approx. gpm	Min. Operating Depth	Stocking Code	Ship Weight	List Price
AF2400	1/2 hp aerator	115/5.0	600	15"	11015983	31, 20*	\$1239.00
AF3400	3/4 hp aerator	115/6.7	800	18"	41086501	35, 20*	\$1325.00
AF3400H	3/4 hp aerator	230/3.4	800	18"	71135706	36, 20*	\$1385.00
AF4400	1 hp aerator	115/11.3	1200	19"	61328408	45, 20*	\$1620.00
AF4400H	1 hp aerator	230/5.7	1200	19"	21332509	41, 20*	\$1625.00
AF8400H	2 hp aerator	230/11	1400	20"	52811782	53, 50*	\$3429.00
AF3.1H	3 hp aerator	230/13.4	2500	24"	53539945	71, 59*	\$4317.00
AF5.1H	5 hp aerator**	230/20	4500	26"	64664168	80, 26, 59*	\$5688.00

*Dimensional rates apply on floats **5 hp includes 100' power cord with quick disconnect



Kasco AquatiClear

Aquaticlear is a water circulator, reimagined!
 This clog-resistant circulator produces continuous water movement to keep docks, marinas, canals, shorelines and other areas free from algae, floating debris and foul odors.

- Unique designs allows floating debris to slip off the guard rather than wrap around the motor shaft or prop
- Easily mount with Horizontal Float Kit or Universal Float Kit
- 50' power cord standard. Longer cord lengths available.
- Two year warranty



Use with
 Dock Mount (KACDM)
 sold below
 or Flotation Kit (KFK)
 sold on page 69



Part #	Description	Voltage/Amps	Thrust	Minimum Operating Depth	Stocking Code	Ship Weight	List Price
KAC2400	Kasco 1/2 hp AquatiClear	115/5.4	30 lbs.	30"	3888061	30 lbs.	\$1083.00
KAC3400	Kasco 3/4 hp AquatiClear	115/6.6	36 lbs.	30"	2963501	34 lbs.	\$1175.00
KAC3400H	Kasco 3/4 hp AquatiClear	230/3.3	36 lbs.	30"	61002867	35 lbs.	\$1223.00
KAC4400	Kasco 1 hp AquatiClear	115/9.1	41 lbs.	30"	81114386	37 lbs.	\$1359.00
KAC4400H	Kasco 1 hp AquatiClear	230/4.5	41 lbs.	30"	91132422	37 lbs.	\$1381.00
KACDM	Dock Mount Kit for AquatiClear (1" pipe supplied locally)				8305045	15 lbs.	\$372.00





SINCE 1970

Surface De-Icing

Kasco De-icer Water Agitators

Prevent costly ice damage!

Kasco de-icers are designed to prevent the formation of damaging ice around docks and boats. Thousands of these units are being used in marinas, harbors, waterfront developments and recreational ponds to prevent costly ice damage. De-icers come complete with power cord and two 20' suspension ropes.


Time and temperature control – save money in reduced electrical usage! The controller (C20), designed exclusively for Kasco, will only operate when both the timer and thermostat are activated, unlike regular timers which run the motor every day at a set time. This controller will only operate when the temperature requires it. A temperature only controller (C10) is available that operates motor whenever freezing conditions exist.

Kasco de-icers can be used with the optional flotation kits (KFK) to create horizontal circulation. These circulators are excellent for de-icing applications but also have proven very effective for summertime use in preventing stagnant water.

Used in marinas, bays or lake coves, irregular shaped ponds and other similar applications; these circulators are a cost effective way to improve water quality.

A 1/2 hp circulator can effectively circulate water in a one acre pond twelve feet deep. Circulators are an ideal choice for shallow bodies of water where diffused air systems do not work.

Ideal for fresh or saltwater use



25' power cords standard on 115v de-icers and circulators.

230v units have 50' cord.

Longer cords available.



Use with Dock Mount (KDM) or Flotation Kit (KFK) sold below



Part #	Description	Voltage/Amps	Stocking Code	Ship Weight	List Price
KD12	De-icer, 1/2 hp	115/5.0	7799002	25 lbs.	\$940.00
KD34	De-icer, 3/4 hp	115/6.7	2872106	35 lbs.	\$1026.00
KD34H	De-icer, 3/4 hp	230/3.35	4905252	35 lbs.	\$1065.00
KD44	De-icer, 1 hp	115/11.3	9961357	45 lbs.	\$1131.00
KD44H	De-icer, 1 hp	230/5.7	6999601	45 lbs.	\$1176.00
C10	Temperature only controller	—	3102505	3 lbs.	\$125.00
C20	Time and temperature controller	—	5243544	4 lbs.	\$297.00
KDM	Dock mount hardware (1" pipe supplied locally)	—	3278807	14 lbs.	\$340.00
KFK	Flotation kit for circulators/de-icers	—	8425003	19 lbs.	\$500.00



Kasco Fountain Lighting Packages

Kasco offers several high quality LED lighting packages to complement their line of fountains. A well lit fountain display at night is a sure way to attract attention.

- **RGB Color Lights** — Color changing LED lights in sealed composite fixtures feature nine colors with adjustable brightness, three automatic sequencing modes or rhythmic sequencing following your music. **Now includes snap on clips.**
- **KL3C11/KL6C11 Lights** — Industrial grade composite LED light kits, uses 11 watts per fixture and includes color choices of white, blue, red, yellow or green. Includes disconnect on cords. **Now includes snap on clips.**
- **KL3S19/KL6S19 Lights** — These bright stainless steel LED light kits use 19 watts per fixture and come in white only. This series of lights is certified to UL and CSA standards. Order with or without quick-disconnect cords (see chart below). Includes colored lens caps.

All LED light kits include fixtures, mounting brackets and 100' power cord. Longer cord lengths available, call for pricing.



Part #	Description	Includes Disconnect	Warranty	Stocking Code	Ship Weight	List Price
KL3RGB	Three light LED kit for 1 hp and smaller	Yes	2 Years	61329222	22 lbs.	\$1621.00
KL6RGB	Six light LED kit for 2 hp & 3 hp	Yes	2 Years	52341102	49 lbs.	\$2855.00
KL3C11	Three light LED kit for 1 hp and smaller	Yes	2 Years	4793765	14 lbs.	\$968.00
KL6C11	Six light LED kit for 2 hp and larger	Yes	2 Years	61426803	30 lbs.	\$1740.00
KL3S19	Stainless steel three light LED kit	No	3 Years	21692481	27 lbs.	\$2064.00
KL3S19Q	Stainless steel three light LED kit	Yes	3 Years	31692485	29 lbs.	\$2064.00
KL6S19	Stainless steel six light LED kit	No	3 Years	73026627	54 lbs.	\$3691.00
KL6S19Q	Stainless steel six light LED kit	Yes	3 Years	13026623	56 lbs.	\$3691.00

Kasco Replacement Power Cords and Control Panels

Power Cords - No Quick Disconnect The power cords below are for use on 1 hp and larger fountains

Part #	Length	Gauge Cable	Voltage	Fits Kasco Models	Stocking Code	Ship Weight	List Price
KC25	25'	16	115v	1/2, 3/4 hp deicers, aerators	176296	4 lbs.	\$89.75
KC50	50'	16	115v	1/2, 3/4 hp deicers, aerators, fountains	3130484	6 lbs.	\$153.50
KC501	50'	14	115v	1 hp deicers, aerators, fountains	6174689	7 lbs.	\$205.50
KC502	50'	14	230v	3/4, 1, 2 hp deicers, aerators, fountains	4174255	7 lbs.	\$205.00
KC100	100'	14	115v	1/2, 3/4 hp deicers, aerators, fountains	1303456	15 lbs.	\$357.00
KC1002	100'	14	230v	3/4, 1 hp deicers, aerators, fountains	3303457	15 lbs.	\$357.00



The power cords below are for use on 1 hp and larger fountains

These fountains all have a quick disconnect cord. A 30" stub cord with first half of quick disconnect is included with fountain. The following prices are for second half of the quick disconnect with length of cable shown. Power cords up to 400' available - please inquire.

Power Cords - With Quick Disconnect

Part #	Length	Gauge Cable	Voltage	Fits Kasco Models	Stocking Code	Ship Weight	List Price
KC100A	100'	12	115v	1 hp - 115v units	4493855	17 lbs.	\$581.00
KC100B	100'	12	230v	2, 3, 5 hp - 230v units	6494702	17 lbs.	\$582.00
KC150D	150'	12	230v	1, 2, 3 hp - 230v units	9684252	24 lbs.	\$805.00
KC150E	150'	10	115v	1 hp - 115v, 5 hp (no plug) units	61016607	38 lbs.	\$1196.00

KC100A



Replacement Power Cord Stubs - connects to motor, 34" long stub cord with first half of quick disconnect plug

Part #	Length	Gauge Cable	Voltage	Fits Kasco Models	Stocking Code	Ship Weight	List Price
KCS1	34"	14	115v	115v units	2114757	2 lbs.	\$135.00
KCS2	34"	14	230v	230v units (up to 3 hp)	3114756	2 lbs.	\$135.00
KCS3	34"	12	230v	5 hp units	1213359	2 lbs.	\$251.00

Control Panels - with timer and photo eye

Part #	Description	Stocking Code	Ship Weight	List Price
C25	15 amp panel with 115 V GFCI, timer and photo eye	1287826	3 lbs.	\$351.00
C85	20 amp panel with 230 V GFCI, 115 volt outlet, timer and photo eye	81592442	10 lbs.	\$1942.00



C25



SINCE 1970

Scott Aerator

scott Aerator AquaSweep Muck Blaster

Move algae, debris, muck, and silt with Aquasweep!

Improve water quality while safely removing sediment buildup. AquaSweep products can keep your waterfront, dock area or canal clean from algae, trash and decaying surface debris, and forcefully blast muck, silt and decaying leaves off the bottom. AquaSweep has been the top debris and muck mover in the industry since it launched back in 1994!

- Fully adjusts in any direction — ideal for eliminating problems above and below the water.
- Manually adjust in any direction or use with optional oscillator (below)
- High-velocity water propulsion pushes debris away from swimming areas, docks or boat lifts.
- 50' long cord with a rugged, marine-grade, water-resistant plug (longer lengths available)
- Includes dock mount plate, pole & yoke assembly. Designed to reach depths up to 7'
- Saltwater compatible
- Unconditional 5-year motor warranty



Part #	Description	Approx. Flow	Stocking Code	Ship Weight	List Price
SAQS05	AquaSweep, 1/2 hp 115v motor	400 gpm	71193494	55 lbs.	\$1539.99
SAQS07	AquaSweep, 3/4 hp 115v motor	450 gpm	51394996	57 lbs.	\$1799.99
SAQS10	AquaSweep, 1 hp 115v motor	500 gpm	31549993	59 lbs.	\$1999.99



AquaSweep Oscillator 360

Unlock the potential of AquaSweep with the Oscillator 360!

Use this programmable oscillator to turn your AquaSweep automatically! Program the unit to cover from 20 degrees up to a full 360 degrees of your beach or dock area. Preset to rotate 20 degrees every 20 minutes. Comes with two year warranty.

- Comes complete with stainless steel mounting plate
- Stainless steel pole and yoke assembly designed to reach depths up to 7'
- Includes 50' power cord
- Two year motor warranty

Maximize Your Coverage Area

Lake Bottom Coverage

- 1/2 HP** Up to 50 feet in one direction (100 foot diameter)
- 3/4 HP** Up to 60 feet in one direction (120 foot diameter)
- 1 HP** Up to 75 feet in one direction (150 foot diameter)

Surface Water Flow

- 1/2 HP** Up to 100 feet in one direction (200 foot diameter)
- 3/4 HP** Up to 150 feet in one direction (300 foot diameter)
- 1 HP** Up to 200 feet in one direction (400 foot diameter)



Part #	Description	Stocking Code	Ship Weight	List Price
SAQ20	Aquasweep Oscillator 360 upgrade	5845996	55 lbs.	\$939.99





Amherst Fountain

Add beauty to your water feature while contributing to a healthy aquatic environment through oxygen transfer and water circulation.

- Classic, stately spray pattern provides a very distinct separation of all three tiers, capped by an impressive column reaching heights of over 35 feet.
- Utilizes a stainless steel, oil-free submersible motor - environmentally friendly
- The Amherst Fountain is proudly manufactured in the USA and carries an unconditional, 5-year motor warranty.
- Designed to withstand subzero conditions without damage! No winterization is required.
- Includes 100 feet of submersible, 12-gauge cable. Longer lengths are also available.
- Approved for use in saltwater



Part #	hp	Amps/ Volts	Minimum Pond Depth	Stocking Code	Ship Weight	List Price
AMF10	1	11.5/115	44"	52518743	73 lbs.	\$3249.99
AMF102	1	8.2/230	44"	22518747	87 lbs.	\$3249.99
AMF152	1½	10.6/230	54"	73510743	113 lbs.	\$4529.99
AMF302	3	14/230	60"	44789494	215 lbs.	\$6179.99



WARRANTY: All Scott Aerator motors are unconditionally warranted for five years against motor defects in materials or workmanship, under normal operation conditions. All other product components are warranted for one year from date of purchase.

scott aerator Display Fountain Lighting

Illuminate your fountain with these quality systems in warm white or color changing RGB options!

- All kits include stainless steel mounting hardware and an all-weather transformer with fully programmable digital timer.
- 100' power cords standard. Longer cords available.

Night Glo

- Stainless lights, 9 watts each, 1230 lumens
- 2800K warm white
- 12 ga power cord with quick disconnect end for easy installation or removal

Color Changing RGB

- Stainless lights, 15 watts each
- Long range remote control works up to 1000' away, allowing you to change colors and dim lights.
- Red, white, blue and green solid colors, plus several rotating patterns with additional colors



Warm White



Color Changing RGB



Part #	Description	Cord Length	Stocking Code	Ship Weight	List Price
SA2WW-10	Night Glo 2 light warm white LED set	100'	1824999	28 lbs.	\$999.99
SA4WW-10	Night Glo 4 light warm white LED set	100'	71263246	36 lbs.	\$1629.99
SA2RGB-10	Color changing 2 light RGB LED set	100'	51088998	28 lbs.	\$1319.99
SA4RGB-10	Color changing 4 light RGB LED set	100'	71567496	36 lbs.	\$1899.99





scott aerator



**5 Year
Unconditional
Warranty**
on oil-less motors

Display Fountains

A great choice for ponds needing aeration and decorative looks!

- High quality, American made fountains will keep your water sparkling clean while providing healthy aeration
- Most environmentally friendly system on the market
- Large flow rate does a fantastic job moving unwanted debris off of the surface
- Oil free, stainless steel submersible motor
- Industry leading, five year motor warranty
- Designed for 24 hour continuous operation
- Salt water approved
- Easy to install
- Does not include timer or GFI, see GFI3 on bottom of this page
- Designed to be left in water year-round - even in freezing climates



Light kits available on page 72



Part #	hp	Amps/ Volts	Spray Dimensions h x w	Minimum Pond Depth	Power Cord*	Stocking Code	Ship Weight	List Price
SAF03	1/3	9/115	5' x 18'	32"	70'	51348493	14, 41 lbs.	\$1739.99
SAF05	1/2	10/115	6½' x 22'	32"	70'	21441497	14, 44 lbs.	\$1859.99
SAF07	3/4	7/230	6½' x 23'	32"	70'	71673993	14, 46 lbs.	\$2159.99
SAF10	1	10.6/230	7' x 25'	36"	100'	41836744	21, 49 lbs.	\$2369.99
SAF20	2	11.5/230	11' x 25'	42"	100'	92792295	21, 72, 3 lbs.	\$3988.99
SAF30	3	14/230	12' x 30'	38"	100'	13212296	21, 82, 3 lbs.	\$4588.99


*Longer cord lengths available




Part #	Description	Stocking Code	Ship Weight	List Price
GFI3	Control panel with 115v GFCI & timer	8182793	3 lbs.	\$228.49



GFI3



Cambridge
Multi-tiered classic spray pattern
up to 35' high and 40' wide



Gusher
Adjustable vertical column
spraying up to 50' high



Skyward
Cone-shaped pattern
up to 50' high x 60' wide

Triad Fountain Three fountains in one!

A spectacular focal point to your outdoor paradise while simultaneously vastly improving the health of your pond. Three distinct brass nozzles are included and all can be easily changed in minutes — no tools are required!


- Choose from the more traditional geyser style of the "Gusher" nozzle, or a more elegant, cascading pattern such as the "Cambridge" and "Skyward" nozzles.
- All three nozzles provide a dynamic, aesthetically pleasing addition to your pond or lakescape while also helping maintain water clarity and oxygen levels and promoting an overall healthy aquatic environment.
- Manufactured utilizing a stainless steel, oil-free, submersible motor and pump, making it the most environmentally friendly fountain on the market.
- Designed to withstand subzero conditions without damage! No winterization is required.
- Includes 100 feet of submersible, 12-gauge cable. Longer lengths are also available.
- Designed for use in fresh or salt water.



TF152 with
Skyward Nozzle

SPRAY PATTERN DIMENSIONS (H x D)

hp	Cambridge	Gusher	Skyward
1	30' x 40'	30' x 6'	30' x 42'
1½	35' x 45'	35' x 6'	40' x 50'
3	40' x 55'	35' x 6'	50' x 70'



1 hp

1.5 hp

3 hp

.5-1 hp

1.5-3 hp

all hp's

Gusher Nozzle

Skyward Nozzle

Cambridge Nozzle

**5 Year
Unconditional
Warranty**
on oil-less motors

Part #	hp	Amps/ Volts	Minimum Pond Depth	Stocking Code	Ship Weight	List Price
TF10	1	11.5/115	44"	72394745	65 lbs.	\$3089.99
TF102	1	8.2/230	44"	52394747	81 lbs.	\$3089.99
TF152	1½	10.6/230	54"	23355741	113 lbs.	\$4329.99
TF302	3	14/230	60"	34789492	215 lbs.	\$6179.99

WARRANTY: All Scott Aerator motors are unconditionally warranted for five years against motor defects in materials or workmanship, under normal operation conditions. All other product components are warranted for one year from date of purchase.

The Great Lakes Fountain Five Fountains in ONE!



Add a spectacular focal point to your outdoor paradise! The Great Lakes Fountain includes five individually distinct brass nozzles that can be changed in minutes without tools! It will give you the ultimate range of display choices for an aesthetically pleasing addition to your pond or lake.



Rosewood



Gusher



Tudor



Baystone



Millbrook

Features

- 3/4 and 1 hp, 60 Hz, single phase motors, both in 115 and 230 volts
- Designed for use in fresh or salt water
- Submersible 100' in length, 12-gauge electric cable included - longer lengths available
- Approved for use in salt water
- Manufactured in the USA
- Components withstand sub-zero conditions without damage

Worry-free Winterizing

Scott Aerator Company has engineered all its water features to eliminate the need for costly, time-consuming winterizing products and procedures. Just leave your fountain in the water, turn off its power supply and forget about it all winter.


All components will withstand sub-zero conditions without damage.



SPRAY PATTERN DIMENSIONS (H x D)

hp	Gusher	Rosewood	Baystone	Millbrook	Tudor
3/4	30' x 3'	25' x 35'	10' x 25'	12' x 25'	10' x 35'
1	35' x 3'	30' x 40'	14' x 30'	15' x 30'	12' x 40'

Part #	hp	Amps/ Volts	gpm Flow	Minimum Pond Depth	Stocking Code	Ship Weight	List Price
GLF75	3/4	10.9/115	65	34"	72115745	14, 41 lbs.	\$2729.99
GLF752	3/4	6.8/230	65	34"	52115747	14, 44 lbs.	\$2729.99
GLF100	1	11.5/115	75	34"	22441241	14, 46 lbs.	\$3149.99
GLF1002	1	8.2/230	75	34"	32441242	21, 49 lbs.	\$3149.99



Create a dazzling display

Enhance your Great Lakes Fountain by adding one of the fountain lighting systems from Scott Aerator found on page 72.



Gusher

WARRANTY: All Scott Aerator motors are unconditionally warranted for five years against motor defects in materials or workmanship, under normal operation conditions. All other product components are warranted for one year from date of purchase.

Hydrasearch

Formerly Bearon Aquatics




Surface Aerators

Hydrasearch Surface Aerators have the highest flow rates in their class! Ideal for retention ponds, aquaculture operations and those wanting the highest amount of water turn over possible. While not as decorative as a fountain, these units pump more water per horsepower making them ideal for water management applications.

- Ideal for aquaculture and wastewater applications
- Lightweight, easy to install and simple to operate
- Propeller designed for maximum thrust
- High pumping volume de-gasses the water of nitrogen, carbon dioxide and hydrogen sulfide while raising oxygen level
- Average oxygen transfer rate up to 2.956 lb. O₂ per hour
- 304 stainless steel construction
- Heavy duty ABD float
- Three year warranty



BSA25-50



BSA50 - BSA100



BSWK

Part #	Description	Power Cord*	Amps/ Volts	Approx. gpm	Minimum Depth	Stocking Code	Ship Weight	List Price
BSA25-50	1/4 hp Surface Aerator	50'	2.6/115	300	14"	51096003	42, 15 lbs.	\$1370.00
BSA50-50	1/2 hp Surface Aerator	50'	6.0/115	884	21"	21260007	44, 21 lbs.	\$1575.00
BSA50-100	1/2 hp Surface Aerator	100'	6.0/115	884	21"	71348003	44, 21 lbs.	\$1685.00
BSA75-50	3/4 hp Surface Aerator	50'	7.0/115	1050	36"	31460004	45, 21 lbs.	\$1825.00
BSA752-50	3/4 hp Surface Aerator	50'	3.5/230	1050	36"	81460006	45, 21 lbs.	\$1825.00
BSA75-100	3/4 hp Surface Aerator	100'	7.0/115	1050	36"	91548005	45, 21 lbs.	\$1935.00
BSA752-100	3/4 hp Surface Aerator	100'	3.5/230	1050	36"	51548004	45, 21 lbs.	\$1935.00
BSA100-50	1 hp Surface Aerator	50'	8.2/115	1150	36"	11540005	46, 21 lbs.	\$1925.00
BSA100-100	1 hp Surface Aerator	100'	8.2/115	1150	36"	11640006	46, 21 lbs.	\$2050.00
BSA1002-50	1 hp Surface Aerator	50'	4.1/230	1150	36"	71540008	46, 21 lbs.	\$1925.00
BSA1002-100	1 hp Surface Aerator	100'	4.1/230	1150	36"	61640002	46, 21 lbs.	\$2050.00
BSWK	Sacrificial anode/electrolysis kit (required for salt water applications)					134396	2 lbs.	\$42.99

*Longer cord lengths available





Aerating Display Fountains

These decorative fountains are an excellent choice when reliability, value and performance are needed!

- Excellent for shallow water applications, as low as 14" with 1/2 hp models
- Lightweight and easy to install
- Quick disconnect power cord
- 304 stainless and bronze construction for maximum durability
- Three year warranty

1/2 hp Fountains

- Motors made in the USA
- 14" operating depth
- 106 gpm flow rate
- Spray dimensions: 4' high x 15' diameter

1 hp Fountains

- Motors made in the USA
- 18" operating depth
- 130 gpm flow rate
- Spray dimensions: 6' high x 21' diameter

Part #	Description	Power Cord	Amps/ Volts	Approx. gpm	Minimum Depth	Stocking Code	Ship Weight	List Price
BVF50-50	1/2 hp Fountain	50'	5.0/115	106	14"	81440009	44, 21 lbs.	\$1800.00
BVF50-100	1/2 hp Fountain	100'	5.0/115	106	14"	41532005	49, 21 lbs.	\$1915.00
BVF100-50	1 hp Fountain	50'	7.5/115	130	18"	61580009	44, 21 lbs.	\$1975.00
BVF100-100	1 hp Fountain	100'	7.5/115	130	18"	71676008	49, 21 lbs.	\$2095.00
BVF100-150	1 hp Fountain	150'	7.5/115	130	18"	31760003	54, 21 lbs.	\$2200.00
BVF1002-50	1 hp Fountain	50'	3.7/230	130	18"	21580002	44, 21 lbs.	\$1975.00
BVF1002-100	1 hp Fountain	100'	3.7/230	130	18"	81676004	49, 21 lbs.	\$2095.00
BVF1002-150	1 hp Fountain	150'	3.7/230	130	18"	31760007	54, 21 lbs.	\$2200.00



Lighting Packages for Hydrasearch Surface Aerators and Display Fountains

- Cool White Light Kits Include: 18 watt LED fixtures with mounting ring. 115 volt light kit plugs directly into your outlet
- RGBW light kits include: 18 watt LED fixtures, mounting ring, controller with timer & remote. Plugs into your 115 volt outlet.

Part #	Description	Power Cord	Stocking Code	Ship Weight	List Price
VFSA2W-50	2 light kit, cool white, Surface Aerators & Display Fountains	50'	5640003	25 lbs.	\$800.00
VFSA2W-100	2 light kit, cool white, Surface Aerators & Display Fountains	100'	7740003	29 lbs.	\$925.00
VFSA2W-150	2 light kit, cool white, Surface Aerators & Display Fountains	150'	1820005	34 lbs.	\$1025.00
VFSA2RGB-100	2 light kit, RGBW, Surface Aerators & Display Fountains	100'	11220006	29 lbs.	\$1525.00
VFSA2RGB-150	2 light kit, RGBW, Surface Aerators & Display Fountains	150'	71340008	34 lbs.	\$1675.00





Artemis
1/3, 1/2, 1, 1½, 3 hp



Hermes
1/3, 1/2, 1 hp



Zeus
1½, 3 hp



Orion
1/3, 1/2, 1, 1½, 3 hp



Poseidon
1/3, 1/2, 1, 1½ hp



Athena
1/3, 1/2, 1, 1½, 3 hp



Eros
1/3 hp



Pontus
1½, 3 hp

Olympus Fountains come in a variety of hp sizes and spray patterns. The following three nozzles are included with each unit:



1/3, 1/2, 1 hp: Artemis, Hermes, Orion

1.5, 3 hp: Artemis, Zeus, Orion

You can change out any of the above included nozzles for other nozzles shown above for no charge. Each fountain includes three nozzles. If you prefer a different nozzle than what is included, please specify which nozzle you wish to remove and which one you prefer in its place from the chart at right. Changes must be noted clearly at time of ordering.

Pattern	1/3 hp Ht. x Dia.	1/2 hp Ht. x Dia.	1 hp Ht. x Dia.	1½ hp Ht. x Dia.	3 hp Ht. x Dia.
Artemis	5' x 30' C: 10'	7' x 30' C: 11'	8' x 35' C: 12'	11' x 45' C: 18'	13' x 45' C: 20'
Hermes	11' x 5'	13' x 5'	15' x 5'	22' x 5'	-
Zeus	-	-	-	13' x 10'	17' x 12'
Orion	7' x 30'	8' x 30'	8' x 40'	11' x 50'	11' x 30'
Poseidon	9' x 30' C: 11'	7' x 30' C: 11'	8' x 35' C: 11'	12' x 45' C: 21'	24' x 14'
Athena	8' x 30' C: 11'	10' x 40' C: 13'	10' x 40' C: 13'	12' x 45' C: 20'	13' x 45' C: 20'
Eros	7' x 15' C: 8.5'	-	-	-	-
Pontus	-	-	-	12' x 22' C: 16'	14' x 20' C: 25'

LIGHTING KITS FOR OLYMPUS FOUNTAINS AVAILABLE ON PAGE 80





Olympus Fountains

Olympus fountains are available in a variety of hp sizes and various spray nozzles to fit most any application. Lighting systems are available as well for extended viewing after daylight fades!

Features

- All fountains are fully assembled and ready to install!
- Excellent for shallow water applications
- Operates in as little as 18" of water
- Each fountain price includes three spray nozzles
- Quick disconnect power cords make service easy
- Motors are UL / CSA Recognized and CE Certified
- Olympus Fountain Lighting available on page 80
- Three year warranty




Shown with lighting package installed

Part #	Description	Power Cord	Voltage	Amps*	Minimum Depth	Stocking Code	Ship Weight	List Price
BOF33-50	1/3 hp Olympus Fountain, 3 nozzles	50'	115	7.8	18"	23020004	66 lbs	\$3775.00
BOF33-100	1/3 hp Olympus Fountain, 3 nozzles	100'	115	7.8	18"	43120002	77 lbs.	\$3900.00
BOF50-50	1/2 hp Olympus Fountain, 3 nozzles	50'	115	7.8	18"	43380002	125 lbs.	\$4225.00
BOF50-100	1/2 hp Olympus Fountain, 3 nozzles	100'	115	7.8	18"	63480007	135 lbs.	\$4350.00
BOF10-100	1 hp Olympus Fountain, 3 nozzles	100'	115	8.9	18"	73840006	135 lbs.	\$4800.00
BOF10-150	1 hp Olympus Fountain, 3 nozzles	150'	115	8.9	19"	13980005	150 lbs.	\$4975.00
BOF102-100	1 hp Olympus Fountain, 3 nozzles	100'	230	4.5	20"	33840006	135 lbs.	\$4800.00
BOF102-150	1 hp Olympus Fountain, 3 nozzles	150'	230	4.5	20"	33980007	150 lbs.	\$4975.00
BOF102-200	1 hp Olympus Fountain, 3 nozzles	200'	230	4.5	24"	34120003	165 lbs.	\$5150.00
BOF152-100	1½ hp Olympus Fountain, 3 nozzles	100'	230	9.8	24"	35060006	165 lbs.	\$6325.00
BOF152-150	1½ hp Olympus Fountain, 3 nozzles	150'	230	9.8	24"	35200006	175 lbs.	\$6500.00
BOF152-200	1½ hp Olympus Fountain, 3 nozzles	200'	230	9.8	26"	55340009	185 lbs.	\$6675.00
BOF302-100	3 hp Olympus Fountain, 3 nozzles	100'	230	16.5	26"	96480005	220 lbs.	\$8100.00
BOF302-150	3 hp Olympus Fountain, 3 nozzles	150'	230	16.5	26"	96720005	230 lbs.	\$8400.00
BOF302-200	3 hp Olympus Fountain, 3 nozzles	200'	230	16.5	26"	96980005	240 lbs.	\$8725.00

*Amp draw may vary depending on nozzle used



LIGHTING KITS FOR OLYMPUS FOUNTAINS AVAILABLE ON PAGE 80





Olympus Fountain Light Kits

How do you take an Olympus Fountain to next-level-awesome?
Light it up, of course!

- These lights are compatible with Olympus Fountains on pages 78-79
- Stainless steel fixtures

Please note: These lights are not compatible with the Olympus Horizontal Fountain

Cool White Light Kits Include:

- 18 watt LED fixtures
- Mounting ring

Plugs directly into any 115 volt GFCI outlet

RGB Color Changing Light Kits Include:

- 18 watt LED fixtures
- Mounting ring
- Controller with timer & remote

Controller plugs directly into any 115 volt GFCI outlet.
Remote works up to 1000' away



Part #	Description	Power Cord	Stocking Code	Ship Weight	List Price
OF2W-100	2 light kit, cool white for Olympus Fountains up to 1 hp	100'	5748003	13 lbs.	\$935.00
OF2W-150	2 light kit, cool white for Olympus Fountains up to 1 hp	150'	7820003	18 lbs.	\$1025.00
OF2W-200	2 light kit, cool white for Olympus Fountains up to 1 hp	200'	1880005	23 lbs.	\$1100.00
OF2RGB-100	2 light kit, RGBW for Olympus Fountains up to 1 hp	100'	5120003	13 lbs.	\$1500.00
OF2RGB-150	2 light kit, RGBW for Olympus Fountains up to 1 hp	150'	7128003	18 lbs.	\$1600.00
OF2RGB-200	2 light kit, RGBW for Olympus Fountains up to 1 hp	200'	11440005	23 lbs.	\$1800.00
OF3RGB-100	3 light kit, RGBW for Olympus Fountains - 1.5 hp	100'	11468006	23 lbs.	\$1835.00
OF3RGB-150	3 light kit, RGBW for Olympus Fountains - 1.5 hp	150'	71548008	29 lbs.	\$1935.00
OF3RGB-200	3 light kit, RGBW for Olympus Fountains - 1.5 hp	200'	71720008	33 lbs.	\$2150.00
OF4RGB-100	4 light kit, RGBW for Olympus Fountains - 3 hp	100'	71740008	23 lbs.	\$2175.00
OF4RGB-150	4 light kit, RGBW for Olympus Fountains - 3 hp	150'	71860008	29 lbs.	\$2325.00
OF4RGB-200	4 light kit, RGBW for Olympus Fountains - 3 hp	200'	71980008	33 lbs.	\$2475.00



ICE EATER De-Icer

The only patented de-icer design on the market.
Engineered and independently tested to move more water
than any other deicer on the market today!

- Completely assembled for quick and easy installation. Two (25') mooring ropes included
- Available in (4) sizes for deicing up to 80' diameter areas with a single unit
- Quick disconnect power cords for easy service and maintenance
- All units include sacrificial anode for use in both fresh and salt water applications
- Models below are 115V. All models available in 230v power for same cost. Please inquire.



Part #	Description	Power Cord*	Voltage	Amps	Avg. Open Diameter**	Stocking Code	Ship Weight	List Price
BIE25-25	1/4 hp ICE EATER	25'	2.5	330	20'	5852003	30 lbs.	\$1065.00
BIE25-50	1/4 hp ICE EATER	50'	2.5	330	20'	7888003	34 lbs.	\$1110.00
BIE50-25	1/2 hp ICE EATER	25'	5.0	1172	40'	1876005	36 lbs.	\$1095.00
BIE50-50	1/2 hp ICE EATER	50'	5.0	1172	40'	1908006	40 lbs.	\$1135.00
BIE75-25	3/4 hp ICE EATER	25'	6.3	1275	60'	7940008	41 lbs.	\$1175.00
BIE75-50	3/4 hp ICE EATER	50'	6.3	1275	60'	6984002	43 lbs.	\$1230.00
BIE100-25	1 hp ICE EATER	25'	7.0	1379	80'	61020002	44 lbs.	\$1275.00
BIE1002-50	1 hp ICE EATER	50'	7.0	1379	80'	61040002	46 lbs.	\$1300.00

*Longer power cords available up to 150' for 115v models and up to 400' for 230v models

**Open diameter is based on average winter conditions. Prolonged / extreme cold will reduce diameter size while mild conditions will increase diameter size.





1/2 hp Legacy Fountain

The Legacy fountain is 1/2 hp and capable of four separate spray patterns (included). Ideally suited for small ponds and recreational areas desiring decorative looks.



Standard Umbrella Nozzle
4' x 12' Spray



High Umbrella Nozzle
9' x 16' Spray



High Two Tier Nozzle
9' x 16' Spray



Standard Two Tier Nozzle
6' x 11' Spray

- Rotationally molded float measures only 24" x 24" x 3" thick, float is filled with expanded polystyrene foam
- A flow reduction disk is included, which can be inserted in the nozzle to cut the normal spray pattern dimensions in half, ideal for "dimensionally challenged" (small) ponds
- Powered by a 115v Franklin Super Stainless 1/2 hp water cooled motor, contains no oil
- Includes parts needed to make all four displays shown above
- Ships complete in one box — ideal for retail sales and do-it-yourselfers!
- Package includes 1/2 hp fountain, float, timer, GFI, nozzles and 100' power cord
- Lighting available - call for details
- One year warranty

Part #	Minimum Operating Depth	Stocking Code	Ship Weight	List Price
LEG50	18"	41695751	58 lbs.*	\$1995.00

*Dimensional shipping rate applies.



1-5 hp Centrifugal Pump Fountains

- These fountains use an impeller (instead of a propeller) to build higher pressures, which give greater spray heights
- Centrifugal pump fountains utilize a pump chamber where pressure is built, then sprayed through a nozzle
- All five of the spray nozzles shown can be used on these fountains
- Package includes pump, float, 100' power cord, control panel and one nozzle of your choice (specify when ordering). For additional nozzles, please inquire.
- Lighting available - call for details
- Two year warranty on 1 hp units, three year warranty on 2-5 hp units



Northstar Spray Pattern

Dimensions

- 1 hp (108gpm): 16' high x 32' dia.
- 2 hp (120gpm): 20' high x 36' dia.
- 3 hp (127gpm): 26' high x 42' dia.
- 5 hp (156gpm): 33' high x 50' dia.



Galaxy Spray Pattern

Dimensions

- 1 hp (95gpm): 30' high x 50' dia.
- 2 hp (116gpm): 32' high x 50' dia.
- 3 hp (120gpm): 32' high x 50' dia.
- 5 hp (136gpm): 39' high x 60' dia.



Diana Spray Pattern

Dimensions

- 1 hp (80gpm): 20' high x 20' dia.
- 2 hp (116gpm): 23' high x 23' dia.
- 3 hp (120gpm): 20' high x 20' dia.
- 5 hp (140gpm): 30' high x 30' dia.



Nova Spray Pattern

Dimensions

- 1 hp (108gpm): 25' high x 2' dia.
- 2 hp (116gpm): 28' high x 2' dia.
- 3 hp (130gpm): 33' high x 2' dia.
- 5 hp (156gpm): 36' high x 2' dia.



Solace Spray Pattern

Dimensions

- 1 hp (108gpm): 14' high x 18' dia.
- 2 hp (120gpm): 18' high x 22' dia.
- 3 hp (127gpm): 20' high x 28' dia.
- 5 hp (156gpm): 24' high x 30' dia.

Part #	Description	hp	Amps @ 230v	Stocking Code	Ship Weight	List Price
AFC10	Centrifugal Pump Fountain 1 hp	1	9.8	93378758	110 lbs.	\$3975.00
AFC20	Centrifugal Pump Fountain 2hp	2	13	85095757	115 lbs	\$5995.00
AFC30	Centrifugal Pump Fountain 3hp	3	17	65945755	126 lbs.	\$6995.00
AFC50	Centrifugal Pump Fountain 5 hp	5	27.5	47305757	147 lbs.	\$8595.00





ASF05



ASF10



Aerify Solar Fountain

Perfect for shallow or remote ponds where aeration is needed.

The Aerify Solar Fountains are high quality direct drive solar powered fountains designed for shallow or smaller ponds (up to one acre) where you need extra aeration while still getting the visual benefits of a fountain.

- Available in 1/2 hp and 1 hp models
- Proprietary prop designed to maximize GPM and oxygen transfer
- Operates in minimum of 18" (1/2 hp) and 24" (1 hp) of water
- Pumps up to 400 GPM for optimal aeration
- 100' power cord included (longer lengths available)
- Everything included except vertical and horizontal solar panel mounting poles

Spray Pattern Dimensions (HxW):

- 1/2 hp Carnival Nozzle: 3' x 6'
- 1 hp Carnival Nozzle: 4' x 10'

Warranty:

- 2 year warranty on fountain
- 15 year warranty on all solar panels

Part #	Description	Approx. gpm	36 volt Panels	# of Nozzles	Stocking Code	Ship Weight	List Price
ASF05	1/2 hp Aerify Solar Fountain	250	4	1	56196866	400 lbs.	\$7995.95
ASF10	1 hp Aerify Solar Fountain	400	6	1	78521863	540 lbs.	\$10,995.95



DSF05 - Nozzle A



Diana



Galaxy



Display (Palatial) Solar Fountain

Perfect for shallow or remote ponds where you want a beautiful display fountain.

The Palatial Solar Fountains are high quality direct drive solar powered fountains designed for shallow or smaller ponds (up to 3/4 acre) where you want the beauty of a fountain. With five nozzles to choose from, you can pick which style suits your pond the best.

- Available in 1/2 hp and 1 hp models
- Proprietary centrifugal designed for maximum display
- Operates in minimum of 18" (1/2 hp) and 24" (1 hp) of water
- 100' power cord included (longer lengths available)
- Five nozzles/patterns included in both 1/2 hp and 1 hp
- Everything included except vertical and horizontal solar panel mounting poles

Warranty:

- 2 year warranty on fountain
- 15 year warranty on all solar panels

Spray Pattern Dimensions

1/2 hp Nozzles (HxW):

- Nozzle A - 4' x 12'
- Nozzle A w/ Center Jet - 6' x 11'
- Nozzle B - 9' x 16'
- Nozzle B w/ Center Jet - 9' x 16'

1 hp Nozzles (HxW):

- Galaxy - 30' x 50'
- Nova - 25' x 2'
- Northstar - 16' x 32'
- Diana - 20' x 20'
- Solace - 14' x 18'



Nova

Part #	Description	Approx. gpm	36 volt Panels	# of Nozzles	Stocking Code	Ship Weight	List Price
DSF05	1/2 hp Display (Palatial) Solar Fountain	80	4	1	56196866	465 lbs.	\$7995.95
DSF10	1 hp Display (Palatial) Solar Fountain	80-108	6	1	78521863	615 lbs.	\$10,995.95





Complete Fish Systems are ideal for classrooms, aquaponics, hydroponics, retail fish sales and more!

Excellent filtration is the key to any fish system, which is why we use EasyPro® Pressurized Bead Filters for the best in mechanical and biological filtration.



RCS2BL

The Fish System 1

This single tank set up requires less than 6' x 8' of space. Commonly used in retail stores and pond shops, but can also be found in many aquaculture classrooms.

System Includes:

- One PT6530 300 gallon fish tank - 65" diameter x 30" deep with pre-drilled drain holes for easy installation
- One EX3600 EasyPro® 3600 gph external pump. This whisper quiet, low-RPM pump is also energy efficient at only 1.4 amps
- One PBF1800 EasyPro® Bead Filter rated for up to 60 pounds of fish. Add the optional backflush blower to make your routine cleaning faster and use less water.
- Includes all necessary fittings, valves, unions, pipe, etc.

System 1

Part #	Stocking Code	List Price
RCS2N	41691386	\$2217.49



System 1 with Backflush Blower

Part #	Stocking Code	List Price
RCS2BL	32140468	\$2787.69

Best Seller!



RCS3BL

The Fish System 2

Dual 300 gallon tanks allow you to keep different species or sizes of fish in the same system. A best selling system due to its increased capacity with minimal additional cost to a single tank setup.

System Includes:

- Two PT6530 300 gallon fish tanks - each is 65" diameter x 30" deep with pre-drilled drain holes for easy installation
- One EX4500 EasyPro® 4500 gph external pump. This whisper quiet, low-RPM pump is also energy efficient at only 2.7 amps
- One PBF3600 EasyPro® Bead Filter rated for up to 150 lbs. of fish. Add the optional backflush blower to make your routine cleaning faster and use less water.
- Includes all necessary fittings, valves, unions, pipe, etc.

System 2

Part #	Stocking Code	List Price
RCS3N	72532631	\$3313.39



System 2 with Backflush Blower

Part #	Stocking Code	List Price
RCS3BL	12922005	\$3804.89



Round, Flat Bottom Tanks

We've sold these tanks all over the United States and in Canada for a wide variety of applications including aquaculture production, koi display tanks, filtration tanks, holding tanks. etc. Tanks are nestable for reduced shipping cost. Does not contain bottom drain - use bulkhead fittings on page 119.

Part #	Diameter	Depth	Capacity	Stocking Code	List Price
PT6530	65"	30"	300 gallon	562399	\$779.99



DuraLiner™ 45 Mil EPDM Liner



SINCE 1970

EasyPro is pleased to offer this high quality 45 mil EPDM liner and accessories. Recognizing that an alternative brand, not focused on the roofing market, was needed here in the USA, EasyPro partnered with a leading worldwide manufacturer of EPDM to create the DuraLiner™ brand. Manufacturing is done in an ISO9001 certified factory and all ASTM testing is done to ensure equal or superior quality to existing brands.



DURALINER™ POND LINING

The trusted choice of professional landscapers, nurseries, koi pond and water garden installers!

- Easy to shape and form! Stays flexible even in extreme temperatures from -40° to 175°F.
- Durable 45 mil rubber is weather and UV resistant - will not crack with age.
- Puncture resistant
- Available in pre-cut sizes, custom cut for your project, and by the roll for larger ponds
- Fish and plant friendly
- 20 year limited warranty



Pre-cut sizes and accessories available in our Pond and Water Feature Catalog

TECHNICAL SPECIFICATIONS



Physical Property	Test Method	Requirement of ASTM D 7465 (Type 1)	EasyPro® DuraLiner™ Values
Thickness (mil)	ASTM D-412	45 mil	45 mil
Tensile Strength (MPa)	ASTM D-412	9 Min	9.1
Elongation Ultimate (%)	ASTM D-412	300% Min	350%
Angular Tear (kN/m)	ASTM D-624	26.27 Min	27
Tensile Set (%)	ASTM D-412	10% Max	7%
Brittleness Point Max °F (°C)	ASTM D-2137	-49°F (-45°C)	No Cracks
Heat Aged* Elongation Ultimate (%)	ASTM D-412	200% Min	275%
Heat Aged* Angular Tear (kN/m)	ASTM D-624	21.9 Min	23.90

*Heat aged test conducted for 670 hours at 240°

50' ROLLS



100' ROLLS



Part #	Rolled Liner Size	Core Length	Stocking Code	Approx. Ship Weight	List Price
RPL105	10' x 50'	7'	8475009	185 lbs.	\$600.00
RPL155	15' x 50'	7'	9712509	265 lbs.	\$900.00
RPL205	20' x 50'	7'	7950006	350 lbs.	\$1200.00
RPL255	25' x 50'	7'	51187503	430 lbs.	\$1500.00
RPL305	30' x 50'	7'	21425004	510 lbs.	\$1800.00
RPL355	35' x 50'	11'	61662508	600 lbs.	\$2100.00
RPL405	40' x 50'	11'	41900003	685 lbs.	\$2400.00
RPL505	50' x 50'	11'	12375007	850 lbs.	\$3000.00

Part #	Rolled Liner Size	Core Length	Stocking Code	Approx. Ship Weight	List Price
RPL051	5' x 100'	7'	9475009	185 lbs.	\$600.00
RPL101	10' x 100'	7'	8950007	350 lbs.	\$1200.00
RPL151	15' x 100'	7'	31425004	510 lbs.	\$1800.00
RPL201	20' x 100'	7'	61900008	675 lbs.	\$2400.00
RPL251	25' x 100'	11'	12375009	850 lbs.	\$3000.00
RPL301	30' x 100'	11'	72850006	1,010 lbs.	\$3600.00
RPL351	35' x 100'	11'	43325007	1,175 lbs.	\$4200.00
RPL401	40' x 100'	11'	93800006	1,335 lbs.	\$4800.00
RPL501	50' x 100'	11'	24750001	1,660 lbs.	\$6000.00



800-448-3873



SINCE 1970

EasyWeave Liner



Mid Michigan Ponds (MI)



Outside Inc. (MI)

EasyWeave Reinforced Woven Polyethylene Pond Liners

Ideal for lining large ponds — up to 75,000 square feet in one piece and custom made to your pond size

These EasyWeave polyethylene liners are engineered to offer great strength in a light weight liner material. The material is UV stabilized to offer years of worry free protection against the damaging rays of the sun. Unlike regular multi-layered liners which simply stack the layers of liner on top of each other, these liners are woven together — this gives the ultimate in strength. Because of the light weight and strength, these liners can be manufactured in sizes up to 75,000 square feet.

Features

- Designed for easy installation and long life span
- Puncture, abrasion and chemically resistant construction
- High strength HDPE woven core that provides superior dimensional stability
- Outstanding UV, ozone and oxidation resistance
- Unlike standard PVC liners, which need 12" of soil over the entire liner, these liners do not require coverage other than around the edges — this lowers the overall installation cost dramatically!
- Custom made liners require approximately 10-14 days for manufacturing and delivery



45 mil EPDM Pond Liner and PVC Liners are also available. See our Pond & Water Feature Catalog for additional liner options.



20 year warranty when under water, 10 year warranty when exposed to direct sunlight
Pipe boots are available for sealing around incoming lines below water, contact us for details

Liner Panel Size Parameters

Width: 12' width increment standard, 6' increment width available for additional \$150.00 - Length: Any desired length in 1' increments up to 300' long



See our website for video installations of liner, spec sheets, training and design tips

Applications

- Aquaculture
- Pond liner
- Soil remediation
- Exposed applications
- Oil and gas
- Irrigation reservoirs and canals
- Water management
- Hydroponic farming
- Fracking

Part #	Thickness	Maximum Panel Size**	Maximum Pallet Size Liner	Square Fee Quantity	Stocking Code	Ship Weight per 1000 sq. ft.	List Price per sq. ft.
WCP24	24 mil	75,000	18,000'	1000' - 10000'	2387	80 lbs.	\$0.59
				10001' - 20000'	9364	80 lbs.	\$0.56
				20000' - 40000'	6338	80 lbs.	\$0.53
				40000'+	—	80 lbs.	Call
WCP30	30 mil	65,000	16,000'	1000' - 10000'	9446	93 lbs.	\$0.60
				10001' - 20000'	5422	93 lbs.	\$0.57
				20000' - 40000'	1387	93 lbs.	\$0.54
				40000'+	—	93 lbs.	Call

**Liners over 16,000 sq. ft. come as large roll and ship on flat bed truck



Outside Inc. (MI)

Pond Liner Underlayment

- 5 oz. non-woven geotextile fabric in two widths - 5' and 10', easy to match up to the EPDM liner sold in 5' widths
- Provides additional tear and puncture protection from roots, stones or any other sharp objects
- Provides enhanced soil stability and erosion control
- Can be used on top of liner as well to protect from punctures when adding gravel
- Full rolls are 360' long



5' & 10' wide rolls!
Contact us for special pricing
on ten rolls or more




Part #	Description	Stocking Code	Ship Weight	List Price
FPU	5' or 10' wide x any length	1203	—	\$0.32/sq. ft.
PLU5360	5' wide x 360' roll	2287997	65 lbs.	\$359.99 roll
PLU10360	10' wide x 360' roll	7535995	125 lbs.	\$669.99 roll


Underliner Vent System

Helps to prevent uplifting or floating of pond liners caused by methane gasses in organic soils or high water tables

- Provides a strong, secure channel for ground water and gasses to freely flow through to designated exits (GE4EO end outlets)
- Prefabricated 6" strip consisting of a molded grid wrapped in geotextile fabric to permit a high flow of water into the molded grid while restraining soil particles
- Easy to install — no heavy equipment or skilled labor needed — Simply roll out in the deepest portion of your pond
- Comes in 150' long rolls, is 6" wide and 1" tall



GE4EO
4" End Outlet



Ships from our warehouse — no minimum order!

Part #	Description	Stocking Code	Ship Weight	List Price
GE6150	Underliner Vent - 6"x150' roll	4338249	24 lbs.	\$409.99
GE4EO	4" End outlet	324258	3 lbs.	\$29.39



Fish Shipping Bags

- Most commonly used for hauling live fish
- Bags are made from the finest materials
- Our standard bag is 18" x 34", 3 mil and guaranteed waterproof
- Available in 100 or 250 count box



Part #	Description	Stocking Code	Ship Weight	List Price
OB100	100 count box	854825	12 lbs.	\$73.09
OB250	250 count box	3121428	31 lbs.	\$161.89



Bander & Bands


Use this handy tool to quickly and securely close your fish shipping bags. For maximum holding power use two bands on each bag.

Part #	Description	Stocking Code	Ship Weight	List Price
BBT	Bag sealing tool	420995	2 lbs.	\$29.99
BB	Bands, 100 per bag	74616	1 lb.	\$6.59 bag



Game Fish Food

- High quality general purpose fish food designed for feeding trout, bluegill, catfish and other game fish in farm ponds and lakes
- Floating pellets available in 3.0 mm (1/8") for younger fish or 5.0 mm (3/16") for larger fish




Part #	Description	Stocking Code	Ship Weight	List Price
FD18	44 lb. bag 1/8"	839506	2 lbs.	\$52.99
FD316	44 lb. bag 3/16"	739500	6 lbs.	\$52.99



Pond & Water Garden Thermometer

- Can be used as a floating thermometer (with cap on) or sinking (with cap off)
- Made from ABS plastic and shatterproof lens, reads in both F° and C°
- 3' cord included, twelve per case



P180

Koi Medic Salinity Meter

- Very accurate, easy to use salinity meter
- Simply turn on and dip into pond, LCD will display salt content
- Includes protective case
- Auto shutoff, drop shock 6', 150 hour battery life, water resistant, low battery warning, 0.00 - 1.00% range 0.01 resolution, includes four 1.5v button cell batteries



KMS

Eco pH+ Tester

- This simple to use tester gives fast, accurate pH readings, is water resistant and floats if dropped in pond
- Controlling pH levels will help balance water chemistry, enhance fish colors, promote spawning and control CO2 level
- Includes protective case
- Auto shutoff, drop shock, 150 hour battery life, water resistant, low battery warning



KPH

Four 1.5v button cell batteries included

Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
P180	Pond & water garden thermometer	12	719724	1 lb.	\$26.29
KMS	Koi Medic salinity meter	—	6111998	2 lbs.	\$139.99
KPH	Eco pH+ tester	—	287993	1 lb.	\$109.99





5-in-1 Test Strips

- Tests for nitrate, nitrite, total hardness, total alkalinity and pH
- Fresh water use
- Water should be tested regularly to maintain good water quality
- 50 test strips in each bottle



Part #	Case Quantity	Stocking Code	Ship Weight	List Price
T55	12	918748	1 lb.	\$24.99



Water Test Kit

Accurate, affordable and easy to use

LaMotte has grouped the most popular water tests into a convenient easy to carry package with nine test kits.



9 Test Kit tests for

Ammonia, Nitrite, pH, Alkalinity, Chloride, Hardness, Carbon Dioxide, Temperature, Dissolved Oxygen

Part #	Description	Stocking Code	Ship Weight	List Price
L363302	9 Test Kit	4334557	6 lbs.	\$393.59



YSI Meters

Economy Oxygen Meter

The YSI DO200 is designed for quick, accurate oxygen and temperature readings!

- Hand held and easy to use
- Watertight IP67 housing
- Automatic temperature compensation
- Manual salinity compensation
- Low battery indicator with 500 hour battery life
- Screw on cap membranes with low stirring, fast response probe
- Choose a 12' (4 meter) or 30' (10 meter) cable, order separately

Part #	Description	Stocking Code	Ship Weight	List Price
D200	Model DO200 Oxy/Temp metric meter w/o cable or probe	6328494	3 lbs.	\$364.99
D200-4	Oxygen/Temp probe w/12' cable for DO200	7346493	2 lbs.	\$384.99
D200-10	Oxygen/Temp probe w/30' cable for DO200	3359994	3 lbs.	\$399.99

We offer the lowest prices on all YSI products! Contact us for any item not shown!

A

Aeration & Supplies

Aeration Kits

- Linear 27, 51
- Rocking Piston 28-33, 38-39
- Rotary Vane 34-36, 39
- Solar 42-43
- Wind 40-41

- Aeration, Submerged 23-43, 51
- Aeration, Surface 68, 76
- Air Diffusers 54-55
- Airline, Tubing 52
- Airstones 55
- Algaecides 16-17
- AquaFloat 60
- AquaFountain 61
- Aquaculture Supplies 87-88
- Aquatic Weed Control 12-22
- Aquatic Weed Rakes/Cutters 11

B

- Bacteria 5-7, 9
- Bander & Bands 87
- Barley Straw Pellets 10
- Becker Windmills 40-41
- Blowers, Regenerative 48

C

- Cabinets 56-58
- Compressors, Linear 50
- Compressors, Rocking Piston 44
- Compressors, Rotary Vane 46
- Compressors & Parts 45-47, 49

D

- De-icers 26, 69, 80
- Diaphragm Compressor 49-50
- Diffused Aeration Kits 25-43, 51
- Diffusers 54-55
- Dyes 9, 14-15

E

- EasyWeave Pond Liner 85

F

- Fish Display Systems 83
- Fish Food 87
- Fish Shipping Bags 87
- Fittings, Tubing 53
- Floating Fountain Head 60
- Fountain Light Kits 62-64, 70, 72, 77, 80
- Fountains 59-82

G

- Game Fish Food 87

H

- Herbicides 19-22
- Hose Clamps 52

I

- Identify Aquatic Weeds & Algae 12

K

- Koi Medic Salinity Meter 87

L

- Lamotte Test Kit 88
- Landscape Boulders 56
- Liner, EasyWeave 85
- Liner, Underlayment 86

M

- Membrane Diffuser Assembly 54

O

- Ordering Information 91

P

- Pond Dyes 9, 14-15
- Pressure Gauges 47
- Pressure Relief Valves 47

R

- Rock Covers 56

S

- Septic & Wastewater Treatment 10
- Solar Aeration Kits 42-43
- Splitters 53
- Surface Aeration 68, 76

T

- Tank, Fish 83
- Thermometer 87
- Tubing, Airline 52
- Tubing, Fittings 53

U

- Underliner Vent System 86

V

- Valve Assemblies, Remote Access 37
- Valve Boxes 37
- Valved Outlet Assemblies 47

W

- Water Testing 87-88
- Windmills 40-41

Y

- YSI Meters 88



Branded Promotions

EasyPro® Branded Materials:
Banners • Displays

FREE Sell Sheets

(Digital Only - in your resource portal)

Available for download: We offer a variety of digital sell sheets, SDS sheets and more on easypro.com or in your [resource portal](#). Just download and print to use as handouts. These are a more in-depth look at EasyPro® products and are great resources to share.



Increase sales and inspire your customers with visual merchandising. Full-color banners are perfect for in-store displays and trade shows!

FREE Retractable Banners

34" x 83" • Includes pull-up stand and soft-sided carry case



BN36G
Water Gardening

BN36F
Water Features

BN36L
Lake & Pond Management

FREE EasyPro's Guide to Effective Pond Management

PAF2 (Digital or Print)

Full-size, full color, educational brochure.

Leverage EasyPro's proven approach to effective pond management to communicate with your customers.

This easy-to-read guide helps you educate your customers about the importance of using a combination of aeration, water treatments and aquatic weed and algae control products to get the pond of their dreams.

- A great leave-behind to keep you in your customers' minds
- Features a space on the back cover to add your company name
- Packaged in quantities of 25*

Download digital promotional pieces, manuals and SDS sheets from your resource portal

* For higher quantities, please contact us for details.

FREE Aisle Banners

16" x 24" • 13 oz. vinyl • with corner grommets



BN1209
Pond-Vive

BN1210
Pond Dyes

BN1211
Sludge Remover

BN1212
Sentinel Aeration

FREE Wall Banners

24" x 48" • 13 oz. vinyl • with corner grommets



BN2405 - Lake & Pond Sold Here



SINCE 1970

Ordering Information



Where to Buy EasyPro Pond Products are available across the U.S. and Canada through our growing network of distributors and dealers. Purchasing EasyPro items through these local suppliers has become the easiest and most cost effective choice for landscape professionals and homeowners. Use the "Where to Buy" section on our website or contact us at 800-448-3873 and we can help you find an EasyPro supplier near you.



Customer Service

Technical Assistance 2023 marked our 53rd year in the aquatics business. We feel it is better to spend time helping you properly select products now rather than spend time with you later helping to solve the problems (and expense) of incorrect products! You are welcome to contact us for free design assistance on pond, waterfall, aeration, filtration, etc. Whenever possible, please send us a diagram of your layout to provide us a visual reference. Fax your diagram to 231-834-5537 or email to quotes@easypro.com.

Large Orders If you are in need of a large quantity of an item (or items), please provide us a list of items and quantities needed so we can quote you prices.



Ordering For your convenience there is a PDF order form in your [resource portal](#) that may be filled out electronically and submitted by email or fax. Place orders in any of the following ways:

Telephone Orders by phone can be placed at 231-834-7720 or toll free at 800-448-3873; Monday to Friday; 8am to 5pm Eastern time.

Fax Orders by fax can be sent to 231-834-5537

Email orders to orders@easypro.com. This email is for orders only. For special project quote requests (ponds, Just-A-Falls, fountains, aeration, etc.) email to quotes@easypro.com. For any other questions, quotes or services, please call us at 800-448-3873.



Shipping Information Items Less Than 150 Pounds These items typically ship UPS or Fed-Ex. As shipping fees and calculations change frequently from carriers, we strive to provide economical, on time and secure delivery of product. From time to time additional carrier fees are charged for bulky items (filter material, pond kits, etc.), unpackaged goods (i.e. flex pipe, kink-free tubing, etc.), hazardous goods and other special considerations.

Large and/or heavy items are shipped motor freight Last year, we achieved another record by shipping more than **3 million pounds** of freight over truck lines. Because of our large volume, we have negotiated higher discounts with our truck lines from their standard rates. This makes us very competitive when shipping large orders. Motor freight companies charge a residential fee when delivering to a residence.

Damaged Shipments Please inspect your shipment before signing for it! Once you sign for your shipment, the carrier will not be liable for shortages or damage. You can refuse a damaged shipment or accept it with clear notification of damage on the bill of lading. Please call us immediately if you refuse a damaged order so we can accept it back from the carrier and reship your order.



Returns All returns must have an RA# (Return Authorization Number). This lets us know what is coming back and what to do with it (i.e. credit your account, replace product, etc.). A 10% restock fee will apply to returns unless it is our shipment error. Packages sent to us without an RA# written on them will be refused. All products, including warranty items, must be returned to us shipping prepaid. We will pay the shipping charges on warranty items back to you, but not from you to us. Product over 90 days old is not returnable for credit. Special orders, cut liner and used items are not returnable. **Obtain a Return Authorization ("RA") number** by calling EasyPro at 800-448-3873 or via email at warranty@easypro.com.



Payment Options

Credit Cards We accept VISA, MasterCard, Discover and American Express.



Money Orders/Checks Money orders or business checks are accepted as payment.

Net 30 Account Companies wishing to set up an account with us need to fill out our credit application. Schools, institutions and governmental agencies are pre-approved with use of a purchase order number. Interest will accrue on all invoices over 30 days. No orders will be shipped to customers with invoices over 60 days old until account is brought current.



Hours Business Hours Monday through Friday, 8:00 a.m. to 5:00 p.m. EST **Sales, marketing, shipping and office closed Saturdays and Sundays.**

We will be closed for the following 2024 holidays

Memorial Day — Saturday, May 25 and Monday, May 27

Independence Day (US) — Thursday, July 4 and Friday, July 5

Labor Day — Saturday, August 31 and Monday, September 2

Thanksgiving (US) - Thursday, November 28 and Friday, November 29

Christmas - Tuesday, December 24 through Wednesday, January 1



Warranty EasyPro honors all manufacturers' warranties. Each manufacturer has their own warranty procedure. Some manufacturers allow us to determine warranty for them, while others handle their own warranties. Submersible pumps that have been run out of water, have been altered or have cuts to the power cord will not be covered by warranty. Also, any product not used for its intended purpose, altered, damaged, improperly maintained or neglected will not be covered. Submersible pumps cannot be taken apart, this voids warranty. Shipping costs to us (or to the manufacturer) are not covered by warranty, please insure package when shipping back to us. If product is covered by warranty we will pay shipping costs to ship new/repaired item back to you. Product returned to us for warranty that is deemed in working condition will be shipped back to you at your expense. Be sure your electrical supply is proper before returning pumps to us — each year we get numerous returns that are in good working order only to find the problem was in the electrical supply! A bench fee of \$25.00 will be charged for each pump returned to us that is not broken. Each year we test hundreds of pumps, many of which are fine. This fee covers time and materials used in testing pumps that are in good working order.

A policy of continuous improvement is our goal, therefore products may change from those shown. All prices are subject to change without notice. We make every effort to maintain printed prices however, due to circumstances out of our control, they may change.



4385 East 110th
Grant, MI 49327

231-834-7720
800-448-3873
Fax: 231-834-5537

info@easypro.com
www.easypro.com

Issued January 2024

Catalog #54WL

Current Resident or

Two Specialized Catalogs!



We're proud to offer the largest selection of products in the industry. Whether a small water feature or a large lake, we have products for nearly every application.

We know your time is valuable. So you can focus on the products you need, we publish two catalogs.

- **The Pond & Water Feature catalog** contains products and information on ornamental ponds and water features.
- **The Lake & Pond Management catalog** contains all of our water treatments, fountains, aeration systems and aquaculture supplies.



Please contact us via phone or website to view or request copies of our catalogs!