

SUPERIOR FIRE FEATURE SYSTEMS

DEALER CATALOG NOT FOR DISTRIBUTION. AUTHORIZED USE ONLY.

PATENTED www.warming-trends.com/patents



SUPERIOR DESIGN. SUPERIOR PERFORMANCE. SUPERIOR FIRE FEATURE SYSTEMS.



Competitor Burner with 180K BTUs

DON'T SETTLE FOR **LESS**.



CFB180 CROSSFIRE® Brass Burner with 180K BTUs

The patented CROSS**FIRE**[®] Brass Burner is the most fuel-efficient burner in the industry, producing taller, brighter, and more natural flames all while consuming less fuel.

SUPERIOR PERFORMANCE | MADE IN THE U.S.A. | OUTSTANDING CUSTOMER SERVICE

TABLE OF

REFERENCE GUIDE	6
BURNERS	
Certified Burners	7
Options for Circular and Square Openings	8
Options for Rectangular Fire Features	17
AON FIRE TABLE COLLECTION	26
OUTDOOR FIREPLACE COLLECTION	28
FIRESTORM PORTABLE FIRE PITS	32
READY-TO-FINISH KITS	35
GAS INSERT KITS FOR PAVER FIRE PITS	
Standard Gas Insert Kits	42
Specialized Gas Insert Kits	
PLATES, PANS, and COVERS	48
IGNITIONS and ELECTRONIC ACCESSORIES	
Electronic and Clearance Diagram	62
Mercury Electronic and Clearance Diagram	63
Outdoor Fireplace Collection Clearance Diagram	63
PARTS, LOGS, and MEDIA	76
PROMOTIONAL ITEMS	
WARRANTY	86
RETURN POLICY	85
CALIFORNIA RESIDENT: PROP 65 WARNING	86




The Dealer Catalog is intended only for the possession and use of the distribution partners of Warming Trends and contains confidential information not meant to be disclosed to others, including competitors. Sharing, duplicating, or distributing the Dealer Catalog is prohibited to anyone other than Dealers, Distributors, or others authorized in writing by Warming Trends. Our distribution partners may share prices or other information in the dealer catalog with customers as needed to enable individual sales.

Warming Trends maintains a Minimum Advertised Price (MAP) policy and it is strictly enforced with each of our selling partners.

For more information and resource materials, please visit our website. <u>www.Warming-Trends.com</u>

SIX STEPS TO FIRE

- 1 Determine the BTU (gas) supply at your fire feature location.
- 2 Measure the interior dimensions of your fire feature and choose the corresponding plate/pan size.
- 3 Select burner based on plate/pan size and fuel type (natural gas or liquid propane.)
- Choose the ignition system: match lit or a fully automatic ignition system.
- 5 Add optional electronic accessories: remote control options, dial timers, and emergency stop buttons.
- Complete your fire feature with
 media: lava rock or fire glass, steel or ceramic logs.



PLEASE REMEMBER

- Plate/pan should be sized slightly smaller than the measurement of the opening to allow easier installation and removal for service.
- Manufacturer recommends a minimum 3" of clearance from all interior sides of enclosure to the nearest edge of burner to avoid damage to enclosure.
- For outdoor use only. Installation and service must be performed by a qualified installer, service agency, or gas supplier. Installation and use must follow all local codes.
- Follow all installation instructions and local codes. A copy of the Owner's Guide and Instruction Manual can be found on our website: <u>www.Warming-Trends.com</u>

Scan here for a digital version of our Dealer Catalog



PATENTED www.warming-trends.com/patents

QUICK REFERENCE GUIDE

If you have a standard-sized fire feature, the chart below may help determine which Warming Trends burner will be the best fit for you.

BURNER MATCH FOR COMMON INTERIOR DIMENSIONS

for Circular or Square Fire Features

INTERIOR DIMENSION	CIRCULAR	SQUARE
	CFB60	CFB60
	CFB60XL	CFB60XL
18"	CFB84	CFB84
	CFBCTL120	CFBST120
	CFBO140	CFBO140
	CFB120	CFB120
24"	CFBCTXL120	CFBO180
	CFBO180	
	CFB180	CFB180
0.01	CFB240	CFB240
30"	CFBCT240	CFBST240
	CFBO280	CFBO280
	CFB240	CFB240
	CFB290	CFB290
36"	CFBO280	CFBO280
	CFBO320	CFBO320
		CFBST400
	CFB350	CFB350
42"	CFBCT440	CFBST500
	CFBO360	CFBO360
401	CFB350	CFB350
48"	CFBO360	CFBO360
60"	CFB450	CFB450

TECH TIP

Gas Insert Kits for Paver Fire Features are becoming more popular and Warming Trends offers kits - including burner, plate, flex line, and key valve kits - specifically designed to work with a variety of paver company block features. See page 41 for our Gas Insert Kit selections.

Plate should be sized slightly smaller than the measurement of the opening. This allows easier installation and removal for service.

Scan here for a digital version of our Instruction Manual.



CERTIFIED BURNER SYSTEM UNITS



Compliance with the following codes:

- 1. 2021, 2018, 2015, 2012, and 2009 International Fire Code® (IFC)
- 2. 2021, 2018, 2015, 2012, and 2009 International Fuel Gas Code® (IFGC)
- 3. 2024, 2021, 2018, 2015, 2012, and 2009 Uniform Mechanical Code® (UMC)*
- 4. 2020, 2015, and 2010 Natural Gas and Propane Installation Code** *Uniform Plumbing Code is a copyrighted publication of the International Association
- of Plumbing and Mechanical Officials

**Copyrighted publication of Canadian Standard Association

Compliance with the following standards: 1. ANSI Z21.97/CSA 2.41-2017 Outdoor Decorative Gas Appliances Product: Outdoor Decorative Gas Fire Feature and Fireplaces



ALL THE BURNERS LISTED BELOW ARE CERTIFIED FOR USE IN OUTDOOR FIRE FEATURES AND OUTDOOR FIREPLACES.

MATCH LIT

Model # CFB60 NG/LP as match lit Model # CFB60XL NG/LP as match lit Model # CFB602XL NG/LP as match lit Model # CFB84 NG/LP as match lit Model # CFB100 NG/LP as match lit Model # CFB120 NG/LP as match lit Model # CFB180 NG/LP as match lit Model # CFB240 NG/LP as match lit Model # CFB290 NG/LP as match lit Model # CFBL90 NG/LP as match lit Model # CFBL110 NG/LP as match lit Model # CFBL130 NG/LP as match lit Model # CFBL150 NG/LP as match lit Model # CFBL170 NG/LP as match lit Model # CFBL190 NG/LP as match lit Model # CFBL210 NG/LP as match lit Model # CFBL250 NG/LP as match lit Model # CFBL270 NG/LP as match lit Model # CFBL320 NG/LP as match lit Model # CFBH120 NG/LP as match lit Model # CFBH160 NG/LP as match lit Model # CFBH200 NG/LP as match lit Model # CFBH240 NG/LP as match lit Model # CFBH260 NG/LP as match lit Model # CFBH300 NG/LP as match lit Model # CFBH340 NG/LP as match lit Model # CFBH420 NG/LP as match lit Model # CFBT110 NG/LP as match lit Model # CFBT170 NG/LP as match lit Model # CFBT230 NG/LP as match lit Model # CFBT290 NG/LP as match lit Model # CFBT350 NG/LP as match lit Model # CFBT410 NG/LP as match lit Model # CFBT470 NG/LP as match lit Model # CFBO140 NG/LP as match lit Model # CFBO180 NG/LP as match lit Model # CFBO280 NG/LP as match lit Model # CFBO320 NG/LP as match lit Model # CFBO360 NG/LP as match lit

SPARK IGNITER OPERATED UNITS

Model # WTV40 NG/LP with PBIK Model # WTV60 NG with PBIK Model # CFB60 NG/LP with PBIK Model # CFB60XL NG/LP with PBIK Model # CFB602XL NG/LP with PBIK Model # CFB84 NG/LP with PBIK Model # CFB100 NG/LP with PBIK Model # CFB120 NG/LP with PBIK Model # CFB180 NG/LP with PBIK Model # CFB240 NG/LP with PBIK Model # CFB290 NG/LP with PBIK Model # CFBH120 NG/LP with PBIK Model # CFBH160 NG/LP with PBIK Model # CFBH200 NG/LP with PBIK Model # CFBH240 NG/LP with PBIK Model # CFBH260 NG/LP with PBIK Model # CFBH300 NG/LP with PBIK Model # CFBH340 NG/LP with PBIK Model # CFBH420 NG/LP with PBIK Model # CFBL90 NG/LP with PBIK Model # CFBL110 NG/LP with PBIK Model # CFBL130 NG/LP with PBIK Model # CFBL150 NG/LP with PBIK Model # CFBL170 NG/LP with PBIK Model # CFBL190 NG/LP with PBIK Model # CFBL210 NG/LP with PBIK Model # CFBL250 NG/LP with PBIK Model # CFBL270 NG/LP with PBIK Model # CFBL320 NG/LP with PBIK

Model # CFBO140 NG/LP with PBIK Model # CFBO180 NG/LP with PBIK Model # CFBO280 NG/LP with PBIK Model # CFBO320 NG/LP with PBIK Model # CFBO360 NG/LP with PBIK Model # CFBT170 NG/LP with PBIK Model # CFBT230 NG/LP with PBIK Model # CFBT290 NG/LP with PBIK Model # CFBT350 NG/LP with PBIK Model # CFBT310 NG/LP with PBIK Model # CFBT470 NG/LP with PBIK

3V BATTERY OPERATED UNITS

Model # CFB60 NG/LP with 3VIK Model # CFB602XL NG/LP with 3VIK Model # CFB120 NG/LP with 3VIK Model # CFB240 NG/LP with 3VIK Model # CFBL90 NG/LP with 3VIK Model # CFBL110 NG/LP with 3VIK Model # CFBL130 NG/LP with 3VIK Model # CFBL150 NG/LP with 3VIK Model # CFBL190 NG/LP with 3VIK Model # CFBL210 NG/LP with 3VIK Model # CFBL250 NG/LP with 3VIK Model # CFBH120 NG/LP with 3VIK Model # CFBH160 NG/LP with 3VIK Model # CFBH200 NG/LP with 3VIK Model # CFBH240 NG/LP with 3VIK Model # CFBH260 NG/LP with 3VIK Model # CFBH300 NG/LP with 3VIK Model # CFBH340 NG/LP with 3VIK Model # CFBT110 NG/LP with 3VIK Model # CFBT170 NG/LP with 3VIK Model # CFBT230 NG/LP with 3VIK Model # CFBT290 NG/LP with 3VIK Model # CFBT350 NG/LP with 3VIK Model # CFBT410 NG/LP with 3VIK Model # CFBT470 NG/LP with 3VIK Model # CFBO180 NG/LP with 3VIK Model # CFBO280 NG/LP with 3VIK Model # CEBO360 NG/LP with 3VIK

24 VOLT STANDARD ELECTRONIC IGNITION SYSTEM - Standard Capacity Model # CFB60 NG/LP with 24VIKSC

Model # CFB602XL NG/LP with 24VIKSC Model # CFB120 NG/LP with 24VIKSC Model # CFB180 NG/LP with 24VIKSC Model # CFB240 NG/LP with 24VIKSC Model # CFBL90 NG/LP with 24VIKSC Model # CFBL110 NG/LP with 24VIKSC Model # CFBL130 NG/LP with 24VIKSC Model # CFBL150 NG/LP with 24VIKSC Model # CFBL190 NG/LP with 24VIKSC Model # CFB60XL NG/LP with 24VIKSC Model # CFBH120 NG/LP with 24VIKSC Model # CFBH160 NG/LP with 24VIKSC Model # CFBH200 NG/LP with 24VIKSC Model # CFBT110 NG/LP with 24VIKSC Model # CFBT170 NG/LP with 24VIKSC Model # CFBO180 NG/LP with 24VIKSC Model # CFBO280 NG/LP with 24VIKSC

24 VOLT STANDARD ELECTRONIC IGNITION SYSTEMS - High Capacity

IGNI ION SYSTEMS - High Capacity Model # CFB240 NG/LP with 24VIKHC Model # CFB290 NG/LP with 24VIKHC Model # CFB300 NG/LP with 24VIKHC Model # CFBL210 NG/LP with 24VIKHC Model # CFBL270 NG/LP with 24VIKHC Model # CFBL320 NG/LP with 24VIKHC Model # CFBH240 NG/LP with 24VIKHC Model # CFBH260 NG/LP with 24VIKHC Model # CFBH300 NG/LP with 24VIKHC Model # CFBH300 NG/LP with 24VIKHC Model # CFBT290 NG/LP with 24VIKHC Model # CFBT350 NG/LP with 24VIKHC Model # CFBT410 NG/LP with 24VIKHC Model # CFBT470 NG/LP with 24VIKHC Model # CFBT470 NG/LP with 24VIKHC Model # CFBC480 NG/LP with 24VIKHC

24 VOLT PREMIUM ELECTRONIC

IGNITION SYSTEM - Standard Capacity Model # CFB60 NG/LP with P24VIKSC Model # CFB602XL NG/LP with P24VIKSC Model # CFB120 NG/LP with P24VIKSC Model # CFB180 NG/LP with P24VIKSC Model #CFB240 NG/LP with P24VIKSC Model # CFB290 NG/LP with P24VIKSC Model # CFBL90 NG/LP with P24VIKSC Model # CFBL110 NG/LP with P24VIKSC Model # CFBL130 NG/LP with P24VIKSC Model # CFBL150 NG/LP with P24VIKSC Model # CFBL190 NG/LP with P24VIKSC Model # CFBL210 NG/LP with P24VIKSC Model # CFBL250 NG/LP with P24VIKSC Model # CFBL270 NG/LP with P24VIKSC Model # CFBH120 NG/LP with P24VIKSC Model # CFBH160 NG/LP with P24VIKSC Model # CFBH200 NG/LP with P24VIKSC Model # CFBH240 NG/LP with P24VIKSC Model # CFBH260 NG/LP with P24VIKSC Model # CFBT110 NG/LP with P24VIKSC Model # CFBT170 NG/LP with P24VIKSC Model # CFBT230 NG/LP with P24VIKSC Model # CFBT290 NG/LP with P24VIKSC Model #CFBO180 NG/LP with P24VIKSC Model #CFBO280 NG/LP with P24VIKSC

24 VOLT PREMIUM ELECTRONIC IGNITION SYSTEM - High Capacity

Model # CFB300 NG/LP with P24VIKHC Model # CFB1300 NG/LP with P24VIKHC Model # CFB1300 NG/LP with P24VIKHC Model # CFBH340 NG/LP with P24VIKHC Model # CFBT420 NG/LP with P24VIKHC Model # CFBT410 NG/LP with P24VIKHC Model # CFBT470 NG/LP with P24VIKHC Model # CFBT470 NG/LP with P24VIKHC

MERCURY IGNITION SYSTEM™

Model # CFB60 NG/LP with MERC Model # CFB60XL NG/LP with MERC Model # CFB100 NG/LP with MERC Model # CFB100 NG/LP with MERC Model # CFB120 NG/LP with MERC Model # CFB240 NG/LP with MERC Model # CFB290 NG/LP with MERC Model # CFBH120 NG/LP with MERC Model # CFBH200 NG/LP with MERC

Model # CFBL130 NG/LP with MERC Model # CFBL150 NG/LP with MERC Model # CFBL170 NG/LP with MERC Model # CFBL190 NG/LP with MERC Model # CFBL210 NG/LP with MERC Model # CFBL250 NG/LP with MERC Model # CFBL270 NG/LP with MERC Model # CFBO140 NG/LP with MERC Model # CFBO180 NG/LP with MERC Model # CFBO280 NG/LP with MERC Model # CFBO320 NG/ LP with MERC Model # CFBT110 NG/LP with MERC Model # CFBT170 NG/LP with MERC Model # CFBT230 NG/LP with MERC Model # CFBT290 NG/LP with MERC Model # CFBT350 NG/LP with MERC

PLATINUM IGNITION SYSTEM™

Model # CFB60 NG/LP with PLAT Model # CFB60XL NG/ LP with PLAT Model # CFB84 NG/LP with PLAT Model # CFB120 NG/ LP with PLAT Model # CFB180 NG/LP with PLAT Model # CFB240 NG/LP with PLAT Model # CFB290 NG/LP with PLAT Model # CFB300 NG/LP with PLAT Model # CFBL90 NG/LP with PLAT Model # CFBL110 NG/LP with PLAT Model # CFBL130 NG/LP with PLAT Model # CFBL150 NG/LP with PLAT Model # CFBL170 NG/LP with PLAT Model # CFBL190 NG/LP with PLAT Model # CFBL210 NG/LP with PLAT Model # CFBL250 NG/LP with PLAT Model # CFBL270 NG/LP with PLAT Model # CFBL320 NG/LP with PLAT Model # CFBH120 NG/LP with PLAT Model # CFBH160 NG/LP with PLAT Model # CFBH200 NG/LP with PLAT Model # CFBH240 NG/LP with PLAT Model # CFBH300 NG/LP with PLAT Model # CFBH340 NG/LP with PLAT Model # CFBH420 NG/LP with PLAT Model #CFBO140 NG/LP with PLAT Model #CFBO180 NG/LP with PLAT Model #CFBO280 NG/LP with PLAT Model #CFBO320 NG/LP with PLAT Model #CFBO360 NG/LP with PLAT Model # CFBT110 NG/LP with PLAT Model # CFBT170 NG/LP with PLAT Model # CFBT230 NG/LP with PLAT Model # CFBT290 NG/LP with PLAT Model # CFBT350 NG/LP with PLAT Model # CFBT410 NG/LP with PLAT Model # CFBT470 NG/LP with PLAT

Scan to view the Most up-to-date Certified Burners List:



High Capacity (HC) ignitions may be substituted for Standard Capacity (SC) ignitions.


OPTIONS FOR CIRCULAR and SQUARE OPENINGS


Designed for standard-sized circular or square fire features, these **CROSSFIRE**[®] **BRASS BURNERS** range from 60K to 450K BTUs.

When deciding which burner is best for your project, remember to consult the guide on page 6 for information about size compatibility.

NEED A DIFFERENT SIZE, CUSTOM SHAPE, OR HAVE BTU QUESTIONS?


Whatever your question, our team is happy to help. Call our Flame Specialists at (303) 346-2224.






SKU		DESCRIPTION	SHIPPIN	IG
CFB60NG	CFB60LP	60K BTU Original Brass Burner	4 lbs	SHIPS PARCEL
Recommended parts - Plate: ALPL18C (circle) or ALPL18S (square) • FK1 • Optional 3x Support Colla			ional 3x Support Collars	
CIRCLE	CFB60NGALPL18C CFB60LPALPL18C	with 18" Circular Plate	10 lbs	
CIRCLE	CFB60NGALPL18CFK1 CFB60LPALPL18CFK1	with 18" Circular Plate + FK1	13 lbs	SHIPS PARCEL
SQUARE	CFB60NGALPL18S CFB60LPALPL18S	with 18" Square Plate	11 lbs	SHIFS FARCEL
SQUARE	CFB60NGALPL18SFK1 CFB60LPALPL18SFK1	with 18" Square Plate + FK1	14 lbs	

ORIGINAL CFB60XL - Fits 18" plate or larger




ѕки		DESCRIPTION		SHIPPING
CFB60XLN	G CFB60XLLP	60K BTU Original Brass Burner + WATER STOP ®	4 lbs	SHIPS PARCEL
Recommen	ded parts - Plate: ALPL18C (ci	rcle) or ALPL18S (square) • FK1	 Optior 	al 3x Support Collars
CIRCLE	CFB60XLNGALPL18C CFB60XLLPALPL18C	with 18" Circular Plate	10 lbs	
CIRCLE	CFB60XLNGALPL18CFK1 CFB60XLLPALPL18CFK1	with 18" Circular Plate + FK1	13 lbs	
SQUARE	CFB60XLNGALPL18S CFB60XLLPALPL18S	with 18" Square Plate	11 lbs	SHIPS PARCEL
SQUARE	CFB60XLNGALPL18SFK1 CFB60XLLPALPL18SFK1	with 18" Square Plate + FK1	14 lbs	

ORIGINAL CFB84 - Fits 18" plate or larger



SKU		DESCRIPTION	SHIPPI	NG
CFB84NG CFB84LP		B84NG CFB84LP 84K BTU Original Brass Burner		SHIPS PARCEL
Recommended parts - Plate: ALPL18C (circle) or ALPL18S (square) • FK2 • Optional 4x Support Collars			nal 4x Support Collars	
CIRCLE	CFB84NGALPL18C CFB84LPALPL18C	with 18" Circular Plate	10 lbs	
CIRCLE	CFB84NGALPL18CFK1 CFB84LPALPL18CFK1	with 18" Circular Plate + FK1	13 lbs	
SQUARE	CFB84NGALPL18S CFB84LPALPL18S	with 18" Square Plate	11 lbs	SHIPS PARCEL
SQUARE	CFB84NGALPL18SFK1 CFB84LPALPL18SFK1	with 18" Square Plate + FK1	14 lbs	

ORIGINAL CFB120 - Fits 24" plate or larger




SKU		DESCRIPTION	SHIPPING INFO	
CFB120NG CFB120LP		120K BTU Original Brass Burner + WATER STOP	8 lbs	SHIPS PARCEL
Recommended parts - Plate: ALPL60C (circle) or ALPL60S (square) • FK2 • Optional 4x Support Collars				Optional 4x Support
CIRCLE	CFB120NGALPL24C CFB120LPALPL24C	with 24" Circular Plate	16 lbs	
CIRCLE	CFB120NGALPL24CFK1 CFB120LPALPL24CFK1	with 24" Circular Plate + FK1	19 lbs	
SQUARE	CFB120NGALPL24S CFB120LPALPL24S	with 24" Square Plate	18 lbs	SHIPS PARCEL
SQUARE	CFB120NGALPL24SFK1 CFB120LPALPL24SFK1	with 24" Square Plate + FK1	21 lbs	

ORIGINAL CFB180 - Fits 30" plate or larger



ORIGINAL CFB240 - Fits 30" plate or larger




SKU		DESCRIPTION	SHIPPING INFO	
CFB240NG CFB240LP		240K BTU Original Brass Burner + WATER STOP	12 lbs	SHIPS PARCEL
Recommended parts - Plate: ALPL30C (circle) or ALPL30S (square) • FK1 • Optional 5x Support Collars				Optional 5x Support
CIRCLE	CFB240NGALPL30C CFB240LPALPL30C	with 30" Circular Plate	28 lbs	
CIRCLE	CFB240NGALPL30CFK1 CFB240LPALPL30CFK1	with 30" Circular Plate + FK1	31 lbs	
SQUARE	CFB240NGALPL30S CFB240LPALPL30S	with 30" Square Plate	26 lbs	SHIPS PARCEL
SQUARE	CFB240NGALPL30SFK1 CFB240LPALPL30SFK1	with 30" Square Plate + FK1	29 lbs	


ORIGINAL CFB290 - Fits 36" plate or larger



ORIGINAL CFB350 - Fits 48" plate or larger




ORIGINAL CFB450 - Fits 60" plate or larger




SKU		DESCRIPTION	SHIPPING INFO
CFB450NG CFB450LP		FB450NG CFB450LP 450K BTU Original Brass Burner + WATER STOP	
Recomme Collars	nded parts - Plate: ALPL60C	re) • FK2 • Optional 10x Support	
CIRCLE	CFB450NGALPL60C CFB450LPALPL60C	with 60" Circular Plate	
CIRCLE	CFB450NGALPL60CFK2 CFB450LPALPL60CFK2	with 60" Circular Plate + FK2	
SQUARE	CFB450NGALPL60S CFB450LPALPL60S	with 60" Square Plate	SHIPS FREIGHT
SQUARE	CFB450NGALPL60SFK2 CFB450LPALPL60SFK2	with 60" Square Plate + FK2	

ORIGINAL CFBO140 - Fits 18" plate or larger




SKU		DESCRIPTION	SHIPPING INFO	
CFBO140NG CFBO140LP		BO140NG CFBO140LP WATER STOP 140K BTU Octagonal Brass Burner + 9 lbs		SHIPS PARCEL
Recommended parts - Plate: ALPL18C (circle) or ALPL18S (square) • FK1 • Optional 3x Support Collars				onal 3x Support
CIRCLE	CFBO140NGALPL18C CFBO140LPALPL18C	with 18" Circular Plate	15 lbs	
CIRCLE	CFBO140NGALPL18CFK1 CFBO140LPALPL18CFK1	with 18" Circular Plate + FK1	18 lbs	
SQUARE	CFBO140NGALPL18S CFBO140LPALPL18S	with 18" Square Plate	16 lbs	SHIPS PARCEL
SQUARE	CFBO140NGALPL18SFK1 CFBO140LPALPL18SFK1	with 18" Square Plate + FK1	19 lbs	

ORIGINAL CFBO180 - Fits 24" plate or larger




SKU		DESCRIPTION	SHIPPING INFO	
CFBO180NG CFBO180LP		180K BTU Octagonal Brass Burner + WATER STOP	10 lbs	SHIPS PARCEL
Recommended parts - Plate: ALPL24C (circle) or ALPL24S (square) • FK1 • Optional 4x Support Collars				ptional 4x Support
CIRCLE	CFBO180NGALPL24C CFBO180LPALPL24C	with 24" Circular Plate	16 lbs	
CIRCLE	CFBO180NGALPL24CFK1 CFBO180LPALPL24CFK1	with 24" Circular Plate + FK1	19 lbs	
SQUARE	CFBO180NGALPL24S CFBO180LPALPL24S	with 24" Square Plate	20 lbs	SHIPS PARCEL
SQUARE	CFBO180NGALPL24SFK1 CFBO180LPALPL24SFK1	with 24" Square Plate + FK1	23 lbs	

ORIGINAL CFBO280 - Fits 30" plate or larger




SKU		DESCRIPTION	SHIPPING INFO	
CFBO280	NG CFBO280LP	280K BTU Octagonal Brass Burner + WATER STOP	13 lbs	SHIPS PARCEL
Recommended parts - Plate: ALPL30C (circle) or ALPL30S (square) • FK2 • Optional 5x Support Collars				ptional 5x Support
CIRCLE	CFBO280NGALPL30C CFBO280LPALPL30C	with 30" Circular Plate	24 lbs	
CIRCLE	CFBO280NGALPL30CFK2 CFBO280LPALPL30CFK2	with 30" Circular Plate + FK2	31 lbs	
SQUARE	CFBO280NGALPL30S CFBO280LPALPL30S	with 30" Square Plate	27 lbs	SHIPS PARCEL
SQUARE	CFBO280NGALPL30SFK2 CFBO280LPALPL30SFK2	with 30" Square Plate + FK2	34 lbs	

ORIGINAL CFBO320 - Fits 36" plate or larger




SKU		DESCRIPTION	SHIPPING INFO	
CFBO320NG CFBO320LP		320K BTU Octagonal Brass Burner + WATER STOP	13 lbs	SHIPS PARCEL
Recommended parts - Plate: ALPL36C (circle) or ALPL36S (square) • FK2 • Optional 6x Support Collars				ptional 6x Support
CIRCLE	CFBO320NGALPL36C CFBO320LPALPL36C	with 36" Circular Plate	24 lbs	
CIRCLE	CFBO320NGALPL36CFK2 CFBO320LPALPL36CFK2	with 36" Circular Plate + FK2	31 lbs	
SQUARE	CFBO320NGALPL36S CFBO320LPALPL36S	with 36" Square Plate	27 lbs	SHIPS PARCEL
SQUARE	CFBO320NGALPL36SFK2 CFBO320LPALPL36SFK2	with 36" Square Plate + FK2	34 lbs	

ORIGINAL CFBO360 - Fits 42" plate or larger




SKU		DESCRIPTION	SHIPPING II	NFO
CFBO360NG CFBO360LP		360K BTU Octagonal Brass Burner + WATER STOP	22 lbs	SHIPS PARCEL
Recomme Collars	nded parts - Plate: ALPL36C (circle) or ALPL36S (square) • FK2 • O	ptional 4x Support
CIRCLE	CFBO360NGALPL42C CFBO360LPALPL42C	with 42" Circular Plate	SHIPS FREIGHT	
CIRCLE	CFBO360NGALPL42CFK2 CFBO360LPALPL42CFK2	with 42" Circular Plate + FK2		
SQUARE	CFBO360NGALPL42S CFBO360LPALPL42S	with 42" Square Plate		
SQUARE	CFBO360NGALPL42SFK2 CFBO360LPALPL42SFK2	with 42" Square Plate + FK2		

CIRCLE TREE-STYLE CFBCTL120 - For 18" opening or larger




SKU	DESCRIPTION	SHIPPING INFO			
CFBCTL120NG CFBCTL120LP	120K BTU Circle Tree- Style Brass Burner + WATER STOP	6 lbs	SHIPS PARCEL		
Recommended parts - Plate: ALPL18C (circle) • FK1 • Optional 3x Support Collars					
CFBCTL120NGALPL18C CFBCTL120LPALPL18C	with 18" Circular Plate	12 lbs			
CFBCTL120NGALPL18CFK1 CFBCTL120LPALPL18CFK1	with 18" Circular Plate + FK1	15 lbs	SHIPS PARCEL		




ѕки	DESCRIPTION	SHIPPING INFO			
CFBCTXL120NG CFBCTXL120LP	120K BTU Extended Length Circle Tree- Style Brass Burner + WATER STOP	7 lbs	SHIPS PARCEL		
Recommended parts - Plate: ALPL18C (circle) • FK1 • Optional 3x Support Collars					
CFBCTXL120NGALPL24C CFBCTXL120LPALPL24C	with 24" Circular Plate	15 lbs			
CFBCTXL120NGALPL24CFK1 CFBCTXL120LPALPL24CFK1	with 24" Circular Plate + FK1	18 lbs	SHIPS PARCEL		

CIRCLE TREE-STYLE CFBCT240 - For 30" opening or larger



SKU	DESCRIPTION	SHIPPING INFO			
CFBCT240NG CFBCT240LP	240K BTU Circle Tree- Style Brass Burner + WATER STOP	7 lbs	SHIPS PARCEL		
Recommended parts - Plate: ALPL30C (circle) • FK1 • Optional 5x Support Collars					
CFBCT240NGALPL30C CFBCT240LPALPL30C	with 30" Circular Plate	22 lbs			
CFBCT240NGALPL30CFK1 CFBCT240LPALPL30CFK1	with 30" Circular Plate + FK1	25 lbs	SHIPS PARCEL		

CIRCLE TREE-STYLE CFBCT440 - For 42" opening or larger




SKU	DESCRIPTION	SHIPPING INFO		
CFBCT440NG CFBCT440LP 440K BTU Circle Tree-Style Brass Burner + WATER STOP		30 lbs	SHIPS PARCEL	
Recommended parts - Plate: ALPL42C (circle) • FK2 • Optional 7x Support Collars				
CFBCT440NGALPL42C CFBCT440LPALPL42C	with 42" Circular Plate			
CFBCT440NGALPL42CFK2 CFBCT440LPALPL42CFK2	with 42" Circular Plate + FK2	SHIPS FREIGHT		

SQUARE TREE-STYLE CFBST120 - For 18" opening or larger

	,	9 <u>5</u> "	
9 <u>7</u> "			


SKU	DESCRIPTION	SHIPPING INFO			
CFBST120NG CFBST120LP	120K BTU Square Tree- Style Brass Burner + WATER STOP	6 lbs	SHIPS PARCEL		
Recommended parts - Plate: ALPL18C (circle) • FK1 • Optional 3x Support Collars					
CFBST120NGALPL18S CFBST120LPALPL18S	with 18" Square Plate	13 lbs			
CFBST120NGALPL18SFK1 CFBST120LPALPL18SFK1	with 18" Square Plate + FK1	16 lbs	SHIPS PARCEL		

SQUARE TREE-STYLE CFBST240 - For 30" opening or larger




SKU	DESCRIPTION	SHIPPING INFO			
CFBST240NG CFBST240LP	240K BTU Square Tree- Style Brass Burner + WATER STOP	11 lbs	SHIPS PARCEL		
Recommended parts - Plate: ALPL30S (square) • FK1 • Optional 4x Support Collars					
CFBST240NGALPL30S CFBST240LPALPL30S	with 30" Square Plate	25 lbs			
CFBST240NGALPL30SFK1 CFBST240LPALPL30SFK1	with 30" Square Plate + FK1	28 lbs	SHIPS PARCEL		

SQUARE TREE-STYLE CFBST400 - For 36" opening or larger



SKU	DESCRIPTION	SHIPPING INFO		
CFBST400NG CFBST400LP	400K BTU Square Tree- Style Brass Burner + WATER STOP	18 lbs	SHIPS PARCEL	
Recommended parts - Plate: ALPL36S (square) • FK2 • Optional 4x Support Collars				
CFBST400NGALPL36S CFBST400LPALPL36S	with 36" Square Plate	37 lbs		
CFBST400NGALPL36SFK2 CFBST400LPALPL36SFK2	with 36" Square Plate + FK2	44 lbs	SHIPS PARCEL	

SQUARE TREE-STYLE CFBST500 - For 42" opening or larger



SKU	DESCRIPTION SH		NFO		
CFBST500NG CFBST500LP	500K BTU Square Tree- Style Brass Burner + WATER STOP	22 lbs	SHIPS PARCEL		
Recommended parts - Plate: ALPL42S (square) • FK2 • Optional 7x Support Collars					
CFBST500NGALPL42S with 42" Square Plate					
CFBST500NGALPL42SFK2 CFBST500LPALPL42SFK2	with 42" Square Plate + FK2	SHIPS FREIGHT			

CREATE YOUR PERFECT NIGHT.


OPTIONS FOR RECTANGULAR FIRE FEATURES and OUTDOOR FIREPLACES


Designed for standard-sized rectangular fire features, these **CROSSFIRE**[®] **BRASS BURNERS** range from 90K to 480K BTUs.

When deciding which burner is best for your project, remember to consult the guide on page 6 for information about size compatibility.

NEED A DIFFERENT SIZE, CUSTOM SHAPE, OR HAVE BTU QUESTIONS?

Whatever your question, our team is happy to help. Call our Flame Specialists at (303) 346-2224.





ѕки	DESCRIPTION SHIPPING INFO		NFO	
CFBL90NG CFBL90LP	90K BTU Linear Brass Burner + WATER STOP	4 lbs	SHIPS PARCEL	
Recommended parts - Plate: ALPL206 • FK1 • Optional 3x Support Collars				
CFBL90NGALPL206 CFBL90LPALPL206	with 20" x 6" Rectangular Plate	6 lbs		
CFBL90NGALPL206FK1 CFBL90LPALPL206FK1	with 20" x 6" Plate + FK1	9 lbs	SHIPS PARCEL	

LINEAR CFBL110 - For 26" x 6" opening or larger



LINEAR CFBL130 - For 32" x 8" opening or larger



LINEAR CFBL150 - For 38" x 8" opening or larger



LINEAR CFBL170 - For 40" x 8" opening or larger



LINEAR CFBL190 - For 44" x 8" opening or larger



SKU	DESCRIPTION	SHIPPING INFO		
CFBL190NG CFBL190LP	190K BTU Linear Brass Burner + WATER STOP	6 lbs	SHIPS PARCEL	
Recommended parts - Plate: ALPL448 • FK1 • Optional 5x Support Collars				
CFBL190NGALPL448 CFBL190LPALPL448	with 44" x 8" Rectangular Plate	14 lbs		
CFBL190NGALPL448FK1 CFBL190LPALPL448FK1	with 44" x 8" Plate + FK1	17 lbs	SHIPS PARCEL	

LINEAR CFBL210 - For 50" x 10" opening or larger



LINEAR CFBL250 - For 56" x 10" opening or larger



SKU	DESCRIPTION	SHIPPING I	NFO	
CFBL250NG CFBL250LP	250K BTU Linear Brass Burner + WATER STOP	7 lbs	SHIPS PARCEL	
Recommended parts - Plate: ALPL5010 • FK1 • Optional 6x Support Collars				
CFBL250NGALPL5610 CFBL250LPALPL5610	with 56" x 10" Rectangular Plate	19 lbs		
CFBL250NGALPL5610FK2 CFBL250LPALPL5610FK2	with 56" x 10" Plate + FK2	26 lbs	SHIPS PARCEL	


LINEAR CFBL270 - For 62" x 12" opening or larger

	SKU	DESCRIPTION	SHIPPING II	NFO
53 ¾"	CFBL270NG CFBL270LP	270K BTU Linear Brass Burner + WATER STOP	8 lbs	SHIPS PARCEL
	Recommended parts - Plate: ALPL6212 • FK2 • Optional 8x Support Collars			
	CFBL270NGALPL6212 CFBL270LPALPL6212	with 62" x 12" Rectangular Plate		
	CFBL270NGALPL6212FK2 CFBL270LPALPL6212FK2	with 62" x 12" Plate + FK2	5	HIPS FREIGHT

H-STYLE CFBH120 - For 28" x 15" opening or larger




H-STYLE CFBH160 - For 34" x 17" opening or larger




SKU	DESCRIPTION	SHIPPING I	NFO	
CFBH160NG CFBH160LP	160K BTU H-Style Brass Burner + WATER STOP	8 lbs	SHIPS PARCEL	
Recommended parts - Plate: ALPL2815 • FK1 • Optional 4x Support Collars				
CFBH160NGALPL3417 CFBH160LPALPL3417	with 34" x 17" Rectangular Plate	16 lbs		
CFBH160NGALPL3417FK1 CFBH160LPALPL3417FK1	with 34" x 17" Plate + FK1	19 lbs	SHIPS PARCEL	

H-STYLE CFBH200 - For 40" x 17" opening or larger




SKU	DESCRIPTION	SHIPPING INFO		
CFBH200NG CFBH200LP	200K BTU H-Style Brass Burner + WATER STOP	9 lbs	SHIPS PARCEL	
Recommended parts - Plate: ALPL2815 • FK1 • Optional 4x Support Collars				
CFBH200NGALPL4017 CFBH200LPALPL4017	with 40" x 17" Rectangular Plate	18 lbs		
CFBH200NGALPL4017FK1 CFBH200LPALPL4017FK1	with 40" x 17" Plate + FK1	21 lbs	SHIPS PARCEL	

H-STYLE CFBH240 - For 46" x 17" opening or larger



SKU	DESCRIPTION	SHIPPING II	NFO	
CFBH240NG CFBH240LP	240K BTU H-Style Brass Burner + WATER STOP	10 lbs	SHIPS PARCEL	
Recommended parts - Plate: ALPL4617 • FK1 • Optional 7x Support Collars				
CFBH200NGALPL4017 CFBH200LPALPL4017	with 46" x 17" Rectangular Plate	26 lbs		
CFBH240NGALPL4617FK1 CFBH240LPALPL4617FK1	with 46" x 17" Plate + FK1	29 lbs	SHIPS PARCEL	

H-STYLE CFBH300 - For 56" x 25" opening or larger




SKU	DESCRIPTION	SHIPPING II	NFO	
CFBH240NG CFBH240LP	240K BTU H-Style Brass Burner + WATER STOP	10 lbs	SHIPS PARCEL	
Recommended parts - Plate: ALPL4617 • FK1 • Optional 7x Support Collars				
CFBH200NGALPL4017 CFBH200LPALPL4017	with 46" x 17" Rectangular Plate	26 lbs		
CFBH240NGALPL4617FK1 CFBH240LPALPL4617FK1	with 46" x 17" Plate + FK1	29 lbs	SHIPS PARCEL	


H-STYLE CFBH340 - For 62" x 25" opening or larger



TREE-STYLE CFBT110 - For 20" x 11" opening or larger



SKU	DESCRIPTION	SHIPPING INFO		
CFBT110NG CFBT110LP	110K BTU Tree-Style Brass Burner + WATER STOP	6 lbs	SHIPS PARCEL	
Recommended parts - Plate: ALPL6225 • FK2 • Optional 9x Support Collars				
CFBT110NGALPL2011 CFBT110LPALPL2011	with 20" x 11" Rectangular Plate	9 lbs		
CFBH340NGALPL6225FK2 CFBH340LPALPL6225FK2	with 20" x 11" Plate + FK1	12 lbs	SHIPS PARCEL	



SKU	DESCRIPTION	SHIPPING INFO		
CFBT170NG CFBT170LP	170K BTU Tree-Style Brass Burner + WATER STOP	8 lbs	SHIPS PARCEL	
Recommended parts - Plate: ALPL2811 • FK1 • Optional 4x Support Collars				
CFBT170NGALPL2811 CFBT170LPALPL2811	with 28" x 11" Rectangular Plate	13 lbs		
CFBT170NGALPL2811FK1 CFBT170LPALPL2811FK1	with 28" x 11" Plate + FK1	16 lbs	SHIPS PARCEL	


TREE-STYLE CFBT230 - For 36" x 11" opening or larger



TREE-STYLE CFBT290 - For 44" x 14" opening or larger



TREE-STYLE CFBT350 - For 58" x 14" opening or larger



SKU	DESCRIPTION	SHIPPING INFO		
CFBT350NG CFBT350LP	350K BTU Tree-Style Brass Burner + WATER STOP	20 lbs	SHIPS PARCEL	
Recommended parts - Plate: ALPL5814 • FK2 • Optional 7x Support Collars				
CFBT350NGALPL5814 CFBT350LPALPL5814	with 58" x 14" Rectangular Plate	SHIPS FREIGHT		
CFBT350NGALPL5814FK2 CFBT350LPALPL5814FK2	with 58" x 14" Plate + FK2			


TREE-STYLE CFBT410 - For 66" x 14" opening or larger

	SKU DESCRIPTION		SHIPPING INFO	
	CFBT410NG CFBT410LP	410K BTU Tree-Style Brass Burner + WATER STOP	20 lbs SHIPS PARCEL	
60 <mark>1</mark>	Recommended parts - Plate: ALPL6614 • FK2 • Optional 8x Support Collars			
	1/4 CFBT410NGALPL6614 CFBT410LPALPL6614 CFBT410LPALPL6614			
	CFBT410NGALPL6614FK2 CFBT410LPALPL6614FK2	with 66" x 14" Plate + FK2	SHIPS FREIGHT	

TREE-STYLE CFBT470 - For 74" x 14" opening or larger




DOUBLE TREE-STYLE CFBDT160 - For 22" x 17" opening or larger




SKU	DESCRIPTION SHIPPING IN		NFO
CFBDT160NG CFBDT160LP	160K BTU Double Tree-Style Brass Burner + WATER STOP	8 lbs	SHIPS PARCEL
Recommended parts - Plate: A			
CFBDT160NGALPL2217 CFBDT160LPALPL2217	with 22" x 17" Rectangular Plate	13 lbs	
CFBDT160NGALPL2217FK1 CFBDT160LPALPL2217FK1	with 22" x 17" Plate + FK1	16 lbs	SHIPS PARCEL

DOUBLE TREE-STYLE CFBDT240 - For 29" x 17" opening or larger




SKU	DESCRIPTION	SHIPPING II	NFO
CFBDT240NG CFBDT240LP	240K BTU Double Tree-Style Brass Burner + WATER STOP	11 lbs	SHIPS PARCEL
Recommended parts - Plate: A			
CFBDT240NGALPL2917 CFBDT240LPALPL2917	with 29" x 17" Rectangular Plate	18 lbs	
CFBDT240NGALPL2917FK1 CFBDT240LPALPL2917FK1	with 29" x 17" Plate + FK1	21 lbs	SHIPS PARCEL

DOUBLE TREE-STYLE CFBDT320 - For 41" x 18" opening or larger




SKU	DESCRIPTION	SHIPPING INFO	
CFBDT320NG CFBDT320LP	320K BTU Double Tree-Style Brass Burner + WATER STOP	18 lbs	SHIPS PARCEL
Recommended parts - Plate: ALPL4118 • FK2 • Optional 6x Support Collars			
CFBDT320NGALPL4118 CFBDT320LPALPL4118	with 41" x 18" Rectangular Plate	SHIPS FREIGHT	
CFBDT320NGALPL4118FK2 CFBDT320LPALPL4118FK2	with 41" x 18" Plate + FK2		

DOUBLE TREE-STYLE CFBDT400 - For 50" x 18" opening or larger



SKU	DESCRIPTION	SHIPPING INFO	
CFBDT400NG CFBDT400LP	400K BTU Double Tree-Style Brass Burner + WATER STOP	22 lbs	SHIPS PARCEL
Recommended parts - Plate: ALPL5018 • FK2 • Optional 7x Support Collars			
CFBDT400NGALPL5018 CFBDT400LPALPL5018	with 50" x 18" Rectangular Plate	SHIPS FREIGHT	
CFBDT400NGALPL5018FK2 CFBDT400LPALPL5018FK2	with 50" x 18" Plate + FK2		

DOUBLE TREE-STYLE CFBDT480 - For 59" x 18" opening or larger



SKU	DESCRIPTION	SHIPPING INFO	
CFBDT480NG CFBDT480LP	480K BTU Double Tree-Style Brass Burner + WATER STOP	27 lbs	SHIPS FREIGHT
Recommended parts - Plate: ALPL5918 • FK2 • Optional 7x Support Collars			
CFBDT480NGALPL5918 CFBDT480LPALPL5918	with 59" x 18" Rectangular Plate	SHIPS PARCEL	
CFBDT480NGALPL5918FK2 CFBDT480LPALPL5918FK2	with 59" x 18" Plate + FK2		

WE DIDN'T INVENT FIRE, WE **PERFECTED IT**.




AON FIRE TABLE COLLECTION

Beautiful powder-coated steel AON FIRE TABLES designed to stand out as an elegant, timeless addition to any outdoor living space.

Expertly engineered for outstanding durability, performance, and made in the United States.

HAVE QUESTIONS ABOUT THE AON™ FIRE TABLE COLLECTION?

Whatever your question, our team is happy to help. Call our Flame Specialists at (303) 346-2224.



UPGRADE TO A PLATINUM OR MERCURY IGNITION SYSTEM, PAGE 58

Included in each AON Fire Table:

- AON Fire Table
- CROSSFIRE[®] Brass Burner + WATERSTOP[®] Fitting
- Ventilated Plate
- Flush-Mount Cover
- LPRH (LP Units)

TECH TIP

Scan the QR Code to access CADs for full dimensions of the AON Fire Table Collection.

SQUARE FIRE TABLES

S40	140,000 BTU CROSS FIRE Burner with WATER STOP • 20" Square Ventilated Pan • 10" Top Ledge • 40" x 40" x 18" • Push Button Ignition System	225 lbs	SHIPS FREIGHT
S48	180,000 BTU CROSS FIRE Burner with WATER STOP • 28" Square Ventilated Pan • 10" Top Ledge • 48" x 48" x 18" • Push Button Ignition System	260 lbs	SHIPS FREIGHT
S56	180,000 BTU CROSS FIRE Burner with WATER STOP • 36" Square Ventilated Pan • 10" Top Ledge • 56" x 56" x 18" • Push Button Ignition System	325 lbs	SHIPS FREIGHT

RECTANGULAR FIRE TABLES

R48	170,000 BTU CROSS FIRE Burner with WATER STOP • 28" x 10" Rectangular Ventilated Pan • 10" Top Ledge • 48" x 30" x 18" • Push Button Ignition System	330 lbs	SHIPS FREIGHT

R60230,000 BTU CROSSFIRE Burner with WATERSTOP • 40" x 14" Rectangular Ventilated Pan • 10" Top Ledge • 60" x 34" x 18" • Push Button Ignition System280 lbsSHIPS FREIGHT
--

R72	290,000 BTU CROSS FIRE Burner with WATER STOP • 52" x 18" Rectangular Ventilated Pan • 10" Top Ledge • 72" x 38" x 18" • Push Button Ignition System	330 lbs	SHIPS FREIGHT	
-----	---	---------	---------------	--

SOFT COVERS

Protect your investment

- Click-Close Hem Cord for a Secure Fit
- 5 Year Warranty

with a soft cover.

- Durable, Tear-resistant and Anti-Scratch Lining
- Color Fast and Fade Resistant

Scan for details:



IGNITION OPTIONS

All AON Fire Tables come equipped with a Push Button Ignition System but are available upgraded with a Mercury Ignition System[™] or a Platinum Ignition System[™].

Scan for details:




Mercury Ignition System[™] and Platinum Ignition System[™] are trademarks owned by and used with permission from Catalyst Electronics, LLC.

DESIGNER COLOR OPTIONS


Request a color sample by emailing Orders@Warming-Trends.com or by calling (303) 346 - 2224. Colors may vary.











OUTDOOR FIREPLACE KITS

The All-New **OUTDOOR FIREPLACE COLLECTION** offers elegant kits designed to easily complete a beautiful gas fueled Outdoor Fireplace.

Whether your project calls for a small, medium, or large Outdoor Fireplace, Warming Trends[®] has your covered. Each kit includes a steel grate, CROSS**FIRE**[®] Brass Burner, raised black powder-coated plate, and all connections needed for a quick and complete installation.

Determine the correct size kit based on the interior width of your fireplace. Then choose between an H-Style or Tree-Style CROSS**FIRE** Brass Burner to complete your kit.



104694 (NG) | 104695 (LP)

CFBH120 H-Style Brass Burner FK1 3" Key,12" Key, and 8" Key Valve Extension 15 ½" x 9 ¾" Raised, Powder-Coated Aluminum Plate 19" x 15 ½" Steel Fireplace Grate Push Button Ignition System

SHIPS PARCEL

SHIPS PARCEL

NEW PRODUCT!



104696 (NG) | 104697 (LP)

CFBT110 Tree-Style Brass Burner FK1 3" Key,12" Key, and 8" Key Valve Extension 15 ½" x 9 ¾" Raised, Powder-Coated Aluminum Plate 19" x 5 ½" Steel Fireplace Grate Push Button Ignition System

FITS A 30" FIREPLACE OPENING OR LARGER





104355 (NG)| 104356 (LP)

CFBH120 H-Style Brass Burner FK1 3" Key,12" Key, and 8" Key Valve Extension 15 ½" x 9 ¾" Raised, Powder-Coated Aluminum Plate 22 ¾" x 17" Steel Fireplace Grate Push Button Ignition System	SHIPS PARCEL

104357 (NG) 104358 (LP)	
CFBT110 Tree-Style Brass Burner FK1 3" Key,12" Key, and 8" Key Valve Extension 15 ½" x 9 ¾" Raised, Powder-Coated Aluminum Plate 22 ¾" x 17" Steel Fireplace Grate Push Button Ignition System	SHIPS PARCEL

FITS A 36" FIREPLACE OPENING OR LARGER





CFBH160 H-Style Brass Burner FK1 3" Key, 12" Key, and 8" Key Valve Extension 21 ½" x 9 ¾" Raised, Powder-Coated Aluminum Plate 29" x 17" Steel Fireplace Grate Push Button Ignition System	SHIPS FREIGHT

104361 (NG) | 104362 (LP)



CFBT170 Tree-Style Brass Burner FK1 3" Key, 12" Key, and 8" Key Valve Extension 21 1⁄2" x 9 3⁄4" Raised, Powder-Coated Aluminum Plate 29" x 17" Steel Fireplace Grate Push Button Ignition System	SHIPS FREIGHT

FITS A 42" FIREPLACE OPENING OR LARGER



104363 (NG) | 104364 (LP)

CFBH200 H-Style Brass Burner FK1 Key Valve Kit 3" Key, 12" Key, and 8" Key Valve Extension 27" x 10 ½" Raised, Powder-Coated Aluminum Plate 32 ½" x 17" Steel Fireplace Grate Push Button Ignition System	SHIPS FREIGHT



104365 (NG) | 104366 (LP)

CFBT230 Tree-Style Brass Burner	
FK1 Key Valve Kit	
3" Key, 12" Key, and 8" Key Valve Extension	SHIPS FREIGHT
27" x 10 ½" Raised, Powder-Coated Aluminum Plate	
32 ½" x 17" Steel Fireplace Grate	
Push Button Ignition System	



104367 (NG) | 104368 (LP)

CFBH160 H-Style Brass Burner Key Valve Kit 3" Key, 12" Key, and 8" Key Valve Extension 27" x 10" Raised, Powder-Coated Aluminum Plate 43 ½" x 17"Steel Fireplace Grate Push Button Ignition System

SHIPS FREIGHT

104369 (NG) | 104370 (LP)



CFBT290 Tree-Style Brass BurnerSHIPS FREIGHTKey Valve KitSHIPS FREIGHT3" Key, 12" Key, and 8" Key Valve ExtensionSHIPS FREIGHT34 ¾" x 10 ½" Raised, Powder-Coated Aluminum PlateSHIPS FREIGHT43 ½" x 17" Steel Fireplace GratePush Button Ignition System





FIRESTORM PORTABLE FIRE PITS


It's time to level up and revolutionize your portable outdoor fire pit experience with FIRESTORM[®]. Modular, packable, and powered by the CROSSFIRE[®] burner, the FireStorm sets up in a flash and delivers a beautiful, full flame that easily adjusts to fit your mood with a simple turn of the control knob.

No smoke, no ash, no trash – the FireStorm is the most fuel-efficient fire pit on the market and runs off eco-friendly propane, which emits 99% less pollutants than burning wood. With two safety shut-offs, the FireStorm also allows you to create an exceptional outdoor experience while keeping your family, friends, and the environment safe.

With unparalleled performance, safety, and convenience, the FireStorm is the perfect portable propane fire pit to "Bring the Fire" to your next outdoor event.

FIRESTORM

NEW PRODUCT!



WHAT'S INCLUDED

- FireStorm[®] Unit
 - Front Panel (1)
 - Back Panel (1)
 - Side Panels (2)
 - Burner Insert Box (1)
 - CROSSFIRE[®] Brass Burner + WATERSTOP[®] Fitting^{*} (1)
- 10' Quick Connect Hose (1)
- Arc Lighter (1)
- Carry Bag (1)
 - Series I Backpack
 - Series II Bag
 - Series III Bag



Scan to watch how to easily assemble a FireStorm unit.

*A WATER**STOP** is included in the Series II and Series III Units.

AVAILABLE COLORS

Series I Backpack	BLACK
	BRONZE
Series II Bag	BLUE
	CHARCOAL
Series III Bag	



















Includes - 12" x 12" x 17.5" FireStorm® • 65K BTU LP CROSSFIRE® Brass Burner • Carry Backpack • Quick Connect Hose		
FS1BLKLP	Portable Gas Fire Pit Series I - Black	
FS1BLULP	Portable Gas Fire Pit Series I - Blue	SHIPS PARCEL
FS1GRYLP	Portable Gas Fire Pit Series I - Gray	
FS1BRNLP	Portable Gas Fire Pit Series I - Brown	
FS1RTBLP	Portable Gas Fire Pit Series I - Realtree Timber™	
FS1MOSLP	Portable Gas Fire Pit Series I - Mossy Oak Bottomland™	













Includes - 18" x 18" x 17.5" FireStorm [®] • 65K BTU LP CROSSFIRE [®] Brass Burner + WATERSTOP [®] • Carry Bag • Quick Connect Hose		
FS2BLKLP	Portable Gas Fire Pit Series II - Black	
FS2BLULP	Portable Gas Fire Pit Series II - Blue	
FS2GRYLP	Portable Gas Fire Pit Series II - Gray	SHIPS PARCEL
FS2BRNLP	Portable Gas Fire Pit Series II - Brown	
FS2RTBLP	Portable Gas Fire Pit Series II - Realtree Timber™	
FS2MOSLP	Portable Gas Fire Pit Series II - Mossy Oak Bottomland™	



Includes - 18" x 24" x 17.5" FireStorm [®] • 65K BTU LP CROSSFIRE [®] Brass Burner + WATER STOP[®] • Carry Bag • Quick Connect Hose		
FS3BLKLP	Portable Gas Fire Pit Series III - Black	
FS3BLULP	Portable Gas Fire Pit Series III - Blue	
FS3GRYLP	Portable Gas Fire Pit Series III - Gray	SHIPS PARCEL
FS3BRNLP	Portable Gas Fire Pit Series III - Brown	



READY-TO-FINISH KITS

Aluminum frames covered with concrete board are ready to be easily and quickly completed with your choice of stone or veneer.

Simply place **READY-TO-FINISH** (RTF) kit on site, connect to the gas supply, add stone or other veneer, and your fire feature is complete.

NEED A DIFFERENT SIZE, CUSTOM SHAPE, OR HAVE BTU QUESTIONS?

Whatever your question, our team is happy to help. Call our Flame Specialists at (303) 346-2224.


SQUARE READY-TO-FINISH KITS





Ready-to-Finish Kits come with a Fire Pit Vent Kit (FPVK), but they do not come pre-installed as placement and installation depends on veneer. Vents are to be installed by contractor on site.


FS3636 shown













36" x 36" W x 18" H Aluminum Frame with Concrete Board Attached CFB120 Original Brass Burner + WATER STOP 24" Aluminum Pan with 2" Sidewalls Fire Pit Vent Kit FK1 4" Key Valve Extension Ignition Systems Sold Separately: Push Button, 3 Volt, Mercury, Platinum, 24 Volt Spark	FREIGHT
---	---------

FS4848NG FS4848LP	
48" x 48" W x 18" H Aluminum Frame with Concrete Board Attached CFB180 Original Brass Burner + WATER STOP 30" Aluminum Pan with 2" Sidewalls Fire Pit Vent Kit FK1 4" Key Valve Extension Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark	SHIPS FREIGHT


FS5454NG FS5454LP	
54" x 54" W x 18" H Aluminum Frame with Concrete Board Attached CFB290 Original Brass Burner + WATER STOP 36" Aluminum Pan with 2" Sidewalls Fire Pit Vent Kit FK2 4" Key Valve Extension Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark	SHIPS FREIGHT

FS6060NG FS6060LP	
60" x 60" W x 18" H Aluminum Frame with Concrete Board Attached CFB290 Original Brass Burner + WATER STOP 42" Aluminum Pan with 2" Sidewalls Fire Pit Vent Kit FK2 4" Key Valve Extension Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark	SHIPS FREIGHT

RECTANGULAR LINEAR READY-TO-FINISH KITS


TECH TIP Ready-to-Finish Kits come with a Fire Pit Vent Kit (FPVK) but they do not come pre-installed as placement and installation depends on veneer. Vents are to be installed by contractor on site.






FR4830NG | FR4830LP

48" L x 30" W x 18" H Aluminum Frame with Concrete Board Attached CFBL110 22" Linear Brass Burner + WATER STOP 28" x 10" Aluminum Pan with 2" Sidewalls	
Fire Feature Vent Kit FK1	SHIPS FREIGHT
4" Key Valve Extension	
Ignition Systems Sold Separately: Push Button, 3 Volt, Mercury, Platinum, 24 Volt Spark	



FR6036NG | FR6036LP

60" L x 36" W x 18" H Aluminum Frame with Concrete Board Attached CFBL150 30" Linear Brass Burner + WATER STOP 38" x 14" Aluminum Pan with 2" Sidewalls Fire Feature Vent Kit FK1 4" Key Valve Extension Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark	SHIPS FREIGHT
--	---------------



FR7242NG | FR7242LP

72" L x 42" W x 18" H Aluminum Frame with Concrete Board Attached CFBL210 42" Linear Brass Burner + WATER STOP 48" x 18" Aluminum Pan with 2" Sidewalls Fire Pit Vent Kit FK1	SHIPS FREIGHT
4" Key Valve Extension Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark	

FIRESTORM[®] STEEL LOG

Handcrafted, one-of-a-kind steel gas log features an integrated linear burner and is sized perfectly for the FR6036 Rectangular Ready-to-Finish Kit.

Custom designs and sizes available.

See page 66 for more information or call us at (303) 346-2224.




RECTANGULAR TREE-STYLE READY-TO-FINISH KITS

TECH TIP


Ready-to-Finish Kits come with a Fire Pit Vent Kit (FPVK) but they do not come pre-installed as placement and installation depends on veneer. Vents are to be installed by contractor on site.





FRT4830NG | FRT4830LP

48" L x 30" W x 18" H Aluminum Frame with Concrete Board Attached CFBT170 Tree-Style Brass Burner + WATER STOP 28" x 10" Aluminum Pan with 2" Sidewalls Fire Feature Vent Kit FK1 4" Key Valve Extension Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark	SHIPS FREIGHT
--	---------------



FRT6036NG | FRT6036LP

FRT7242NG | FRT7242LP

72" L x 42" W x 18" H Aluminum Frame with Concrete Board Attached CFBT290 Tree-Style Brass Burner + WATER STOP 48" x 18" Aluminum Pan with 2" Sidewalls Fire Pit Vent Kit FK2	SHIPS FREIGHT
4" Key Valve Extension Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark	




CUSTOM READY-TO-FINISH KITS


A Custom Fire Feature to Match Your Custom Design.


Let us create the perfect custom feature for you. We'd love to help. (303) 346-2224 TECH TIP


Ready-to-Finish Kits come with a Fire Pit Vent Kit (FPVK) but they do not come pre-installed as placement and installation depends on veneer. Vents are to be installed by contractor on site.











FC42NG | FC42LP

42" W x 18" H Aluminum Frame with Concrete Board Attached CFB120 Original Brass Burner + WATER STOP 24" Aluminum Pan with 2" Sidewalls Fire Pit Vent Kit FK1 4" Key Valve Extension Ignition Systems Sold Separately: Push Button, 3 Volt, Mercury, Platinum, 24 Volt Spark	SHIPS FREIGHT
---	---------------


FC54NG FC54LP	
54" W x 18" H Aluminum Frame with Concrete Board Attached CFB180 Original Brass Burner + WATER STOP 30" Aluminum Pan with 2" Sidewalls Fire Pit Vent Kit FK1 4" Key Valve Extension Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark	SHIPS FREIGHT

FC60NG FC60LP	
60" W x 18" H Aluminum Frame with Concrete Board Attached CFB290 Original Brass Burner + WATER STOP 36" Aluminum Pan with 2" Sidewalls Fire Pit Vent Kit FK2 4" Key Valve Extension Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark	SHIPS FREIGHT

FC72NG FC72LP	
72" W x 18" H Aluminum Frame with Concrete Board Attached CFB350 Original Brass Burner 48" Aluminum Pan with 2" Sidewalls Fire Pit Vent Kit FK2 4" Key Valve Extension Ignition Systems Sold Separately: Mercury, Platinum, 24 Volt Spark	SHIPS FREIGHT

IF YOU CAN DREAM IT, WE CAN MAKE IT.

The sky's the limit - let us create your custom fire feature.



GAS INSERT KITS for PAVER FIRE FEATURES

Warming Trends makes it easy to install or convert a paver fire feature to gas with our **GAS INSERT KITS**. Each Kit includes the CROSS**FIRE**[®] Brass Burner which utilizes cutting-edge jet technology to produce a taller, brighter, and more natural flame - all while consuming less gas.

Warming Trends Universal and Specialized Gas Insert Kits are designed to work with a variety of paver company block kits, including everything you need to convert your paver fire feature.

NEED A DIFFERENT SIZE, CUSTOM SHAPE, OR HAVE BTU QUESTIONS?

Whatever your question, our team is happy to help. Call our Flame Specialists at (303) 346-2224.

Easily and quickly convert your paver fire feature to gas with a Warming Trends Gas Insert Kit.


CROSSFIRE® Brass Burner

Included in each kit:

- CROSSFIRE[®] Brass Burner with WATERSTOP[®] Fitting
- Aluminum Plate
- Flex Line Kit
- Key Valve Kit
- Flexible Metal Support Collars and Tapcon screws (Works with new or existing fire pits)

Select the Warming Trends Gas Insert Kit that matches the interior dimensions of your fire feature.

The Revolutionary WATER**STOP** fitting protects electronics and valves from water and debris.



Aluminum Plate

STANDARD KITS DO NOT INCLUDE VENTS.

(18 sq inches of ventilation is required on opposing sides of the fire feature.)

KIT DOES NOT INCLUDE STONE/ENCLOSURE.

See page 65 for available collar options.

TITIC

Flexible Metal Support Collar

of plate sizes to be used, adding up to 3" to the plate size.

Collars provide support for the aluminum plate and allow a range


TI


FIRE PIT VENT KIT





FPVK Fire Pit Vent Kit: (2) 3 7/8"x 12" Vents + 18 sq inches of Vent Area per Unit 2 lbs SHIPS PARCEL


Whistle-free Flex Line Kit











32" x 17 1/2" to 35" x 20 1/2" RECTANGULAR OPENING

UPK160H3217NG | UPK160H3217LP

CFBH160 H-Style Brass Burner + WATER**STOP** 32" x 17 ½" Rectangular Aluminum Plate FK1 8" Key Valve Extension (5) Collars Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark

18 lbs SHIPS PARCEL

23"-26" CIRCULAR OPENING

UPK120C23NG | UPK120C23LP

CFB120 Original Brass Burner + WATER**STOP** 23" Circular Aluminum Plate FK1 8" Key Valve Extension (4) Collars Ignition Systems Sold Separately: Push Button, 3 Volt, Mercury, Platinum, 24 Volt Spark

28 lbs SHIPS PARCEL

23"-26" SQUARE OPENING

UPK120S23NG | UPK120S23LP

CFB120 Original Brass Burner + WATER**STOP**23" Square Aluminum Plate
FK1
8" Key Valve Extension 30 lbs
(4) Collars
Ignition Systems Sold Separately: Push Button, 3 Volt, Mercury,
Platinum, 24 Volt Spark
SHIPS PARCEL

26"-29" CIRCULAR OR SQUARE OPENING

UPK120S26NG | UPK120S26LP


CFB120 Original Brass Burner + WATER STOP 26" Square Aluminum Plate	
FK1 8" Key Valve Extension (4) Collars Ignition Systems Sold Separately: Push Button, 3 Volt, Mercury, Platinum, 24 Volt Spark	32 lbs SHIPS PARCEL

29"-32" CIRCULAR OPENING

UPK180C29NG | UPK180C29LP

CFB180 Original Brass Burner + WATER**STOP** 29" Circular Aluminum Plate FK1 8" Key Valve Extension (5) Collars Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark

33 lbs



29"-32" SQUARE OPENING

UPK180S29NG | UPK180S29LP

CFB180 Original Brass Burner + WATER STOP 29" Square Aluminum Plate	
FK1 8" Key Valve Extension (5) Collars Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark	34 lbs SHIPS PARCEL

35"-38" CIRCULAR OPENING

UPK240C35NG UPK240C35LP	
CFB240 Original Brass Burner + WATER STOP 35" Circular Aluminum Plate FK1 8" Key Valve Extension (6) Collars Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark	41 lbs SHIPS PARCEL

35"-38" SQUARE OPENING

UPK240S35NG UPK240S35LP	
CFB240 Original Brass Burner + WATER STOP 35" Square Aluminum Plate	
FK1	47 lbs
8" Key Valve Extension (6) Collars	SHIPS PARCEL
Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark	

39"-42" CIRCULAR OPENING

UPK240C39NG UPK240C39LP	
CFB240 Original Brass Burner + WATER STOP 39" Circular Aluminum Plate FK1 8" Key Valve Extension (7) Collars Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark	SHIPS FREIGHT

39"-42" SQUARE OPENING

UPK240S39NG UPK240S39LP	
CFB240 Original Brass Burner + WATER STOP 39" Square Aluminum Plate FK1 8" Key Valve Extension (7) Collars Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark	SHIPS FREIGHT

GAS INSERT KITS for SPECIALIZED PAVER FIRE PITS

Whistle Free Flexline

The All-New **SPECIALIZED GAS INSERT KITS** fit topselling paver fire pit brands and are easier to install than ever before! The Mounting Brackets and Collars have been re-engineered to eliminate the need for a drill to install. Each kit includes all components needed to create an exceptional fire feature including the patented CROSS**FIRE**[®] burner, aluminum plate, nodrill collars, specifically-sized vents, mounting bracket which replaces a block while still offering support to the blocks above, and a Flex Line / Key Valve Kit.



Included in each kit:

- CROSSFIRE[®] Brass Burner with WATERSTOP[®] Fitting
- Aluminum Plate
- Flex Line / Key Valve Kit
- Flexible, No-Drill Collars
- Vents (2)
- Mounting Bracket



Flexible, No-Drill Collar (Install between courses of block)



Key Valve / Mounting Bracket (Replaces one block and provides support for next course of block)

See page 57 for available ignition options.

unmatched protection for electronics and valves from water and debris.

The patent-pending WATERSTOP fitting provides





Aluminum Plate



(Vents replace one block and provide support for the next course of block)

WESTON PAVER KIT

UPKBWLP UPKBWNG	CFB240 Orig IN al Brass Burner + WATER STOP [®] , 39" Circular Aluminum Plate, ¾" Flex Line / Key Valve Kit, 11 ¾"x 4" BW Mounting Bracket, (6) Flexible, No Drill Collars, (2) 11 ¾" x 4" Vents Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark	SHIPS FREIGHT
--------------------	--	---------------

VALENCIA PAVER KIT

UPKVLLP UPKVLNG	CFB180 Original Brass Burner + WATER STOP , 29" Circular Aluminum Plate, ¾" Flex Line / Key Valve Kit, VL Mounting Bracket, (5) Flexible, No Drill Collars, (2) 9 ¼" x 3" Vents Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark	38 lbs	SHIPS PARCEL
--------------------	--	--------	--------------

BRANDON PAVER KIT

UPKBSLP UPKBSNG	CFB180 Original Brass Burner + WATER STOP , 27 ¼" Square Aluminum Plate, ¾" Flex Line / Key Valve Kit, 14" x 3 ½" Mounting Bracket, (6) Flexible, No Drill Collars, (2) 14" x 3 ½" Vents Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark	30 lbs	SHIPS PARCEL
--------------------	---	--------	--------------

RAFFINATO PAVER KIT

UPKRRLP UPKRRNG	CFBH160 H-Style Brass Burner + WATER STOP , 32" x 17 ¾" Rectangular Aluminum Plate, ¾" Flex Line / Key Valve Kit, 14" x 3 ½" Mounting Bracket, (5) Flexible, No Drill Collars, (2) 14" x 3 ½" Vents Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark	30 lbs	SHIPS PARCEL	
--------------------	---	--------	--------------	--

PRESCOTT PAVER KIT

UPKPSLP UPKPSNG	CFB180 Original Brass Burner + WATER STOP , 27 ¼" Square Aluminum Plate, 3/4" Flex Line / Key Valve Kit, 9" x 4 ½" Mounting Bracket, (6) Flexible, No Drill Collars, (2) 9" x 4 ½" Vents Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark	38 lbs	SHIPS PARCEL
--------------------	---	--------	--------------

BELVEDERE PAVER KIT

104311 (LP) 104312 (NG)	CFB240 Original Brass Burner + WATER STOP , 36" Circular Aluminum Plate, Aluminum Donut 40" OD x 30" ID, FK1, (6) 19" No Drill Flat Collar 2" Drop, (2) 6" x 11.312" Vent, 6" x 11.312" Belvedere Mounting Bracket	SHIPS FREIGHT
----------------------------	---	---------------

KEYSTONE FIREPLACE KIT

X007 (NG)	CFBT230 Brass Burner + 20" x 8" Rectangular Aluminum Plate + FL3612 + KV12B Angled	SHIPS FREIGHT
X010 (LP)	Threaded Key Valve + KEY12 + Keystone Bracket +	SI III SI KEIGITI

1041376 (NG) 104377 (LP)	CFB240 Original Brass Burner with WATER STOP® + 35 ½" Circular Aluminum Plate + FK1 + (6) COLLARF + (2) 8 5⁄8" x 4" Vent + 8 5⁄8" x 4" Mounting Bracket Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark	SHIPS FREIGHT
104277 (10)	5	SHIPS FREIGHT

POLYCOR PAVER KIT - SQUARE

103441LP 103441NG	CFB180 Original Brass Burner with WATER STOP® + 28" Square Aluminum Plate + FK1 + 14 ½" x 5" Mounting Bracket + (4) Flexible, No Drill Collars + (2) 14 ½" x 5" Vents	SHIPS FREIGHT	

POLYCOR PAVER KIT - RECTANGULAR

103446LP	CFBH160 H-Style Brass Burner with WATER STOP ® + 42 ½" x 13 ½" Rectangular Aluminum	SHIPS FREIGHT
103446NG	Plate + FK1 + 14 1/2" x 5" Mounting Bracket + (4) Flexible, No Drill Collars + (2) 14 1/2" x 5" Vents	SHIFS FREIGHT

PALMETTO PAVER KIT

104259 104560	CFB240 Original Brass Burner with WATER STOP ® + 31.5" Circular Aluminum Plate + FK1 + (5) COLLARF + (2) 8.625" x 4" Vent + 8.625" x 4" Mounting Bracket	SHIPS FREIGHT
------------------	--	---------------

IGNITIONS FOR PAVER FIRE FEATURE KITS

Whether you're looking to light your Paver Fire Kit with the simplicity of a match or you'd prefer a fully automatic ignition system, Warming Trends offers the ideal ignition for your project. See page 57 for available ignition systems.

FPVK Fire Pit Vent Kit: (2) 3 7/8"x 12" Vents + 18 sq inches of Vent Area per Unit 2 lbs SHIPS PARCEL



PLATES, PANS, and COVERS

Precision cut from aluminum using state-of-the-art technology, Warming Trends PLATES and PANS are corrosion resistant and include drainage vents.

CIRCULAR PLATES AND PANS



Plates

SKU	DESCRIPTION	SHIP W	EIGHT + METHOD
ALPL18C	18" Circular	6 lbs	
ALPL24C	24" Circular	8 lbs	
ALPL30C	30" Circular	11 lbs	SHIPS PARCEL
ALPL36C	36" Circular	16 lbs	
ALPL42C	42" Circular		
ALPL48C	48" Circular	SHI	PS FREIGHT
ALPL60C	60" Circular		
ALPL12-17C	12" - 17" Circular	5 lbs	
ALPL19-23C	19" - 23" Circular	8 lbs	
ALPL25-29C	25" - 29" Circular	11 lbs	SHIPS PARCEL
ALPL31-35C	31" - 35" Circular	15 lbs	
ALPL37-41C	37" - 41" Circular		
ALPL43-47C	43" - 47" Circular		
ALPL49-59C	49" - 59" Circular		
ALPL61-66C	61" - 66" Circular	SHI	PS FREIGHT
ALPL67-72C	67" - 72" Circular		
ALPL73-80C	73" - 80" Circular		
ALPLCUST	Aluminium plate customized to any shape or size	Call for Quote	



Pans (Pans include 2" welded sidewall)

SKU	DESCRIPTION	SHIP WEI	GHT + METHOD	
ALPAN18C	18" Circular	7 lbs		
ALPAN24C	24" Circular	9 lbs		
ALPAN30C	30" Circular	12 lbs	SHIPS PARCEL	
ALPAN36C	36" Circular	16 lbs		
ALPAN42C	42" Circular			
ALPAN48C	48" Circular	SHI	PS FREIGHT	
ALPAN60C	60" Circular			
ALPAN12-17C	12" - 17" Circular	6 lbs		
ALPAN19-23C	19" - 23" Circular	9 lbs		
ALPAN25-29C	25" - 29" Circular	12 lbs	SHIPS PARCEL	
ALPAN31-35C	31" - 35" Circular	16 lbs		
ALPAN37-41C	37" - 41" Circular			
ALPAN43-47C	43" - 47" Circular	SHI	PS FREIGHT	
ALPAN49-59C	49" - 59" Circular			
ALPANCUST	Aluminium pan customized to any shape or size	Call for Quote		


TECH TIP


Plate/pan should be sized slightly smaller than the measurement of the opening. This allows easier installation and removal for service.

Knockouts are provided for standard plates, pans, and covers up to 36".



SQUARE PLATES AND PANS





Plates

SKU	DESCRIPTION	SHIP WE	IGHT + METHOD	
ALPL18S	18" Square	7 lbs		
ALPL24S	24" Square	10 lbs		
ALPL30S	30" Square	14 lbs	SHIPS PARCEL	
ALPL36S	36" Square	19 lbs		
ALPL42S	42" Square			
ALPL48S	48" Square	SHI	PS FREIGHT	
ALPL60S	60" Square			
ALPL12-17S	12" - 17" Square	6 lbs		
ALPL19-23S	19" - 23" Square	9 lbs		
ALPL25-29S	25" - 29" Square	14 lbs	SHIPS PARCEL	
ALPL31-35S	31" - 35" Square	18 lbs		
ALPL37-41S	37" - 41" Square			
ALPL43-47S	43" - 47" Square			
ALPL49-59S	49" - 59" Square	<u></u>		
ALPL61-66S	61" - 66" Square	SHI	PS FREIGHT	
ALPL67-72S	67" - 72" Square			
ALPL73-80S	73" - 80" Square			
ALPLCUST	Aluminium plate customized to any shape or size	Call for Quote		

Pans (Pans include 2" welded sidewall)

SKU	DESCRIPTION	SHIP WEIGHT + METHO		
ALPAN18S	18" Square	6 lbs		
ALPAN24S	24" Square	10 lbs	SHIPS PARCEL	
ALPAN30S	30" Square	15 lbs		
ALPAN36S	36" Square	19 lbs		
ALPAN42S	42" Square			
ALPAN48S	48" Square	SHI	PS FREIGHT	
ALPAN60S	60" Square			
ALPAN12-17S	12" - 17" Square	5 lbs		
ALPAN19-23S	19" - 23" Square	10 lbs		
ALPAN25-29S	25" - 29" Square	14 lbs	SHIPS PARCEL	
ALPAN31-35S	31" - 35" Square	19 lbs		
ALPAN37-41S	37" - 41" Square			
ALPAN43-47S	43" - 47" Square	SHI	PS FREIGHT	
ALPAN49-59S	49" - 59" Square	-		
ALPANCUST	Aluminium pan customized to any shape or size	Call for Quote		

RECTANGULAR PLATES - FIXED SIZES

SKU	DESCRIPTION	SHIP WE	IGHT + METHO
ALPL2011	20" X 11" Rectangular Aluminum Plate	3 lbs	
ALPL2217	22" X 17" Rectangular Aluminum Plate	5 lbs	
ALPL266	26" X 6" Rectangular Aluminum Plate	3 lbs	
ALPL2811	28" X 11" Rectangular Aluminum Plate	5 lbs	
ALPL2815	28" X 15" Rectangular Aluminum Plate	6 lbs	
ALPL2917	29" X 17" Rectangular Aluminum Plate	7 lbs	
ALPL328	32" X 8" Rectangular Aluminum Plate	4 lbs	
ALPL3417	34" X 17" Rectangular Aluminum Plate	8 lbs	
ALPL3611	36" X 11" Rectangular Aluminum Plate	5 lbs	
ALPL388	38" X 8" Rectangular Aluminum Plate	4 lbs	SHIPS PARCEL
ALPL4017	40" X 17" Rectangular Aluminum Plate	9 lbs	
ALPL408	40" X 8" Rectangular Aluminum Plate	5 lbs	
ALPL4118	41" X 18" Rectangular Aluminum Plate	15 lbs	
ALPL4414	44" X 14" Rectangular Aluminum Plate	6 lbs	
ALPL448	44" X 8" Rectangular Aluminum Plate	8 lbs	
ALPL4617	46" X 17" Rectangular Aluminum Plate	16 lbs	
ALPL5010	50" X 10" Rectangular Aluminum Plate	10 lbs	
ALPL5018	50" X 18" Rectangular Aluminum Plate	18 lbs	
ALPL5610	56" X 10" Rectangular Aluminum Plate	12 lbs	
ALPL5625	56" X 25" Rectangular Aluminum Plate	SHI	PS FREIGHT
ALPL5814	58" X 14" Rectangular Aluminum Plate	17 lbs	
ALPL5918	59" X 18" Rectangular Aluminum Plate	22 lbs	SHIPS PARCEL
ALPL6215	62" X 15" Rectangular Aluminum Plate		
ALPL6225	62" X 25" Rectangular Aluminum Plate		
ALPL6614	66" X 14" Rectangular Aluminum Plate	SHI	PS FREIGHT
ALPL7414	74" X 14" Rectangular Aluminum Plate		

RECTANGULAR PLATES - RANGE OPTIONS

SKU DESCRIPTION				
	Length	Width		
PLR2312	18" - 23.9"	6" - 12.9"		
PLR2912	24" - 29.9"	6" - 12.9"		
PLR3512	30" - 35.9"	6" - 12.9"		
PLR4112	36" - 41.9"	6" - 12.9"		
PLR4712	42" - 47.9"	6" - 12.9"		
PLR5312	48" - 53.9"	6" - 12.9"		
PLR6112	54" - 61.9"	6" - 12.9"		
PLR6712	62" - 67.9"	6" - 12.9"		
PLR7312	68" - 73.9"	6" - 12.9"		
PLR7912	74" - 79.9"	6" - 12.9"		
PLR8512	80" - 85.9"	6" - 12.9"		
PLR9112	86" - 91.9"	6" - 12.9"		
PLR9712	92" - 97.9"	6" - 12.9"		
PLR10312	98" - 103.9"	6" - 12.9"		
PLR10912	104" - 109.9"	6" - 12.9"		
PLR11512	110" - 115.9"	6" - 12.9"		
PLR12012	116" - 120"	6" - 12.9"		
PLR2317	18" - 23.9"	13" - 17.9"		
PLR2917	24" - 29.9"	13" - 17.9"		
PLR3517	30" - 35.9"	13" - 17.9"		
PLR4117	36" - 41.9"	13" - 17.9"		
PLR4717	42" - 47.9"	13" - 17.9"		
PLR5317	48" - 53.9"	13" - 17.9"		
PLR6117	54" - 61.9"	13" - 17.9"		
PLR6717	62" - 67.9"	13" - 17.9"		
PLR7317	68" - 73.9"	13" - 17.9"		
PLR7917	74" - 79.9"	13" - 17.9"		
PLR8517	80" - 85.9"	13" - 17.9"		
PLR9117	86" - 91.9"	13" - 17.9"		
PLR9717	92" - 97.9"	13" - 17.9"		
PLR10317	98" - 103.9"	13" - 17.9"		
PLR10917	104" - 109.9"	13" - 17.9"		
PLR11517	110" - 115.9"	13" - 17.9"		
PLR12017	116" - 120"	13" - 17.9"		

Ship Weight and Dimensions vary. Please contact for quote.
Rectangular pans available.

SKU	DESCRIPTION	
	Length	Width
PLR2923	24" - 29.9"	18" - 23.9"
PLR3523	30" - 35.9"	18" - 23.9"
PLR4123	36" - 41.9"	18" - 23.9"
PLR4723	42" - 47.9"	18" - 23.9"
PLR5323	48" - 53.9"	18" - 23.9"
PLR6123	54" - 61.9"	18" - 23.9"
PLR6723	62" - 67.9"	18" - 23.9"
PLR7323	68" - 73.9"	18" - 23.9"
PLR7923	74" - 79.9"	18" - 23.9"
PLR8523	80" - 85.9"	18" - 23.9"
PLR9123	86" - 91.9"	18" - 23.9"
PLR9723	92" - 97.9"	18" - 23.9"
PLR10323	98" - 103.9"	18" - 23.9"
PLR10923	104" - 109.9"	18" - 23.9"
PLR11523	110" - 115.9"	18" - 23.9"
PLR12023	116" - 120"	18" - 23.9"
PLR4129	36" - 41.9"	24" - 29.9"
PLR4729	42" - 47.9"	24" - 29.9"
PLR5329	48" - 53.9"	24" - 29.9"
PLR6129	54" - 61.9"	24" - 29.9"
PLR6729	62" - 67.9"	24" - 29.9"
PLR7329	68" - 73.9"	24" - 29.9"
PLR7929	74" - 79.9"	24" - 29.9"
PLR8529	80" - 85.9"	24" - 29.9"
PLR9129	86" - 91.9"	24" - 29.9"
PLR9729	92" - 97.9"	24" - 29.9"
PLR10329	98" - 103.9"	24" - 29.9"
PLR10929	104" - 109.9"	24" - 29.9"
PLR11529	110" - 115.9"	24" - 29.9"
PLR12029	116" - 120"	24" - 29.9"
PLR4136	37" - 41.9"	30" - 36"
PLR4736	42" - 47.9"	30" - 36"
PLR5336	48" - 53.9"	30" - 36"
PLR6136	54" - 61.9"	30" - 36"
PLR6736	62" - 67.9"	30" - 36"
PLR7336	68" - 73.9"	30" - 36"
PLR7936	74" - 79.9"	30" - 36"
PLR8536	80" - 85.9"	30" - 36"
PLR9136	86" - 91.9"	30" - 36"
PLR9736	92" - 97.9"	30" - 36"
PLR10336	98" - 103.9"	30" - 36"
PLR10936	104" - 109.9"	30" - 36"
PLR11536	110" - 115.9"	30" - 36"
PLR12036	116" - 120"	30" - 36"

CIRCULAR AND SQUARE COVERS

Covers over 42" will be cut into multiple pieces.

CIRCULA	R			
SKU	DESCRIPTION	S	HIP WEIGI	HT + METHOD
FPC20C	20" Circular + 1 handle. For 18" opening		9 lbs	SHIPS PARCEL
FPC26C	26" Circular + 1 handle. For 24" opening		13 lbs	SHIPS PARCEL
FPC32C	32" Circular + 1 handle. For 30" opening		19 lbs	SHIPS PARCEL
FPC38C	38" Circular + 2 handles. For 36" opening		23 lbs	SHIPS PARCEL
FPC44C	44" Circular + 2 handles. For 42" opening			SHIPS FREIGHT
FPC50C	50" Circular + 2 handles. For 48" opening			SHIPS FREIGHT
FPC62C	62" Circular + 2 handles. For 60" opening		SHIPS FREIGHT SHIPS PARCEL SHIPS PARCEL	
CCR1419	14" - 19.9" Circular + 1 handle. For 12" - 17.9" opening			
CCR2025	20.1" - 25.9" Circular + 1 handle. For 18.1" - 23.9" openir	ng		
CCR2631	26.1" - 31.9" Circular + 1 handle. For 24.1" - 29.9" openir	ng		SHIPS PARCEL
CCR3237	32.1" - 37.9" Circular + 1 handle. For 30.1" - 35.9" openin	ng		SHIPS PARCEL
CCR3843	38.1" - 43.9" Circular + 2 handles. For 36.1" - 41.9" open	ing		SHIPS FREIGHT
CCR4449	44.1" - 49.9" Circular + 2 handles. For 42.1" - 47.9" open	ing		SHIPS FREIGHT
CCR5055	50.1" - 55.9" Circular + 2 handles. For 48.1" - 53.9" open	ing		SHIPS FREIGHT
CCR5661	56" - 61.9" Circular + 2 handles. For 54" - 59.9" opening			SHIPS FREIGHT
CCR6267	62.1" - 67.9" Circular + 2 handles. For 60.1" - 65.9" open	ing	SHIPS FREIGHT	
CCR6872	68" - 72" Circular + 2 handles. For 66" - 70" opening			SHIPS FREIGHT

SQUARE

SKU	DESCRIPTION	SHIP WEIG	HT + METHOD	
FPC20S	20" Square + 1 handle. For 18" opening	10 lbs		
FPC26S	26" Square + 1 handle. For 24" opening	16 lbs	SHIPS PARCEL	
FPC32S	32" Square + 1 handle. For 30" opening	23 lbs		
FPC38S	38" Square+ 2 handles. For 36" opening			
FPC44S	44" Square + 2 handles. For 42" opening		SHIPS FREIGHT	
FPC50S	50" Square + 2 handles. For 48" opening		SITT	
FPC62S	62" Square + 2 handles. For 60" opening			
CSR1419	14" - 19.9" Square + 1 handle. For 12" - 17.9" opening			
CSR2025	20.1" - 25.9" Square + 1 handle. For 18.1" - 23.9" opening	SHIPS PARCEL		
CSR2631	26.1" - 31.9" Square + 1 handle. For 24.1" - 29.9" opening			
CSR3237	32.1" - 37.9" Square + 1 handle. For 30.1" - 35.9" opening			
CSR3843	38.1" - 43.9" Square + 2 handles. For 36.1" - 41.9" opening			
CSR4449	44.1" - 49.9" Square + 2 handles. For 42.1" - 47.9" opening			
CSR5055	50.1" - 55.9" Square + 2 handles. For 48.1" - 53.9" opening			
CSR5661	56" - 61.9" Square + 2 handles. For 54" - 59.9" opening		SHIPS FREIGHT	
CSR6267	62.1" - 67.9" Square + 2 handles. For 60.1" - 65.9" opening			
CSR6872	68" - 72" Square + 2 handles. For 66" - 70" opening			



52 (303) 346 - 2224 | Orders@Warming-Trends.com

RECTANGULAR COVERS

TECH TIP

Covers should be sized at least 2" larger than the measurement of the opening. This allows easier installation and removal for service.

Covers over 42" will be cut into multiple pieces.

SKU	DESCRIPTION			SHIPPING METHOD
		Length	Width	
CRR2312	18" - 23.9" x 6" - 12.9" Rectangular + 1 handle	18" - 23.9"	6" - 12.9"	
CRR2912	24" - 29.9" x 6" - 12.9" Rectangular + 1 handle	24" - 29.9"	6" - 12.9"	
CRR3512	30" - 35.9" x 6" - 12.9" Rectangular + 1 handle	30" - 35.9"	6" - 12.9"	
CRR4112	36" - 41.9" x 6" - 12.9" Rectangular + 2 handles	36" - 41.9"	6" - 12.9"	
CRR4712	42" - 47.9" x 6" - 12.9" Rectangular + 2 handles	42" - 47.9"	6" - 12.9"	SHIPS PARCEL
CRR5312	48" - 53.9" x 6" - 12.9" Rectangular + 2 handles	48" - 53.9"	6" - 12.9"	
CRR6112	54" - 61.9" x 6" - 12.9" Rectangular + 2 handles	54" - 61.9"	6" - 12.9"	
CRR6712	62" - 67.9" x 6" - 12.9" Rectangular + 2 handles	62" - 67.9"	6" - 12.9"	
CRR7312	68" - 73.9" x 6" - 12.9" Rectangular + 2 handles	68" - 73.9"	6" - 12.9"	
CRR7912	74" - 79.9" x 6" - 12.9" Rectangular + 2 handles	74" - 79.9"	6" - 12.9"	
CRR8512	80" - 85.9" x 6" - 12.9" Rectangular + 2 handles	80" - 85.9"	6" - 12.9"	
CRR9112	86" - 91.9" x 6" - 12.9" Rectangular + 2 handles	86" - 91.9"	6" - 12.9"	
CRR9712	92" - 97.9" x 6" - 12.9" Rectangular + 2 handles	92" - 97.9"	6" - 12.9″	SHIPS FREIGHT
CRR10312	98" - 103.9" x 6" - 12.9" Rectangular + 2 handles	98" - 103.9"	6" - 12.9″	
CRR10912	104" - 109.9" x 6" - 12.9" Rectangular + 2 handles	104" - 109.9"	6" - 12.9″	
CRR11512	110" - 115.9" x 6" - 12.9" Rectangular + 2 handles	110" - 115.9"	6" - 12.9″	
CRR12212	116" - 120" x 6" - 12.9" Rectangular + 2 handles	116" - 120"	6" - 12.9″	
CRR2317	18" - 23.9" x 13" - 17.9" Rectangular + 1 handle	18" - 23.9"	13" - 17.9"	
CRR2917	24" - 29.9" x 13" - 17.9" Rectangular + 1 handle	24" - 29.9"	13" - 17.9"	
CRR3517	30" - 35.9" x 13" - 17.9" Rectangular + 1 handle	30" - 35.9"	13" - 17.9"	
CRR4117	36" - 41.9" x 13" - 17.9" Rectangular + 2 handles	36" - 41.9"	13" - 17.9"	
CRR4717	42" - 47.9" x 13" - 17.9" Rectangular + 2 handles	42" - 47.9"	13" - 17.9"	SHIPS PARCEL
CRR5317	48" - 53.9" x 13" - 17.9" Rectangular + 2 handles	48" - 53.9"	13" - 17.9"	
CRR6117	54" - 61.9" x 13" - 17.9" Rectangular + 2 handles	54" - 61.9"	13" - 17.9"	
CRR6717	62" - 67.9" x 13" - 17.9" Rectangular + 2 handles	62" - 67.9"	13" - 17.9"	
CRR7317	68" - 73.9" x 13" - 17.9" Rectangular + 2 handles	68" - 73.9"	13" - 17.9"	
CRR7917	74" - 79.9" x 13" - 17.9" Rectangular + 2 handles	74" - 79.9"	13" - 17.9"	
CRR8517	80" - 85.9" x 13" - 17.9" Rectangular + 2 handles	80" - 85.9"	13" - 17.9"	
CRR9117	86" - 91.9" x 13" - 17.9" Rectangular + 2 handles	86" - 91.9"	13" - 17.9"	
CRR9717	92" - 97.9" x 13" - 17.9" Rectangular + 2 handles	92" - 97.9"	13" - 17.9"	SHIPS FREIGHT
CRR10317	98" - 103.9" x 13" - 17.9" Rectangular + 2 handles	98" - 103.9"	13" - 17.9"	
CRR10917	104" - 109.9" x 13" - 17.9" Rectangular + 2 handles	104" - 109.9"	13" - 17.9"	
CRR11517	110" - 115.9" x 13" - 17.9" Rectangular + 2 handles	110" - 115.9"	13" - 17.9"	
CRR12017	116" - 120" x 13" - 17.9" Rectangular + 2 handles	116" - 120"	13" - 17.9"	

SHIPPING METHOD

RECTANGULAR COVERS

SKU	DESCRIPTION			SHIPPING METHOD
		Length	Width	
CRR2923	24" - 29.9" x 18" - 23.9" Rectangular + 1 handle	24" - 29.9"	18" - 23.9"	
CRR3523	30" - 35.9" x 18" - 23.9" Rectangular + 1 handle	30" - 35.9"	18" - 23.9"	
CRR4123	36" - 41.9" x 18" - 23.9" Rectangular + 2 handles	36" - 41.9"	18" - 23.9"	
CRR4723	42" - 47.9" x 18" - 23.9" Rectangular + 2 handles	42" - 47.9"	18" - 23.9"	
CRR5323	48" - 53.9" x 18" - 23.9" Rectangular + 2 handles	48" - 53.9"	18" - 23.9"	SHIPS PARCEL
CRR6123	54" - 61.9" x 18" - 23.9" Rectangular + 2 handles	54" - 61.9"	18" - 23.9"	
CRR6723	62" - 67.9" x 18" - 23.9" Rectangular + 2 handles	62" - 67.9"	18" - 23.9"	
CRR7323	68" - 73.9" x 18" - 23.9" Rectangular + 2 handles	68" - 73.9"	18" - 23.9"	
CRR7923	74" - 79.9" x 18" - 23.9" Rectangular + 2 handles	74" - 79.9"	18" - 23.9"	
CRR8523	80" - 85.9" x 18" - 23.9" Rectangular + 2 handles	80" - 85.9"	18" - 23.9"	
CRR91123	86" - 91.9" x 18" - 23.9" Rectangular + 2 handles	86" - 91.9"	18" - 23.9"	
CRR9723	92" - 97.9" x 18" - 23.9" Rectangular + 2 handles	92" - 97.9"	18" - 23.9"	
CRR10323	98" - 103.9" x 18" - 23.9" Rectangular + 2 handles	98" - 103.9"	18" - 23.9"	SHIPS FREIGHT
CRR10923	104" - 109.9" x 18" - 23.9" Rectangular + 2 handles	104" - 109.9"	18" - 23.9"	
CRR11523	110" - 115.9" x 18" - 23.9" Rectangular + 2 handles	110" - 115.9"	18" - 23.9"	
CRR12223	116" - 122" x 18" - 23.9" Rectangular + 2 handles	116" - 122"	18" - 23.9"	
CRR4130	36" - 41.9" x 24" - 30" Rectangular + 2 handles	36" - 41.9"	24" - 30"	
CRR4730	36" - 41.9" x 24" - 30" Rectangular + 2 handles	42" - 47.9"	24" - 30"	_
CRR5330	48" - 53.9" x 24" - 30" Rectangular + 2 handles	48" - 53.9"	24" - 30"	SHIPS PARCEL
CRR6130	54" - 61.9" x 24" - 30" Rectangular + 2 handles	54" - 61.9"	24" - 30"	
CRR6730	62" - 67.9" x 24" - 30" Rectangular + 2 handles	62" - 67.9"	24" - 30"	
CRR7330	68" - 73.9" x 24" - 30" Rectangular + 2 handles	68" - 73.9"	24" - 30"	_
CRR7930	74" - 79.9" x 24" - 30" Rectangular + 2 handles	74" - 79.9"	24" - 30"	
CRR8530	80" - 85.9" x 24" - 30" Rectangular + 2 handles	80" - 85.9"	24" - 30"	
CRR9130	86" - 91.9" x 24" - 30" Rectangular + 2 handles	86" - 91.9"	24" - 30"	
CRR9730	92" - 97.9" x 24" - 30" Rectangular + 2 handles	92" - 97.9"	24" - 30"	SHIPS FREIGHT
CRR10330	98" - 103.9" x 24" - 30" Rectangular + 2 handles	98" - 103.9"	24" - 30"	
CRR10930	104" - 109.9" x 24" - 30" Rectangular + 2 handles	104" - 109.9"	24" - 30"	
CRR11530	110" - 115.9" x 24" - 30" Rectangular + 2 handles	110" - 115.9"	24" - 30"	
CRR12230	116" - 122" x 24" - 30" Rectangular + 2 handles	116" - 122"	24" - 30"	

EXPERTS IN COMMERCIAL APPLICATIONS AND DESIGN.

Big or small, Warming Trends can help create the perfect gathering spot for any commercial space.



IGNITIONS and ELECTRONIC ACCESSORIES

Light your fire feature with the simplicity of a match or choose a fully automatic **IGNITION SYSTEM**. See the Ignition Compatibility Chart on page 57 for guidance.

IGINII				IIDI		СП	ΑΚΙ				_		
Not all burners shown below.	Plate / Pan (inches)	CIRCULAR PLATE	SQUARE PLATE	RECTANGULAR PLATE	FLEX LINE KIT 1 (FK1)	FLEX LINE KIT 2 (FK2)	MERCURY FLEX LINE KIT 1 (FKM1)	MERCURY FLEX LINE KIT 2 (FKM2)	PBIK	MERCURY IGNITION SYSTEM	PLATINUM IGNITION SYSTEM	3VIK	24VIKHC
ORIGINAL	[]	1	1	1		1				1	1		
CFB60	18"	Х	Х		Х		Х		Х	Х	Х	Х	Х
CFB60XL	18"	Х	Х		Х		Х		Х	Х	Х	Х	Х
CFB84	18"	Х	Х		Х		Х		Х	Х	Х	Х	Х
CFB120	24"	Х	Х		Х		Х		Х	Х	Х	Х	Х
CFB180	30"	Х	Х		Х		Х		Х	Х	Х		Х
CFB240	30"	Х	Х		Х		Х		Х	Х	Х		Х
CFB290	36"	Х	Х			Х		Х	Х		Х		Х
CFB350	48"	Х	Х			Х		Х			Х		Х
CFB450	60"	Х	Х			Х		Х			Х		
OCTAGON	IAL												
CFBO140	18"	Х	Х		Х		Х		Х	Х	Х		Х
CFBO180	24"	Х	Х		Х		Х		Х	Х	Х		Х
CFBO280	30"	Х	Х			Х		Х	Х		Х		Х
CFBO320	36"	Х	Х			Х		Х			Х		Х
CFBO360	42"	Х	Х			Х		Х			Х		Х
TREE-STYL	.ES												
CFBT110	20" x 11"			Х	Х		Х		Х	Х	Х	Х	Х
CFBT170	28" x 11"			X	Х		Х		Х	Х	Х		Х
CFBT230	36" x 11"			Х	Х		Х		Х	Х	Х		Х
CFBT290	44" x 14"			Х		Х		Х	Х		Х		Х
CFBT350	58" x 14"			Х		Х		Х			Х		Х
CFBT410	66" x 14"			Х		Х		Х			Х		
CFBT470	74" x 14"			Х		Х		Х			Х		
LINEAR													
CFBL90	20" x 6"			Х	Х		Х		Х	Х	Х	Х	Х
CFBL110	26" x 6"			Х	Х		Х		Х	Х	Х	Х	Х
CFBL130	32" x 8"			Х	Х		Х		Х	Х	Х	Х	Х
CFBL150	38" x 8"			Х	Х		Х		Х	Х	Х		Х
CFBL190	44" x 8"			Х	Х		Х		Х	Х	Х		Х
CFBL210	50" x 10"			Х	Х		Х		Х	Х	Х		Х

IGNITION COMPATIBILITY CHART

TECH TIP

Plate/pan should be sized slightly smaller than the measurement of the opening. This allows easier installation and removal for service.

IGNITION SYSTEMS



MATCH LIT

All CROSS**FIRE**[®] Brass Burners come standard as a manual **MATCH LIT SYSTEM**. Light a match and turn the key valve to ignite your fire feature burner.



PUSH BUTTON IGNITION

Upgrade to an electric **PUSH BUTTON IGNITION**. Turn the key valve to on position and push the button to ignite your burner.

SKU	DESCRIPTION	SHIP WEIGH	IT + METHOD	
РВІКЗ.0	Push Button Ignition Kit: Spark Igniter Rod and Wire + Push Button Battery Operated Control Module	3 lbs		
PBIK3.0MBR	Push Button Ignition Kit + Mounting Bracket + (2) ¾" Street Elbows	5 lbs		
PBIK3.0MBRFK1	Push Button Ignition Kit + Mounting Bracket + FK1 + 3" and 12" Key + (2) Pre-mounted ¾" Street Elbows	9 lbs	SHIPS PARCEL	PBIK3.0MBR
PBIK3.0MBRFK2	Push Button Ignition Kit + Mounting Bracket + FK2 + 3" and 12" Key + (2) Pre-mounted ¾" Street Elbows	11 lbs		

MERCURY IGNITION SYSTEM

The **MERCURY IGNITION SYSTEM™** provides a layer of safety in the event a burner's flame is unexpectedly extinguished. This innovative new design provides a quick, automatic shutoff of gas flow and an easy reset to reignite the flame when ready to address building and safety code requirements, as well as personal safety preferences.

SKU	DESCRIPTION	SHIP WEIGHT + METHOD		
MERCLP	Mercury Ignition Spark Igniter with Internal Safety Shutoff + 3' Pilot for use with any Burner up to 240K BTU + FIT180 + Liquid Propane			
MERCNG	Mercury Ignition Spark Igniter with Internal Safety Shutoff + 3' Pilot for use with any Burner up to 240K BTU + FIT180 + Natural Gas	7 lbs	SHIPS PARCEL	



Catalyst Electronics Mercury Ignition System™ is a trademark owned by and used with permission from Catalyst Electronics, LLC.




PLATINUM IGNITION SYSTEM

The **PLATINUM IGNITION SYSTEM™** delivers superior quality, performance, and value to our partners and their customers. Expertly engineered, this innovative ignition has been designed and built to eliminate industry-wide weaknesses in outdoor fire feature ignitions. The Platinum Ignition System includes the Valve Box, Transformer, and Pilot Assembly.

SKU	DESCRIPTION	SHIP WEIGH	HT + METHOD	
103063	Platinum 24 Volt Electronic Ignition System - Valve Box Hot Surface Igniter + 24V Transformer for 1/2" Manifolds. Maximum Gas Output 680,000 BTU/h - Natural Gas	14 lbs		24V Transformer Valve Box
103064	Platinum 24 Volt Electronic Ignition System - Valve Box Hot Surface Igniter + 24V Transformer for 1/2" Manifolds. Maximum Gas Output 680,000 BTU/h - Liquid Propane	14 lbs		
103065	Platinum 24 Volt Electronic Ignition System - Valve Box Hot Surface Igniter + 24V Transformer for 3/4" Manifolds. Maximum Gas Output 680,000 BTU/h - Natural Gas	14 lbs	SHIPS PARCEL	
103066	Platinum 24 Volt Electronic Ignition System - Valve Box Hot Surface Igniter + 24V Transformer for 3/4" Manifolds . Maximum Gas Output 680,000 BTU/h - Liquid Propane	14 lbs		

Pilot Assembly

Catalyst Electronics Platinum Ignition System™ is a trademark owned by and used with permission from Catalyst Electronics, LLC.





A battery-operated ignition system with on and off switch. 3 Volt Ignition supplies up to 120K BTUs. Remote control available.



SKU	DESCRIPTION	SHIP WEIG	HT + METHOD	
3VIK-NG 3VIK-LP	3 Volt Electronic Ignition System: Spark Igniter + Control Module + D-Cell Battery Pack + 3 Volt Gas Valve + up to 120K BTU + Ignition Switch	14 lbs	SHIPS PARCEL	3VIK



24 Volt Spark Ignition supplies up to 400K BTUs. Includes step down transformer for use with 24 Volt/110 Volt supply. Remote control options available.



SKU	DESCRIPTION	SHIP WE		
24VIKHC-NG 24VIKHC-LP	24 Volt Spark Ignition System: Spark Igniter + Control Module + 24 Volt Transformer + up to 400K BTU	17 lbs	SHIPS PARCEL	24VIKHC

Low voltage Premium Ignition available. Call a Warming Trends Flame Specialist to discuss the best ignition system for your CROSS**FIRE*** Brass Burner.



Aluminum covers help protect electronic ignition systems from the elements. Available in standard and custom sizes. See page 48.

ELECTRONIC ACCESSORIES

Want to turn your fire feature on remotely? We've got you covered. We offer electronic accessories that keep your fire feature safe and easy to use.





SKU	DESCRIPTION	SHIP WEIGHT + METHOD		
3VRC	ON/OFF Remote Control for 3 Volt Ignition System. Only compatible with 3VIK Ignition.	3 lbs	SHIPS PARCEL	
3VTMR	3 Volt Remote Control Wireless Wall Timer	3 lbs		



24 VOLT KEY CHAIN REMOTE

SKU	DESCRIPTION	SHIP WEIGHT +	- METHOD
KCRC	ON/OFF Wireless Key Chain Remote Control & Plug In Receiver for 24 Volt Ignition System.	4 lbs	SHIPS PARCEL



DIAL TIMERS

Available in 1 hour, 2 hour, and 12 hour options for automatic shut off with NEMA Rated outdoor enclosure.

SKU	DESCRIPTION	SHIP WEIGHT +	+ METHOD
DT2HRNB	2 Hour Dial Timer with NEMA Rated Enclosure.	5 lbs	
DT12HRNB	12 Hour Dial Timer with NEMA Rated Enclosure.	5 lbs	SHIPS PARCEL
DTES1HR	1 Hour Dial Timer with Manual Emergency Shut-off for use on Gas Line. Up to 170K BTUs NG/LP.	4 lbs	






EMERGENCY STOP

SKU	DESCRIPTION	SHIP WEIGHT -	+ METHOD
EMERSTOP	Push Button Emergency Stop with yellow shell and weatherproof lift cover. Recommended for commercial properties.	5 lbs	SHIPS PARCEL
DTES1HR	1 Hour Dial Timer with Manual Emergency Shut-off for use on Gas Line. Up to 170K BTUs NG/LP.	3 lbs	


TECH TIP

Typically commercial projects require an Emergency Stop and electronic ignition. Consult your local code.

ELECTRONICS AND CLEARANCE DIAGRAM




ELECTRONICS AND CLEARANCE DIAGRAM - PLATINUM




INSTALLATION AND CLEARANCE DIAGRAM - MERCURY

Vertical clearance of 120" from burner to combustible structure or materials is required. Horizontal or lateral clearance of 36" between edge of burner and combustible structure or materials is required.



OUTDOOR FIREPLACE CLEARANCE DIAGRAM





PARTS, LOGS, and MEDIA

Select the right accents to complement your feature's surroundings. Complete the feature with a cover made to fit. See page 68 for available covers.

PARTS

šκu	DESCRIPTION	SHIP V	VEIGHT + METHC
FK1	For use with any burner 249K BTUs and below. Kit includes: (1) 36" L x ¾" Diameter Flex Line + ¾" Key Valve + 3" Key and 12" Key + (1) ½" x 2" Nipple	3 lbs	
FK2	For use with any burner 250K BTUs and above. Kit includes: (2) 36" L x ¾" Diameter Flex Line + ¾" Key Valve + 3" Key and 12" Key + (2) ¾" x 3" Nipple + (2) ¾" Tee + (1) ¾" x ½" Male Reducing Fitting	7 lbs	
FIT180	Flex Line & Key Valve Connection Fitting for use with any 121K - 249K BTU Burner. Kit includes: (1) ½" x 2" Nipple	3 lbs	
FKM1	Mercury Ignition Single Flex Line kit - For use with any burner 249K BTUs and below. Kit includes: (1) 36" L x ¾" Diameter Flex Line + (1) 1/2" x 2" Nipple	3 lbs	
FKM2	Mercury Ignition Single Flex Line kit - For use with any burner 249K BTUs and below. Kit includes: (1) 36" L x ¾" Diameter Flex Line + (1) 1/2" x 2" Nipple	6 lbs	
FIT250	Flex Line & Key Valve Connection Fittings for use with any burner 249K - 299K BTU. Kit includes: (1) ¾" x ½" MM Reducer Fitting + (2) ¾" Tee + (1) ¾" x 3" Nipple.	4 lbs	
FIT300	Flex Line & Key Valve Connection Fittings for 300k+ BTU Burner. Kit includes: (2) ¾" x 3" Nipple + (2) ¾" Tee.	4 lbs	
REDUCER3412	Reducer ¾" Male x ½" Male Fitting	3 lbs	
FL3612	36" L x ½" Diameter Flex Line (MM)	4 lbs	
FL3634	36" L x ¾" Diameter Flex Line (MM)	5 lbs	
KV12	½" Key Valve + 3" Key	3 lbs	
KV34	¾" Key Valve + 3" Key	3 lbs	SHIPS PARCEL
KEY3	3" Кеу	1 lb	
KEY12	12" Кеу	3 lbs	
KEY24	24" Кеу	3 lbs	
KVE4	4" Threaded metal Key Valve Extension	2 lbs	
KVE8	8" Threaded metal Key Valve Extension	3 lbs	
DRIPLEG12	½" Drip Leg Kit	4 lbs	
DRIPLEG34	¾" Drip Leg Kit	5 lbs	
LPRH	Liquid Propane Regulator mounted on ⁵ / ₁₆ " (internal diameter) 10' hose with hand wheel quick connect. For use up to 200K BTUs with a 20 lb Propane Tank.	4 lbs	
REGLP200	Regulator ¾" NPT female outlet 200K BTU/hr capacity. Maximum inlet pressure 250 PSI. Low pressure outlet 11" W.C. Liquid Propane	3 lbs	
COLLAR	Paver Kit Adjustable Install Collar 19" + (6) Screws	2 lbs	
COLLARF	19" flexible, No drill Collar for installation between courses of block	2 lbs	
FPVK	Fire Pit Vent Kit: (2) 12" x 3 ⁷ /8" Vents (18 square inches of vent area per vent) + (8) Screws	3 lbs	
VENTVL	(2) 9 ¼" X 3" Each Vent replaces one block, provides block support and 18" of venting	2 lbs	
VENTBW	(2) 11 ¾" X 4" Each Vent replaces one block, provides block support and 18" of venting	2 lbs	



FK1 For use with any burner 249K BTUs and below.



FK2 For use with any burner 250K BTUs and above.



FKM1 For use with Mercury Ignition and any burner 249K BTUs and below.



FKM2 For use with Mercury Ignition and any burner 250K BTUs and above.





Warming-Trends.com | 00/23 65

CERAMIC LOG SETS



WESTERN OAK LOG SETS

Additional sizes available upon request.

SKU	DESCRIPTION	SHIP WEIGHT + METHOD	
WOS	Western Oak Log Set for 24″-30″ Fire Feature (8 Pieces)	38 lbs	SHIPS PARCEL
WOM	Western Oak Log Set for 36″-42″ Fire Feature (12 Pieces)	SHIPS FREIGHT	
WOL	Western Oak Log Set for 48" Fire Feature (15 Pieces)		



MOUNTAIN SPLIT LOG SETS

Additional sizes available upon request.

SKU	DESCRIPTION	SHIP WEIGHT + METHOD
MSS	Mountain Split Log Set for 24"-30" Fire Feature (8 Pieces)	
MSM	Mountain Split Log Set for 36"-42" Fire Feature (12 Pieces)	SHIPS FREIGHT
MSL	Mountain Split Log Set for 48" Fire Feature (15 Pieces)	



STEEL LOG SETS

Available for 18", 24", 30", and 36" Fire Features.

SKU	DESCRIPTION	SHIP METHOD
SLS18	Handcrafted to fit 18" Fire Feature	
SLS24	Handcrafted to fit 24" Fire Feature	
SLS30	Handcrafted to fit 30" Fire Feature	SHIPS FREIGHT
SLS36	Handcrafted to fit 36" Fire Feature	SHIPS PREIGHT
SLSCUST	Custom Handcrafted Steel Log Set	

TECH TIP


Custom Steel and FireStorm® Log Sets are available. Give us a call at (303) 346-2224.



SKU	DESCRIPTION	METHOD	
FSLS32LP	32" Steel log with integrated CFBL150 CROSS FIRE ® Brass Burner on a 38" x 10" aluminum plate for Liquid Propane		
FSLS32NG	32" Steel log with integrated CFBL150 CROSS FIRE ® Brass Burner on a 38" x 10" aluminum plate for Natural Gas	- SHIPS FREIGHT	

Additional sizes ranging from 20" - 48" available - CALL FOR QUOTE

MEDIA



1 BAG = 1 CUBIC FOOT

PROMOTIONAL ITEMS

Our customers consistently share, "Seeing is believing!" And we have just the solution. Your customers can experience the CROSS**FIRE**[®] Brass Burner's performance first hand with an in-store display. Nothing compares!

COUNTER TOP DISPLAY

The **COUNTER TOP DISPLAY** includes a CFB60XL CROSS**FIRE** Brass Burner with the patent-pending WATER**STOP**[®] fitting, together with a 17" tall, triangular aluminum base.

The Counter Top Display is available in two plate/pan options. The DISCT has a 12" circular plate. DISCT4 has a 12" square plate with 4" sidewalls which can be filled with water to demonstrate the effectiveness of the WATER**STOP** fitting.

This display is great for counter tops or other small spaces. The removable demo burner is the perfect portable sales tool.



FLOOR DISPLAY

The **FLOOR DISPLAY** is 30" tall and 18" square. The display includes a hollow metal frame, choice of four slide-in marketing panels, a plate with a mounted key valve, and a CFB60XL CROSS**FIRE**" Brass Burner + WATER**STOP**[®]. The unit is ready to connect to a 1 lb propane tank (and can be modified to connect up to a 20 lb tank.) Perfect for a showroom display.

PROMOTIONAL ITEMS

AON DISPLAY UNIT



The AON DISPLAY is a compact version of our AON[™] Fire Tables.



Designed to showcase these tables without the space-claim of the full-size unit. The AON Display highlights the beautiful craftsmanship and finish of the tables as well as the patented CROSSFIRE® Brass Burner, renowned for its unmatched flame performance and fuel efficiency. Made in Colorado, USA, the Display exemplifies the superior quality and performance Warming Trends is known for.

The 10" x 20" x 14" Display weighs 32 pounds and connects to a 20 pound propane tank. The complimentary Magnetic Sell Sheet highlights the features, benefits, and options of the AON Fire Tables.


104628BLK	R20-Rectangle 20" x 14" x 10" Display Fire Table in Black with a PBIK Ignition - LP
104628GRY	R20-Rectangle 20" x 14" x 10" Display Fire Table in Charcoal with a PBIK Ignition - LP
104628SND	R20-Rectangle 20" x 14" x 10" Display Fire Table in Sand Pebble with a PBIK Ignition - LP
104628BNZ	R20-Rectangle 20" x 14" x 10" Display Fire Table in Bronze with a PBIK Ignition - LP


SEEING IS BELIEVING.



INDOOR / OUTDOOR BANNERS

Let customers know you are a Warming Trends dealer. Versatile for indoor or outdoor use, these (3'x 6' and 6'x 3') **BANNERS** have grommets on each corner for easy hanging and are made to withstand the elements when displayed outdoors. Choose from these designs:





AUTHORIZED DEALER WINDOW CLING

Promote your Warming Trends dealer status to customers as they enter your door. Choose between a horizontal (6" x 3") or a vertical (3" x 6") design, featuring the eye-catching flame of the CROSS**FIRE**[®] brass burner.

Easy to apply, just peel the backing off and adhere to the inside of glass.





Custom fire features are only a call away. (303) 346-2224

WARRANTY

FULL LIFETIME WARRANTY FOR CROSSFIRE® BURNERS

Warming Trends warrants that each Warming Trends® Crossfire® and other jetted-flame-brass burners sold through Warming Trends' distribution network (each as "Burner") is free from defects in materials

and workmanship and conforms to its specifications, which are available upon request. We offer a lifetime, full warranty for our Burners, regardless of ownership, beginning on the date of purchase ("Warranty Period"). This warranty is transferable, but we reserve the right to require proof of ownership for any transferred burners including proof that the Burner was not acquired through improper means or unauthorized re-sellers. During the Warranty Period, Warming Trends provides repair and exchange services for the Burners, without charge. If a Burner does not function as warranted during the Warranty Period and, after a reasonable number of attempts, Warming Trends is unable to either 1) make it do so or 2) replace it with one that is at least functionally equivalent, you may return it to Warming Trends and your money will be refunded. The warranty stated above will not apply to the extent that there has been misuse or use contrary to specifications or the appropriate user or operating manual, installation defect, accident, modification, unsuitable physical or operating environment, operation in other than the specified operating environment (e.g., outdoor burners should only be used outdoors) improper maintenance by you, or failure caused by a product for which Warming Trends is not responsible. With respect to Burners, the warranty is voided by removal or alteration of any identification labels or marks on any Burner or part.

ITEMS NOT COVERED BY FULL WARRANTY FOR BURNERS

OTHER THAN AS EXPRESSLY STATED ABOVE, WARMING TRENDS DOES NOT WARRANT UNINTERRUPTED OR ERROR-FREE OPERATION OF ANY BURNER, OR THAT WARMING TRENDS WILL CORRECT ALL DEFECTS.

This warranty is specific to Burners and does not apply to any other product sold by Warming Trends, which may be covered by separate warranties with different terms. Warming Trends does not warrant any services related to our Burners, including installation, unless we provided those services to you. You may have warranty rights from the service provider, but we make no representations or warranties express or implied regarding any third-party service provider and our warranties do not apply to failures caused by their work.

IGNITION SYSTEMS WARRANTIES

Residential Installations

Platinum Ignition Systems are warranted for three (3) years from date of purchase, when installed on a Warming Trends plate or pan and with listed Crossfire® burners as set forth as Certified with Platinum Ignition Systems in the Platinum Ignition System Instruction Manual or as otherwise approved by Warming Trends, in writing, prior to sale. In the event a Platinum Ignition System must be replaced due to a defect or malfunction of the system, Warming Trends* will repair or replace the system at no cost for the first three (3) years. This warranty does not cover labor costs and will be automatically voided if the ignition system is installed or used with a non-specified burner, accessories or recommended plate or pan, and cover. 24VIK and 3VIK systems are warranted for one (1) year from the date of purchase and, thereafter, are covered by a limited warranty for two (2) years from date of purchase. In the event a 24VIK or 3VIK

system must be replaced due to a defect or malfunction of the system, Warming Trends® will repair or replace the system at no cost for the first year. In the event a 24VIK or 3VIK system fails after the first year from date of purchase and within two years from date of purchase, Warming Trends will repair or replace the system for a cost of 50% of the current list price. This warranty does not cover labor costs. P24VIK Systems are warranted for three (3) years from date of purchase. In the event a system must be replaced due to a defect or malfunction of the system, Warming Trends will repair or replace the system at no cost for the first three (3) years. This warranty does not cover labor costs.

Mercury Ignition systems are warned for three (3) years from date of purchase, when installed on a Warming Trends plate or pan and with listed Crossfire® burners as set forth as Certified with Mercury

Ignitions in the Mercury Ignition Instruction Manual or as otherwise approved by Warming Trends, in writing, prior to sale. In the event a Mercury Ignition system must be replaced due to a defect or malfunction of the system, Warming Trends will repair or replace the system at no cost for the first three years. This warranty does not cover labor costs and will be automatically voided if the ignition system is installed or used with a non-specified burner, accessories or recommended plate or pan, and cover. Push Button Ignition Systems pre-installed by Warming Trends will repair or replace the system at no cost for the first year. This warranty does not cover labor costs and will be automatically voided if the ignition system is not soft or the first year. This warranty does not cover labor costs and will be automatically voided if the ignition system is not soft or the first year. This warranty does not cover labor costs and will be automatically voided if the ignition system is not soft or the first year. This warranty does not cover labor costs and will be automatically voided if the ignition system is not soft or the first year. This warranty does not cover labor costs and will be automatically voided if the ignition system is not soft or pan, and cover. Warming Trends does not offer any warranty for Push Button Ignition Systems not the ignition system is installed or used with a non-specified burner, accessories or recommended plate or pan, and cover. Warming Trends does not offer any warranty for Push Button Ignition Systems not pre-installed on AONs.

Commercial Installations

Platinum Ignition Systems are warranted for one (1) year from date of purchase, when installed on a Warming Trends plate or pan and with listed Crossfire® burners as set forth as Certified with Platinum Ignition Systems in the Platinum Ignition System Instruction Manual or as otherwise approved by Warming Trends, in writing, prior to sale. In the event a Platinum Ignition System must be replaced due to a defect or malfunction of the system, Warming Trends will repair or replace the system at no cost for the first year. This warranty does not cover labor costs and will be automatically voided if the ignition system is installed or used with a non-specified burner, accessories or recommended plate or pan, and cover. 24VIK, 3VIK, and P24VIK systems are warranted for one (1) year from date of purchase. In the event a 24VIK, 3VIK, or P24VIK system must be replaced due to a defect or malfunction of the system, Warming

Trends will repair or replace the system and do for the first year. This warranty does not cover labor costs and will be automatically voided if the ignition system save warranted for one (1) year from date of purchase, when installed on a Warring Trends plate or pan and with listed Crossfire® burners as set forth as Certified with Mercury Ignitions in the Mercury Ignition Manual or as otherwise approved by Warring Trends, in writing, prior to sale. In the event a Mercury Ignition system must be replaced due to a defect or malfunction of the system, Warring Trends will repair or replace the system at no cost for the first year. This warranty does not cover labor costs and will be automatically voided if the ignition system is installed or used with a non-

pecified burner, accessories or recommended plate or pan, and cover. Push Button Ignition Systems pre-installed by Warming Trends on AON fire tables (defined below) are warranted for one (1) year from date of purchase. In the event a Push Button Ignition System must be replaced due to a defect or malfunction of the system, Warming Trends will repair or replace the system at no cost for the first year. This warranty does not cover labor costs and will be automatically voided if the ignition system is installed or used with a non-specified burner, accessories or recommended plate or pan, and cover. Warming Trends does not offer any warranty for Push Button Ignition Systems not pre-installed on AONs.

ITEMS NOT COVERED BY WARRANTIES FOR IGNITION SYSTEMS

Warming Trends does not warrant any services related to our Electronic and Manual Ignition Systems, including, without limitation, installation, unless we provided those services to you. You may have warranty rights from the service provider, but we make no representations or warranties express or implied regarding any third-party service provider and our warranties do not apply to failures caused by their work. Problems or defects in the functioning of the systems due to gas plumbing or electrical installed by others are not covered by any warranty offered by Warming Trends.

AON FIRE TABLE WARRANTIES

Residential Installations

Warming Trends warrants the fabrication and structure of each AONTM fire table (each, an "AON") for 3 years from the purchase date. This warranty is transferable, but we reserve the right to require proof of ownership for any transferred AONs including proof that the AON was not acquired through improper means or unauthorized re-sellers. Burners and Ignition Systems included in AONs are covered by the applicable warranties above. Warming Trends warrants the powder coating on AONs for 12 months from date of delivery. Warming Trends does not warrant against any damage occurring during or after installation or for normal wear and tear, including fading due to exposure to sunlight. The flush-mounted lids are susceptible to damage due to their intended use. Chips may occur on the corners and edges of the lids over time and are not covered by warranty. Warming Trends recommends covering your AON during inclement weather or seasonal changes. Commercial Installations

Warming Trends warrants the fabrication and structure of each AON for 1 year from the purchase date. This warranty is transferable, but we reserve the right to require proof of ownership for any transferred AONs including proof that the AON was not acquired through improper means or unauthorized re-sellers. Burners and Ignition Systems included in AONs are covered by the applicable warranties above. Warming Trends warrants the powder coating on AONs for 12 months from date of delivery. Warming Trends does not warrant against any damage occurring during or after installation or for normal wear and tear, including fading due to exposure to sunlight. The flush mounted lids are susceptible to damage due to their intended use. Chips may occur on the corners and edges of the lids over time and are not covered by warranty. Warming Trends recommends covering your AON during inclement weather or seasonal changes.

ITEMS NOT COVERED BY WARRANTIES FOR AON FIRE TABLES

Media made from ceramic or steel must be at least 4" from edges of the AON as excessive heat can cause warping and damage to the structure of the AON. Incorrect use of media shall void the above warranties. Warming Trends does not warrant against the natural process of steel aging or rusting. Warming Trends does not warrant any services related to our AONs, including installation, unless we provided those services to you. You may have warranty rights from the service provider, but we make no representations or warranties express or implied regarding any third-party service provider and our warranties do not apply to failures caused by their work. Warming Trends does not warranty against damage caused by improper ventilation. AON's are equipped with leveling feet which are to be used to create ventilation around the entire base perimeter of up to 2" of clear space.

DISCLAIMER OF ADDITIONAL WARRANTIES

OTHER THAN THE SPECIFIC WARRANTIES SET FORTH IN THIS WARRANTY POLICY, WARMING TRENDS MAKES NO REPRESENTATIONS OR WARRANTIES WITH RESPECT TO ITS BURNERS OR IGNITION SYSTEMS, WHETHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. No dealer, distributor, or other person has the authority to represent or warrant a Warming Trends product beyond the terms contained within this warranty, and Warming Trends assu warranty representations. Any questions concerning this warranty should be directed to the Warming Trends corporate office or via email to legal@warming-trends.com.

ADDITIONAL TERMS AND CONDITIONS

ALL BURNERS AND ELECTRONICS MUST BE COVERED WHEN NOT IN USE OR WARRANTY IS NULL AND VOID.

While some of our warranties are passed-through or provided in cooperation with affiliates and/or third parties, Warming Trends will honor the warranties contained in this Warranty Policy for all products purchased from us, but we may coordinate internally with the necessary third parties in order to do so.

WARMING & TRENDS

SUPERIOR FIRE FEATURE SYSTEMS

ORDER FORM

ame Dealer			
Address	dress Dealer City/State		
City/State	Dealer Phone		
Phone	Date		
FIRE FEATURE INFORMATION —			
BTU Supply at Site Is the Fire Feature preexisting or new?			
If new, which materials will be used?			
Inside Dimensions of Fire Feature	X X X		
Other information	(length) (hei		
ORDER DETAIL			
Style and Size			
Plate Pan Size	Cover		
Flex Line Kit			
Ignition System Match Lit	Push Button	3 Volt	
Mercury Ignition	— Platinum Ignition	24 Volt Spark Ignition	
	24 Volt Key Chain Remote	Emergency Stop	
Add-Ons DTES1HR	2 Hour Dial Timer	12 Hour Dial Timer	
Accessories Black Lava Rock (bags)	Ceramic Oak Logs	(set size)	
Rolled Lava (bags)	Steel Log Set	(set size)	
Rolled Lava - SM <u>(bags)</u>	_ Firestorm Log Set	(set size)	
Fire Glass(color)	_		
Other information			

Please submit orders to orders@warming-trends.com For questions call (303) 346-2224.

RETURN POLICY

RETURNS

We hope that you truly enjoy your Warming Trends purchase. If you are not satisfied, we accept product returns for thirty (30) days of date of purchase, subject to the conditions below.

We only accept returns for products purchased directly from Warming Trends. Proof of Purchase from Warming Trends is required. For products purchased elsewhere, please contact that business regarding your return.

Please email your request for return together with the Proof of Purchase to Orders@Warming-Trends.com Upon receipt of your request, we will email you our return address. All returns must be shipped by the customer to Warming Trends at the customer's expense and risk of loss.

Upon receipt of your return, we will process it within 7–10 business days. Depending on your bank's processing time, it may take up to 10 days after we process the return to reflect on your account.

HOLIDAY SEASON RETURNS

Purchases made between December 1st and December 24th may be returned for forty-five (45) days from the date of purchase, subject to the conditions below.

DAMAGED, DEFECTIVE, OR INCORRECT ITEMS

Once you receive your order, you have seven (7) days to open and inspect the product(s). If anything is missing or damaged, or not what you ordered, please contact us at Orders@Warming-Trends.com with photos/videos of the issue. One of our team members will reach out to assist you with a return/replacement.

LIKE-NEW CONDITION

Items must be in like-new condition upon our receipt. Items that are damaged, unsanitary, dented, scratched, or missing parts will not be accepted for return.

PRODUCT ACCESSORIES AND PACKAGING

Product returns must include all accessories and packaging. If not included, we may either deny the return, or allow a return with a nonrefundable deduction on your refund for what is missing.

CALIFORNIA RESIDENT PROP 65 WARNING



WARNING: This product can expose you to chemicals including nickel, which is known to the State of California to cause cancer, carbon monoxide and Bisphenol A, which are known to the State of California to cause birth defects or other reproductive harm, and lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

CONTACT US

REPLACEMENT PARTS, QUESTIONS, OR NEED ASSISTANCE? OUR TEAM IS HAPPY TO HELP.

Call our Flame Specialists at (303) 346 - 2224 or email us at Orders@Warming-Trends.com.

For more infomration about Warming Trends proeucts, please visit us at www.Warming-Trends.com.allow a return with a nonrefundable deduction on your refund for what is missing.

INNOVATION DEFINED



PLATINUM IGNITION

P

680,000 BTUs of Gas Output. Superior Reliability. Unmatched Price.

WATERSTOP[®]

Protects Electronics and Valve Systems from Water and Debris while Delivering Outstanding Flame Performance.



DEALER CATALOG

NOT FOR DISTRIBUTION. AUTHORIZED USE ONLY.



Visit us at Warming-Trends.com for up-to-date product information.

