



The Product Directory

The **best outdoor lighting solution** for North American professionals.

Low-Voltage Landscape Lighting:
Spot | Recessed | Path | Wall | Undercap | & More

A NOTE FROM
Our Founder & CEO

“ At BOLD, we take challenges head-on. We welcome adversity with open arms and turn it into the spark that ignites our drive to succeed. Where some see the impossible, we see opportunity. Whether it’s about providing next-level customer service, or thinking outside the box to discover innovative solutions, we are relentless in our pursuit of excellence. We are dedicated to working closely with professionals in our industry and are committed to utilizing their input as inspiration to create a product line that directly addresses the needs of the North American market. ”



RAMON PIETERS

The future is **BOLD**.



STRONG. SMART. FAST.



Cobra Connector

The Cobra Connector is a patent pending connection system designed to make your lighting installations more efficient and secure than ever before. It is made with an improved clamp technology, making it 2x faster to install than other leading connection systems. The metal fangs pierce the jacket of the cable and create an indestructible seal using dielectric grease, shielding it from moisture, dirt, and other elements. The Cobra Connector is designed with an indicator light to improve troubleshooting throughout your lighting system. The indicator light will shine green once your connection is sealed and secured, making it faster to find the solution.

Latch


Place your 12/2 cable in the Cobra and close the door to hold the cable in place.

Fangs

Constructed from robust Manganese Steel, the Fangs puncture the cable jacket and dispense a dielectric grease around the puncture holes, ensuring a completely sealed connection.

Connector Lead

Located on the end of the Cobra, connect to the lead of the fixture to the Cobra lead. An o-ring and threaded collar ensures a secure and sealed connection from moisture and dirt.



Channel

Place your 12/2 cable in the channel to ensure it is lined up for a secure connection.

Venom

The dielectric grease, or venom as we like to call it here, is a water-proof insulator that seals the punctures made to the low-voltage cable by the fangs.

Lever

Located at the base of the Cobra, simply close the lever to activate the Fangs, piercing the cable and allowing the release of dielectric grease for a reliable and fully sealed connection.



Indicator Light

Located on the bottom of the Cobra Connector Lead. Once you connect your fixture to the Cobra, check to make sure the indicator light on the connector lead is green, indicating a secure connection.



The **best outdoor lighting solution** for North American professionals.



Efficient Installation

Our patent-pending Cobra Connector is small, smart, and fast. Features include: an indicator light, dielectric grease, secure connection points, and more.



Premium Quality

Committed to pouring thoughtful intention into each product, we use materials such as marine grade anodized aluminum and cast 304 stainless steel.



Training and Education

We're committed to providing you with the training needed for effective and efficient installations. But we don't just focus on installation: lighting design, techniques, marketing, sales & more!



Industry Leading Support

Speak with our experienced team to get the support you need. Our team is dedicated to you and your success!



7-Year Warranty

All of our products are backed by a 7-year comprehensive warranty. We don't just cover parts or pieces, we stand by our products completely and our process is painless.

Visit **boldpros.com** to join the community.



Path Lighting

Color Temp: 2700k ←

IP Rating: 65 ←

Voltage: 12V AC ←

Size: L x W x H ←




Dax High

SKU: PL-DAX-H-BK
 Wattage: 3
 Volt Amps: 4.5
 Lumens: 160
 CRI: 92.5
 Size (in): 3.15 x 3.46 x 19.3
 Size (mm): 80 x 88 x 490

Dax Low

SKU: PL-DAX-L-BK
 Wattage: 3
 Volt Amps: 4.5
 Lumens: 160
 CRI: 92.5
 Size (in): 3.15 x 3.46 x 8.1
 Size (mm): 80 x 88 x 206



Blaze High

SKU: PL-BLAZE-H-BK
 Wattage: 1.5
 Volt Amps: 2.5
 Lumens: 60
 CRI: 92.5
 Size (in): 5 x 5 x 24
 Size (mm): 127 x 127 x 610

Blaze Low


SKU: PL-BLAZE-L-BK
 Wattage: 1.5
 Volt Amps: 2.5
 Lumens: 60
 CRI: 92.5
 Size (in): 5 x 5 x 18
 Size (mm): 127 x 127 x 457

Silva High

SKU: PL-SILVA-H-BK
 Wattage: 1.5
 Volt Amps: 2.5
 Lumens: 60
 CRI: 92.5
 Size (in): 3.94 x 6 x 24
 Size (mm): 100 x 152 x 610

Silva Low

SKU: PL-SILVA-L-BK
 Wattage: 1.5
 Volt Amps: 2.5
 Lumens: 60
 CRI: 92.5
 Size (in): 3.94 x 6 x 18
 Size (mm): 100 x 152 x 457




Prism High

SKU: PL-PRISM-H-BK
Wattage: 1.5
Volt Amps: 2.5
Lumens: 60
CRI: 93
Size (in): 2.6 x 2.6 x 24.09
Size (mm): 66 x 66 x 612




Prism Low

SKU: PL-PRISM-L-BK
Wattage: 1.5
Volt Amps: 2.5
Lumens: 60
CRI: 93
Size (in): 2.6 x 2.6 x 14.65
Size (mm): 66 x 66 x 372




Cube High

SKU: PL-CUBE-H-BK
Wattage: 1.5
Volt Amps: 2.5
Lumens: 60
CRI: 93
Size (in): 2.6 x 2.6 x 24.09
Size (mm): 66 x 66 x 612



Cube Low

SKU: PL-CUBE-L-BK
Wattage: 1.5
Volt Amps: 2.5
Lumens: 60
CRI: 93
Size (in): 2.6 x 2.6 x 14.65
Size (mm): 66 x 66 x 372



Silo High

SKU: PL-SILO-H-BK
Wattage: 1.5
Volt Amps: 2.5
Lumens: 60
CRI: 93
Size (in): \varnothing 2.06 x 24.09
Size (mm): \varnothing 52 x 612



Silo Low

SKU: PL-SILO-L-BK
Wattage: 1.5
Volt Amps: 2.5
Lumens: 60
CRI: 93
Size (in): \varnothing 2.06 x 14.65
Size (mm): \varnothing 52 x 372

Spot Lighting



- Color Temp: 2700k
- IP Rating: 67
- Voltage: 12V AC
- Size: L x W x H



Strata S

SKU: SL-STRATA-S-BK
Wattage: 1.5
Volt Amps: 2.5
Lumens: 100
CRI: 93.5
Size (in): \varnothing 1.85 x 2.92 x 10.13
Size (mm): \varnothing 47 x 74 x 257



Strata M

SKU: SL-STRATA-M-BK
Wattage: 4
Volt Amps: 5.5
Lumens: 320
CRI: 93.5
Size (in): \varnothing 2.36 x 4.1 x 13.5
Size (mm): \varnothing 60 x 104 x 343



Strata L

SKU: SL-STRATA-L-BK
Wattage: 7
Volt Amps: 11
Lumens: 600
CRI: 93.5
Size (in): \varnothing 2.36 x 4.1 x 13.5
Size (mm): \varnothing 60 x 104 x 343



Strata L Slim

SKU: SL-STRATA-SLIM-BK
Wattage: 7
Volt Amps: 11
Lumens: 600
CRI: 93.5
Size (in): \varnothing 2.36 x 4.1 x 13.5
Size (mm): \varnothing 60 x 104 x 343

Be part of something **BOLD**

BOLD outdoor lighting products are designed for and inspired by North American professionals. We are dedicated to creating high-quality, modern, and efficient landscape lighting solutions for industry pros.

Visit **boldpros.com** to join the community.



50,000 Hour Life Expectancy



Marine Grade Anodized Aluminum & Cast 304 Stainless Steel



CRI 90+
No fine print.
No exceptions.



7-Year Comprehensive Warranty



IP 65+
IP 67 Spot & Recessed



Recessed Lighting



- Color Temp: 2700k
- IP Rating: 67
- Voltage: 12V AC
- Drive-Over Rated
- Size: L x W x H

BK = Anodized Aluminum

SS = Stainless Steel

NR = No Ring



Onyx

SKU: RL-ONYX-60-SS
SKU: RL-ONYX-60-BK
Wattage: 4
Volt Amps: 5.5
Lumens: 200
CRI: 92.5
Size (in): \varnothing 2.36 x 2.67 x 1.57
Size (mm): \varnothing 60 x 68 x 40



Onyx Hex

SKU: RL-ONYX-HX-60-SS
SKU: RL-ONYX-HX-60-BK
Wattage: 4
Volt Amps: 5.5
Lumens: 200
CRI: 92.5
Size (in): \varnothing 2.36 x 3.13 x 2.68 x 1.57
Size (mm): \varnothing 60 x 79 x 68 x 40



Onyx Square

SKU: RL-ONYX-SQ-60-SS
SKU: RL-ONYX-SQ-60-BK
Wattage: 4
Volt Amps: 5.5
Lumens: 200
CRI: 92.5
Size (in): \varnothing 2.36 x 2.68 x 2.68 x 1.57
Size (mm): \varnothing 60 x 68 x 68 x 40



Cube

SKU: RL-CUBE-60-BK
Wattage: 1
Volt Amps: 1.5
Lumens: 11
CRI: 93
Size (in): \varnothing 2.36 x 3.38 x 3.38 x 1.85
Size (mm): \varnothing 60 x 86 x 86 x 47



Ray

SKU: RL-RAY-60-SS
SKU: RL-RAY-60-BK
Wattage: 1.5
Volt Amps: 2.5
Lumens: 100
CRI: 93
Size (in): \varnothing 2.36 x 2.67 x 1.57
Size (mm): \varnothing 60 x 68 x 40



Ray Square

SKU: RL-RAY-SQ-60-SS
SKU: RL-RAY-SQ-60-BK
Wattage: 1.5
Volt Amps: 2.5
Lumens: 100
CRI: 93
Size (in): \varnothing 2.36 x 2.68 x 2.68 x 1.57
Size (mm): \varnothing 60 x 68 x 68 x 40



Ray Hex

SKU: RL-RAY-HX-60-SS
SKU: RL-RAY-HX-60-BK
Wattage: 1.5
Volt Amps: 2.5
Lumens: 100
CRI: 93
Size (in): \varnothing 2.36 x 3.13 x 2.68 x 1.57
Size (mm): \varnothing 60 x 79 x 68 x 40



Cube Mini

SKU: RL-CUBE-22-BK
Wattage: 0.2
Volt Amps: 0.3
Lumens: 3
CRI: 93
Size (in): \varnothing 0.9 x 1.36 x 1.36 x 1.64
Size (mm): \varnothing 23 x 35 x 35 x 42



Silo

SKU: RL-SILO-60-BK
Wattage: 1
Volt Amps: 1.5
Lumens: 11
CRI: 93
Size (in): \varnothing 2.36 x 3.36 x 1.87
Size (mm): \varnothing 60 x 85 x 48



Silo Mini

SKU: RL-SILO-22-BK
Wattage: 0.2
Volt Amps: 0.3
Lumens: 3
CRI: 93
Size (in): \varnothing 0.9 x 1.35 x 1.64
Size (mm): \varnothing 23 x 34 x 42



Prism

SKU: RL-PRISM-60-BK
Wattage: 1
Volt Amps: 1.5
Lumens: 11
CRI: 93
Size (in): \varnothing 2.36 x 3.88 x 3.38 x 1.85
Size (mm): \varnothing 60 x 99 x 86 x 47



Prism Mini

SKU: RL-PRISM-22-BK
Wattage: 0.2
Volt Amps: 0.3
Lumens: 3
CRI: 93
Size (in): \varnothing 0.9 x 1.56 x 1.36 x 1.64
Size (mm): \varnothing 23 x 40 x 35 x 42



Ruby

SKU: RL-RUBY-60-SS
SKU: RL-RUBY-60-BK
Wattage: 0.4
Volt Amps: 0.7
Lumens: 16
CRI: 93
Size (in): \varnothing 2.36 x 2.67 x 1.57
Size (mm): \varnothing 60 x 68 x 40



Ruby Square

SKU: RL-RUBY-SQ-60-SS
SKU: RL-RUBY-SQ-60-BK
Wattage: 0.4
Volt Amps: 0.7
Lumens: 16
CRI: 93
Size (in): \varnothing 2.36 x 2.68 x 2.68 x 1.57
Size (mm): \varnothing 60 x 68 x 68 x 40



Ruby Hex

SKU: RL-RUBY-HX-60-SS
SKU: RL-RUBY-HX-60-BK
Wattage: 0.4
Volt Amps: 0.7
Lumens: 16
CRI: 93
Size (in): \varnothing 2.36 x 3.13 x 2.68 x 1.57
Size (mm): \varnothing 60 x 79 x 68 x 40



Starke

SKU: RL-STARKE-W-BK
Wattage: 3
Volt Amps: 4.5
Lumens: 240
CRI: 92.5
Size (in): \varnothing 3.88 x 5.10 x 2.36
Size (mm): \varnothing 99 x 130 x 60



Ruby Mini

SKU: RL-RUBY-22-NR
Wattage: 0.1
Volt Amps: 0.15
Lumens: 1
CRI: 93
Size (in): \varnothing 0.9 x 0.9 x 1.43
Size (mm): \varnothing 23 x 23 x 36



Ruby Mini

SKU: RL-RUBY-22-SS
SKU: RL-RUBY-22-BK
Wattage: 0.1
Volt Amps: 0.15
Lumens: 1
CRI: 93
Size (in): \varnothing 0.9 x 1.1 x 1.43
Size (mm): \varnothing 23 x 28 x 36



Ruby Mini Square

SKU: RL-RUBY-SQ-22-SS
SKU: RL-RUBY-SQ-22-BK
Wattage: 0.1
Volt Amps: 0.15
Lumens: 1
CRI: 93
Size (in): \varnothing 0.9 x 1.1 x 1.1 x 1.43
Size (mm): \varnothing 23 x 28 x 28 x 36



Ruby Mini Hex

SKU: RL-RUBY-HX-22-SS
SKU: RL-RUBY-HX-22-BK
Wattage: 0.1
Volt Amps: 0.15
Lumens: 1
CRI: 93
Size (in): \varnothing 0.9 x 1.25 x 1.09 x 1.43
Size (mm): \varnothing 23 x 32 x 28 x 36



Diamond

SKU: RL-DIAMOND-60-SS
SKU: RL-DIAMOND-60-BK
Wattage: 0.4
Volt Amps: 0.7
Lumens: 16
CRI: 93
Size (in): \varnothing 2.36 x 2.67 x 1.57
Size (mm): \varnothing 60 x 68 x 40



Diamond Square

SKU: RL-DIAMOND-SQ-60-SS
SKU: RL-DIAMOND-SQ-60-BK
Wattage: 0.4
Volt Amps: 0.7
Lumens: 16
CRI: 93
Size (in): \varnothing 2.36 x 2.68 x 2.68 x 1.57
Size (mm): \varnothing 60 x 68 x 68 x 40



Diamond Hex

SKU: RL-DIAMOND-HX-60-SS
SKU: RL-DIAMOND-HX-60-BK
Wattage: 0.4
Volt Amps: 0.7
Lumens: 16
CRI: 93
Size (in): \varnothing 2.36 x 3.13 x 2.68 x 1.57
Size (mm): \varnothing 60 x 79 x 68 x 40



Diamond Mini

SKU: RL-DIAMOND-22-NR
Wattage: 0.1
Volt Amps: 0.15
Lumens: 2
CRI: 93
Size (in): \varnothing 0.9 x 0.9 x 1.26
Size (mm): \varnothing 23 x 28 x 32



Diamond Mini

SKU: RL-DIAMOND-22-SS
SKU: RL-DIAMOND-22-BK
Wattage: 0.1
Volt Amps: 0.15
Lumens: 2
CRI: 93
Size (in): \varnothing 0.9 x 1.1 x 1.43
Size (mm): \varnothing 23 x 28 x 36



Diamond Mini Square

SKU: RL-DIAMOND-SQ-22-SS
SKU: RL-DIAMOND-SQ-22-BK
Wattage: 0.1
Volt Amps: 0.15
Lumens: 2
CRI: 93
Size (in): \varnothing 0.9 x 1.1 x 1.1 x 1.43
Size (mm): \varnothing 23 x 28 x 28 x 36



Diamond Mini Hex

SKU: RL-DIAMOND-HX-22-SS
SKU: RL-DIAMOND-HX-22-BK
Wattage: 0.1
Volt Amps: 0.15
Lumens: 2
CRI: 93
Size (in): \varnothing 0.9 x 1.25 x 1.09 x 1.43
Size (mm): \varnothing 23 x 32 x 28 x 36

Undercap Lighting

- Color Temp: 2700k
- IP Rating: 65
- Voltage: 12V AC
- Size: L x W x H



Edge 7 Neat

SKU: UL-EDGE-7-BK
Wattage: 0.6
Volt Amps: 1
Lumens: 25
CRI: 93
Size (in): 8.74 x 0.63 x 0.9 x 0.3
Size (mm): 222 x 16 x 23



Edge 21 Neat

SKU: UL-EDGE-21-BK
Wattage: 2.5
Volt Amps: 4
Lumens: 90
CRI: 93
Size (in): 22.72 x 0.63 x 0.9
Size (mm): 577 x 16 x 23



Edge 7

SKU: UL-EDGE-7-BK
Wattage: 0.6
Volt Amps: 1
Lumens: 25
CRI: 93
Size (in): 8.74 x 2.56 x 0.9
Size (mm): 222 x 65 x 23



Edge 21

SKU: UL-EDGE-21-BK
Wattage: 2.5
Volt Amps: 4
Lumens: 90
CRI: 93
Size (in): 22.72 x 2.56 x 0.9
Size (mm): 577 x 65 x 23

Wall Lighting

- Color Temp: 2700k
- IP Rating: 65
- Voltage: 12V AC
- Size: L x W x H



Dax Up Down

SKU: WL-DAX-UD-BK
 Wattage: 6
 Volt Amps: 10.5
 Lumens: 320
 CRI: 92.5
 Size (in): 2.72 x 2.72 x 3.94
 Size (mm): 69 x 69 x 100



Cube Backlit 4

SKU: WL-CUBE-BL-BK
 Wattage: 2
 Volt Amps: 3
 Lumens: 160
 CRI: 93
 Size (in): 4 x 1.58 x 4
 Size (mm): 102 x 40 x 102



Prism Backlit 4

SKU: WL-PRISM-BL-BK
 Wattage: 2
 Volt Amps: 3
 Lumens: 160
 CRI: 93
 Size (in): 4.5 x 1.58 x 4
 Size (mm): 114 x 40 x 102



Silo Backlit 4

SKU: WL-SILO-BL-BK
 Wattage: 2
 Volt Amps: 3
 Lumens: 160
 CRI: 93
 Size (in): ø 4 x 1.58
 Size (mm): ø 102 x 40



Hero

SKU: WL-HERO-100-BK
 Wattage: 1
 Volt Amps: 1.5
 Lumens: 35
 CRI: 94
 Size (in): 3.94 x 2.13 x 3.94
 Size (mm): 100 x 54 x 100



Hero Mini

SKU: WL-HERO-60-BK
 SKU: WL-HERO-60-WT
 Wattage: 0.5
 Volt Amps: 0.6
 Lumens: 24
 CRI: 94
 Size (in): 2.36 x 1.2 x 2.36
 Size (mm): 60 x 30 x 60



Dome

SKU: WL-DOME-100-BK
 Wattage: 1
 Volt Amps: 1.5
 Lumens: 55
 CRI: 94
 Size (in): ø 3.94 x 1.46
 Size (mm): ø 100 x 37



Dome Mini

SKU: WL-DOME-60-BK
 SKU: WL-DOME-60-WT
 Wattage: 0.5
 Volt Amps: 0.6
 Lumens: 24
 CRI: 94
 Size (in): ø 2.36 x 0.94
 Size (mm): ø 60 x 24

Lights 'n Bites

Do you want your staff to be BOLD experts? Our comprehensive training program will equip you with the knowledge and skills needed to seamlessly integrate lighting into outdoor living spaces, increase profitability, and master BOLD's lighting system through hands-on training.

Reach out to [schedule a Lights 'n Bites](#) for your team!

support@boldpros.com | 1-833-472-9960



BOLD Academy

Get ahead of the game with **industry-leading training** and **education** opportunities.

Stay connected with us to find out when the next BOLD Academy is live!



Meet your **head faculty**

A team dedicated to your business growth.




New Products

Our team is constantly developing innovative products and solutions for the North American market, and we want you to be the first to know what is happening here at BOLD.

Our commitment to creating products to enhance your business drives us to constantly push the boundaries of what's possible.

Be the first to know about our cutting-edge solutions designed to elevate your outdoor lifestyle, directly from the experts shaping the future of outdoor living.



Accessories

Maximize the potential of your outdoor lighting system and fixtures with a wide range of BOLD accessories. Customize and tailor your outdoor lighting experience to perfectly suit your space and the specific preferences for your customers. Explore the innovative methods to install and personalize a BOLD system, resulting in a one-of-a-kind and highly functional outdoor lighting solution.



Cobra Duo

SKU: CC-02

A patent pending system that allows you to split your main cable line and extend your system's power reach.



Extension 3ft

SKU: EXT-3FT



Extension 6ft

SKU: EXT-6FT



Extension 9ft

SKU: EXT-9FT



Fang Mini

SKU: AC-FANG-22



Fang

SKU: AC-FANG-60



Reflector S

SKU: AC-SL-RFLCTR-S



Reflector

SKU: AC-SL-RFLCTR



Ground Stake Strata S

SKU: STAKE-SPOT-S



Ground Stake Strata

SKU: STAKE-SPOT



Ground Stake Path

SKU: STAKE-PATH

System



BOLD transformers have been specifically designed to provide easy installation, consistent performance, and long-lasting durability. They are the perfect choice for any low-voltage outdoor lighting system. When combined with the dependable Cobra Connector and 12/2 cable, your system will deliver smooth, reliable, and optimized performance.



Source 60

SKU: TFMR-60
Wattage: 60
Volt Amps: 60
IP Rating: 23 (with cover)
Size (in): 5.5 x 2.8 x 9.5
Size (mm): 140 x 71 x 241
Material: Polycarbonate
Cable Length: 36"
Wire Taps: 3



Source 180

SKU: TFMR-180
Wattage: 180
Volt Amps: 180
IP Rating: 23 (with cover)
Size (in): 5.5 x 2.8 x 9.5
Size (mm): 140 x 71 x 241
Material: Polycarbonate
Cable Length: 36"
Wire Taps: 3



Coming Soon!

Smart Source 60

SKU: SMT-TFMR-60
Wattage: 60
Volt Amps: 60
IP Rating: 23 (with cover)
Size (in): 5.5 x 2.8 x 9.5
Size (mm): 140 x 71 x 241
Material: Polycarbonate
Cable Length: 36"
Wire Taps: 3



Coming Soon!

Smart Source 180

SKU: SMT-TFMR-180
Wattage: 180
Volt Amps: 180
IP Rating: 23 (with cover)
Size (in): 5.5 x 2.8 x 9.5
Size (mm): 140 x 71 x 241
Material: Polycarbonate
Cable Length: 36"
Wire Taps: 3





Coming Soon!

Smart Source 300

SKU: SMT-TFMR-300
Wattage: 300
Volt Amps: 300
IP Rating: 23 (with cover)
Size (in): 6.7 x 3.4 x 10.6
Size (mm): 170 x 86 x 269
Material: Polycarbonate
Cable Length: 36"
Wire Taps: 5







How to

Design a **Lighting Plan**

Who says you have to light up an entire outdoor space all at once? With the BOLD system, you can take it one step at a time. Whether it's because of the homeowners' preference, budget constraints, or any other factors, easily tap into the BOLD system and add lighting as you go. Start by laying enough cable in the space and then, with time, connect more fixtures. This way, you can illuminate specific areas of the outdoor space gradually, until you've created a dream outdoor living area, both day and night.



STEP *one*

Consider starting with illuminating main pathways.



STEP *two*

Consider the spots where people naturally come together, socialize, and unwind after a long day.



BEFORE



STEP *three*

Enhance the beauty of an outdoor living space by incorporating layers and dimension into your lighting plan. Illuminate trees, gardens, privacy fences, and other design elements to bring the space to life and create a captivating experience at night.



AFTER

Transform the darkness into light



2D Design Package

BOLD's 2D lighting design presentation package is meant to assist with product selection: our designers will choose the products best suited for the space. The included cable plan also makes installation more efficient and is a valuable tool to keep on hand for future troubleshooting.

3D Design Package

BOLD's 3D lighting design presentation package is an invaluable addition to any outdoor lighting project. Use it as an installation aid, selling tool, or to really visualize what BOLD fixtures will look like in an outdoor space after install.

HOW IT WORKS

Choose →

Choose the lighting package that fits your project best.

Send →

Send our designer photos, videos, and/or plans for the project.

Re-imagine →

Our designer will transform your ideas and vision into reality.

Receive

Receive your lighting design presentation in just 1.5 - 2 weeks.

Need help?
Contact our Design Team

1-833-972-9960 | design@boldpros.com



What we do

By definition, we are an outdoor lighting manufacturer but at our core, we believe we are so much more than that. We design and develop products in North America, made to solve issues for North American professionals. Our ideas are fuelled by direct input from our customers (who we consider our partners).

Who we are

We are BOLD. We are authentic, disruptive, passionate, and attentive. Our kick-a** team has a fierce desire to be the best company any of our partners work with while simultaneously turning darkness into light. We believe in the quality our products, the meaning of our brand, and we strongly believe in those who install our lights.

Why we do it

We build high-quality products and deliver unbeatable support because we care. No really, we do. At the root of every decision we make is an unwavering commitment to our partners and a dedication to make their lives easier. We want their businesses to succeed, and we believe we can help them do that.

Learn more at boldpros.com

What the people are saying.

[BOLD is] bringing great innovations to the outdoor lighting game with their lighting products making our installs more efficient.

Alpine Landscape Group, ON, CA

I love lamp!!! [BOLD] lights are my favourite lights for sure!

NRX Landscaping Inc., ON, CA

Loving the easy install of this [BOLD] product!!!

Spruce Creek Landscapes, NH & MN, USA

[BOLD] has the ability to change how we install outdoor living systems for our clients.

Gellers | Design | Build | Landscape, MT, CA

[BOLD's] high quality lighting plans allow customers to envision exactly how the lighting will transform their yard!

Scapes Incorporated, TX, USA

I really like the design of the Cobra Connector, it's really simple.

Zamco Group, QB, CA

Choosing BOLD has been the best decision we've made for our business. Their quality products and exceptional support have truly set them apart.

Amazing Gardens & Construction, MA, USA



Want to join in the conversation?

support@boldpros.com | 1-833-972-9960



DESIGNED AND DEVELOPED IN NORTH AMERICA.

