





Sollos fixtures are available in multiple styles, sizes and finishes to compliment any backyard environment. All ground mount fixtures are packaged with a sturdy eight-inch ground stake. All fixtures are packaged with waterproof wire connectors. Sollos Lighting offers select fixtures in a kitted version which includes an LED lamp.

## PATH LIGHTS

WALK WITH CONFIDENCE



STRAIGHT



TRADITIONAL



DOME



MUSHROOM



P90°



BOLLARD



## WIDE RANGE OF FINISHES

ENHANCE YOUR OUTDOOR SPACES



ANTIQUÉ  
BRASS




COPPER



STAINLESS  
STEEL



TEXTURED  
BRONZE



TEXTURED  
BLACK

## BULLETS LIGHTS

HIGHLIGHT YOUR BEST FEATURES



CONTEMPORARY



STRAIGHT



MODERN



DOWN

## FLOOD, IN-GROUND, & WELL LIGHTS

ENHANCE HARDSCAPE FEATURES



FLOOD



UP LIGHT



IN GROUND



WELL



UNDERWATER

## STEP, LEDGE, POST, & HANGING LIGHTS

SMALL FOOTPRINT, LARGE IMPACT



SURFACE MOUNT STEP  
(3" x 9")



SURFACE MOUNT STEP  
(3" x 5")



LEDGE



POST



HANGING

**STRAIGHT PATH LIGHTS**

**Straight Path Light, 4" Hat**

| MODEL NUMBER | DESCRIPTION                   | FINISH          | POWER RATING | EQV. WATT | LAMP MODEL          | COLOR TEMP | LUMENS | CTN. QTY. |
|--------------|-------------------------------|-----------------|--------------|-----------|---------------------|------------|--------|-----------|
| 913021       | PSH040-TB-12                  | Textured Black  |              |           | <i>Fixture Only</i> |            |        | 1         |
| 913021S      | PSH040-TB-12-JC3/830/IP65/LED | Textured Black  | 2.5W         | 20W       | 81996               | 3000K      | 250    | 1         |
| 913028       | PSH040-TB-15                  | Textured Black  |              |           | <i>Fixture Only</i> |            |        | 1         |
| 913028S      | PSH040-TB-15-JC3/830/IP65/LED | Textured Black  | 2.5W         | 20W       | 81996               | 3000K      | 250    | 1         |
| 913023       | PSH040-TZ-12                  | Textured Bronze |              |           | <i>Fixture Only</i> |            |        | 1         |
| 913148S      | PSH040-TZ-12-JC3/830/IP65/LED | Textured Bronze | 2.5W         | 20W       | 81996               | 3000K      | 250    | 1         |
| 913030       | PSH040-TZ-15                  | Textured Bronze |              |           | <i>Fixture Only</i> |            |        | 1         |
| 913030S      | PSH040-TZ-15-JC3/830/IP65/LED | Textured Bronze | 2.5W         | 20W       | 81996               | 3000K      | 250    | 1         |

**Straight Path Light, 5.5" Hat**

|         |                               |                 |      |     |                     |       |     |   |
|---------|-------------------------------|-----------------|------|-----|---------------------|-------|-----|---|
| 910021  | PSH055-TB-12                  | Textured Black  |      |     | <i>Fixture Only</i> |       |     | 1 |
| 910021S | PSH055-TB-12-JC3/830/IP65/LED | Textured Black  | 2.5W | 20W | 81996               | 3000K | 250 | 1 |
| 910028  | PSH055-TB-15                  | Textured Black  |      |     | <i>Fixture Only</i> |       |     | 1 |
| 915311S | PSH055-TB-15-JC3/830/IP65/LED | Textured Black  | 2.5W | 20W | 81996               | 3000K | 250 | 1 |
| 910035  | PSH055-TB-18                  | Textured Black  |      |     | <i>Fixture Only</i> |       |     | 1 |
| 910035S | PSH055-TB-18-JC3/830/IP65/LED | Textured Black  | 2.5W | 20W | 81996               | 3000K | 250 | 1 |
| 910023  | PSH055-TZ-12                  | Textured Bronze |      |     | <i>Fixture Only</i> |       |     | 1 |
| 910128S | PSH055-TZ-12-JC3/830/IP65/LED | Textured Bronze | 2.5W | 20W | 81996               | 3000K | 250 | 1 |
| 910030  | PSH055-TZ-15                  | Textured Bronze |      |     | <i>Fixture Only</i> |       |     | 1 |
| 915310S | PSH055-TZ-15-JC3/830/IP65/LED | Textured Bronze | 2.5W | 20W | 81996               | 3000K | 250 | 1 |
| 910037  | PSH055-TZ-18                  | Textured Bronze |      |     | <i>Fixture Only</i> |       |     | 1 |
| 910037S | PSH055-TZ-18-JC3/830/IP65/LED | Textured Bronze | 2.5W | 20W | 81996               | 3000K | 250 | 1 |

**Straight Path Light, 7.5" Hat**

|         |                               |                 |      |     |                     |       |     |   |
|---------|-------------------------------|-----------------|------|-----|---------------------|-------|-----|---|
| 911028  | PSH075-TB-15                  | Textured Black  |      |     | <i>Fixture Only</i> |       |     | 1 |
| 915315S | PSH075-TB-15-JC3/830/IP65/LED | Textured Black  | 2.5W | 20W | 81996               | 3000K | 250 | 1 |
| 911035  | PSH075-TB-18                  | Textured Black  |      |     | <i>Fixture Only</i> |       |     | 1 |
| 911035S | PSH075-TB-18-JC3/830/IP65/LED | Textured Black  | 2.5W | 20W | 81996               | 3000K | 250 | 1 |
| 911030  | PSH075-TZ-15                  | Textured Bronze |      |     | <i>Fixture Only</i> |       |     | 1 |
| 915314S | PSH075-TZ-15-JC3/830/IP65/LED | Textured Bronze | 2.5W | 20W | 81996               | 3000K | 250 | 1 |
| 911037  | PSH075-TZ-18                  | Textured Bronze |      |     | <i>Fixture Only</i> |       |     | 1 |
| 911037S | PSH075-TZ-18-JC3/830/IP65/LED | Textured Bronze | 2.5W | 20W | 81996               | 3000K | 250 | 1 |

**Straight Path Light, 9" Hat**

|         |                               |                 |      |     |                     |       |     |   |
|---------|-------------------------------|-----------------|------|-----|---------------------|-------|-----|---|
| 914028  | PSH090-TB-15                  | Textured Black  |      |     | <i>Fixture Only</i> |       |     | 1 |
| 914028S | PSH090-TB-15-JC3/830/IP65/LED | Textured Black  | 2.5W | 20W | 81996               | 3000K | 250 | 1 |
| 914035  | PSH090-TB-18                  | Textured Black  |      |     | <i>Fixture Only</i> |       |     | 1 |
| 914035S | PSH090-TB-18-JC3/830/IP65/LED | Textured Black  | 2.5W | 20W | 81996               | 3000K | 250 | 1 |
| 914030  | PSH090-TZ-15                  | Textured Bronze |      |     | <i>Fixture Only</i> |       |     | 1 |
| 914030S | PSH090-TZ-15-JC3/830/IP65/LED | Textured Bronze | 2.5W | 20W | 81996               | 3000K | 250 | 1 |
| 914037  | PSH090-TZ-18                  | Textured Bronze |      |     | <i>Fixture Only</i> |       |     | 1 |



STRAIGHT 4"



STRAIGHT 5.5"



STRAIGHT 7.5"



STRAIGHT 9"

## TRADITIONAL PATH LIGHTS

### Traditional Path Light, 4" Hat

| MODEL NUMBER | DESCRIPTION                   | FINISH          | POWER RATING | EQV. WATT | LAMP MODEL          | COLOR TEMP | LUMENS | CTN. QTY. |
|--------------|-------------------------------|-----------------|--------------|-----------|---------------------|------------|--------|-----------|
| 915400       | PTH040-AB-12                  | Antique Brass   |              |           | <i>Fixture Only</i> |            |        | 1         |
| 915445S      | PTH040-AB-12-JC3/830/IP65/LED | Antique Brass   | 2.5W         | 20W       | 81996               | 3000K      | 250    | 1         |
| 915403       | PTH040-AB-15                  | Antique Brass   |              |           | <i>Fixture Only</i> |            |        | 1         |
| 915403S      | PTH040-AB-15-JC3/830/IP65/LED | Antique Brass   | 2.5W         | 20W       | 81996               | 3000K      | 250    | 1         |
| 915402       | PTH040-CU-12                  | Copper          |              |           | <i>Fixture Only</i> |            |        | 1         |
| 915405       | PTH040-CU-15                  | Copper          |              |           | <i>Fixture Only</i> |            |        | 1         |
| 915562       | PTH040-SS-12                  | Stainless Steel |              |           | <i>Fixture Only</i> |            |        | 1         |

### Traditional Path Light, 5.5" Hat

|         |                               |               |      |     |                     |       |     |   |
|---------|-------------------------------|---------------|------|-----|---------------------|-------|-----|---|
| 915454  | PTH055-AB-12                  | Antique Brass |      |     | <i>Fixture Only</i> |       |     | 1 |
| 915454S | PTH055-AB-12-JC3/830/IP65/LED | Antique Brass | 2.5W | 20W | 81996               | 3000K | 250 | 1 |
| 915457  | PTH055-AB-15                  | Antique Brass |      |     | <i>Fixture Only</i> |       |     | 1 |
| 915493S | PTH055-AB-15-JC3/830/IP65/LED | Antique Brass | 2.5W | 20W | 81996               | 3000K | 250 | 1 |
| 915460  | PTH055-AB-18                  | Antique Brass |      |     | <i>Fixture Only</i> |       |     | 1 |
| 915460S | PTH055-AB-18-JC3/830/IP65/LED | Antique Brass | 2.5W | 20W | 81996               | 3000K | 250 | 1 |

### Traditional Path Light, 7.5" Hat

|         |                               |                 |      |     |                     |       |     |   |
|---------|-------------------------------|-----------------|------|-----|---------------------|-------|-----|---|
| 915511  | PTH075-AB-15                  | Antique Brass   |      |     | <i>Fixture Only</i> |       |     | 1 |
| 915511S | PTH075-AB-15-JC3/830/IP65/LED | Antique Brass   | 2.5W | 20W | 81996               | 3000K | 250 | 1 |
| 915514  | PTH075-AB-18                  | Antique Brass   |      |     | <i>Fixture Only</i> |       |     | 1 |
| 915514S | PTH075-AB-18-JC3/830/IP65/LED | Antique Brass   | 2.5W | 20W | 81996               | 3000K | 250 | 1 |
| 915566  | PTH075-SS-15                  | Stainless Steel |      |     | <i>Fixture Only</i> |       |     | 1 |
| 915567  | PTH075-SS-18                  | Stainless Steel |      |     | <i>Fixture Only</i> |       |     | 1 |
| 915516  | PTH075-CU-18                  | Copper          |      |     | <i>Fixture Only</i> |       |     | 1 |



TRADITIONAL 4"



TRADITIONAL 5.5"



TRADITIONAL 7.5"



PATH LIGHTS - MODERN, DOME, AND MUSHROOM

**Dome Path Light, 8.3" Hat**

|         |                               |                 |                     |     |       |       |     |    |
|---------|-------------------------------|-----------------|---------------------|-----|-------|-------|-----|----|
| 915028  | PDO083-TB-15                  | Textured Black  | <i>Fixture Only</i> |     |       |       |     | 12 |
| 915145S | PDO083-TB-15-JC3/830/IP65/LED | Textured Black  | 2.5W                | 20W | 81996 | 3000K | 250 | 12 |
| 915035  | PDO083-TB-18                  | Textured Black  | <i>Fixture Only</i> |     |       |       |     | 12 |
| 915140S | PDO083-TB-18-JC3/830/IP65/LED | Textured Black  | 2.5W                | 20W | 81996 | 3000K | 250 | 12 |
| 915030  | PDO083-TZ-15                  | Textured Bronze | <i>Fixture Only</i> |     |       |       |     | 12 |
| 915312S | PDO083-TZ-15-JC3/830/IP65/LED | Textured Bronze | 2.5W                | 20W | 81996 | 3000K | 250 | 12 |
| 915037  | PDO083-TZ-18                  | Textured Bronze | <i>Fixture Only</i> |     |       |       |     | 12 |
| 915037S | PDO083-TZ-18-JC3/830/IP65/LED | Textured Bronze | 2.5W                | 20W | 81996 | 3000K | 250 | 12 |

**Mushroom Path Light, 5" Hat**

|         |                               |                 |                     |     |       |       |     |    |
|---------|-------------------------------|-----------------|---------------------|-----|-------|-------|-----|----|
| 912003  | PMU050-TB-15                  | Textured Black  | <i>Fixture Only</i> |     |       |       |     | 12 |
| 912018S | PMU050-TB-15-JC3/830/IP65/LED | Textured Black  | 2.5W                | 20W | 81996 | 3000K | 250 | 12 |
| 912005  | PMU050-TZ-15                  | Textured Bronze | <i>Fixture Only</i> |     |       |       |     | 12 |
| 912005S | PMU050-TZ-15-JC3/830/IP65/LED | Textured Bronze | 2.5W                | 20W | 81996 | 3000K | 250 | 12 |



DOME 8.3" HAT



MUSHROOM 5" HAT



## PATH LIGHTS- P90° AND BOLLARD

### 90° Path Light

| MODEL NUMBER | DESCRIPTION                | FINISH          | POWER RATING        | EQV. WATT | LAMP MODEL | COLOR TEMP | LUMENS | CTN. QTY. |
|--------------|----------------------------|-----------------|---------------------|-----------|------------|------------|--------|-----------|
| 27533        | P90-TZ-20                  | Textured Bronze | <i>Fixture Only</i> |           |            |            |        | 1         |
| 27533S       | P90-TZ-20-JC3/830/IP65/LED | Textured Bronze | 2.5W                | 20W       | 81996      | 3000K      | 250    | 1         |
| 27530        | P90-TB-20                  | Textured Black  | <i>Fixture Only</i> |           |            |            |        | 1         |
| 27530S       | P90-TB-20-JC3/830/IP65/LED | Textured Black  | 2.5W                | 20W       | 81996      | 3000K      | 250    | 1         |
| 27536        | P90-AB-20                  | Antique Brass   | <i>Fixture Only</i> |           |            |            |        | 1         |
| 27536S       | P90-AB-20-JC3/830/IP65/LED | Antique Brass   | 2.5W                | 20W       | 81996      | 3000K      | 250    | 1         |

### Bollard Path Light

|        |                           |                 |                     |     |        |       |     |   |
|--------|---------------------------|-----------------|---------------------|-----|--------|-------|-----|---|
| 27546  | PBL-TZ-16                 | Textured Bronze | <i>Fixture Only</i> |     |        |       |     | 1 |
| 27546S | PBL-TZ-16-MR16BAB/827/LED | Textured Bronze | 4W                  | 20W | 81060L | 2700K | 270 | 1 |
| 27543  | PBL-TB-16                 | Textured Black  | <i>Fixture Only</i> |     |        |       |     | 1 |
| 27543S | PBL-TB-16-MR16BAB/827/LED | Textured Black  | 4W                  | 20W | 81060L | 2700K | 270 | 1 |
| 27540  | PBL-AB-16                 | Antique Brass   | <i>Fixture Only</i> |     |        |       |     | 1 |
| 27540S | PBL-AB-16-MR16BAB/827/LED | Antique Brass   | 4W                  | 20W | 81060L | 2700K | 270 | 1 |

## ADJUSTABLE BASE PATH LIGHTS

### Adjustable Base Path Light

| MODEL NUMBER | DESCRIPTION    | FINISH          | POWER RATING        | EQV. WATT | LAMP MODEL | COLOR TEMP | LUMENS | CTN. QTY. |
|--------------|----------------|-----------------|---------------------|-----------|------------|------------|--------|-----------|
| 27554        | PTH075-TB-1936 | Textured Black  | <i>Fixture Only</i> |           |            |            |        | 1         |
| 27558        | PTH075-TZ-1936 | Textured Bronze | <i>Fixture Only</i> |           |            |            |        | 1         |
| 27550        | PTH075-AB-1936 | Antique Brass   | <i>Fixture Only</i> |           |            |            |        | 1         |



P90°



BOLLARD



ADJUSTABLE  
BASE PATH LIGHT



**Contemporary Series Bullet - 6.5"**

| MODEL NUMBER | DESCRIPTION                 | FINISH          | POWER RATING | EQV. WATT | LAMP MODEL          | COLOR TEMP | LUMENS | CTN. QTY. |
|--------------|-----------------------------|-----------------|--------------|-----------|---------------------|------------|--------|-----------|
| 995502       | BCB065-AB                   | Antique Brass   |              |           | <i>Fixture Only</i> |            |        | 1         |
| 921322S      | BCB065-AB-MR16BAB/827/LED   | Antique Brass   | 4W           | 20W       | 81060L              | 2700K      | 270    | 1         |
| 20080S       | BCB065-AB-MR16FL4/827/LED   | Antique Brass   | 4W           | 20W       | 81098               | 2700K      | 250    | 1         |
| 27503S       | BCB065-AB-MR16FL4.5/827/LED | Antique Brass   | 4.5W         | 35W       | 82095               | 2700K      | 390    | 1         |
| 995506       | BCB065-TB                   | Textured Black  |              |           | <i>Fixture Only</i> |            |        | 1         |
| 921362S      | BCB065-TB-MR16BAB/827/LED   | Textured Black  | 4W           | 20W       | 81060L              | 2700K      | 270    | 1         |
| 27603S       | BCB065-TB-MR16BAB4/827/LED  | Textured Black  | 4W           | 20W       | 81060L              | 2700K      | 270    | 1         |
| 995508       | BCB065-TZ                   | Textured Bronze |              |           | <i>Fixture Only</i> |            |        | 1         |
| 921363S      | BCB065-TZ-MR16BAB/827/LED   | Textured Bronze | 4W           | 20W       | 81060L              | 2700K      | 270    | 1         |

**Straight 6.7" Series Bullet**

|        |           |                 |  |  |                     |  |  |   |
|--------|-----------|-----------------|--|--|---------------------|--|--|---|
| 995532 | BSB067-AB | Antique Brass   |  |  | <i>Fixture Only</i> |  |  | 1 |
| 995534 | BSB067-CU | Copper          |  |  | <i>Fixture Only</i> |  |  | 1 |
| 995536 | BSB067-SS | Stainless Steel |  |  | <i>Fixture Only</i> |  |  | 1 |

**Straight 6.2" Series Bullet**

|         |                           |                 |    |     |                     |       |     |   |
|---------|---------------------------|-----------------|----|-----|---------------------|-------|-----|---|
| 995310  | BSB062-TB                 | Textured Black  |    |     | <i>Fixture Only</i> |       |     | 1 |
| 922753S | BSB062-TB-MR16BAB/827/LED | Textured Black  | 4W | 20W | 81060L              | 2700K | 270 | 1 |
| 995314  | BSB062-TZ                 | Textured Bronze |    |     | <i>Fixture Only</i> |       |     | 1 |
| 922754S | BSB062-TZ-MR16BAB/827/LED | Textured Bronze | 4W | 20W | 81060L              | 2700K | 270 | 1 |

**Modern 6.2" Series Bullet**

|         |                           |                 |    |     |                     |       |     |   |
|---------|---------------------------|-----------------|----|-----|---------------------|-------|-----|---|
| 995100  | BMB062-TB                 | Textured Black  |    |     | <i>Fixture Only</i> |       |     | 1 |
| 920219S | BMB062-TB-MR16BAB/827/LED | Textured Black  | 4W | 20W | 81060L              | 2700K | 270 | 1 |
| 995104  | BMB062-TZ                 | Textured Bronze |    |     | <i>Fixture Only</i> |       |     | 1 |
| 920220S | BMB062-TZ-MR16BAB/827/LED | Textured Bronze | 4W | 20W | 81060L              | 2700K | 270 | 1 |

**Straight 5.4" Series Bullet (MR11)**

|        |           |        |  |  |                     |  |  |   |
|--------|-----------|--------|--|--|---------------------|--|--|---|
| 995364 | BSB054-CU | Copper |  |  | <i>Fixture Only</i> |  |  | 1 |
|--------|-----------|--------|--|--|---------------------|--|--|---|

**Down Lights 7.5" with Mounting Base**

|        |              |               |  |  |                                    |  |  |   |
|--------|--------------|---------------|--|--|------------------------------------|--|--|---|
| 995503 | DL-BCB075-AB | Antique Brass |  |  | <i>Fixture Only (Contemporary)</i> |  |  | 1 |
| 995504 | DL-BSB077-AB | Antique Brass |  |  | <i>Fixture Only (Straight)</i>     |  |  | 1 |



CONTEMPORARY 6.5"



STRAIGHT 6.7"



STRAIGHT 6.2"



MODERN 6.2"



STRAIGHT 5.4"  
(MR11)



DOWN LIGHT  
7.5"

## STEP LIGHTS

### Surface Mount Step Light – 3" x 5"

|       |                |                 |      |     |                |       |    |   |   |
|-------|----------------|-----------------|------|-----|----------------|-------|----|---|---|
| 27520 | SMSL050/827/TB | Textured Black  | 2.5W | 20W | Integrated LED | 2700K | NA | — | 1 |
| 27521 | SMSL050/827/TZ | Textured Bronze | 2.5W | 20W | Integrated LED | 2700K | NA | — | 1 |
| 27522 | SMSL050/827/AB | Antique Brass   | 2.5W | 20W | Integrated LED | 2700K | NA | — | 1 |

### Surface Mount Step Light – 3" x 9"

|       |                |                 |    |     |                |       |    |   |   |
|-------|----------------|-----------------|----|-----|----------------|-------|----|---|---|
| 27523 | SMSL090/827/TB | Textured Black  | 5W | 35W | Integrated LED | 2700K | NA | — | 1 |
| 27524 | SMSL090/827/TZ | Textured Bronze | 5W | 35W | Integrated LED | 2700K | NA | — | 1 |
| 27525 | SMSL090/827/AB | Antique Brass   | 5W | 35W | Integrated LED | 2700K | NA | — | 1 |



SURFACE MOUNT STEP  
(3" x 5")



SURFACE MOUNT STEP  
(3" x 9")



## LEDGE, POST, & HANGING LIGHTS

### Ledge Lights

| MODEL NUMBER | DESCRIPTION      | FINISH          | POWER RATING | EQV. WATT | LAMP MODEL     | COLOR TEMP | LUMENS | CTN. QTY. |
|--------------|------------------|-----------------|--------------|-----------|----------------|------------|--------|-----------|
| 99960        | LLA055/827/TB    | Textured Black  | 0.6W         | 10W       | Integrated LED | 2700K      | 120    | 1/24      |
| 99961        | LLA055/827/TZ    | Textured Bronze | 0.6W         | 10W       | Integrated LED | 2700K      | 120    | 1/24      |
| 99980        | LLA055/827/AB    | Antique Brass   | 0.6W         | 10W       | Integrated LED | 2700K      | 120    | 1/24      |
| 99964        | LLA055/827       | Lamp Only       | 0.6W         | 10W       | Integrated LED | 2700K      | 120    | 1/24      |
| 27516        | LLA055/RGBW/2/TB | Textured Black  | 2W           | 10W       | Integrated LED | RGBW       | 120    | 1/24      |
| 27517        | LLA055/RGBW/2/TZ | Textured Bronze | 2W           | 10W       | Integrated LED | RGBW       | 120    | 1/24      |
| 27518        | LLA055/RGBW      | Lamp Only       | 2W           | 10W       | Integrated LED | RGBW       | 120    | 1/24      |

### Deck Post Lights

|         |                            |                 |      |     |                     |      |     |   |
|---------|----------------------------|-----------------|------|-----|---------------------|------|-----|---|
| 997104  | DPL033-AB                  | Antique Brass   |      |     | <i>Fixture Only</i> |      |     | 1 |
| 940025S | DPL033-AB-JC1/830/IP65/LED | Antique Brass   | 1.2W | 10W | 81998               | 300K | 110 | 1 |
| 940002  | DPL033-TB                  | Textured Black  |      |     | <i>Fixture Only</i> |      |     | 1 |
| 940014S | DPL033-TB-JC1/830/IP65/LED | Textured Black  | 1.2W | 10W | 81998               | 300K | 110 | 1 |
| 940003  | DPL033-TZ                  | Textured Bronze |      |     | <i>Fixture Only</i> |      |     | 1 |
| 940015S | DPL033-TZ-JC1/830/IP65/LED | Textured Bronze | 1.2W | 10W | 81998               | 300K | 110 | 1 |

### Hanging Lights

|         |                             |               |      |     |                     |       |     |   |
|---------|-----------------------------|---------------|------|-----|---------------------|-------|-----|---|
| 997402  | HLS043-AB                   | Antique Brass |      |     | <i>Fixture Only</i> |       |     | 1 |
| 943021S | HLS043-AB-MR16WFL10/827/LED | Antique Brass | 2.5W | 10W | 81057               | 2700K | 200 | 1 |



LEDGE



DECK POST



HANGING



## FLOOD, IN-GROUND, & WELL LIGHTS

### Mini Floods

| MODEL NUMBER | DESCRIPTION                     | FINISH          | POWER RATING | EQV. WATT | LAMP MODEL   | COLOR TEMP | LUMENS | CTN. QTY. |
|--------------|---------------------------------|-----------------|--------------|-----------|--------------|------------|--------|-----------|
| 995407       | FRF057-TB                       | Textured Black  |              |           | Fixture Only |            |        | 1         |
| 995412S      | FRF057-TB-JC3/830/OMNI/IP65/LED | Textured Black  | 2.5W         | 20W       | 81996        | 3000K      | 250    | 1         |
| 995411S      | FRF057-TB-JC35/4WW/LED          | Textured Black  | 4.5W         | 35W       | 80830        | 3000K      | 450    | 1         |
| 995409       | FRF057-TZ                       | Textured Bronze |              |           | Fixture Only |            |        | 1         |
| 995414S      | FRF057-TZ-JC3/830/OMNI/IP65/LED | Textured Bronze | 2.5W         | 20W       | 81996        | 3000K      | 250    | 1         |
| 995413S      | FRF057-TZ-JC35/4WW/LED          | Textured Bronze | 4.5W         | 35W       | 80830        | 3000K      | 450    | 1         |
| 995405       | FRF057-AB                       | Antique Brass   |              |           | Fixture Only |            |        | 1         |
| 27504S       | FRF057-AB-JC3/830/OMNI/IP65/LED | Antique Brass   | 2.5W         | 20W       | 81996        | 3000K      | 250    | 1         |
| 995410S      | FRF057-AB-JC35/4WW/LED          | Antique Brass   | 4.5W         | 35W       | 80830        | 3000K      | 450    | 1         |

### Par 36 Round Up Light

|        |           |                 |  |  |              |  |  |   |
|--------|-----------|-----------------|--|--|--------------|--|--|---|
| 999996 | BSB036-TB | Textured Black  |  |  | Fixture Only |  |  | 1 |
| 999995 | BSB036-TZ | Textured Bronze |  |  | Fixture Only |  |  | 1 |
| 999997 | BSB036-AB | Antique Brass   |  |  | Fixture Only |  |  | 1 |

### Inground Light Fixtures – Not for use with concrete

| MODEL NUMBER | DESCRIPTION | FINISH          | POWER RATING | EQV. WATT | LAMP MODEL   | COLOR TEMP | LUMENS | STYLE      | CTN. QTY. |
|--------------|-------------|-----------------|--------------|-----------|--------------|------------|--------|------------|-----------|
| 996232       | IGG049-AB   | Antique Brass   |              |           | Fixture Only |            |        | Rock Guard | 1         |
| 996200       | IGG049-CB   | Composite Black |              |           | Fixture Only |            |        | Rock Guard | 1         |
| 996234       | IGG049-SS   | Stainless Steel |              |           | Fixture Only |            |        | Rock Guard | 1         |
| 996132       | IGT049-AB   | Antique Brass   |              |           | Fixture Only |            |        | Trim Ring  | 1         |
| 996100       | IGT049-CB   | Composite Black |              |           | Fixture Only |            |        | Trim Ring  | 1         |
| 996134       | IGT049-SS   | Stainless Steel |              |           | Fixture Only |            |        | Trim Ring  | 1         |

### Well Lights – Not for use with concrete

| MODEL NUMBER | DESCRIPTION                       | FINISH          | POWER RATING | EQV. WATT | LAMP MODEL   | COLOR TEMP | LUMENS | CTN. QTY. |
|--------------|-----------------------------------|-----------------|--------------|-----------|--------------|------------|--------|-----------|
| 996300       | WPO055-CB                         | Composite Black |              |           | Fixture Only |            |        | 1         |
| 932017S      | WPO055-CB-PAR36/WFL4/827/IP67/LED | Composite Black | 4.5W         | 20W       | 81074        | 2700K      | 300    | 1         |
| 932018S      | WPO055-CB-PAR36/WFL6/827/IP67/LED | Composite Black | 6.5W         | 35W       | 81075        | 2700K      | 450    | 1         |
| 932020S      | WPO055-CB-PAR36/WFL10/RGBW/LED    | Composite Black | 10W          | 35W       | 82142        | RGBW       | 800    | 1         |

### Underwater Pond and Fountain Light

|         |                |               |      |       |              |       |     |   |
|---------|----------------|---------------|------|-------|--------------|-------|-----|---|
| 999998S | UWL-R33-AB-30K | Antique Brass | 4.5W | 81067 | 81067        | 3000K | 390 | 1 |
| 998012  | UWL-R33-AB     | Antique Brass |      |       | Fixture Only |       |     | 1 |



MINI FLOOD



IN-GROUND  
ROCK GUARD



UNDERWATER



UP LIGHT



WELL



IN-GROUND  
TRIM RING

COLORSPASH LAMPS



Our color changing LED lights set the stage for dazzling outdoor spaces. Jazz up your landscaping with the perfect hue to fit your mood. Change the settings quickly and easily from your phone with our free Sollos® ColorSplash® app.

- » RGB-W color-changing plus white in single product
- » Maximum app connection of 128 devices.
- » Controlled with the Sollos® ColorSplash® app
- » 80% more efficient than halogen equivalent
- » Five year warranty

MR16 RGB-W LAMP

- » 80 or above CRI (Color Rendering Index)
- » 40° Beam
- » RGB and Warm White (2700K)



| MODEL NUMBER | PRODUCT CODE     | WATTAGE | BASE  |
|--------------|------------------|---------|-------|
| 82099B       | MR16FL6/RGBW/LED | 6W      | GU5.3 |

JC10 RGB-W LED LAMP

- » Compact Size
- » Designed for use in Sollos path lights



| MODEL NUMBER | PRODUCT CODE  | WATTAGE | BASE |
|--------------|---------------|---------|------|
| 82143B       | JC10/RGBW/LED | 1.5W    | G4   |

PAR36 RGB-W LED LAMP

- » IP68 rated for waterproof installations
- » Multi-purpose base for slip-on or screw terminal connections
- » 40° Beam spread



| MODEL NUMBER | PRODUCT CODE             | WATTAGE | BASE    |
|--------------|--------------------------|---------|---------|
| 82142B       | PAR36WFL10/RGBW/IP68/LED | 10W     | MP Term |

LEDGE LIGHT RGB-W LED FIXTURE

- » IP65 rated for outdoor installations
- » 10' cable length




| MODEL NUMBER | PRODUCT CODE   | WATTAGE | MATERIAL                 |
|--------------|----------------|---------|--------------------------|
| 27516B       | LLA055/RGBW/TB | 2W      | Textured Black Aluminum  |
| 27517B       | LLA055/RGBW/TZ | 2W      | Textured Bronze Aluminum |
| 27518B       | LLA055/RGBW    | 2W      | Replacement LED Module   |

BLUETOOTH REPEATER

To help ensure a seamless installation while increasing coverage and range, Sollos® Lighting highly recommends using our bluetooth repeater on your ColorSplash Landscape Lighting installation.



| MODEL NUMBER | PRODUCT CODE |
|--------------|--------------|
| 27514B       | SCSBTR       |



Download the **FREE** Sollos® ColorSplash® app and bring the power of color changing lighting control to your fingertips! Using the app, you can connect lighting, create zones, turn on/off, change or create programs and more!



## LOW VOLTAGE TRANSFORMERS

### Integrated Series – With Built-In Photocell and Timer

| MODEL NUMBER | DESCRIPTION    | FINISH          | WATTAGE | CTN. QTY. |
|--------------|----------------|-----------------|---------|-----------|
| 997012       | TR12PC-INT-100 | Composite Black | 100W    | 1         |

### Integrated Series Gen 2 – With Built-In Photocell and Timer

|        |                 |                 |      |   |
|--------|-----------------|-----------------|------|---|
| 997015 | TR15SS1-INT-150 | Stainless Steel | 150W | 1 |
| 997017 | TR15SS1-INT-300 | Stainless Steel | 300W | 1 |

### Commercial Series Transformers- No Timer or Photocell Included

|        |             |                 |      |   |
|--------|-------------|-----------------|------|---|
| 998001 | TR 15SS-150 | Stainless Steel | 150W | 1 |
| 998004 | TR 15SS-300 | Stainless Steel | 300W | 1 |
| 997006 | TR15SS-600  | Stainless Steel | 600W | 1 |



INTEGRATED  
SERIES



INTEGRATED  
SERIES GEN-2



INTEGRATED  
SERIES GEN-2



COMMERCIAL



**Risers, Deck Mount, Timers and Photocells**

| MODEL NUMBER | DESCRIPTION | FINISH          | TYPE                              | SIZE | CTN. QTY |
|--------------|-------------|-----------------|-----------------------------------|------|----------|
| 998142       | DMT027-AB   | Antique Brass   | Mounting Plate                    | —    | 1        |
| 998140       | DMT027-TB   | Textured Black  | Mounting Plate                    | —    | 1        |
| 998141       | DMT027-TZ   | Textured Bronze | Mounting Plate                    | —    | 1        |
| 998100       | GS08        | —               | Ground Stake                      | 8"   | 1        |
| 998103       | GS08-NS     | —               | Ground Stake PVC (No slot Cutout) | 8"   | 1        |
| 998005       | RSR12-TZ    | Textured Bronze | Riser                             | 12"  | 1        |
| 998006       | RSR12-TB    | Textured Black  | Riser                             | 12"  | 1        |
| 998106       | RSR12-AB    | Antique Brass   | Riser                             | 12"  | 1        |
| 998007       | RSR18-TZ    | Textured Bronze | Riser                             | 18"  | 1        |
| 998008       | RSR18-TB    | Textured Black  | Riser                             | 18"  | 1        |
| 998108       | RSR18-AB    | Antique Brass   | Riser                             | 18"  | 1        |
| 998205       | TMDA        | —               | Timer, Digital Astronomic         | —    | 1        |
| 998200       | TMA         | —               | Timer, Analog                     | —    | 1        |
| 998300       | PCS         | —               | Photo Cell                        | 6"   | 1        |



GROUND STAKE 8"



RISER 12"-18"




MOUNTING PLATE



TIMER (ANALOG)



TIMER (DIGITAL)



**SOLLOS KITS**

**Bullet and Path Lights**

| MODEL NUMBER        | 27806  | 27800  | 27811  |
|---------------------|--|--|--|
| Description         | SSP-1-TZ   | SSP-1-TB   | SSP-1-AB   |
| Finish              | Textured Bronze  | Textured Black   | Antique Brass  |
| Fixtures            | 6 each Bullets and LED Lamps                                     | 6 each Bullets and LED Lamps                                     | 6 each Bullets and LED Lamps                                     |
| Description         | BCB065-TZ and MR16FL4/827/LED                                    | BCB065-TB and MR16BAB/827/LED                                    | BCB065-AB and MR16BAB/827/LED                                    |
| Additional Fixtures | 4 each Paths and LED Lamps                                       | 4 each Paths and LED Lamps                                       | 4 each Paths and LED Lamps                                       |
| Description         | PSH075-TZ-18 and JC3/830/OMNI/IP65/LED                           | PSH075-TB-18 and JC3/830/OMNI/IP65/LED                           | PTH075-AB-18 and JC3/830/OMNI/IP65/LED                           |
| Transformer         | 1 each Transformer: Integrated timer/ photocell 150W transformer | 1 each Transformer: Integrated timer/ photocell 150W transformer | 1 each Transformer: Integrated timer/ photocell 150W transformer |
| Description         | TR15SS1-INT-150  | TR15SS1-INT-150  | TR15SS1-INT-150  |

**Ledge Lights**

| MODEL NUMBER | 99985   | 27816  | 27818   | 27815  | 27825  | 27826  |
|--------------|---|--|---|--|--|--|
| Description  | HKPP-1  | HKLLT-2  | HKPP-2  | HKLLT-1  | HKLLT-4  | HKLLT-5  |
| Finish       | Textured Bronze   | Textured Bronze  | Textured Black  | Textured Black   | Textured Black   | Textured Bronze  |
| Fixtures     | 10 each Ledge Lights  | 10 each Ledge Lights   | 10 each Ledge Lights  | 10 each Ledge Lights   | 10 Each RGBW Ledge Lights  | 10 Each RGBW Ledge Lights  |
| Description  | LLA055/827/TZ   | LLA055/827/TZ  | LLA055/827/TB   | LLA055/827/TB  | LLA055/RGBW/TB   | LLA055/RGBW/TZ   |
| Transformer  | 1 each Transformer: Integrated timer/ photocell 150W transformer                  | 1 each Transformer: Integrated timer/ photocell 150W transformer | 1 each Transformer: Integrated timer/ photocell 150W transformer                  | 1 each Transformer: Integrated timer/ photocell 150W transformer | 1 each Transformer: Integrated timer/ photocell 150W transformer | 1 each Transformer: Integrated timer/ photocell 150W transformer |
| Description  | TR15SS1-INT-150   | TR15SS1-INT-150  | TR15SS1-INT-150   | TR15SS1-INT-150  | TTR15SS1-INT-150   | TR15SS1-INT-150  |
| Cable        | 1 each Spool of 100' 14/2 Landscape Lighting Cable + 1 Cable Cutter/ Splicer Tool |  | 1 each Spool of 100' 14/2 Landscape Lighting Cable + 1 Cable Cutter/ Splicer Tool |  |  |  |



99985 & 27818 ONLY

27806

27800

27816 and 27815

LAMPS

**MR16 LED Lamps, 10W Equivalent, MR Silver Series (IP65 Rated)**

| SKU   | BASE  | PRODUCT CODE      | DESCRIPTION            | PKG QTY. | VOLTS | COLOR TEMP | POWER | LUMENS | CBCP | EQV. WATT. | AVG. LIFE | MOL   | BEAM SPREAD |
|-------|-------|-------------------|------------------------|----------|-------|------------|-------|--------|------|------------|-----------|-------|-------------|
| 81055 | GU5.3 | MR16NFL10/827/LED | Narrow Flood 2700K LED | 1/10     | 10-18 | 2700K      | 2.5W  | 200    | 800  | 10W        | 40000     | 1.97" | 20°         |
| 81079 | GU5.3 | MR16NFL10/830/LED | Narrow Flood 3000K LED | 1/10     | 10-18 | 3000K      | 2.5W  | 210    | 830  | 10W        | 40000     | 1.97" | 20°         |
| 81056 | GU5.3 | MR16FL10/827/LED  | Flood 2700K LED        | 1/10     | 10-18 | 2700K      | 2.5W  | 200    | 300  | 10W        | 40000     | 1.97" | 40°         |
| 81077 | GU5.3 | MR16FL10/830/LED  | Flood 3000K LED        | 1/10     | 10-18 | 3000K      | 2.5W  | 210    | 320  | 10W        | 40000     | 1.97" | 40°         |
| 81058 | GU5.3 | MR16FL10/850/LED  | Flood 5000K LED        | 1/10     | 10-18 | 5000K      | 2.5W  | 230    | 350  | 10W        | 40000     | 1.97" | 40°         |
| 81057 | GU5.3 | MR16WFL10/827/LED | Wide Flood 2700K LED   | 1/10     | 10-18 | 2700K      | 2.5W  | 200    | 200  | 10W        | 40000     | 1.97" | 60°         |
| 81080 | GU5.3 | MR16WFL10/830/LED | Wide Flood 3000K LED   | 1/10     | 10-18 | 3000K      | 2.5W  | 210    | 220  | 10W        | 40000     | 1.97" | 60°         |

**MR16 LED Lamps, 20W Equivalent, MR Silver Series (IP65 Rated)**

|        |       |                   |                        |      |       |       |    |     |      |     |       |       |     |
|--------|-------|-------------------|------------------------|------|-------|-------|----|-----|------|-----|-------|-------|-----|
| 81059  | GU5.3 | MR16BBF/827/LED   | Narrow Flood 2700K LED | 1/10 | 10-18 | 2700K | 4W | 270 | 900  | 20W | 40000 | 1.97" | 20° |
| 81081  | GU5.3 | MR16BBF/830/LED   | Narrow Flood 3000K LED | 1/10 | 10-18 | 3000K | 4W | 280 | 1100 | 20W | 40000 | 1.97" | 20° |
| 81060L | GU5.3 | MR16BAB/827/LED   | Flood 2700K LED        | 1/10 | 10-18 | 2700K | 4W | 270 | 440  | 20W | 40000 | 1.97" | 40° |
| 81062L | GU5.3 | MR16BAB/830/LED   | Flood 3000K LED        | 1/10 | 10-18 | 3000K | 4W | 280 | 500  | 20W | 40000 | 1.97" | 40° |
| 81063L | GU5.3 | MR16BAB/850/LED   | Flood 5000K LED        | 1/10 | 10-18 | 5000K | 4W | 310 | 530  | 20W | 40000 | 1.97" | 40° |
| 81061L | GU5.3 | MR16WFL20/827/LED | Wide Flood 2700K LED   | 1/10 | 10-18 | 2700K | 4W | 270 | 210  | 20W | 40000 | 1.97" | 60° |
| 81082  | GU5.3 | MR16WFL20/830/LED | Wide Flood 3000K LED   | 1/10 | 10-18 | 3000K | 4W | 280 | 230  | 20W | 40000 | 1.97" | 60° |

**MR16 LED Lamps, 35W Equivalent, MR Silver Series (IP65 Rated)**

|       |       |                   |                        |      |       |       |      |     |      |     |       |       |     |
|-------|-------|-------------------|------------------------|------|-------|-------|------|-----|------|-----|-------|-------|-----|
| 81064 | GU5.3 | MR16FRA/827/LED   | Narrow Flood 2700K LED | 1/10 | 10-15 | 2700K | 4.5W | 270 | 900  | 35W | 40000 | 1.97" | 20° |
| 81083 | GU5.3 | MR16FRA/830/LED   | Narrow Flood 3000K LED | 1/10 | 10-15 | 3000K | 4.5W | 280 | 1100 | 35W | 40000 | 1.97" | 20° |
| 81065 | GU5.3 | MR16FMW.827/LED   | Flood 2700K LED        | 1/10 | 10-15 | 2700K | 4.5W | 270 | 440  | 35W | 40000 | 1.97" | 40° |
| 81067 | GU5.3 | MR16FMW/830/LED   | Flood 3000K LED        | 1/10 | 10-15 | 3000K | 4.5W | 280 | 500  | 35W | 40000 | 1.97" | 40° |
| 81068 | GU5.3 | MR16FMW/850/LED   | Flood 5000K LED        | 1/10 | 10-15 | 5000K | 4.5W | 310 | 530  | 35W | 40000 | 1.97" | 40° |
| 81066 | GU5.3 | MR16WFL35/827/LED | Wide Flood 2700K LED   | 1/10 | 10-15 | 2700K | 4.5W | 270 | 210  | 35W | 40000 | 1.97" | 60° |
| 81084 | GU5.3 | MR16WFL35/830/LED | Wide Flood 3000K LED   | 1/10 | 10-15 | 3000K | 4.5W | 280 | 230  | 35W | 40000 | 1.97" | 60° |

**MR16 LED Lamps, 50W Equivalent, MR Silver Series (IP65 Rated)**

|        |       |                 |                        |      |       |       |    |     |      |     |       |       |     |
|--------|-------|-----------------|------------------------|------|-------|-------|----|-----|------|-----|-------|-------|-----|
| 81069L | GU5.3 | MR16EXZ/827/LED | Narrow Flood 2700K LED | 1/10 | 10-18 | 2700K | 8W | 590 | 2700 | 50W | 40000 | 1.97" | 20° |
| 81085  | GU5.3 | MR16EXZ/830/LED | Narrow Flood 3000K LED | 1/10 | 10-18 | 3000K | 8W | 600 | 2800 | 50W | 40000 | 1.97" | 20° |
| 81070L | GU5.3 | MR16EXN/827/LED | Flood 2700K LED        | 1/10 | 10-18 | 2700K | 8W | 590 | 1100 | 50W | 40000 | 1.97" | 40° |
| 81072L | GU5.3 | MR16EXN/830/LED | Flood 3000K LED        | 1/10 | 10-18 | 3000K | 8W | 600 | 1200 | 50W | 40000 | 1.97" | 40° |
| 81073L | GU5.3 | MR16EXN/850/LED | Flood 5000K LED        | 1/10 | 10-18 | 5000K | 8W | 660 | 1400 | 50W | 40000 | 1.97" | 40° |
| 81071L | GU5.3 | MR16FNW827/LED  | Wide Flood 2700K LED   | 1/10 | 10-18 | 2700K | 8W | 590 | 500  | 50W | 40000 | 1.97" | 60° |
| 81086  | GU5.3 | MR16FNW/830/LED | Wide Flood 3000K LED   | 1/10 | 10-18 | 3000K | 8W | 600 | 520  | 50W | 40000 | 1.97" | 60° |

**MR16 LED Lamps, 20W-35W Equivalent, MR Black Series**

|        |       |                    |                                  |      |       |       |      |     |     |     |       |       |     |
|--------|-------|--------------------|----------------------------------|------|-------|-------|------|-----|-----|-----|-------|-------|-----|
| 81103L | GU5.3 | MR16NFL4/827/LED   | Narrow Flood-LED MR Black Series | 1/10 | 10-15 | 2700K | 4W   | 250 | 860 | 20W | 30000 | 1.97" | 20° |
| 81098  | GU5.3 | MR16FL4/827/LED    | Flood-LED MR Black Series        | 1/10 | 10-15 | 2700K | 4W   | 250 | 410 | 20W | 30000 | 1.97" | 40° |
| 81099  | GU5.3 | MR16WFL4/827/LED   | Wide Flood-LED MR Black Series   | 1/10 | 10-15 | 2700K | 4W   | 250 | 200 | 20W | 30000 | 1.97" | 60° |
| 82094  | GU5.3 | MR16NFL4.5/827/LED | Narrow Flood-LED MR Black Series | 1/10 | 10-15 | 2700K | 4.5W | 390 | NA  | 35W | 30000 | 1.97" | 20° |
| 82095  | GU5.3 | MR16FL4.5/827/LED  | Flood-LED MR Black Series        | 1/10 | 10-15 | 2700K | 4.5W | 390 | NA  | 35W | 30000 | 1.97" | 40° |



MR16



MR16 (BLACK)



**MR11 LED Lamp, 20W Equivalent**

| SKU   | BASE  | PRODUCT CODE          | DESCRIPTION            | PKG QTY. | VOLTS | COLOR TEMP | POWER | LUMENS | CBCP | EQV. WATT. | AVG. LIFE | MOL   | BEAM SPREAD |
|-------|-------|-----------------------|------------------------|----------|-------|------------|-------|--------|------|------------|-----------|-------|-------------|
| 81096 | GU4   | MR11FTC/827/LED       | Narrow Flood 2700K LED | 1/10     | 10-18 | 2700K      | 3W    | 230    | 600  | 20W        | 40000     | 1.97" | 22"         |
| 81093 | GU4   | MR11FTD/827/LED       | Narrow Flood 3000K LED | 1/10     | 10-18 | 2700K      | 3W    | 230    | 420  | 20W        | 40000     | 1.97" | 30°         |
| 81094 | BA15d | MR11FTD/827/BA15D/LED | Flood 2700K LED        | 1/10     | 10-18 | 2700K      | 3W    | 230    | 420  | 20W        | 40000     | 1.97" | 30°         |
| 81095 | GU4   | MR16EXN/830/LED       | Flood 3000K LED        | 1/10     | 10-18 | 5000K      | 3W    | 230    | 500  | 20W        | 40000     | 1.97" | 30°         |

**JC Series LED Lamps, 10-35W Equivalent**

|        |        |                       |                            |      |       |        |      |     |   |     |       |       |   |
|--------|--------|-----------------------|----------------------------|------|-------|--------|------|-----|---|-----|-------|-------|---|
| 81998  | G4     | JC1/830/OMNI/IP65/LED | IP65 Omnidirectional LED   | 1/10 | 10-15 | 3000K  | 1.2W | 110 | — | 10W | 15000 | 1.18" | — |
| 81091  | G4     | JC2S/827/LED2         | IP65 Rated 2700K Short LED | 1/10 | 10-15 | 2700K  | 1.4W | 140 | — | 20W | 40000 | 0.98" | — |
| 81092  | G4     | JC2S/830/LED2         | IP65 Rated 3000K Short LED | 1/10 | 10-15 | 3000K  | 1.4W | 150 | — | 20W | 40000 | 0.98" | — |
| 80693  | G4     | JC10/1WW/LED          | 3000K LED                  | 1/10 | 10-24 | 3000K  | 1.5W | 150 | — | 20W | 30000 | 1.21" | — |
| 80692  | BA15S  | JC10/1WW/BA15S/LED    | Omnidirectional LED        | 1/10 | 10-24 | 3000K  | 1.5W | 150 | — | 20W | 30000 | 1.70" | — |
| 81999  | G4     | JC2/830/OMNI/IP65/LED | IP65 Omnidirectional LED   | 1/10 | 10-15 | 3000K  | 1.6W | 180 | — | 20W | 15000 | 1.46" | — |
| 81109  | G4     | JC2/827/LED2          | IP65 Rated 2700K LED       | 1/10 | 10-15 | 2700K  | 2.3W | 250 | — | 20W | 40000 | 1.57" | — |
| 81108  | G4     | JC20/2WW/LED2         | IP65 Rated 3000K LED       | 1/10 | 10-15 | 3000K  | 2.3W | 250 | — | 20W | 40000 | 1.57" | — |
| 80690  | G4     | JC20/2WW/LED          | 3000K LED                  | 1/10 | 10-24 | 3000K  | 2.4W | 250 | — | 20W | 30000 | 1.81" | — |
| 80691  | BA15S  | JC20/2WW/BA15S/LED    | 3000K LED                  | 1/10 | 10-24 | 3000K  | 2.4W | 250 | — | 20W | 30000 | 2.01" | — |
| 80815  | G4     | JC20/2NW/LED          | Omnidirectional 5000K      | 1/10 | 10-15 | 5000K  | 2.4W | 260 | — | 20W | 30000 | 1.81" | — |
| 81100L | BA15S  | JC20/2WW/BA15S/LED2   | 3000K LED                  | 1/10 | 10-15 | 3000K  | 2.3W | 250 | — | 20W | 40000 | 2.00" | — |
| 81996  | G4     | JC3/830/OMNI/IP65/LED | IP65 Omnidirectional LED   | 1/10 | 10-15 | 3000K  | 2.5W | 250 | — | 30W | 15000 | 1.46" | — |
| 81078  | G4     | JC3VWFL/827/LED       | 2700K 100 DEGREE LED       | 1/10 | 10-15 | DEGREE | 3.3W | 250 | — | 20W | 25000 | 1.40" | — |
| 80830  | GY6.35 | JC35/4WW/LED          | 3000K LED                  | 1/10 | 10-18 | 3000K  | 4.5W | 450 | — | 35W | 30000 | 2.03" | — |
| 81997  | GY6.35 | JC50/5WW/LED          | 3000K LED                  | 1/10 | 10-18 | 3000K  | 5.5W | 550 | — | 50W | 30000 | 2.03" | — |

**Par36 LED Lamp, 20W-50W Equivalent**

|       |         |                         |                                 |     |       |       |       |     |      |     |       |       |     |
|-------|---------|-------------------------|---------------------------------|-----|-------|-------|-------|-----|------|-----|-------|-------|-----|
| 81074 | MP-Term | PAR36WFL4/827/IP67/LED  | Wide Flood IP67 Rated 2700K LED | 1/6 | 10-15 | 2700K | 4.5W  | 300 | 700  | 20W | 40000 | 2.40" | 40° |
| 81075 | MP-Term | PAR36WFL6/827/IP67/LED  | Wide Flood IP67 Rated 2700K LED | 1/6 | 10-15 | 2700K | 6.5W  | 450 | 1100 | 35W | 40000 | 2.40" | 40° |
| 81076 | MP-Term | PAR36WFL12/827/IP67/LED | Wide Flood IP67 Rated 2700K LED | 1/6 | 10-15 | 2700K | 12.5W | 800 | 2000 | 50W | 40000 | 2.40" | 40° |

**Wedge Base LED Lamp, 10W-35W Equivalent**

|        |       |               |                                 |      |       |       |      |     |   |     |       |       |   |
|--------|-------|---------------|---------------------------------|------|-------|-------|------|-----|---|-----|-------|-------|---|
| 80791  | Wedge | 912/1WW/LED   | Mini-Wedge 3000K LED            | 1/10 | 10-18 | 3000K | 1W   | 75  | — | 10W | 20000 | 1.18" | — |
| 81102L | Wedge | 912/1WW/LED2  | IP65 Rated Mini-Wedge 3000K LED | 1/10 | 10-15 | 3000K | 1.2W | 125 | — | 20W | 40000 | 1.51" | — |
| 81101L | Wedge | 3155/2WW/LED2 | IP65 Rated Wedge 3000K LED      | 1/10 | 10-15 | 3000K | 2.3W | 250 | — | 35W | 40000 | 1.67" | — |



MR11




JC1 (81996)



JC2 (81999)



JC3 (81996)



JC10



JC20



JC35



JC50



PAR36



WEDGE



#### WARRANTY:

Aluminum Fixtures backed by a 5-year warranty. Antique Brass, Composite, Copper, and Stainless Steel fixtures are backed by a Lifetime Limited Warranty, Commercial Transformers by a Lifetime Limited Warranty, Integrated Transformers for 2 years and Smart Transformers 5 years. Color Changing Fixtures are backed by a 3-year warranty.

#### STRONGEST LAMP WARRANTY:

When installed in a Sollos fixture in recommended conditions and packaging warnings are followed, LED MR16 (excluding ColorSplash lamps) and non-silicon IP65-rated JC lamps are backed by a 20-year limited warranty, the strongest lamp in the industry. When installed in other fixtures, these lamps are backed by a 5-year Limited Warranty. LED 912 lamps, silicon IP65 rated and non-IP65-rated JC lamps are backed by a 2-year Limited Warranty. Color Changing Lamps are backed by a 5-year limited warranty. LED outdoor PAR36 white LED Lamps are backed by a 5-year warranty.

» [Hayward-pool.com](http://Hayward-pool.com) » 1-888-HAYWARD

[Pumps](#) » [Filters](#) » [Heaters](#) » [Sanitization](#) » [Automation](#) » [Lighting](#) » [Water Features](#) » [Cleaners](#) » [White Goods](#)