

EASYPRO[®]

Pond Products


The industry's only employee owned company

EASYPRO ANNOUNCEMENT

page 3

2026

Lake and Pond Management Catalog



Diffused
Aeration



Water
Treatments



Fountains &
Lighting



Lake Dyes

As I reflect on 2025 and look forward to 2026, I am reminded of this quote:

"Greatness is not in where we stand, but in what direction we are moving. We must sail sometimes with the wind and sometimes against it - but sail we must, and not drift, nor lie at anchor." - Oliver Wendell Holmes

Each year has its own challenges and 2025 had some for sure. In all I am thankful for everything WE accomplished together.

When it comes to purchasing products, we know you have options and we deeply appreciate and take great pride in being your supplier of choice. We will never take that for granted.

We give thanks for God's providence in 2025. We thank YOU - our customers and partners for your business & your trust in us. We are excited about 2026!

The outlook is good, solid & stable. We had excellent traction & sales with our new products last year for recreational swim ponds and our Sound Shield aeration systems.

We are pumped about our new products for 2026, such as the Pit Viper® 2.0 Wetland Diffuser Module, HTH Series™ Horizontal Pumps and Pond-Vive™ WG Bacteria Blend for ponds and water gardens! We are here to serve you & help in any way you need. We are committed to help you have your best year yet!

May the coming year be filled with God's peace, favor, wisdom, and abundant blessing in all you do.

Paul Cole, President & CEO

"And my God will supply every need of yours according to his riches in glory in Christ Jesus"
- Philippians 4:19



EasyPro Authorized Distributor and Dealer Program and Enforced MAP Policy

EasyPro has in place one of the strongest and most enforceable Unilateral Distributor and Dealer Authorization Program in the industry in conjunction with an actively enforceable MAP (Minimum Advertised Price) Policy, which allows us to protect the quality and value of the EasyPro Brand.

Authorized supply chain partners are confidently able to profitably capitalize on selling the added value of their services, product knowledge, and warranty services that unauthorized sellers will not be able to provide.

For more details about this program, email us at: asp@easypro.com.



Pond & Water Feature Catalog

See our ever-expanding selection of garden fountains, pond and waterfall pumps, pond kits, waterfall/stream kits, aeration systems, compressors, water treatments and so much more!

Contact us via phone or website to view or request copies of our catalogs!

Introducing the New EasyPro Branding!

We're excited to share our refreshed EasyPro brand – a modern look designed to better reflect who we are today, the products we create and our commitment to our customers.

Why We Updated Our Look

EasyPro has grown significantly over the years, with new technologies, new product lines, and expanded markets. Our new look helps us communicate that growth with a cleaner, more flexible design that reflects our core mission: moving water and air to create healthier, more beautiful aquatic environments.

What Inspired the New Logo

The new EasyPro logo is built around the two elements at the heart of everything we do:

- Ripples symbolizing living water
- Bubbles representing aeration

Simple, recognizable, and true to our roots.

Fresh Look, Same Commitment

While our look has evolved, our values haven't changed. EasyPro remains committed to delivering reliable, innovative products and supporting healthy aquatic environments – from backyard ponds to large lake systems.

Thank you for trusting EasyPro! We're proud to bring you a brand that reflects the quality and care behind every product we make.

All EasyPro product packaging and merchandising materials are being upgraded to this new look. This will be a rolling change and products with newer packaging will be shipped as the current packaging is depleted.



TECH RESOURCES

CAD Drawings and technical specs available for many of our products. Scan the code or go to CADdetails and search EasyPro.

Catalog Symbols

- | | | | | | |
|--|--|---|---|---|--|
| <p>RETAIL READY Our most popular pond items packaged and ready for retail</p> | <p>MOTOR FREIGHT Certain items ship motor freight only due to size or content</p> | <p>MADE IN THE USA! We are proud to offer as many USA-made items as possible</p> | <p>DISCOUNTS Buy it by the case and receive discounts!</p> | <p>ECO-FRIENDLY Environmentally safe products, good for use with fish & plants</p> | <p>PRICE DROP Lower prices on select products</p> |
|--|--|---|---|---|--|




MAP (Minimum Advertised Price) Protection

This symbol indicates MAP Protected products. Look for the green shield next to the list price on all affected products. Contact us for the complete 2026 MAP price list.


The “engine” that drives everything within a body of water is the presence of oxygen in proper levels. Installing diffused aeration in a pond or lake is the single most valuable water management and water maintenance strategy that can be implemented. The movement of oxygenated water from the bottom up provides many benefits to the water. As ponds age, organic muck load and total oxygen demands rise.

Diffused aeration gets to the heart of the matter! Oxygen is supplied by an on-shore compressor and delivered to diffusers placed on the bottom of the pond. The diffusers produce a cycling action of air bubbles that supplies the oxygen where it's needed most.

Stratified Without Aeration



De-Stratified With Aeration



1 Aeration 2 Water Treatments 3 Weed & Algae Controls



Pages 22-43




Pages 5-10



Pages 12-21

The results are in!

For unmatched strength and value, Lake & Pond-Vive™ is the clear choice.



**CLARIFY WATER
REDUCE MUCK
REMOVE EXCESS NUTRIENTS**

LAB CONCLUSION

Microbial analysis confirmed – Lake & Pond-Vive™ delivers the highest total viable bacterial spore counts with 5-10x more viable spores. Compared to other products, Lake & Pond-Vive™ also provides the greatest diversity in muck eating bacterial species.

While several products tested below 1 billion CFU/gram (some as low as 7.5 million) Lake & Pond-Vive™ consistently delivers beneficial bacteria concentrations of **five billion CFU/gram**, supporting faster and more effective organic muck breakdown in ponds and lakes.

To view the full report, including enzymatic analysis, scan the code or go to easypro.com



PRO+ MAXIMUM STRENGTH LAKE & POND WATER TREATMENT

Best Seller



EasyPro® Lake & Pond-Vive™

Natural revival for lakes and larger ponds. A blend of enzymes and beneficial bacteria, with a concentration level of **FIVE BILLION colony-forming units per gram!**

- Formulated to improve water quality and reduce muck
- Reduces muck buildup and eliminates pond odors
- Improves water clarity and reduces oxygen demand
- Eliminates excess nutrients
- Reduces ammonia, nitrite, nitrate and phosphate
- Cold weather bacteria strains, for results in temperatures as low as 38°F
- Four enzyme strains to break down waste faster
- Easy to use eight ounce water soluble packets or loose powder

PRO TIP
Lake & Pond-Vive™ is supercharged when used with aeration!

| Part # | Description | Case Quantity | Stocking Code | Ship Weight | List Price |
|--------------------------------------|---|---------------|---------------|-------------|------------|
| 8 oz. Water Soluble Packets | | | | | |
| PB5X | 10 Eight ounce water soluble packets (5 lbs.) | 4 | 862996 | 6 lbs. | \$89.99 |
| PB10X | 20 Eight ounce water soluble packets (10 lbs.) | 4 | 5108493 | 11 lbs. | \$154.99 |
| PB25X | 50 Eight ounce water soluble packets (25 lbs.) | 2 | 6248495 | 29 lbs. | \$354.99 |
| PB5-50B | 100 Eight ounce water soluble packets (50 lbs.) | – | 6440998 | 53 lbs | \$629.99 |
| Loose Powder with 8 oz. Scoop | | | | | |
| PB25XL | 25 lb. Bucket (with 8 oz. scoop) | 2 | 7226799 | 29 lbs. | \$323.99 |
| PB50XL | 50 lb. Box (with 8 oz. scoop) | 2 | 7412993 | 53 lbs. | \$589.99 |
| PB100XL | 100 lb. Fiber drum (with 8 oz. scoop) | 2 | 2818992 | 105 lbs. | \$1169.99 |

†Always refer to label for exact manufacturer's dosage rates and instructions.



PB100XL

EASYPRO.COM





PRO HIGH STRENGTH LAKE & POND WATER TREATMENT

Muck & Sludge Remover Pellets

Great for spot treating around docks, beaches or partially treating large ponds

Sludge Remover bacteria is designed specifically to remove organic sludge from the bottom of lakes and ponds. Sludge is the result of fish waste, dead algae or plant material, uneaten fish food, leaves and other debris. The pellets, when introduced to the water, sink, dissolve and begin to remove bottom organic sludge – often several inches per year.

Simply toss pellets or blocks in the water for easy application!

- Diminishes bottom sludge buildup
- Removes pond odors caused by stagnant water and decaying material
- Sinking pellets for precise and effective placement when spot treating
- Enhances water clarity and reduces murky water caused by organic wastes
- Helps lower oxygen demand in the pond
- Reduces problem causing nitrate and phosphates
- Fish, family and animal safe

DOSAGE RATES†

Spot Treatment
One ounce of pellets covers approx. 200 - 250 square feet of shoreline or beach area – apply every two weeks

Full Pond Treatment
Two 8 ounce scoops per 1/4 acre every two weeks



Available in several sizes from 5 pound pails for retail to 50 pound boxes

3 Gram Pellets

| Part # | Description | Case Quantity | Stocking Code | Ship Weight | List Price |
|---------|-------------------------------------|---------------|---------------|-------------|------------|
| ABB05X | Sludge Remover pellets, 5 lb. pail | 4 | 358097 | 6 lbs. | \$82.99 |
| ABB10X | Sludge Remover pellets, 10 lb. pail | 4 | 6100094 | 11 lbs. | \$142.99 |
| ABB25X | Sludge Remover pellets, 25 lb. pail | 2 | 5234495 | 29 lbs. | \$334.99 |
| ABB-50B | Sludge Remover pellets, 50 lb. box | – | 5433993 | 53 lbs. | \$619.99 |



PRO+ MAXIMUM STRENGTH LAKE & POND WATER TREATMENT

Lake & Pond-Vive™ L

Liquid Lake & Pond Beneficial Bacteria

- Similar to Pond-Vive™ powder
- Ideal for treating golf course ponds, farm ponds, municipal ponds
- Works to remove ammonia, nitrates, phosphates and sludge
- Two gallons will treat 1/4 acre pond for 10-16 weeks
- Also available in 55 gallon drums and 250 gallon totes

DOSAGE RATES†

Initial Dose: One gallon per surface acre every week for four weeks, then maintenance dose.

Maintenance Dose: One gallon per surface acre every two weeks

Problem Ponds: One gallon per surface acre every week until desired results, then maintenance dose.


| Part # | Description | Case Quantity | Stocking Code | Ship Weight | List Price |
|--------|--------------------------------|---------------|---------------|-------------|------------|
| PB128 | Pond-Vive L, one gallon bottle | 4 | 434998 | 10 lbs. | \$49.99 |



†Always refer to label for exact manufacturer's dosage rates and instructions.

It's Official!

PRO+ MAXIMUM STRENGTH BLUE LAKE DYE IS THE MOST CONCENTRATED



LAB CONCLUSION

Spectro scan testing demonstrated that EasyPro's Blue Lake Dye delivers the highest color strength, serving as the 100% performance benchmark.

- Competitors 1-3 are up to 10% weaker than EasyPro's Blue Lake Dye.
- Competitors 4-6 show drastic performance drops, with dye strength as low as 66% weaker.

This means you need less EasyPro dye to achieve the same or better results—saving you time, money, and effort.

Learn more and download the results here
or visit easypro.com



PRO+ MAXIMUM STRENGTH LAKE & POND WATER TREATMENT



Concentrated Pond Dye — Liquid

Concentrated dyes will save you in shipping costs

- This is a nontoxic dye for use in ponds and lakes
- Waters can be used for swimming and irrigation once product is dispersed
- Compatible with most aquatic herbicides and algacides
- Black dye creates a more reflective surface appearance
- Blue dye creates "Caribbean" blue water
- Serenity dye is a mix of blue and black

LIQUID DOSAGE RATE†

One quart treats one acre of water 4' deep (approx. one million gallons)

| Part # | Description | EPA Registered | Case Quantity | Stocking Code | Ship Weight | List Price |
|--------|----------------------------|----------------|---------------|---------------|-------------|------------|
| ECPD | Blue pond dye, 1 quart | No | 12 | 824498 | 3 lbs. | \$34.99 |
| ECPDBK | Black pond dye, 1 quart | No | 12 | 628694 | 3 lbs. | \$40.99 |
| ECPDSB | Serenity pond dye, 1 quart | No | 12 | 626593 | 3 lbs. | \$37.99 |



Half and full pallet discounts available - contact us for high volume needs



Concentrated Pond Dye — Powder

Easy to apply water soluble packets (WSP)

- Dry powder dye is cheaper to ship than liquid
- Four - 4 ounce water soluble packets per pouch, simply toss into pond for easy application
- Safe for use with fish and aquatic life
- Three water soluble packets will treat one acre, 3'-4' deep
- Each WSP is double sealed in water soluble film

DOSAGE RATE†

Each four ounce water soluble packet treats 1/3 acre, 3'-4' deep



POUCH
4 WSPs

Great Value



CASE
5 Pouches / 20 WSPs
Treats 6.66 surface acres, 4' deep

Best Value



MASTER CASE
4 Cases / 5 Pouches / 80 WSPs
Treats 26.6 surface acres, 4' deep

| Part # | Description | EPA Registered | Case Quantity | Stocking Code | Ship Weight | List Price |
|--------|------------------------------------|----------------|---------------|---------------|-------------|------------|
| PD4P | Blue pond dye (dry), 4pk pouch | No | 5 | 433593 | 2 lbs. | \$47.99 |
| PD4PBK | Black pond dye (dry), 4pk pouch | No | 5 | 637025 | 2 lbs. | \$52.89 |
| PD4PSB | Serenity pond dye (dry), 4pk pouch | No | 5 | 735273 | 2 lbs. | \$50.39 |



†Always refer to label for exact manufacturer's dosage rates and instructions.

EASYPRO.COM





Super Concentrated Flocculant Water Clarifier

Helps clear murky, turbid water by attracting suspended particles together, settling them to the bottom

- Works great when used with Pond-Vive, the clarifier settles the organic particles to the bottom where they are consumed by the Pond-Vive
- One gallon treats 250,000 gallons of pond water, ponds with high levels of suspended solids can be treated at double dosage or a second application
- For best results mix recommended amount with pond water and spray evenly over pond surface

PRO TIP For even better results!

Use Flocculant with Lake & Pond-Vive™.

The Flocculant settles particles to the bottom and the Lake & Pond-Vive™ eliminates them.



| Part # | Description | Case Quantity | Stocking Code | Ship Weight | List Price |
|--------|---------------------------|---------------|---------------|-------------|------------|
| WC128 | Water Clarifier, 1 gallon | 4 | 283991 | 10 lbs. | \$119.99 |



EasyPro Phosphate Binder

A critical step in effective pond management

All natural powder formulation. A non-chemical alternative to aluminum sulphate (ALUM). Binds problem causing phosphates and buffers pH. Provides minor flocculation (settling) of mud and clay particles and aid in reducing ammonia.

- Improves water clarity
- Reduces phosphates
- Stimulates biological activity
- Works great with bacteria
- Provides approximately 70 beneficial trace minerals
- Provides minor flocculation (settling) of mud and clay particles and aid in reducing ammonia.

DOSAGE RATE†

3-5 pounds per acre-foot of water to lower phosphate levels.



| Part # | Description | Case Quantity | Stocking Code | Ship Weight | List Price |
|---------|-------------------------------|---------------|---------------|-------------|------------|
| NPB15 | Phosphate Binder, 15 lb. pail | 4 | 379093 | 17 lbs. | \$112.99 |
| NPB45 | Phosphate Binder, 45 lb. pail | 12 | 5149994 | 50 lbs. | \$199.99 |
| NPB2200 | Phosphate Binder, SuperSak | 1 | 15024992 | 2250 lbs. | \$6,699.99 |

Contact us for pallet pricing on 45 lb. pails

EutroSORB® WC Liquid Phosphate Binder

Targets excess phosphorus in water bodies

A proprietary solution developed specifically for rapid and stable inactivation of phosphorus from the water column in lakes, reservoirs, ponds, etc. Does not stain equipment or features.

- Easy to use formulation
- Does not require a slurry mix prior to application
- Does not impact water chemistry
- Safe for fish, invertebrates, and personnel
- No irrigation restrictions
- Minimal product use for noticeable results



While supplies last

EUTROSORB® IS BEING REPLACED BY PHOS-LOCK

NEW! Phoslock®

Phosphorus Binding Technology

- Removes soluble phosphorus, a primary factor in algae growth
- Helps improve water clarity
- Strips and settles phosphorus from the water column and prevents it from re-entering
- A natural product, produced from modified bentonite clay
- Environmentally safe - fish friendly



DOSAGE RATE†

1 quart per surface acre once monthly for 5 months through the warm season



| Part # | Size | Case Qty. | Stocking Code | Ship Weight | List Price |
|--------|------------|-----------|---------------|-------------|------------|
| ESWC | 2.5 gallon | 2 | 8772403 | 17 lbs. | \$965.50 |

DOSAGE RATE†

110 pounds to 550 pounds per surface acre based on total phosphorus in water column



| Part # | Size | Case Qty. | Stocking Code | Ship Weight | List Price |
|--------|--------|-----------|---------------|-------------|------------|
| PHOL55 | 55 lb. | - | 3159997 | 57 lbs. | \$199.99 |

†Always refer to label for exact manufacturer's dosage rates and instructions.

Lake & Pond-Vive™ Bacteria

8 oz. Packets

- Reduce sludge buildup
- Eliminate pond odors
- Reduce oxygen demand
- Eliminate excess nutrients
- Improve water clarity
- Safe for fish, family and animals



50 lb. box bulk 8 oz. water soluble packets

| Part # | Size | Stocking Code | Ship Weight | List Price |
|---------|---------------|---------------|-------------|------------|
| PBX-50B | 8 oz. packets | 2440998 | 53 lbs. | \$629.99 |

Lake & Pond-Vive™ Bacteria

Loose Powder

- Reduce sludge buildup
- Eliminate pond odors
- Reduce oxygen demand
- Eliminate excess nutrients
- Improve water clarity
- Safe for fish, family and animals



50 lb. box bulk loose powder includes 8 oz. scoop

| Part # | Size | Stocking Code | Ship Weight | List Price |
|---------|----------|---------------|-------------|------------|
| PB50XL | 50 lbs. | 3412993 | 53 lbs. | \$589.99 |
| PB100XL | 100 lbs. | 5818994 | 106 lbs. | \$1,169.99 |

Lake & Pond-Vive™ L Liquid Bacteria



55 Gallon drum or 250 gallon tote



| Part # | Stocking Code | Ship Weight | List Price |
|---------|---------------|-------------|------------|
| PB-55G | 81349991 | 490 lbs. | \$1,799.99 |
| PB-250T | 53224993 | 2100 lbs. | \$4,299.99 |

Muck & Sludge Remover Bacteria 3 gr. Pellets



50 lb. box bulk 3 gram pellets



| Part # | Stocking Code | Ship Weight | List Price |
|---------|---------------|-------------|------------|
| ABB-50B | 3433997 | 53 lbs. | \$619.99 |

Muck & Sludge Remover Bacteria 1 oz. Blocks



50 lb. box bulk 1 oz. blocks



| Part # | Stocking Code | Ship Weight | List Price |
|---------|---------------|-------------|------------|
| SBB-50B | 2468998 | 53 lbs. | \$669.99 |



30 & 55
Gallon drums

Ultra Concentrated Lake Dye

Blue, Black and Serenity Blue Dyes available in bulk!

- Formulated for use in large ponds and lakes
- Provides a natural tint to water
- Compatible with most herbicides and algacides
- Will not stain rocks, plants, birds or pets once diluted



| Part # | Description | Stocking Code | Approx. Ship Weight | List Price |
|------------|--------------------------------|---------------|---------------------|------------|
| ECPD-30G | Blue - 30 Gallon Drum | 32372998 | 300 lbs. | \$3,389.99 |
| ECPD-55G | Blue - 55 Gallon Drum | 64269997 | 500 lbs. | \$6,099.99 |
| ECPDBK-30G | Black - 30 Gallon Drum | 52799994 | 300 lbs. | \$3,999.99 |
| ECPDBK-55G | Black - 55 Gallon Drum | 35109992 | 500 lbs. | \$7,299.99 |
| ECPDSB-30G | Serenity Blue - 30 Gallon Drum | 62589998 | 300 lbs. | \$3,699.99 |
| ECPDSB-55G | Serenity Blue - 55 Gallon Drum | 84605995 | 500 lbs. | \$6,579.99 |

†Always refer to label for exact manufacturer's dosage rates and instructions.



Oxygen Based Pond Cleaner

Oxygen based pond cleaners have long been used in decorative ponds and water features to clean rocks, waterfalls and streams. This same great formula is also available in larger sizes for use in earthen ponds and lakes.

- Works immediately upon application
- Lifts debris to pond surface where it can be removed
- For spot treating use 2-3 pounds per 1000 square feet, for pond application use 12-15 pounds per acre-foot of water – a double dose can be used for problem situations
- Treat no more than 1/3 of the pond at a time
- Allow 48 hours between consecutive applications



| Part # | Description | Case Quantity | Stocking Code | Ship Weight | List Price |
|--------|--------------------------|---------------|---------------|-------------|------------|
| OXY25 | Oxy cleaner, 25 lb. pail | 2 | 797493 | 28 lbs. | \$129.99 |



Barley Pellets

100% natural product from concentrated barley straw

- Safe for use with aquatic life and pets
- Typically apply every six to eight weeks
- Fast acting - steady and extended release

DOSAGE RATE†
3-5 pounds per acre-foot of water to lower phosphate levels.



| Part # | Description | Stocking Code | Ship Weight | List Price |
|---------|---|---------------|-------------|------------|
| EBP40 | Barley pellets, 40 lb. bag | 459993 | 41 lbs. | \$79.99 |
| EBP2000 | SuperSak bulk barley pellets, 2000 lbs. | 62249998 | 2050 lbs. | \$2,999.99 |

Septic and Drain 2-in-1 Treatment

A natural bacteria product for treating residential septic systems and household drains

- Billions of enzyme producing bacteria work to accelerate the breakdown of common household wastes such as cooking greases, vegetable oils, fruit/vegetable wastes, sugars, starches, proteins, human wastes, toilet tissue and hair
- Helps keep septic systems operating efficiently when used regularly
- Pre-measured dissolvable packets that dissolve in minutes
- No messy powders or liquids
- Helps prevent costly and unpleasant system backups
- One year supply for 1000 gallon septic systems
- Reduces odors in drain lines and garbage disposals

Septic - One ounce water soluble packets:

For a 1000 gallon residential septic system – simply flush one packet per month to maintain a healthy septic system. Dosage can be increased for neglected systems.



Quick & Easy Septic Treatment

Simply drop one (unopened) water soluble packet into toilet. It will dissolve in minutes. Flush toilet to force product into septic tank. Keep remaining product out of the reach of children.



Household Drains

Drop one (unopened) water soluble packet into one gallon of warm water. Stir solution before applying. Keep remaining product out of the reach of children.



Pour one to two cups of solution down each sink, shower and garbage disposal drain. This will simultaneously treat your septic tank and restore slow flowing drains.

One ounce septic treatment




| Part # | Description | Case Quantity | Stocking Code | Ship Weight | List Price |
|--------|-----------------------------------|---------------|---------------|-------------|------------|
| SEP12 | Septic treatment, one year supply | 24 | 213493 | 1 lb. | \$17.99 |

†Always refer to label for exact manufacturer's dosage rates and instructions.

32" Weed Rake

No need to worry which side lands up when you throw this rake out into the pond as there are teeth on both sides.

- Now with a cross-bar to keep the rope in place
- 17 - 3" long teeth on each side of the rake
- Baked on, powder coat finish
- Includes 25' of rope




| Part # | Description | Stocking Code | Ship Weight | List Price |
|--------|---------------|---------------|-------------|------------|
| EPR | 32" Weed rake | 7112498 | 6 lbs. | \$149.99 |



36" Deluxe Lake Rake

Aluminum rake comes with a two piece, 11', rustproof, powder coated aluminum handle; detachable polyethylene float and a 20' length of rope. Use it to skim floating aquatic vegetation and algae from the pond surface or remove float to use on pond bottom.

- Strong and lightweight aluminum construction
- Two 5½' heavy duty, well constructed aluminum powder coated handles with permanent 5" vinyl grip
- 36" aluminum head with 4" teeth
- 30" removable styrene floater for shoreline cleanup
- 20' of 5/16" nylon rope



| Part # | Description | Stocking Code | Ship Weight | List Price |
|--------|----------------------|---------------|-------------|------------|
| LR36 | 36" Deluxe lake rake | 6169998 | 10 lbs. | \$199.99 |

Aquatic Weed Cutter

28" wide aquatic weed cutter makes short work of cleaning up weed infested beaches and shorelines

- The reversible, double sided, serrated blade quickly cuts through even the thickest weeds
- The 11' long, two piece handle disassembles for easy storage
- Rust proof aluminum construction



| Part # | Description | Stocking Code | Ship Weight | List Price |
|--------|-------------------------|---------------|-------------|------------|
| AWE | 28" Aquatic weed cutter | 3178492 | 7 lbs. | \$209.99 |

Folding, Telescoping Pond Net

Great all-around pond net for skimming leaves, catching fish, etc.

- Aluminum frame and handle are light weight and very strong
- Net measures 13" x 18" x 16" deep mesh and is flat along the front making it easier to catch fish
- 27" - 47" telescoping handle is super strong and folds for storage.
- Soft, 1/4" fish safe mesh



| Part # | Description | Case Quantity | Stocking Code | Ship Weight | List Price |
|--------|----------------------|---------------|---------------|-------------|------------|
| EPFN | Telescoping pond net | 6 | 737496 | 3 lbs. | \$49.99 |



Identifying Aquatic Weeds & Algae

Algae

Filamentous algae is most common, growing in mats and strings. Planktonic algae causes green water, it has millions of cells that cloud together. Chara is weed-like, it grows like a carpet along the bottom.

Filamentous Algae



Planktonic Algae



Chara Algae



Cattails & Other Emergent Plants

Emergent plants grow around the perimeter of a pond in shallow water with all or most of their foliage above water. Examples are Cattails, Bulrush, Reeds, Purple Loose Strife, Pennywort and Pickeralwood.

Cattails



Sago



Clasping Leaf



Pondweeds

The pondweed family has over a dozen varieties with these four being the most common: Sago, Clasping Leaf, Curly Leaf, Large Leaf.

Curly Leaf



Large Leaf



Elodea



Elodea

This plant grows in thick clumps and is usually not a big problem, the leaves are in whorls of three around the stem.

Duckweed and Watermeal

Duckweed is hard to control, it forms a thin layer over the surface in calm ponds. It will not grow well in moving water so use of a surface aerator will help in controlling growth.

Duckweed



Watermeal



Water Lilies



Water Lilies

Water Lilies can become a problem in many ponds, they grow off of a large central root system (much like poplar trees). Some growth is great for shade and cover for fish, but when left unchecked they will over populate quickly.

Eurasian Watermilfoil

Spreads very easy since fragments of plant can re-root and grow. Do not try to remove by raking.

Eurasian Watermilfoil



Coontail



Naiad




Other Less Common Weeds

Include Naiad, Coontail, Bladderwort, Hydrilla, Parrot Feather and Water Hyacinth

Bladderwort



Hydrilla



Parrot Feather



Water Hyacinth



Many states restrict the shipment of EPA registered chemicals into the state. At this time most products that are not EPA registered are not restricted. Please look next to each product to see if it is EPA registered. If it is, please consult the information below to see if it can be shipped into your state:

- AK, CA, CT, ID, HI, ME, MA, NH, NJ, NY, RI, VT & WA restrict the shipment of products into their states. Products can be bought from within the state but not shipped in.
- No products may be shipped into Canada. These products are labeled for sale in US and do not meet Canadian registration or label requirements.
- GreenClean (GC20, GC50) can be purchased in NY but you must obtain a permit to apply in that state, all other states OK. GreenClean Pro (GC50PRO) is restricted in MA.

The following chart shows which treatments work best on each aquatic plant[†] E = Excellent Control • G = Good Control

| Product | Most Algae | Chara | Emergents & Cattails | Water Lilies | Duckweed | Elodea | Pondweed Family | Naiads | Milfoil | Coontail | Bladderwort | Hydrilla | Parrot Feather | Water Hyacinth |
|------------------------------------|------------|-------|----------------------|--------------|----------|--------|-----------------|--------|---------|----------|-------------|----------|----------------|----------------|
| Aquathol® Super K | | | | | | | E | G | G | G | | G | E | |
| Argos Replacing Cutrine-Plus® | E | | | | | | | | | | | G | | |
| Clear Cast | | | E | G | | | | | | | | | E | G |
| Clipper™/Propeller® | | | | | E | | E | E | E | E | | E | | |
| Current® Replacing Komeen® Descend | G | G | | | G | E | E | E | E | E | | E | | E |
| Cutrine-Plus® | E | E | | | | | | | | | | G | | |
| Diquat Replacing Reward®/Tribune™ | | | G | | G | G | G | G | G | G | G | G | G | E |
| EarthTec® | E | | | | | | | | | | | | | |
| Flumigard® Replacing Clipper™ | G | | | | E | | E | E | E | E | | E | | |
| Fluridone Replacing Sonar® | | | G | | G | G | G | G | G | G | G | G | G | E |
| Glyphosate® 5,4 | | | E | G | | | | | | | | | | |
| GreenClean® Pro | G | G | | | | | | | | | | | | |
| Harpoon® | | | | | | E | G | E | G | E | | E | | E |
| Hydrothol® | G | | | | | G | E | E | G | G | | G | | |
| Imox™ Replacing Clear Cast | | | E | G | | | | | | | | | E | G |
| Komeen® Descend | G | G | | | G | E | G | E | G | E | | E | | G |
| Nautique® | G | G | | | G | E | E | E | E | E | | E | | E |
| Navigate® | | | | G | | | | | E | G | G | G | | G |
| Reward®/Tribune™ | | | G | | G | G | G | G | G | G | G | G | G | E |
| SeClear G | E | E | | | | | | | | | | | | |
| Sonar® | | | | G | E | G | G | G | E | G | G | G | E | |
| Weedtrine® D | | | | | G | G | G | G | G | G | G | G | | |

General restrictions on use of treated water[†]
Number of Days Restricted (always refer to current product label for specific requirements)

| Product | Active Ingredient | EPA Registered | % of Active Ingredient | Human | | | Animal | Irrigation | | | |
|------------------------------------|--|----------------|------------------------|---------------|--------------|---------------------------|---------------|------------|--------|------------|---|
| | | | | Safe to Drink | Safe to Swim | Safe for Fish Consumption | Safe to Drink | Turf | Forage | Food Crops | |
| Number of Days Restricted. † | | | | | | | | | | | |
| AquaShade® | Acid Blue 9 Acid Blue 23 | Yes | 12.6% | + | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Aquathol® Liquid | Dipotassium Salt of Endothall | Yes | 40.3% | * | 0 | 0 | 0 | 0* | 0* | 0* | |
| Aquathol® Super K | Dipotassium Salt of Endothall | Yes | 63% | * | 0 | 0 | 0 | 0* | 0* | 0* | |
| Argos Replacing Cutrine-Plus® | Copper Ethanolamine Complex (9% Copper) | Yes | 27.9% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Clearcast® | Amonium Salt of Imazamox | Yes | 12.1% | * | * | * | * | * | * | * | |
| Clipper™/Propeller® | Flumioxazin | Yes | 51% | 0 | 0 | 0 | 0 | 0-3 | * | 5 | |
| Current® Replacing Komeen® Descend | Copper Ethylenediamine Complex (9.1% Copper) Copper Triethanolamine Complex | Yes | 13.2% 14.9% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Cutrine-Plus® Granular | Copper Ethanolamine Complex (3.7% Copper) | Yes | 10.7% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Cutrine-Plus® Liquid | Copper Ethanolamine Complex (9% Copper) | Yes | 27.9% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Cutrine® Ultra | Copper Ethanolamine Complex (9% Copper) | Yes | 27.8% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Diquat Replacing Reward®/Tribune™ | Diquat DiBromide | Yes | 37.3% | 1-3 | 0 | 0 | 1 | 1-3 | * | 5 | |
| EarthTec® | Copper Sulfate Pentahydrate | Yes | 19.8% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| EasyPro® Liquid Blue Dye | Acid Blue 9 | No | 50% | + | 0 | 0 | 0 | 0 | 0 | 0 | |
| Flumigard® Replacing Clipper™ | Flumioxazin | Yes | 51% | 0 | 0 | 0 | 0 | 0-3 | * | 5 | |
| Fluridone Replacing Sonar® | Fluridone | Yes | 41.7% | 0 | 0 | 0 | 0 | 14-30 | 14-30 | 14-30 | |
| Glyphosate® 5,4 | Glyphosate | Yes | 53.8% | * | * | * | * | * | * | * | |
| GreenClean® Pro | Sodium Carbonate Peroxyhydrate | Yes | 85% | + | 0 | 0 | 0 | 0 | 0 | 0 | |
| Harpoon® | Copper Ethylenediamine Complex (3.41% Copper) | Yes | 9.87% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Hydrothol® 191 Granular | Mono (N,N-dimethylalkylamine) salt of endothall | Yes | 11.2% | 0 | 0 | 0 | 0 | 0* | 0* | 0* | |
| Imo™ Replacing Clear Cast | Amonium Salt of Imazamox | Yes | 12.1% | * | * | * | * | * | * | * | |
| Komeen® Descend | Copper Ethylenediamine Complex (22.9% Copper) | Yes | 22.9% | 0 | 0 | 0 | 0 | 0* | 0* | 0* | |
| Nautique® | Copper Ethylenediamine Complex (9.1% Copper) Copper Triethanolamine Complex | Yes | 13.2% 14.9% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Navigate® | Butoxyetayl Ester of 2, 4-D | Yes | 27.6% | * | 1 | 0 | * | * | 0 | * | |
| Reward®/Tribune™ | Diquat DiBromide | Yes | 37.3% | 1-3 | 0 | 0 | 1 | 1-3 | * | 5 | |
| SeClear G | Copper Sulfate Pentahydrate | Yes | 58.9% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Sonar® | Fluridone | Yes | 41.7% | 0 | 0 | 0 | 0 | 14-30 | 14-30 | 14-30 | |
| Weedtrine® D | Diquat DiBromide | Yes | 8.5% | 1-3 | 0 | 0 | 1 | 1-3 | 1-3 | 5 | |

NOTICE: Copper sulfate is not included in this chart nor is it recommended due to problems with copper buildup in sediments and toxicity to aquatic organisms.

Permits may be required to apply these products. Consult appropriate local agencies for more information.

In cases where restrictions are not given in above chart, consult your State Conservation Commission or Fish and Game Department for specific restrictions. Chemical manufacturers and manufacturer's representatives can also supply you with specific recommendations based upon water usage.
*See label for restriction information + Not for use in potable water

†Always refer to label for exact manufacturer's dosage rates and instructions.



Aquashade® Pond Dye

E.P.A. registered pond dye. Helps reduce aquatic plant growth by restricting sunlight into the pond, inhibiting photosynthesis in young bottom growing plants. Apply early in season for best results.

- Registered with the EPA for weed and algae prevention
- One gallon treats one acre, 4' deep
- Safe for use with fish and aquatic life

LIQUID DOSAGE RATE†

One gal. treats one acre of water 4' deep (approx. one million gallons)



| Part # | Description | EPA Registered | Case Quantity | Stocking Code | Ship Weight | List Price |
|--------|----------------------------|----------------|---------------|---------------|-------------|------------|
| AQ10 | Aquashade, 1 gallon liquid | Yes | 4 | 361592 | 12 lbs. | \$76.99 |



EarthTec® Liquid

Environmentally responsible algae control for lakes, ponds, fountains and water features.

Earthtec® kills algae quickly and maintains control for up to 30 days. Liquid formula is easy to apply - simply pour and walk away!

- Fast, visible results, usually within 24 hours and provides durational control for up to 30 days
- EarthTec® can be applied bi-monthly as preventative treatment
- Liquid formula is self-dispersing in bodies of water up to three acres. For larger bodies of water, pour in multiple places.
- Product does not settle out and remains in solution to prevent algae regrowth until product is depleted
- Certified to NSF ANSI 60 standard as a drinking water additive
- Not for use in water housing copper-sensitive fish, such as koi and trout

DOSAGE RATE†

0.33 to 5.43 gallons per acre-foot



| Part # | Description | EPA Registered | Case Quantity | Stocking Code | Ship Weight | List Price |
|---------|----------------------------------|----------------|---------------|---------------|-------------|------------|
| ETEC1 | EarthTec Algaecide - 1 gallon | Yes** | 4 | 245746 | 12 lbs. | \$60.99 |
| ETEC25* | EarthTec Algaecide - 2.5 gallons | Yes** | 2 | 698992 | 26 lbs. | \$131.99 |

*Must ship as hazardous material with additional charges via UPS or motor freight. **EPA Registered in every state as an algaecide

Komeen® Descend

Sprays like a liquid, stays in place like a granule

MicroCRYSTAL Technology makes Komeen Descend the first of its kind in aquatics. It sprays like a liquid, but stays in place like a granule for improved contact exposure time and better results.

- MicroCRYSTAL Technology
- No irrigation restrictions
- Easy to handle
- Low PPE
- Effective control on vallisneria, hydrilla, pondweeds, etc. and filamentous and macro algae
- Not for use in water housing copper-sensitive fish, such as koi and trout
- EPA registered



While supplies last

DOSAGE RATE†

1.25 to 3.3 gallons per acre-foot



| Part # | Size | Case Qty. | Stocking Code | Ship Weight | List Price |
|--------|-------------|-----------|---------------|-------------|------------|
| KOMD25 | 2.5 gallons | 2 | 3127994 | 26 lbs. | \$159.99 |

Current® Liquid

Fast-acting copper-based aquatic herbicide.

- Can be used on surface or in sub-surface applications
- Effective in managing a variety of algae in addition to submersed vegetation such as hydrilla
- Effective in both low and high density situations
- Selective herbicide allowing for flexibility in areas with desirable vegetation
- EPA registered

NEW!



DOSAGE RATE†

1.7 to 3.3 gallons per acre-foot



| Part # | Size | Case Qty. | Stocking Code | Ship Weight | List Price |
|--------|-------------|-----------|---------------|-------------|------------|
| CUR25 | 2.5 gallons | 2 | 594995 | 27 lbs. | \$116.99 |

†Always refer to label for exact manufacturer's dosage rates and instructions.

▶ KOMEEN DESCEND IS BEING REPLACED BY CURRENT

Citrine-Plus® Liquid

Strong algaecide and herbicide formulation provides fast results on most types of algae.

- A chelated copper algaecide that is safer to use than copper sulfate
- Use for surface or suspended algae
- Apply by sprayer to surface, for best results use with activator on page 18
- Larger containers up to 250 gallon totes available. Please inquire.
- Not for use in water housing copper-sensitive fish, such as koi and trout
- EPA registered



While supplies last

DOSAGE RATE†

0.6 to 3 gallons per acre-foot




| Part # | Size | Case Qty. | Stocking Code | Ship Weight | List Price |
|--------|----------|-----------|---------------|-------------|------------|
| CPL | 1 gallon | 4 | 941246 | 12 lbs. | \$62.99 |

Argos®

NEW!

Liquid, copper-based formula safely and effectively defends against floating and submersed algae

- Excellent efficacy in a wide range of water quality conditions, including hard water systems
- Controls planktonic algae in 24 to 48 hours and filamentous algae in three to four days
- Control of Hydrilla can be obtained from copper concentrations of 0.4 to 1.0 PPM
- No water use restrictions
- Not for use in water housing copper-sensitive fish, such as koi and trout
- EPA registered



DOSAGE RATE†

0.6 to 3 gallons per acre-foot



| Part # | Size | Case Qty. | Stocking Code | Ship Weight | List Price |
|--------|-------------|-----------|---------------|-------------|------------|
| ARG1 | 1 gallon | 4 | 738993 | 12 lbs. | \$58.99 |
| ARG25 | 2.5 gallons | 2 | 477983 | 26 lbs. | \$117.98 |

CITRINE-PLUS LIQUID IS BEING REPLACED BY ARGOS

Citrine® Plus Granular

Controls bottom-growing algae and Hydrilla

- The granular form of Citrine®
- Rapid sinking granules for targeted delivery
- For bottom filamentous algae: 20 to 60 pounds per surface acre
- For chara: 30 to 90 pounds per surface acre
- Not for use in water housing copper-sensitive fish, such as koi and trout
- EPA registered



DOSAGE RATE†

20 to 90 pounds per surface acre



| Part # | Size | Case Qty. | Stocking Code | Ship Weight | List Price |
|--------|------------|-----------|---------------|-------------|------------|
| CPG1 | 12 lb. jug | 4 | 547496 | 14 lbs. | \$67.99 |
| CPG3 | 30 lb. bag | 3 | 791058 | 32 lbs. | \$129.99 |

SeClear G Algaecide & Water Quality Enhancer®

Algaecide and water quality enhancer® for use in ponds, lakes and reservoirs

- Controls surface and bottom algae
- Excellent for controlling Chara and Hydrilla
- Broadcast as a granule or dissolve and spray
- Not for use in water housing copper-sensitive fish, such as koi and trout
- EPA registered



While supplies last

DOSAGE RATE†

Filamentous Algae
15 to 20 lbs. per surface acre
Chara and Starry Stonewort
35 to 50 lbs. per acre



| Part # | Size | Case Qty. | Stocking Code | Ship Weight | List Price |
|--------|------------|-----------|---------------|-------------|------------|
| SCG20 | 20 lb. bag | 1 | 2152997 | 24 lbs. | \$189.99 |
| SCG50 | 50 lb. bag | 1 | 7319998 | 52 lbs. | \$399.99 |

†Always refer to label for exact manufacturer's dosage rates and instructions.

Reward® Concentrated

Broad range weed control

A fast acting 37.3% diquat dibromide herbicide that desiccates plant tissue on contact. Reward® stops plant photosynthesis within minutes depending on conditions. Effective on a wide variety of submersed, emergent and floating aquatic plants.

- This liquid herbicide is applied by sprayer and should not be applied to turbid waters
- There is very little risk of environmental damage since Reward's concentration rapidly decreases as it is absorbed into the aquatic vegetation
- Should be used with activator (page 18) for best results
- EPA registered



While supplies last

Tribune™

Fast-acting aquatic herbicide

- This herbicide/algaeicide is rapidly absorbed by the treated aquatic vegetation to desiccate (dehydrate) plant tissue on contact
- Effective on a wide variety of submersed, emergent and floating aquatic plants.
- Stops plant photosynthesis within minutes depending on conditions
- Applied by sprayer (should not be applied to turbid waters)
- Should be used with an activator (page 18) for best results
- Active ingredient is 37.3% diquat dibromide
- EPA registered



While supplies last

DOSAGE RATE†

1 to 2 gallons per acre



| Part # | Size | Case Qty. | Stocking Code | Ship Weight | List Price |
|--------|------------|-----------|---------------|-------------|------------|
| REW10 | 1 gallon | 4 | 4159994 | 22 lbs. | \$199.99 |
| REW25 | 2.5 gallon | 2 | 7335996 | 26 lbs. | \$419.99 |

*40 lb. box contains two 20 lb. bags

DOSAGE RATE†

1 to 2 gallons per acre



| Part # | Size | Case Qty. | Stocking Code | Ship Weight | List Price |
|---------|------------|-----------|---------------|-------------|------------|
| TRIB25* | 2.5 gallon | 2 | 3209994 | 26 lbs. | \$259.99 |


*Must ship as hazardous material with additional charges via UPS or motor freight.

▲ REWARD AND TRIBUNE ARE BEING REPLACED BY DIQUAT BELOW ▼

NEW! Diquat

Diquat is a fast-acting, non-residual solution that controls weeds in a variety of aquatic environments and is an excellent choice for landscapes and other terrestrial applications.

- Acts on contact with actively growing green plant tissue
- Can be used as a glyphosate alternative for annual weed control
- Provides a quick burndown with results typical within hours or a few days of application
- Highly active and non-selective
- Optimum results are seen if the weeds are young, actively growing, and free from stress.
- Application in muddy water, or disruption of the water during application, will reduce the level of control.
- Utilizing flat fan nozzles, during application, will provide optimal coverage and control.
- May be toxic to aquatic invertebrates.
- EPA registered



DOSAGE RATE†

1 to 2 gallons per surface acre



| Part # | Size | Case Qty. | Stocking Code | Ship Weight | List Price |
|--------|----------|-----------|---------------|-------------|------------|
| DQ1 | 1 gallon | 4 | 6119998 | 12 lbs. | \$149.99 |

*Must ship as hazardous material with additional charges via UPS or motor freight.

†Always refer to label for exact manufacturer's dosage rates and instructions.

Propeller®

Fast acting, contact aquatic herbicide

- Controls selected submersed, emergent and floating aquatic weeds. It is most effective when applied to young, actively growing weeds in water with a pH of less than 8.5.
- A new treatment option at a time when herbicide resistance, variable response and environmental concern issues loom large
- Ideal for duckweed, watermeal, Eurasian milfoil and water lettuce
- Non-corrosive, fine granule - mix with water to apply. Active ingredient is 51% Flumioxazin.
- EPA registered



While supplies last

DOSAGE RATE†

6 to 12 oz. per acre
for duckweed/watermeal
1.1 to 2.1 lbs. per acre-foot
for submersed plants



| Part # | Size | Case Qty. | Stocking Code | Ship Weight | List Price |
|--------|--------|-----------|---------------|-------------|------------|
| PRP1 | 1 lb. | 4 | 481135 | 2 lbs. | \$98.69 |
| PRP5 | 5 lbs. | 4 | 4317698 | 6 lbs. | \$383.49 |

No shipment to AK, CA, CT, ID, HI, ME, MA, NH, NY, RI, VT, WA & Canada

Clipper™

Fast and selective control of tough invasive & nuisance plants

This 51% Flumioxazin product is very versatile and has been showing excellent results in aquatic environments on a variety of plants. Fast, effective, and breaks down quickly in the water to leave no accumulation in the sediment – making it less of an environmental concern than other, more persistent herbicides.

- Intended to provide aquatic plant managers with new treatment options at a time when herbicide resistance, variable response and environmental concern issues loom large
- Ideal for duckweed, watermeal, Eurasian milfoil, water lettuce and several types of submersed weeds
- Non corrosive, dry powder - mix with water to apply



While supplies last

DOSAGE RATE†

Use 1.1 lbs. per acre-foot for
duckweed/watermeal control



| Part # | Size | Case Qty. | Stocking Code | Ship Weight | List Price |
|--------|--------|-----------|---------------|-------------|------------|
| CLIP5 | 5 lbs. | — | 2319994 | 6 lbs. | \$399.99 |

▲ PROPELLER AND CLIPPER ARE BEING REPLACED BY FLUMIGARD BELOW ▼

NEW! Flumigard®

Delivers superior performance as an all-in-one or tank-mix partner for rapid knockdown of unwanted and resistant weed species

- Ideal for use on duckweed, watermeal, Eurasian milfoil, and several other types of submersed vegetation
- EPA registered
- Non-corrosive, fine granule - mix with water to apply
- Selective herbicide - not effected by turbid or sediment rich waters
- Fast acting
- EPA registered



DOSAGE RATE†

.75 - 3 lbs.
per surface acre

| Part # | Size | Case Qty. | Stocking Code | Ship Weight | List Price |
|--------|--------|-----------|---------------|-------------|------------|
| FLMG5 | 5 lbs. | 4 | 9259993 | 6 lbs. | \$379.99 |

**Must ship as hazardous material with additional charges via UPS or motor freight.*

†Always refer to label for exact manufacturer's dosage rates and instructions.

GreenCleanPRO

Granular

- Concentrated - twice the active ingredient as regular GreenClean!
- For use in ponds 1/4 acre or larger due to concentrated formula
- Use approximately 8-25 pounds per acre-foot as a preventative every two to four weeks
- EPA registered



DOSAGE RATE†

One bag treats up to 34 acre-feet



| Part # | Size | Case Qty. | Stocking Code | Ship Weight | List Price |
|----------|---------|-----------|---------------|-------------|------------|
| GC50PRO* | 50 lbs. | — | 5135996 | 52 lbs. | \$169.99 |

*Must ship as hazardous material with additional charges via UPS or motor freight.

Harpoon®

Granular Contact Herbicide

- Treat from the bottom up! Harpoon® sinks down to effectively control bottom-growing copper sensitive aquatic species.
- Ideal for sites where water use cannot be restricted. Treated water can be used immediately for irrigation, animal consumption, swimming or fishing.
- Controls hydrilla, naiads, coontail, elodea, water hyacinth and others. In waters with low alkalinity, may also control Eurasian watermilfoil, sago, curly-leaf and select other weeds in the pondweed family
- Can be applied as a spot treatment or large scale treatment
- EPA registered



While supplies last

DOSAGE RATE†

40 to 240 pounds per acre-foot



| Part # | Size | Case Qty. | Stocking Code | Ship Weight | List Price |
|--------|------------|-----------|---------------|-------------|------------|
| HARP40 | 40 lb. bag | — | 6142994 | 43 lbs. | \$179.99 |

GreenClean

Granular

- EPA registered, non-copper algaecide
- Works through oxidation to provide fast results
- Organic certified by OMRI (Organic Materials Review Institute).
- No harm to fish or environment when used at recommended rates
- No water use restrictions
- Algae can be killed within 24 - 48 hours of application, starts working in minutes



Fast Acting!

DOSAGE RATE†

As Preventative
16 to 50 lbs. per acre-foot
As Treatment
50 to 180 lbs. per acre-foot

| Part # | Size | Case Qty. | Stocking Code | Ship Weight | List Price |
|--------|---------|-----------|---------------|-------------|------------|
| GC20 | 20 lbs. | 4 | 479493 | 24 lbs. | \$105.99 |
| GC50 | 50 lbs. | 3 | 3137997 | 55 lbs. | \$183.99 |

Trace Activator/Surfactant

Improves the effectiveness of liquid algaecides and herbicides

- Trace is a liquid additive for use along with liquid herbicides and algaecides to enhance their effectiveness.
- The surfactant in this product eliminates beading, providing a uniform spray solution. This ensures maximum contact with the plant's foliage. The low viscosity oil in these products breaks down the waxy coating on leaf surfaces for improved penetration and coverage.



DOSAGE RATE†

Mix three ounces per gallon of water in sprayer



| Part # | Size | Case Qty. | Stocking Code | Ship Weight | List Price |
|--------|----------|-----------|---------------|-------------|------------|
| NVT128 | 1 gallon | 1 | 844992 | 11 lbs. | \$59.99 |

*Restricted into CA, ID, WA and Canada

†Always refer to label for exact manufacturer's dosage rates and instructions.

Citrine® Ultra Liquid

Powerful results on tough-to-kill algae

- Ideal for thick walled filamentous algae, colonial planktonic algae and Chara
- No water use restrictions
- Dilute and apply by sprayer for best results
- Surfactant/activator mixed in already – no need for additional mixing
- Available in 2.5 gallon containers
- Not for use in water housing copper-sensitive fish, such as koi and trout
- EPA registered



While supplies last

DOSAGE RATE†

0.6 to 3 gallons per acre-foot



| Part # | Size | Case Qty. | Stocking Code | Ship Weight | List Price |
|----------------|------------|-----------|---------------|-------------|------------|
| CPLU25* | 2.5 gallon | 2 | 5111853 | 26 lbs. | \$133.99 |

*Must ship as hazardous material with additional charges via UPS or motor freight.

†Always refer to label for exact manufacturer's dosage rates and instructions.

Hydrothol®

Fast acting, contact aquatic herbicide

- Fast acting herbicide is effective on a variety of aquatic weeds including milfoil, coontail, hydrilla, sago pondweed, leafy pondweed, curly leaf pondweed and others.
- Hydrothol® should only be used for spot treating
- Use Aquathol® early in the season when plants are young and easier to treat - see page 21
- Slight water restrictions (see chart page 13)
- EPA registered



DOSAGE RATE†

108-270 pounds per acre-foot



| Part # | Size | Case Qty. | Stocking Code | Ship Weight | List Price |
|---------------|------------|-----------|---------------|-------------|------------|
| HYD20 | 20 lb. bag | 2 | 396487 | 22 lbs. | \$139.99 |
| HYD40* | 40 lb. box | — | 3192964 | 43 lbs. | \$267.99 |

*40 lb. box contains two 20 lb. bags



Sonar® A.S.

Controls a broad range of aquatic weeds

- 41.7% fluridone product is perfect for whole pond and lake treatments.
- Selective systemic aquatic herbicide for management of aquatic vegetation in fresh water bodies.
- Maintain the recommended concentration in contact with the target plants for a minimum of 45 days.
- Apply early in the season, prior to or just after plant growth begins. Sonar is absorbed by the plants and inhibits the weed's ability to make food, causing it to die
- Very effective on duckweed and milfoil
- Treatments last for several seasons in many cases, depending on plants
- Complete kill can take 30 to 90 days
- EPA registered



While supplies last

DOSAGE RATE†

32 ounces treats up to one acre



| Part # | Size | Case Qty. | Stocking Code | Ship Weight | List Price |
|--------|--------|-----------|---------------|-------------|------------|
| SO8 | 8 oz. | 6 | 7314997 | 1 lb. | \$389.99 |
| SOP | 16 oz. | 6 | 6557004 | 2 lbs. | \$649.99 |
| SOQ | 32 oz. | 6 | 5913993 | 4 lbs. | \$1,159.99 |

SONAR A.S. IS BEING REPLACED BY FLURIDONE

NEW! Fluridone

Provides selective, systemic control of many of the most troublesome aquatic weeds

- Excellent control with minimal environmental impact
- Can be applied via surface and subsurface applications
- Long-term exposure, between 30 and 90 days, will provide the best control of target weeds
- Bleaching injury symptoms occur in 7 to 10 days
- If application rates are 150 ppb or less, treated water can be used immediately for swimming, drinking, and fishing
- EPA registered



DOSAGE RATE†

32 ounces treats up to one acre



| Part # | Size | Case Qty. | Stocking Code | Ship Weight | List Price |
|--------|----------|-----------|---------------|-------------|------------|
| FLU128 | 1 gallon | 4 | 5179997 | 12 lbs. | \$1,999.99 |

Clearcast®

The industry standard for cattail control.

- Industry standard for cattail control any time of the year
- Provides true systemic activity by killing the entire plant, including root system
- Controls floating, emergent and shoreline weeds, while leaving desirable plant species unaffected



While supplies last

DOSAGE RATE†

Per Surface Acre: Cattails 32 oz. to 64 oz., submersed weeds .25 to .5 gallon



| Part # | Size | Case Qty. | Stocking Code | Ship Weight | List Price |
|--------|----------|-----------|---------------|-------------|------------|
| CCAQ | 1 quart | 1 | 9159993 | 2 lbs. | \$199.99 |
| CCAG | 1 gallon | 1 | 3479994 | 11 lbs. | \$599.99 |

CLEARCAST IS BEING REPLACED BY IMOX

NEW! Imox

Selective, yet highly effective, results on challenging shoreline, floating, emergent, and submersed species

- Provides outstanding weed control in a wide range of application sites
- Offers pre- and post-emergent control of many problematic weeds
- Controls several grass species at low rates
- Can be used on listed sites that are cut for hay or grazed
- Methylated seed oil works best on emergent and floating weeds in aquatic applications
- EPA registered



DOSAGE RATE†

.25 gallon to .50 gallon per surface acre



| Part # | Size | Case Qty. | Stocking Code | Ship Weight | List Price |
|--------|----------|-----------|---------------|-------------|------------|
| IMXQ | 1 quart | 1 | 3119992 | 2 lbs. | \$149.99 |
| IMXG | 1 gallon | 1 | 4222996 | 11 lbs. | \$389.99 |

†Always refer to label for exact manufacturer's dosage rates and instructions.

Glyphosate 5.4

Systemic aquatic herbicide that kills aquatic weeds to the roots. Glyphosate-based liquid formula to kill emergent pond weeds.

- Non-selective
- For use on shoreline weeds
- Fish safe aquatic herbicide
- No water use restrictions after use
- Best used with an aquatic surfactant (see Trace on page 18) and sprayed directly on leaves
- EPA registered



DOSAGE RATE†

Mix 6 to 10 ounces per gallon of water in sprayer with surfactant



| Part # | Size | Case Qty. | Stocking Code | Ship Weight | List Price |
|--------|-------------|-----------|---------------|-------------|------------|
| GLYG* | 1 gallon | 1 | 548993 | 12 lbs. | \$62.99 |
| GLY25* | 2.5 gallons | 1 | 7111997 | 24 lbs. | \$139.99 |

*Cannot be shipped to Alaska, California, Connecticut, Hawaii, New Jersey, New York

Nautique® Liquid

Fast-acting, economical contact pond herbicide

- Nautique's copper ions inhibit plant photosynthesis, cutting off the food source of undesired plants and providing rapid results
- Dual chelated copper product controls eel grass, water celery, hydrilla, naiads, chara, elodea, sago, American thin leaf pondweed and more!
- Tank mix and apply with sprayer
- No restrictions on water usage
- Not for use in water housing copper-sensitive fish, such as koi and trout
- Not EPA registered



DOSAGE RATE†

1.5 to 3 gallons per acre-foot



| Part # | Size | Case Qty. | Stocking Code | Ship Weight | List Price |
|--------|----------|-----------|---------------|-------------|------------|
| NAU10 | 1 gallon | 4 | 868524 | 12 lbs. | \$84.99 |

*Must ship as hazardous material with additional charges via UPS or motor freight.

Aquathol® K and Aquathol® Super K

Available in liquid and concentrated granular forms

- Excellent for spot treatment of hydrilla, pondweed and Eurasian watermilfoil
- Aquathol® Super K granular form – 10 or 20 pound containers
- Granular herbicide utilizing Culigel® super absorbent polymer technology.
- Six times more concentrated than regular Aquathol®.
- Aquathol® K liquid form – 1 or 2.5 gallon jugs
- EPA registered



DOSAGE RATE†

Granular: 3.3 to 22 lbs. per acre-foot



| Part # | Size | Case Qty. | Stocking Code | Ship Weight | List Price |
|---------|--------------------|-----------|---------------|-------------|------------|
| AQU10 | Granular, 10 lbs. | 4 | 5332732 | 12 lbs. | \$399.99 |
| AQU20* | Granular, 20 lbs. | 2 | 2541656 | 23 lbs. | \$639.99 |
| AQUL10 | Liquid, 1 gallon | 4 | 6131858 | 12 lbs. | \$169.99 |
| AQUL25* | Liquid, 2.5 gallon | 2 | 8263704 | 25 lbs. | \$335.99 |

*Must ship as hazardous material with additional charges via UPS or motor freight.

Navigate® Granular

For selective control of unwanted aquatic plants

- A 2, 4-D based herbicide for control of water lilies, coontail, Eurasian milfoil, parrot feather, watershield and bladderwort.
- Granular form makes it ideal for spot treating
- Formulated on specially treated granules for controlled release in the water
- Granules sink quickly to lake or pond bottoms and release the weed controlling active ingredient into the critical root zone area for plant absorption
- Slight water restrictions (see chart page 13)
- EPA registered



DOSAGE RATE†

28 to 56 pound per acre-foot



| Part # | Size | Case Qty. | Stocking Code | Ship Weight | List Price |
|--------|------------|-----------|---------------|-------------|------------|
| NV50 | 50 lb. bag | — | 6313997 | 52 lbs. | \$359.99 |

†Always refer to label for exact manufacturer's dosage rates and instructions.



Diffused Aeration Experts!

As one of the country's largest manufacturers of diffused aeration systems, EasyPro has the products and the experience to help you with nearly any aeration project. From oil fracking ponds to wastewater lagoons to backyard recreational ponds and lakes, we have solutions for a huge range of applications.



Not only do we build our aeration systems right here in the USA, we source all major components of our systems from USA made products! From our aeration cabinets – to our weighted airline – to our self-sinking diffuser bases, we strive to use "USA-made parts whenever possible!



Let us help you select the proper system



Google Earth™ Designs


On the following pages are numerous complete aeration systems for a wide range of ponds. If you are unsure which one is best for you or if you have unique requirements please send us your information and we will do a Google Earth layout for you. We need from you:

1. Physical address - please note, newer ponds may not yet show up on Google
2. Depth of pond - important for determining diffuser locations
3. Where power is available and what type of power (115v/230v)

Fill out our online [Aeration System Request form](#) (under the Resources tab at easypro.com) or send this information to: aeration@easypro.com and we will be happy to design a system for you!

Custom Systems

Custom systems are our specialty! When one of our many standard systems doesn't fit your application, we can build a custom system to meet your exact needs. The type of compressor, number of diffusers, size/length of tubing and cabinet options are all able to be adjusted based on your needs. We welcome the opportunity to create systems for unique and challenging applications!



Google and the Google logo are registered trademarks of Google, Inc., used with permission.

The amount of surface area an aeration system will effectively cover is greatly dependent on two factors - depth and shape.


Depth

The diagram to the right shows how much surface area is effectively aerated per air diffuser at various depths:

Example

Our PA34 Aeration System would aerate only 1/4 of an acre if operated in 5' deep water, while aerating up to 1 1/2 acres if operating in 16' - 20' of water.

Ponds that are irregular or odd shaped will also reduce the size of the aeration area – call our technical assistance department for additional help.







PRO TIP The deeper an air diffuser is located, the more "boiling action" it will create and a larger area will be aerated.

Shape

Pond shape affects the amount of diffusers needed. Irregular shaped ponds require multiple diffusers to adequately aerate entire water column.

PRO TIP A unique shaped pond or lake will require more diffusers to cover the same surface area.



EasyPro Aeration Systems Overview

We offer many configurations of aeration systems to ensure that you can order the exact system that you need for your application.

The chart on the right shows a simplified view of the ending letters of our aeration kit part numbers and what components are contained in each kit.

These kits are located on pages 28-39.

| Base Kit Ends In: | Includes Compressor | Includes Diffuser | Includes Tubing | Includes Ground Cabinet | Includes Post Mount Cabinet | Includes Manifold/Outlet Assembly |
|-------------------|---------------------|-------------------|-----------------|-------------------------|-----------------------------|-----------------------------------|
| A | YES | YES | — | — | — | YES |
| AD | YES | YES | — | YES | — | YES |
| ADLD | YES | — | — | YES | — | YES |
| ADP | YES | YES | — | — | YES | YES |
| ADPLD | YES | — | — | — | YES | YES |
| ALD | YES | — | — | — | — | YES |
| D | YES | YES | YES | YES | — | YES |
| DLD | YES | — | YES | YES | — | YES |
| DP | YES | YES | YES | — | YES | YES |
| DPLD | YES | — | YES | — | YES | YES |
| LD | YES | — | — | — | — | YES |
| WLD | YES | — | YES | — | — | YES |

QUIET LIKE YOU'VE NEVER HEARD BEFORE




Noise reduction technology



Stratus™ Compressor with Sound Shield™



Industry Norm



THE INDUSTRY'S QUIETEST!

EasyPro™ Aeration powered by Stratus™ SRC Compressors and quieted by Sound Shield™ technology.

Hear the Difference!



Game changing > 50% reduction in perceived loudness compared to competitors' compressors



Unchanged reliability and proven performance



All EasyPro® Deluxe Aeration Kits with Stratus™ SRC Compressors now include Sound Shield™ and cabinet with noise reducing foam. Kits are available to easily retrofit existing Stratus™ SRC Compressors.

To find compressors and aeration systems with Sound Shield™ pre-installed, look for the Sound Shield™ logos!

Stratus SRC™ Series Rocking Piston Compressors with Sound Shield™

EasyPro's best selling Stratus™ SRC Series "Gen 2" Rocking Piston Compressors with the addition of revolutionary Sound Shield™ technology are the quietest compressors of their class in the industry!

These compressors are specifically designed for the demanding job of 24 hour operation. The oil-less design makes them ideal for pond aeration systems. Available in 1/4, 1/2, 3/4 and 2 hp models, the Stratus™ SRC Series Compressors are assembled in the USA. Protect your investment while making them even quieter - see our cabinet options on pages 56-58.

Features

- Universal dual voltage, 1725 RPM (50/60Hz) motor
- Oil-less operation
- Permanently lubricated bearings
- Includes Stratus™ Smart-Start technology to start under load
- Superior quality, flexible cup material for increased reliability
- Strong die-cast body components
- Rebuild kits sold on page 45
- Single or double cylinder design
- Inlet/Outlet Size:
 - 1/4 hp - 3/4 hp: 1/4" fpt
 - 2 hp: 3/8" fpt
- Maximum psi:
 - 1/4 hp and 1/2 hp: max 30 psi
 - 3/4 hp: max 145 psi
 - 2 hp: max 125 psi



SRC25SS



SRC50SS



SRC34SS



SRC2002SS

Units include: Air inlet filter, rubber feet, 5' power cord

| Part # | hp | Amps* /Volts | Cost per 24 Hours** | cfm Air Flow @ Water Depth of: | | | | | | Stocking Code | Ship Weight | List Price |
|-----------|-----|-----------------|------------------------|--------------------------------|------|------|------|------|------|------------------|----------------|---------------|
| | | | | 0' | 10' | 20' | 30' | 40' | 50' | | | |
| SRC25SS | 1/4 | 1.7 / 115 | \$0.40 | 2.3 | 2.2 | 2.0 | 1.9 | 1.8 | 1.7 | 3629994 | 17 lbs. | \$839.99 |
| SRC252SS | 1/4 | 0.9 / 230 | \$0.40 | 2.3 | 2.2 | 2.0 | 1.9 | 1.8 | 1.7 | 4629993 | 21 lbs. | \$839.99 |
| SRC50SS | 1/2 | 3.6 / 115 | \$0.86 | 4.5 | 4.3 | 4.2 | 4.0 | 3.8 | 3.6 | 6802492 | 22 lbs. | \$1,069.99 |
| SRC502SS | 1/2 | 1.8 / 230 | \$0.86 | 4.5 | 4.3 | 4.2 | 4.0 | 3.8 | 3.6 | 5802496 | 27 lbs. | \$1,069.99 |
| SRC34SS | 3/4 | 7.4 / 115 | \$1.10 | 5.5 | 5.4 | 5.2 | 5.0 | 4.8 | 4.6 | 61031248 | 26 lbs. | \$1,374.99 |
| SRC342SS | 3/4 | 3.8 / 230 | \$1.10 | 5.5 | 5.4 | 5.2 | 5.0 | 4.8 | 4.6 | 81031242 | 26 lbs. | \$1,374.99 |
| SRC2002SS | 2 | 10.0 / 230 | \$4.96 | 12 | 11.7 | 11.4 | 11.2 | 10.8 | 10.5 | 23389994 | 62 lbs. | \$4,519.99 |

*Amps measured at 10' operating depth

**Cost figured at .09¢ per kwh, 24/7 operation, 10' operating depth. Actual electrical data will depend on operating conditions.



Sound Shield™ Conversion Kits for Stratus™ Rocking Piston Compressors

Quickly and easily convert a Stratus™ SRC Rocking Piston Compressor to a quieter unit. These Sound Shield Conversion Kits are simple to install and provide the same great results as compressors with Sound Shield™ pre-installed. Available for 1/4, 1/2 and 2 hp Stratus™ SRC models.



| Part # | Description | Fits Compressor | Stocking Code | Ship Weight | List Price |
|--------|------------------------------|-----------------|---------------|-------------|------------|
| SSU25 | Sound Shield™ Conversion Kit | SRC25 / SRC252 | 4142347 | 4 lbs. | \$189.79 |
| SSU50 | Sound Shield™ Conversion Kit | SRC50 / SRC502 | 3218246 | 5 lbs. | \$290.99 |
| SSU200 | Sound Shield™ Conversion Kit | SRC2002 | 3554993 | 9 lbs. | \$739.99 |







Diffused Air De-Icing Systems

Protect your dock investment from costly ice damage. An excellent choice for keeping water open around boat lifts, docks, piers, marinas and other structures needing to be ice-free in the northern climate.

A minimum of three foot deep water is needed for diffused air to be effective. Ice damage can be very costly and paying to have docks and boat lifts removed and installed every year has considerable cost. For just a few dollars per month in electric, a diffused air system will maintain open water and prevent these yearly expenses.



Two 60 watt KLC compressors keep the docks and boat lifts shown ice-free for less than \$10 per month!



Stratus™ KLC Shallow Water Systems for 3'-6' depths

- Low electrical consumption; as low as \$5 per month
- See page 27 for Stratus™ KLC compressor detail
- 1/2" QuickSink Tubing and Weighted Diffusers for easy installation and optimal performance



Stratus™ SRC Deep Water Systems for 7'+ depths

- Energy efficient; as low as \$27 per month
- See pages 42-44 for Stratus™ SRC compressor detail
- 3/8" QuickSink Tubing and Weighted Diffusers for easy installation and optimal performance

DKDW60 & DKDW100 also available with Sound Shield™ for the quietest de-icers in their class! Learn about it on page 24.



| Part # | Description | Max. Dock Length | Compressor Part Number | DM2 Diffuser | QuickSink Tubing | Stocking Code | Ship Weight | List Price |
|-----------|---------------------------------|------------------|------------------------|--------------|------------------|---------------|-----------------|------------|
| DKSW30 | Shallow Water Kit | 30' | KLC60 | 2 | 50' | 4562494 | 46, 27 lbs. | \$749.99 |
| DKSW45 | Shallow Water Kit | 45' | KLC80 | 3 | 100' | 3719992 | 51, 54 lbs. | \$959.99 |
| DKDW60 | Deep Water Kit | 60' | SRC50 | 4 | 150' | 71092745 | 23, 45, 35 lbs. | \$1,456.99 |
| DKDW60SS | Deep Water Kit w/ Sound Shield™ | 60' | SRC50SS | 4 | 150' | 41214993 | 23, 45, 35 lbs. | \$1,619.99 |
| DKDW100 | Deep Water Kit | 100' | SRC75 | 6 | 325' | 81484995 | 26, 61, 69 lbs. | \$1,979.99 |
| DKDW100SS | Deep Water Kit w/ Sound Shield™ | 100' | SRC34SS | 6 | 325' | 51672493 | 26, 61, 69 lbs. | \$2,229.99 |



For Large-Scale Marine De-Icing Solutions, we have the products and experience to help you with de-icing!



Aeration Kits for Shallow Ponds

For ponds 7' deep or less, these linear powered aeration systems are a great choice!

- Extremely energy efficient
- Very quiet operation
- Long lasting, oil free design
- Weather resistant enclosures - can be used outdoors. For maximum longevity, use additional protection from the elements.
- With QuickSink Tubing and Self-Weighted Diffusers for easier installation
- Three year limited warranty (wearable parts exempt)
- Five year limited warranty on tubing/diffusers

Ideal for Round or Regular Shaped Ponds



PA6SWN



PA8SWN

Ideal for Long and Narrow or Irregular Shaped Ponds

| Part # | Description | ½" QuickSink Tubing | Stocking Code | Ship Weight | List Price |
|--------|--|---------------------|---------------|-------------|------------|
| PA6SWN | Single diffuser system with KLC60 compressor | 50' | 2449998 | 22, 27 lbs. | \$599.99 |
| PA8SWN | Double diffuser system with KLC80 compressor | 100' | 7667494 | 28, 60 lbs. | \$889.99 |



Shallow water aeration compressor maintenance

| | | | | | |
|---------|--|---|--------|-------|---------|
| KLC68DK | Diaphragm repair kit for KLC60/KLC80 compressors | — | 554747 | 1 lb. | \$72.99 |
| KLC468F | Filter replacement for KLC60/KLC80 compressors | — | 65249 | 1 lb. | \$6.99 |



Aerate up to 1 acre

- ¼ acre at 5'-8' deep
- ½ acre at 8'-12' deep
- 1 acre at 12'-16' deep

PA34 Rocking Piston Aeration Systems

Single diffuser systems designed for ponds up to 50' deep



PA34 Complete System

Sound Shield™ included in select Sentinel Kits! Look for the blue shield. Learn about it on page 24



Complete aeration systems available with or without cabinets. See below for customizable systems

Features

- 1/4 hp Stratus™ SRC Gen 2 Compressor
- Outlet assembly with pressure relief valve
- 100' of 3/8" Poly or QuickSink Tubing - five year limited warranty
- One QS1 self-weighted rubber membrane diffuser assembly with five year limited warranty. Approximately 2.3 cfm air flow per diffuser.

Best Seller



PA34D

Sentinel System



OR



D and DP Deluxe Sentinel Systems Contain:

- Your choice of lockable 18" ground/post mount or 22" ground cabinet - each with five year limited warranty
- 1/4 hp Stratus™ SRC Gen 2 Compressor with **Sound Shield™**, QuickSink Tubing, plumbing, pressure gauge and cooling fan and electrical outlet are pre-installed
- Includes pre-installed outlet assembly with pressure relief valve, pressure gauge and noise reducing foam



PA34W

*No electricity near your pond?
See our remote valve upgrade on page 37.*



| Part # | Compressor | Diffuser | Tubing Type | Tubing Length | Cabinet | Stocking Code | Ship Weight | List Price |
|--------|------------|----------|----------------|---------------|---------|---------------|-------------|------------|
| PA34 | SRC25 | (1) QS1 | 3/8" Poly | 100' | — | 4689997 | 34 lbs. | \$919.99 |
| PA34W | SRC25 | (1) QS1 | 3/8" QuickSink | 100' | — | 6760495 | 52 lbs. | \$1,013.99 |
| PA34DP | SRC25SS | (1) QS1 | 3/8" QuickSink | 100' | SC18 | 81278967 | 38, 34 lbs. | \$1,701.99 |
| PA34D | SRC25SS | (1) QS1 | 3/8" QuickSink | 100' | SC22 | 31501724 | 63, 29 lbs. | \$1,998.99 |

All kits 115v, add "2" behind part number for 230v motor

PA34 Customizable Systems

All PA34 kits contain EasyPro's Stratus™ SRC 1/4 hp Compressor.

See page 23 for chart showing an overview of all customizable systems and components included.

Kits with cabinets include pre-installed **Sound Shield™** and noise reducing foam.

Customize your choice of base kit (shown here) with tubing (page 52), diffusers (pages 54-55), and cabinets (pages 56-58).




| Part # | Compressor | Diffuser | Tubing Type | Tubing Length | Cabinet | Stocking Code | Ship Weight | List Price |
|---------|------------|----------|----------------|---------------|---------|---------------|-------------|------------|
| PA34WLD | SRC25 | — | 3/8" QuickSink | 100' | — | 8644024 | 42 lbs. | \$858.69 |
| PA34DLD | SRC25SS | — | 3/8" QuickSink | 100' | SC22 | 51385252 | 63, 23 lbs. | \$1,843.69 |

All kits 115v, add "2" behind part number for 230v motor

Many system configurations available. Call for details and pricing.

PA34-2 Rocking Piston Aeration Systems

Two diffuser systems designed for ponds up to 50' deep



1/2 acre at 5'-8' deep
1 acre at 8'-12' deep
2 acres at 12'-16' deep

Aerate
up to
2 acres

PA34-2 Complete Systems

Sound Shield™ included in select Sentinel Kits! Look for the blue shield. Learn about it on page 24



Complete aeration systems available with or without cabinets. See below for customizable systems



PA34-2

Features

- 1/4 hp Stratus™ SRC Gen 2 Compressor
- Two valve manifold with pressure relief valve
- No tubing included for custom lengths as needed, set up for 3/8" tubing – see page 52
- Two QS1 self-weighted rubber membrane diffuser assemblies with five year limited warranty. Approximately 1.1 cfm air flow per diffuser.



OR



D and DP Deluxe Sentinel Systems Contain:

- Your choice of lockable 18" ground/post mount or 22" ground cabinet - each with five year limited warranty
- 1/4 hp Stratus™ SRC Gen 2 Compressor with **Sound Shield™**, QuickSink Tubing, plumbing, pressure gauge and cooling fan and electrical outlet are pre-installed
- Includes pre-installed outlet assembly with pressure relief valve, pressure gauge and noise reducing foam

*No electricity near your pond?
See our remote valve upgrade on page 37.*



PA34-2D

Sentinel System

| Part # | Compressor | Diffuser | Tubing Type | Tubing Length | Cabinet | Stocking Code | Ship Weight | List Price |
|----------|------------|----------|-------------|---------------|---------|---------------|-------------|------------|
| PA34-2 | SRC25 | (2) QS1 | — | — | — | 7824246 | 36 lbs. | \$1,098.99 |
| PA34-2DP | SRC25SS | (2) QS1 | — | — | SC18 | 51333714 | 42, 19 lbs. | \$1,774.99 |
| PA34-2D | SRC25SS | (2) QS1 | — | — | SC22 | 31572227 | 63, 19 lbs. | \$2,092.99 |

All kits 115v, add "2" behind part number for 230v motor



PA34-2 Customizable Systems

All PA34-2 kits contain EasyPro's Stratus™ SRC 1/4 hp Compressor.

See page 23 for chart showing an overview of all customizable systems and components included.

Kits with cabinets include pre-installed **Sound Shield™** and noise reducing foam.

Customize your choice of base kit (shown here) with tubing (page 52), diffusers (pages 54-55), and cabinets (pages 56-58).



| Part # | Compressor | Diffuser | Tubing Type | Tubing Length | Cabinet | Stocking Code | Ship Weight | List Price |
|-----------|------------|----------|-------------|---------------|---------|---------------|-------------|------------|
| PA34-2LD | SRC25 | — | — | — | — | 4591297 | 36 lbs. | \$788.39 |
| PA34-2DLD | SRC25SS | — | — | — | SC22 | 81339276 | 63 lbs. | \$1,782.39 |

Kit is 115v, add "2" behind part number for 230v motor




Many system configurations available. Call for details and pricing.

Aerate up to **2** acres

- ½ acre at 5'-8' deep
- 1 acre at 8'-12' deep
- 2 acres at 12'-16' deep

PA65 Rocking Piston Aeration Systems

Two diffuser systems designed for ponds up to 50' deep



PA65 Complete Systems

Sound Shield™ included in select Sentinel Kits! Look for the blue shield. Learn about it on page 24



Complete aeration systems available with or without cabinets. See below for customizable systems

Features

- 1/2 hp Stratus™ SRC Gen 2 Compressor
- Outlet assembly with two valve manifold and pressure relief valve
- 200' of 3/8" QuickSink Tubing - five year limited warranty
- Two QS2 self-weighted rubber membrane diffuser assemblies. Approximately 2.2 cfm air flow per diffuser



PA65W

D and DP Deluxe Sentinel Systems Contain:

- Your choice of lockable 18" ground/post mount or 22" ground cabinet - each with five year limited warranty
- 1/2 hp Stratus™ SRC Gen 2 Compressor with **Sound Shield™**, QuickSink Tubing, plumbing, pressure gauge and cooling fan and electrical outlet are pre-installed
- Includes pre-installed outlet assembly with pressure relief valve, pressure gauge and noise reducing foam

*No electricity near your pond?
See our remote valve upgrade on page 37.*



PA65D



OR



| Part # | Compressor | Diffuser | Tubing Type | Tubing Length | Cabinet | Stocking Code | Ship Weight | List Price |
|--------|------------|----------|----------------|---------------|---------|---------------|-------------|------------|
| PA65W | SRC50 | (2) QS2 | 3/8" QuickSink | 200' | — | 81213498 | 25, 70 lbs. | \$1,617.99 |
| PA65DP | SRC50SS | (2) QS2 | 3/8" QuickSink | 200' | SC18 | 71776967 | 46, 70 lbs. | \$2,365.99 |
| PA65D | SRC50SS | (2) QS2 | 3/8" QuickSink | 200' | SC22 | 62015475 | 69, 70 lbs. | \$2,683.99 |

All kits 115v, add "2" behind part number for 230v motor

PA65 Customizable Systems



All PA65 kits contain EasyPro's Stratus™ SRC 1/2 hp Compressor.

See page 23 for chart showing an overview of all customizable systems and components included.

Kits with cabinets include pre-installed **Sound Shield™** and noise reducing foam.

Customize your choice of base kit (shown here) with tubing (page 52), diffusers (pages 54-55), and cabinets (pages 56-58).

| Part # | Compressor | Diffuser | Tubing Type | Tubing Length | Cabinet | Stocking Code | Ship Weight | List Price |
|-----------|------------|----------|----------------|---------------|---------|---------------|-------------|------------|
| PA65A | SRC50 | (2) QS2 | — | — | — | 21049247 | 47 lbs. | \$1,398.99 |
| PA65WLD | SRC50 | — | 3/8" QuickSink | 200' | — | 6896845 | 46 lbs. | \$1,195.79 |
| PA65ALD | SRC50 | — | — | — | — | 4732597 | 25 lbs. | \$976.79 |
| PA65ADP | SRC50SS | (2) QS2 | — | — | SC18 | 81612716 | 44, 22 lbs. | \$2,146.99 |
| PA65DPLD | SRC50SS | — | 3/8" QuickSink | 200' | SC18 | 71460317 | 46, 46 lbs. | \$1,943.79 |
| PA65ADPLD | SRC50SS | — | — | — | SC18 | 61296064 | 46 lbs. | \$1,724.79 |
| PA65AD | SRC50SS | (2) QS2 | — | — | SC22 | 51851224 | 69, 22 lbs. | \$2,464.99 |
| PA65DLD | SRC50SS | — | 3/8" QuickSink | 200' | SC22 | 41698826 | 69, 46 lbs. | \$2,261.79 |
| PA65ADLD | SRC50SS | — | — | — | SC22 | 41534572 | 69 lbs. | \$2,042.79 |


All kits 115v, add "2" behind part number for 230v motor

Many system configurations available. Call for details and pricing.

Customize your choice of base kit (shown here) with tubing (page 52), diffusers (pages 54-55), and cabinets (pages 56-58).

PA66 Rocking Piston Aeration Systems

Three diffuser systems designed for ponds up to 50' deep



3/4 acre at 5'-8' deep
1 1/2 acre at 8'-12' deep
3 acres at 12'-16' deep

Aerate
up to
2 acres

ROCKING PISTON AERATION

PA66 Complete Systems

Sound Shield™ included in select Sentinel Kits! Look for the blue shield. Learn about it on page 24



Complete aeration systems available with or without cabinets. See below for customizable systems



PA66W



OR



Features

- 1/2 hp Stratus™ SRC Gen 2 Compressor
- Outlet assembly with three valve manifold and pressure relief valve
- 300' of 3/8" QuickSink Tubing - five year limited warranty
- Three QS2 self-weighted rubber membrane diffuser assemblies. Approximately 1.5 cfm air flow per diffuser

D and DP Deluxe Sentinel Systems Contain:

- Your choice of lockable 18" ground/post mount or 22" ground cabinet - each with five year limited warranty
- 1/2 hp Stratus™ SRC Gen 2 Compressor with **Sound Shield™**, QuickSink Tubing, plumbing, pressure gauge and cooling fan and electrical outlet are pre-installed
- Includes pre-installed outlet assembly with pressure relief valve, pressure gauge and noise reducing foam

*No electricity near your pond?
See our remote valve upgrade on page 37.*



| Part # | Compressor | Diffuser | Tubing Type | Tubing Length | Cabinet | Stocking Code | Ship Weight | List Price |
|--------|------------|----------|----------------|---------------|---------|---------------|-----------------|------------|
| PA66W | SRC50 | (3) QS2 | 3/8" QuickSink | 300' | — | 51484994 | 38, 25, 69 lbs. | \$1,979.99 |
| PA66DP | SRC50SS | (3) QS2 | 3/8" QuickSink | 300' | SC18 | 42056715 | 46, 33, 69 lbs. | \$2,738.99 |
| PA66D | SRC50SS | (3) QS2 | 3/8" QuickSink | 300' | SC22 | 52279473 | 69, 33, 69 lbs. | \$3,035.99 |

All kits 115v, add "2" behind part number for 230v motor



PA66 Customizable Systems

All PA66 kits contain EasyPro's Stratus™ SRC 1/2 hp Compressor.

See page 23 for chart showing an overview of all customizable systems and components included.

Kits with cabinets include pre-installed **Sound Shield™** and noise reducing foam.

Customize your choice of base kit (shown here) with tubing (page 52), diffusers (pages 54-55), and cabinets (pages 56-58).



| Part # | Compressor | Diffuser | Tubing Type | Tubing Length | Cabinet | Stocking Code | Ship Weight | List Price |
|-----------|------------|----------|----------------|---------------|---------|---------------|-------------|------------|
| PA66A | SRC50 | (3) QS2 | — | — | — | 71222493 | 33, 25 lbs. | \$1,629.99 |
| PA66WLD | SRC50 | — | 3/8" QuickSink | 300' | — | 41010023 | 25, 69 lbs. | \$1,346.69 |
| PA66ALD | SRC50 | — | — | — | — | 2747524 | 25 lbs. | \$996.69 |
| PA66ADP | SRC50SS | (3) QS2 | — | — | SC18 | 51794215 | 46, 33 lbs. | \$2,388.99 |
| PA66DPLD | SRC50SS | — | 3/8" QuickSink | 300' | SC18 | 61581745 | 46, 69 lbs. | \$2,105.69 |
| PA66ADPLD | SRC50SS | — | — | — | SC18 | 41319243 | 46 lbs. | \$1,755.69 |
| PA66AD | SRC50SS | (3) QS2 | — | — | SC22 | 32016978 | 69, 33 lbs. | \$2,685.99 |
| PA66DLD | SRC50SS | — | 3/8" QuickSink | 300' | SC22 | 91804504 | 69, 69 lbs. | \$2,402.69 |
| PA66ADLD | SRC50SS | — | — | — | SC22 | 31542002 | 69 lbs. | \$2,052.69 |

All kits 115v, add "2" behind part number for 230v motor



Many system configurations available. Call for details and pricing.


Aerate up to

3 acres

- ¾ acre at 5'-8' deep
- 1½ acre at 8'-12' deep
- 3 acres at 12'-16' deep

PA83 Rocking Piston Aeration Systems

Three diffuser systems designed for ponds up to 50' deep



PA83 Complete Systems

Sound Shield™ included in select Sentinel Kits! Look for the blue shield. Learn about it on page 24



Complete aeration systems available with or without cabinets. See below for customizable systems

Features

- 3/4 hp Stratus™ SRC Gen 2 Compressor
- Outlet assembly with three valve manifold and pressure relief valve
- 300' of 3/8" QuickSink Tubing - five year limited warranty
- Three QS2 self-weighted rubber membrane diffuser assemblies. Approximately 2.1 cfm air flow per diffuser

D Deluxe Sentinel Systems Contain:

- 22" ground cabinet with five year limited warranty
- 3/4 hp Stratus™ SRC Gen 2 Compressor with **Sound Shield™**, QuickSink Tubing, plumbing, pressure gauge and cooling fan and electrical outlet are pre-installed
- Includes pre-installed outlet assembly with pressure relief valve, pressure gauge and noise reducing foam

No electricity near your pond?

See our remote valve upgrade on page 37.



PA83D



PA83W



| Part # | Compressor | Diffuser | Tubing Type | Tubing Length | Cabinet | Stocking Code | Ship Weight | List Price |
|--------|------------|----------|----------------|---------------|---------|---------------|-----------------|------------|
| PA83W | SRC75 | (3) QS2 | 3/8" QuickSink | 300' | — | 81691247 | 26, 69, 33 lbs. | \$2,254.99 |
| PA83D | SRC34SS | (3) QS2 | 3/8" QuickSink | 300' | SC22 | 62615478 | 70, 69, 33 lbs. | \$3,483.99 |

All kits 115v, add "2" behind part number for 230v motor

PA83 Customizable Systems

All PA83 kits contain EasyPro's Stratus™ SRC 3/4 hp Compressor.

See page 23 for chart showing an overview of all customizable systems and components included.

Kits with cabinets include pre-installed **Sound Shield™** and noise reducing foam.

Customize your choice of base kit (shown here) with tubing (page 52), diffusers (pages 54-55), and cabinets (pages 56-58).




| Part # | Compressor | Diffuser | Tubing Type | Tubing Length | Cabinet | Stocking Code | Ship Weight | List Price |
|----------|------------|----------|----------------|---------------|---------|---------------|-------------|------------|
| PA83A | SRC75 | (3) QS2 | — | — | — | 31405492 | 26, 33 lbs. | \$1,873.99 |
| PA83WLD | SRC75 | — | 3/8" QuickSink | 300' | — | 61216275 | 69, 26 lbs. | \$1,621.69 |
| PA83ALD | SRC75 | — | — | — | — | 5930524 | 26 lbs. | \$1,240.69 |
| PA83AD | SRC34SS | (3) QS2 | — | — | SC22 | 42329723 | 70, 33 lbs. | \$3,102.99 |
| PA83DLD | SRC34SS | — | 3/8" QuickSink | 300' | SC22 | 62140505 | 70, 69 lbs. | \$2,850.69 |
| PA83ADLD | SRC34SS | — | — | — | SC22 | 51854753 | 70 lbs. | \$2,469.69 |

All kits 115v, add "2" behind part number for 230v motor

Many system configurations available. Call for details and pricing.

PA86 Rocking Piston Aeration Systems

Four diffuser systems designed for ponds up to 50' deep



1 acre at 5'-8' deep
2 acre at 8'-12' deep
4 acres at 12'-16' deep

Aerate
up to
4 acres

ROCKING PISTON AERATION

PA86 Complete Systems

Sound Shield™ included in select Sentinel Kits! Look for the blue shield. Learn about it on page 24



Complete aeration systems available with or without cabinets. See below for customizable systems



Features

- 3/4 hp Stratus™ SRC Gen 2 Compressor
- Outlet assembly with three valve manifold and pressure relief valve
- 600' of 3/8" QuickSink Tubing - five year limited warranty
- Four QS2 self-weighted rubber membrane diffuser assemblies. Approximately 1.5 cfm air flow per diffuser

D Deluxe Sentinel Systems Contain:

- 22" ground cabinet with five year limited warranty
- 3/4 hp Stratus™ SRC Gen 2 Compressor **with Sound Shield™**, QuickSink Tubing, plumbing, pressure gauge and cooling fan and electrical outlet are pre-installed
- Includes pre-installed outlet assembly with pressure relief valve, pressure gauge and noise reducing foam

No electricity near your pond?

See our remote valve upgrade on page 37.



| Part # | Compressor | Diffuser | Tubing Type | Tubing Length | Cabinet | Stocking Code | Ship Weight | List Price |
|--------|------------|----------|----------------|---------------|---------|---------------|---------------------|------------|
| PA86W | SRC75 | (4) QS2 | 3/8" QuickSink | 600' | — | 32122493 | 33, 44, 69, 69 lbs. | \$2,829.99 |
| PA86D | SRC34SS | (4) QS2 | 3/8" QuickSink | 600' | SC22 | 83046725 | 73, 44, 69, 69 lbs. | \$4,058.99 |

All kits 115v, add "2" behind part number for 230v motor



PA86 Customizable Systems

All PA86 kits contain EasyPro's Stratus™ SRC 3/4 hp Compressor.

See page 23 for chart showing an overview of all customizable systems and components included.

Kits with cabinets include pre-installed **Sound Shield™** and noise reducing foam.

Customize your choice of base kit (shown here) with tubing (page 52), diffusers (pages 54-55), and cabinets (pages 56-58).



| Part # | Compressor | Diffuser | Tubing Type | Tubing Length | Cabinet | Stocking Code | Ship Weight | List Price |
|----------|------------|----------|----------------|---------------|---------|---------------|-----------------|------------|
| PA86A | SRC75 | (4) QS2 | — | — | — | 61597495 | 33, 44 lbs. | \$2,129.99 |
| PA86WLD | SRC75 | — | 3/8" QuickSink | 600' | — | 41489205 | 33, 69, 69 lbs. | \$1,985.59 |
| PA86ALD | SRC75 | — | — | — | — | 5964204 | 33 lbs. | \$1,285.59 |
| PA86AD | SRC34SS | (4) QS2 | — | — | SC22 | 32521728 | 73, 44 lbs. | \$3,358.99 |
| PA86DLD | SRC34SS | — | 3/8" QuickSink | 600' | SC22 | 82413437 | 73, 69, 69 lbs. | \$3,214.59 |
| PA86ADLD | SRC34SS | — | — | — | SC22 | 71888436 | 73 lbs. | \$2,514.59 |

All kits 115v, add "2" behind part number for 230v motor




Many system configurations available. Call for details and pricing.

Aerate
up to
2
acres

½ acre at 5'-8' deep
1 acre at 8'-12' deep
2 acres at 12'-16' deep

PA50 Rotary Vane Aeration Systems

Two diffuser systems designed for ponds up to 18' deep



PA50 Complete Systems

Complete aeration systems available with or without cabinets.
See below for customizable systems

Features

- 1/4 hp Stratus™ Rotary Vane Compressor with one year limited warranty (wearable parts exempt)
- Outlet assembly with two valve manifold and pressure relief valve
- 200' of 1/2" QuickSink Tubing - five year limited warranty
- Two QS2 self-weighted rubber membrane diffuser assemblies. Approximately 2.2 cfm air flow per diffuser

D Deluxe Sentinel Systems Contain:

- 22" ground cabinet with five year limited warranty
- Compressor, airlines, plumbing, pressure gauge and cooling fan and electrical outlet are pre-installed
- Includes pre-installed outlet assembly with pressure relief valve, pressure gauge and noise reducing foam

No electricity near your pond?

See our remote valve upgrade on page 37.



PA50D



PA50W



| Part # | Compressor | Diffuser | Tubing Type | Tubing Length | Cabinet | Stocking Code | Ship Weight | List Price |
|--------|------------|----------|----------------|---------------|---------|---------------|---------------------|------------|
| PA50 | RV33 | (2) QS2 | 1/2" Poly | 200' | — | 31387498 | 72 lbs. | \$1,849.99 |
| PA50W | RV33 | (2) QS2 | 1/2" QuickSink | 200' | — | 71647748 | 65, 49, 49 lbs. | \$2,196.99 |
| PA50D | RV33 | (2) QS2 | 1/2" QuickSink | 200' | SC22 | 72303475 | 84, 25, 46, 46 lbs. | \$3,067.99 |

All kits 115v, add "2" behind part number for 230v motor

PA50 Customizable Systems

All PA50 kits contain EasyPro's Stratus™ RV33 Compressor.

See page 23 for chart showing an overview of all customizable systems and components included.

Kits with cabinets include pre-installed noise reducing foam

Customize your choice of base kit (shown here) with tubing (page 52), diffusers (pages 54-55), and cabinets (pages 56-58).




| Part # | Compressor | Diffuser | Tubing Type | Tubing Length | Cabinet | Stocking Code | Ship Weight (lbs.) | List Price |
|----------|------------|----------|----------------|---------------|---------|---------------|--------------------|------------|
| PA50A | RV33 | (2) QS2 | — | — | — | 51370996 | 62 lbs. | \$1,827.99 |
| PA50WLD | RV33 | — | 1/2" QuickSink | 200' | — | 81331096 | 38, 49, 49 lbs. | \$1,774.79 |
| PA50AD | RV33 | (2) QS2 | — | — | SC22 | 42026725 | 84, 25 lbs. | \$2,698.99 |
| PA50DLD | RV33 | — | 1/2" QuickSink | 200' | SC22 | 61986828 | 84, 46, 46 lbs. | \$2,645.79 |
| PA50ADLD | RV33 | — | — | — | SC22 | 81710072 | 84 lbs. | \$2,276.79 |

All kits 115v, add "2" behind part number for 230v motor

Many system configurations available. Call for details and pricing.

PA75 Rotary Vane Aeration Systems

Four diffuser systems designed for ponds up to 18' deep



1 acre at 5'-8' deep
2 acre at 8'-12' deep
4 acres at 12'-16' deep

Aerate
up to
4 acres

ROTARY VANE AERATION

PA75 Complete Systems

Complete aeration systems available with or without cabinets.
See below for customizable systems



PA75W

Features

- 3/4 hp Stratus™ Rotary Vane Compressor with one year limited warranty (wearable parts exempt)
- Outlet assembly with four valve manifold and pressure relief valve
- 600' of 1/2" QuickSink Tubing - five year limited warranty
- Four QS2 self-weighted rubber membrane diffuser assemblies. Approximately 2.4 cfm air flow per diffuser

D Deluxe Sentinel Systems Contain:

- 22" ground cabinet with five year limited warranty
- Compressor, airlines, plumbing, pressure gauge and cooling fan and electrical outlet are pre-installed
- Includes pre-installed outlet assembly with pressure relief valve, pressure gauge and noise reducing foam

No electricity near your pond?

See our remote valve upgrade on page 37.



PA75D

| Part # | Compressor | Diffuser | Tubing Type | Tubing Length | Cabinet | Stocking Code | Ship Weight | List Price |
|--------|------------|----------|----------------|---------------|---------|---------------|-------------------|------------|
| PA75W | RV75 | (4) QS2 | 1/2" QuickSink | 600' | — | 72870997 | 6@49, 44, 65 lbs. | \$3,827.99 |
| PA75D | RV75 | (4) QS2 | 1/2" QuickSink | 600' | SC22 | 63528973 | 470 lbs. | \$4,701.99 |

All kits 115v, add "2" behind part number for 230v motor



PA75 Customizable Systems

All PA75 kits contain EasyPro's Stratus™ RV75 Compressor.

See page 23 for chart showing an overview of all customizable systems and components included.

Kits with cabinets include pre-installed noise reducing foam

Customize your choice of base kit (shown here) with tubing (page 52), diffusers (pages 54-55), and cabinets (pages 56-58).



| Part # | Compressor | Diffuser | Tubing Type | Tubing Length | Cabinet | Stocking Code | Ship Weight (lbs.) | List Price |
|----------|------------|----------|----------------|---------------|---------|---------------|--------------------|------------|
| PA75A | RV75 | (4) QS2 | — | — | — | 72017493 | 65, 44 lbs. | \$2,689.99 |
| PA75WLD | RV75 | — | 1/2" QuickSink | 600' | — | 42258135 | 6@49, 65 lbs. | \$3,010.89 |
| PA75AD | RV75 | (4) QS2 | — | — | SC22 | 52675475 | 180 lbs. | \$3,563.99 |
| PA75DLD | RV75 | — | 1/2" QuickSink | 600' | SC22 | 42916118 | 430 lbs. | \$3,884.89 |
| PA75ADLD | RV75 | — | — | — | SC22 | 92062615 | 140 lbs. | \$2,746.89 |

All kits 115v, add "2" behind part number for 230v motor




Many system configurations available. Call for details and pricing.

Aerate up to **6** acres

1 1/2 acre at 5'-8' deep
3 acre at 8'-12' deep
6 acres at 12'-16' deep

PA100 Rotary Vane Aeration Systems

Six diffuser systems designed for ponds up to 18' deep



PA100 Complete Systems

Complete aeration systems available with or without cabinets. See below for customizable systems

Features

- 1 hp Stratus™ Rotary Vane Compressor with one year limited warranty
- Outlet assembly with six valve manifold and pressure relief valve
- 800' of 1/2" QuickSink Tubing - five year limited warranty
- Six QS2 self-weighted rubber membrane diffuser assemblies. Approximately 2.2 cfm air flow per diffuser

D Deluxe Sentinel Systems Contain:

- 22" ground cabinet with five year limited warranty
- Compressor, airlines, plumbing, pressure gauge and cooling fan and electrical outlet are pre-installed
- Includes pre-installed outlet assembly with pressure relief valve and pressure gauge
- Cabinet includes pre-installed noise reducing foam

No electricity near your pond?

See our remote valve upgrade on page 37.



PA100D



PA100W



| Part # | Compressor | Diffuser | Tubing Type | Tubing Length | Cabinet | Stocking Code | Ship Weight | List Price |
|--------|------------|----------|----------------|---------------|---------|---------------|---------------------|------------|
| PA100W | RV100 | (6) QS2 | 1/2" QuickSink | 800' | — | 83809241 | 8@49, 2@33, 68 lbs. | \$5,078.99 |
| PA100D | RV100 | (6) QS2 | 1/2" QuickSink | 800' | SC22 | 74452972 | 600 lbs. | \$5,933.99 |

All kits 115v, add "2" behind part number for 230v motor



PA100 Customizable Systems

All PA50 kits contain EasyPro's Stratus™ RV33 Compressor.

See page 23 for chart showing an overview of all customizable systems and components included.

Kits with cabinets include pre-installed noise reducing foam

Customize your choice of base kit (shown here) with tubing (page 52), diffusers (pages 54-55), and cabinets (pages 56-58).



| Part # | Compressor | Diffuser | Tubing Type | Tubing Length | Cabinet | Stocking Code | Ship Weight | List Price |
|-----------|------------|----------|----------------|---------------|---------|---------------|---------------|------------|
| PA100A | RV100 | (6) QS2 | — | — | — | 72902497 | 68, 2@33 lbs. | \$3,869.99 |
| PA100WLD | RV100 | — | 1/2" QuickSink | 800' | — | 62889945 | 8@49, 68 lbs. | \$3,853.29 |
| PA100AD | RV100 | (6) QS2 | — | — | SC22 | 73546224 | 230 lbs. | \$4,724.99 |
| PA100DLD | RV100 | — | 1/2" QuickSink | 800' | SC22 | 43533675 | 540 lbs. | \$4,708.29 |
| PA100ADLD | RV100 | — | — | — | SC22 | 32626924 | 150 lbs. | \$3,499.29 |

All kits 115v, add "2" behind part number for 230v motor




Many system configurations available. Call for details and pricing.

Remote Access Valve Assemblies

In some situations it is easier to locate a compressor near an existing power supply that is far away from the pond and extend the tubing rather than run power to pond's edge.

- Typically a single, larger diameter, poly tubing will carry all the air from the compressor down to the edge of the pond where the valve assembly will be located. This prevents having to run multiple smaller lines between compressor and shore.
- These assemblies are simply an "adder" to the kit cost. A single line set up coming off the compressor is included along with a modified valve assembly for installation by the pond.

Simply order the correct remote valve part number shown below along with your desired aeration kit. Then add the cost shown below to the kit cost for total package price.



Rocking Piston Systems* Add-Ons

| Part # | Order With | Stocking Code | List Price |
|--------------|---|---------------|------------|
| RPA62 | Two or three valve outlets - set up for 5/8" line | 733741 | \$44.99 |
| RPA75 | Four to six valve outlets - set up for 3/4" line | 333746 | \$44.99 |

Single line systems (PA34) do not need modification for remote operation

Rotary Vane Systems* Add-Ons

| Part # | Order With | Stocking Code | List Price |
|--------------|--|---------------|------------|
| RVA10 | Two valve (PA50) outlets, set up for 1" line | 141996 | \$55.99 |
| RVA12 | Four to six valve outlets - set up for 1 1/4" line | 741993 | \$55.99 |

**For dual compressor systems, use quantity of two for remote valve assembly price adder.*

Valve Boxes

- Use these handy boxes to conceal the valve underground and yet have easy access
- Box is black in color, lids are green

| Part # | Size | Stocking Code | Ship Weight | List Price |
|-------------|-------------------------|---------------|-------------|------------|
| VB10 | 10" diameter x 10" deep | 430993 | 2 lbs. | \$39.99 |
| VB14 | 14" x 19" x 12" deep | 643998 | 15 lbs. | \$54.99 |



VB14

VB10



EasyPro offers an unlimited number of options for aerating large bodies of water. Typically we prefer to use multiple smaller systems around the perimeter of a lake but in some cases, one or two large compressor stations are utilized and then air is pumped all around the lake from those points. EasyPro offers stock aeration systems for lakes up to 20 acres and custom aeration for larger lakes. Custom systems can run up to 100+ diffusers from a single compressor.

These systems are custom designed for each application rather than sold in "kit" form due to the complexity and uniqueness of each body of water.

Rocking Piston Systems

These double compressor systems are designed for large ponds and lakes where high volumes of air are needed.

Two compressors are mounted in the SC28N large cabinet (page 58), allowing up to eight air lines from a single location.

Since the amount of tubing needed can vary widely in larger projects, these systems are designed with everything you need for a complete system, less the tubing.

- Choose from 1/2 or 3/4 hp compressors with Sound Shield™. See chart below for number of QS2 self-weighted diffusers per system
- Cabinets are mounted on equipment base and come complete with compressors, valve assemblies, pressure gauge, pressure relief valves, high volume cooling fans, electrical box and noise reducing foam.
- Cabinets feature dual fans for increased cooling capability
- Includes fittings for either 3/8" or 1/2" QuickSink Tubing. Purchase tubing separately on page 52.
- Cabinet includes pre-installed noise reducing foam

Sound Shield™ included in select Sentinel Kits!
Look for the blue shield
Learn about it on page 24

DCS systems include QuickSink Self-Weighted Diffusers



Power cords available from cabinets for plug-n-go operation. Contact us for details

| Part # | Compressors | Voltage | Qty. Diffusers/ Air Outlets | Total cfm | Stocking Code | Ship Weight | List Price |
|----------|-----------------------|---------|--------------------------------|--------------|------------------|----------------|---------------|
| DCS64AD | (2) 1/2 hp, SRC50SS | 115 | 4 | 9 | 73698656 | 185 lbs. | \$4,914.89 |
| DCS64AD2 | (2) 1/2 hp, SRC502SS | 230 | 4 | 9 | 53771406 | 185 lbs. | \$5,011.89 |
| DCS66AD | (2) 1/2 hp, SRC50SS | 115 | 6 | 9 | 54088574 | 209 lbs. | \$5,434.79 |
| DCS66AD2 | (2) 1/2 hp, SRC502SS | 230 | 6 | 9 | 24161323 | 209 lbs. | \$5,531.79 |
| DCS86AD | (2) 3/4 hp, SRC34SS | 115 | 6 | 13 | 74616737 | 227 lbs. | \$6,139.09 |
| DCS86AD2 | (2) 3/4 hp, SRC342SS | 230 | 6 | 13 | 84689485 | 227 lbs. | \$6,236.09 |
| DCS88AD | (2) 3/4 hp, SRC34SS | 115 | 8 | 13 | 65003753 | 250 lbs. | \$6,655.09 |
| DCS88AD2 | (2) 3/4 hp, SSRC342SS | 230 | 8 | 13 | 65076507 | 250 lbs. | \$6,752.09 |



Need Large Lake Aeration? We Can Help!

Let us help you determine which products work best for your needs. We will put together a complete aeration quote for you.

Due to the complex nature, please allow extra time when designing these projects.



High Pressure Rocking Piston Systems

A rugged, reliable workhorse and the most powerful rocking piston compressor on the market! With these systems, you can reach deeper depths and achieve longer runs than ever before, all with smaller airlines. If you are facing a job that requires long tubing runs, or has deeper than normal depths, look no further!

- Includes new 2 hp Stratus SRC compressor with  **Sound Shield™**
- Your choice of (6) or (10) diffusers
- Offers longer tubing run capabilities than any other system
 - 1,500' with 3/8" tubing*
 - 4,000' with 1/2" tubing*
 - 20,000' with 5/8" tubing*
- *based on 2 cfm per line/the DCS206HP system
- Cabinets are mounted on equipment base and come complete with compressor, valve assemblies, pressure gauge, pressure relief valves, high volume cooling fans, electrical box and noise reducing foam.
- Includes fittings for either 3/8" or 1/2" QuickSink Tubing. Purchase tubing separately on page 52.
- Cabinet includes pre-installed noise reducing foam



Sound Shield™ included in select Sentinel Kits!
Look for the blue shield
[Learn about it on page 24](#)



| Part # | Compressor | Voltage | Qty. Diffusers/Air Outlets | Total cfm | Stocking Code | Ship Weight | List Price |
|---|------------|---------|----------------------------|-----------|---------------|-------------|--|
|  DCS206HP | SRC2002SS | 230 | 6 | 12 | 35999991 | 304 lbs. | \$7,999.99  |
|  DCS210HP | SRC2002SS | 230 | 10 | 12 | 36524995 | 328 lbs. | \$8,699.99  |



Rotary Vane Systems

These powerful aeration systems are designed for large ponds and lakes where high volumes of air are needed.

Since the amount of tubing needed can vary widely in larger projects, these systems are designed with everything you need for a complete system, less the tubing.

- Available in 1/4, 3/4 and 1 hp dual compressor systems or custom order with mixed hp sizes in same cabinet
- Cabinets are mounted on equipment base and come complete with compressors, valve assemblies, pressure gauge, pressure relief valves, high volume cooling fans, electrical box and noise reducing foam.
- Cabinets feature dual fans for increased cooling capability
- Setup for 1/2" QuickSink Tubing. Purchase tubing separately on page 52.
- Includes pre-installed noise reducing foam

DCS systems include QuickSink Self-Weighted Diffusers



| Part # | Compressors | Voltage | Qty. Diffusers/Air Outlets | Total cfm | Stocking Code | Ship Weight | List Price |
|-----------|------------------|---------|----------------------------|-----------|---------------|-------------|--|
| DCS54AD | (2) 1/4 hp, RV33 | 115 | 4 | 9 | 73698654 | 217 lbs. | \$4,914.89  |
| DCS54AD2 | (2) 1/4 hp, RV33 | 230 | 4 | 9 | 43771404 | 217 lbs. | \$5,011.89  |
| DCS78AD | (2) 3/4 hp, RV75 | 115 | 8 | 20 | 35077952 | 304 lbs. | \$6,753.99  |
| DCS78AD2 | (2) 3/4 hp, RV75 | 230 | 8 | 20 | 25150703 | 304 lbs. | \$6,850.99  |
| DCS112AD | (2) 1 hp, RV100 | 115 | 12 | 26 | 46452898 | 371 lbs. | \$8,587.29  |
| DCS112AD2 | (2) 1 hp, RV100 | 230 | 12 | 26 | 76525646 | 371 lbs. | \$8,684.29  |





Wind Driven Aerators

Let Mother Nature aerate your pond! Windmill aerators can save \$30-\$50 per month in electric costs, paying for themselves in a few short years. Ideal for aerating remote ponds.

- Stable, four leg design
- Long-lasting, reinforced neoprene diaphragm
- 6' diameter head with 12 blades operates in wind as low as five miles per hour
- Produces 2.4-5 cfm (depending on air speed) for ponds up to 40' deep
- Over speed protection – tail section turns head in high winds preventing over spinning
- Includes 48" long anchor stakes
- Includes hinge set
- Effectively aerates ponds up to two acres depending on shape and depth
- Windmills can sit up to 1000' away from pond's edge – use poly tubing on page 52
- Five year limited warranty (wearable parts exempt)



Windmill Kits - include 50' of poly tubing, 100' of QuickSink Tubing and dual head QuickSink Diffuser


| Part # | Description | Overall Height | Base Stance | Stocking Code | Ship Weight (lbs.) | List Price |
|-----------------|---|----------------|-------------|---------------|------------------------------|------------|
| BWM12W | 12' four legged Becker Windmill Kit | 15' | 4'-4" sq | 82215728 | 54, 75, 11, 58, 2@49, 16 | 2,858.99 |
| BWM16W | 16' four legged Becker Windmill Kit | 19' | 5'-8" sq | 52472246 | 54, 75, 11, 58, 2@49, 43, 16 | 3,189.99 |
| BWM20W | 20' four legged Becker Windmill Kit | 23' | 7'-0" sq | 62557493 | 54, 75, 11, 58, 3@49, 43, 16 | 3,299.99 |
| BWM20DLX | 20' four legged Becker Windmill Deluxe Kit* | 23' | 7'-0" sq | 42712496 | 54, 75, 11, 58, 4@49, 43, 25 | 3,499.99 |

*Deluxe Kit contains 2-way splitter, 50' poly, 200' QuickSink Tubing and 2 single head QuickSink diffusers



Windmill Only - customize with diffusers and tubing on pages 52 and 54 (sold separately)

| Part # | Description | Overall Height | Base Stance | Stocking Code | Ship Weight (lbs) | List Price |
|--------------|-------------------------------------|----------------|-------------|---------------|--------------------------|------------|
| BWM12 | 12' four legged Becker Windmill Kit | 15' | 4'-4" sq | 81973147 | 54, 75, 11, 58, 49 | \$2,545.99 |
| BWM16 | 16' four legged Becker Windmill Kit | 19' | 5'-8" sq | 52138997 | 54, 75, 11, 58, 49, 43 | \$2,759.99 |
| BWM20 | 20' four legged Becker Windmill Kit | 23' | 7'-0" sq | 42301746 | 54, 75, 11, 58, 2@49, 43 | \$2,969.99 |




Windmill Head Only

Already have a windmill tower or want to build your own?

- Available in a kit that includes tubing and diffuser(s), or as head only.
- Long-lasting, reinforced neoprene diaphragm
- 6' diameter head with 12 blades operates in wind as low as five miles per hour
- Produces 2.4-5 cfm (depending on air speed) for ponds up to 40' deep
- Over speed protection – tail section turns head in high winds preventing over spinning
- Effectively aerates ponds up to two acres depending on shape and depth
- Windmills can sit up to 1000' away from pond's edge – use poly tubing on page 52
- Five year limited warranty (wearable parts exempt)

Windmill Head Kit Includes

- Functional Head
- QS2 Diffuser
- Fittings
- 50' Poly Tubing
- 100' of 1/2" QuickSink Tubing



| Part # | Description | Overall Diameter | Stocking Code | Ship Weight (lbs.) | List Price |
|--------------|------------------------------|------------------|---------------|-----------------------|------------|
| BWMH | Functional windmill head | 72" | 41635245 | 54, 75, 11, 8 | \$2109.99 |
| BWMHW | Functional windmill head kit | 72" | 41782415 | 54, 75, 11, 49, 16, 8 | \$2299.89 |



Becker Windmill Parts and Accessories



Diaphragm Kit

- Includes:
- 1 - Replacement diaphragm
 - 2 - O-rings
 - 2 - Umbrella valves
 - 2 - Long threaded alignment studs
 - 4 - Short threaded alignment studs

| Part # | Stocking Code | Ship Weight | List Price |
|--------------|---------------|-------------|------------|
| BWMRK | 982493 | 1 lb. | \$109.99 |



Windmill Freeze Control System

- Recommended whenever the windmill is located away from the pond's edge
- If the line starts to freeze, the control valve opens and feeds ethanol alcohol (or rubbing alcohol) into the line to melt the ice, the valve then closes and normal operation resumes

| Part # | Stocking Code | Ship Weight | List Price |
|-------------|---------------|-------------|------------|
| WMFC | 71869662 | 6 lbs. | \$219.95 |



Red Stripe Kit

Add the Red Stripe Kit to your order. It's like putting racing stripes on a classic roadster!

Stickers are pre-cut and easy to apply.



| Part # | Stocking Code | Ship Weight | List Price |
|---------------|---------------|-------------|------------|
| BWMRED | 915493 | 1 lb. | \$19.99 |



Windmill Hinge Set

Hinges install at the base for easier installation. Also useful to lower tower for future maintenance or impending storms.



| Part # | Stocking Code | Ship Weight | List Price |
|-------------|---------------|-------------|------------|
| BWHS | 763742 | 3 lbs. | \$84.99 |

Windmill Accessory Kits and QuickSink PVC Hose

| Part # | Description | Stocking Code | Ship Weight | List Price |
|---------------|--|---------------|-------------|------------|
| WD1 | Aeration Accessory Kit - 50' poly tubing, QS2 diffuser, clamps and tubing connector | 3179244 | 16 lbs. | \$238.99 |
| WD2 | Aeration Accessory Kit - 50' poly tubing, 2 - QS1 diffusers, 2 way splitter and clamps | 7299997 | 25 lbs. | \$399.99 |
| L5PVC1 | 1/2" ID X 1" OD - QuickSink PVC Hose - 100' Roll Boxed | 9133423 | 44 lbs. | \$177.89 |

See pages 52 and 54 for additional tubing and diffuser options.



Outdoor water solutions



Aerates up to 35' deep!

NightAir™ Battery Back Up Solar Aeration Systems

The Off Grid Solution for Night-time Aeration

- 2 high output solar panels with easy install racking system – over 600 watts!
- 2 deep cycle AGM 200 Ah batteries
- Bluetooth enabled solar controller
- Quiet Quantum™ 24v brushless piston compressor
- 2.2 CFM output at 5 psi
- 2 high output fans on every system for optimal cooling
- Powder coated aluminum cabinet with secure locking system
- OWS Optimal Air™ self-cleaning rubber membrane diffusers with weighted base
- Mounting pole included

Warranty:

- 2 year warranty on compressors and electrical components
- 5 year warranty on all diffusers, bases and airlines
- 15 year warranty on all solar panels
- Lifetime warranty against rust on all aluminum cabinets

| Part # | Description | Recommended Pond Size | # of Diffusers | 1/2" Weighted Tubing | Stocking Code | Ship Weight | List Price |
|--------|------------------------------------|-----------------------|----------------|----------------------|---------------|-------------|-------------|
| NA1W | NightAir™ I Single Diffuser System | up to .75 acres | 1 Dual | 100' | 49296867 | 763 lbs. | \$11,995.95 |
| NA2W | NightAir™ II (2) Diffuser System | up to 1.5 acres | 2 Single | 200' | 79528634 | 815 lbs. | \$12,295.00 |
| NA3W | NightAir™ III (3) Diffuser System | up to 2.5 acres | 3 Single | 500' | 59993636 | 971 lbs. | \$12,895.00 |
| NA4W | NightAir™ IV (4) Diffuser System | up to 2.5 acres | 4 Single | - | 59606136 | 285 lbs. | \$12,395.00 |



Outdoor water solutions




NitroAir™ 24 v Direct Drive Solar Aeration Systems

Affordable Solar Aeration without compromising quality!

The same benefits as the Turbo Air system but with a pole mount cabinet vs. an aluminum ground cabinet. This system comes with your choice of either one or two high output solar panels. MaxEnergy™ controller provides significantly longer run times. All-inclusive turn-key kits have everything except for concrete.

- Highest CFM in the industry for a 24v DC Direct Drive Solar System – 3.4 CFM @ 5 psi.
- Replaceable intake filter and maintenance kits available
- 24v DC rocking piston compressor
- Choose one or two solar panels. The + systems have an additional solar panel that extends aeration run time by 3-4 hours per day on clear days.
- Turn-key system including the steel mounting pipe
- 2 year warranty on compressors and electrical components
- 5 year warranty on all diffusers, bases and airlines
- 15 year warranty on solar panels
- Additional airline available

Aerates up to 35' deep!



| Part # | Description | Recommended Pond Size | # of Diffusers | 1/2" Weighted Tubing | Stocking Code | Ship Weight | List Price |
|---------|-------------------------------|-----------------------|----------------|----------------------|---------------|-------------|------------|
| NITRO1 | NitroAir™ I Aeration System | Up to 1 acre | 1 Double | 100' | 43483637 | 330 lbs. | \$4,495.00 |
| NITRO1X | NitroAir™ I+ Aeration System | Up to 1 acre | 1 Double | 100' | 74336135 | 350 lbs. | \$5,595.00 |
| NITRO2 | NitroAir™ II Aeration System | Up to 2.5 acres | 2 Singles | 200' | 84103639 | 335 lbs. | \$5,295.00 |
| NITRO2X | NitroAir™ II+ Aeration System | Up to 2.5 acres | 2 Singles | 200' | 24568631 | 360 lbs. | \$5,895.00 |



TurboAir™ 24v Direct Drive Solar Aeration Systems

The Off Grid Solution for Direct Drive Solar Aeration

Two high-output solar panels with the proprietary MaxEnergy™ controller provide significantly longer run times. The all-inclusive kits allow for easy and quick installation – you just add the concrete.


- Highest output rocking piston compressor rated at 3.4 CFM at 5 psi
- Longest run time over all competitors due to 2 high output solar panels providing > 600 watts of power
- Proprietary MaxEnergy™ Solar Controller
- 2 cooling fans to keep the compressor cool and extends compressor life
- Pressure gauge and pressure relief valve on all units.
- Powder coated aluminum cabinet with lifetime warranty
- 2 high output solar panels with aluminum racking and mounting pole

Warranty:

- 2 year warranty on compressors and electrical components
- 5 year warranty on all diffusers, bases and airlines
- 15 year warranty on all solar panels
- Lifetime warranty against rust on all aluminum cabinets



Outdoor water solutions



Aerates up to 35' deep!

| Part # | Description | Recommended Pond Size | # of Diffusers | 1/2" Weighted Tubing | Stocking Code | Ship Weight | List Price |
|--------|--|-----------------------|----------------|----------------------|---------------|-------------|------------|
| TA1W | TurboAir™ I Single Diffuser System | up to .75 acres | 1 Dual | 100' | 34840753 | 410 lbs. | \$5,695.00 |
| TA2W | TurboAir™ II (2) Diffuser System | up to 1.5 acres | 2 Single | 200' | 25010758 | 465 lbs. | \$5,895.00 |
| TA3W | TurboAir™ III (3) Diffuser System | up to 2.5 acres | 3 Single | 500' | 85520754 | 620 lbs. | \$6,495.00 |
| SRK | Soundproofing Kit - Includes powder coated fan cover & sound deadening acoustical foam | | | | 4280463 | 10 lbs. | \$329.95 |



TurboAir™ XL 24 v Direct Drive Solar Aeration

Outdoor water solutions

Highest CFM in the industry for a Direct Drive Solar System

The TurboAirXL™ 24v direct drive solar aeration system offers the same benefits as the TurboAir™ system but with two compressors and twice the air. This system comes with two high output solar panels. Our MaxEnergy™ controller provides significantly longer run times and our all-inclusive turn-key kits provide everything needed except for concrete.

- Highest CFM in the industry for a 24v DC Direct Drive Solar System – 6.8 CFM @ 5 psi.
- Aerates ponds up to 35' deep
- Replaceable intake filter and maintenance kits available
- 24v DC rocking piston compressor
- 2 year warranty on compressors and electrical components
- Turn-key system including the steel mounting pipe
- 5 year warranty on all diffusers, bases and airlines
- 15 year warranty on solar panels
- Additional airline available
- Solar panel array measures 130" x 80"

Aerates up to 35' deep!



| Part # | Description | Recommended Pond Size | # of Solar Panels | # of Diffusers | 1/2" Weighted Tubing | Stocking Code | Ship Weight | List Price |
|--------|------------------|-----------------------|-------------------|----------------|----------------------|---------------|-------------|-------------|
| TAXL2 | TurboAir™ XL II | Up to 2 Acres | 4 | 2 Quad | 400 | 38665756 | 620 lbs. | \$10,195.00 |
| TAXL3 | TurboAir™ XL III | Up to 3.5 Acres | 4 | 4 Double | 800 | 68793252 | 775 lbs. | \$10,345.00 |
| TAXL4 | TurboAir™ XL IV | Up to 5 Acres | 4 | 6 Double | 1200 | 39685758 | 630 lbs. | \$11,395.00 |





All Stratus SRC compressors operate under 70dB. (About the volume of normal conversation) and they're even quieter when mounted in cabinets!



See our cabinet options on pages 56-58

Stratus™ SRC Series Rocking Piston Compressors

Stratus™ SRC Series "Gen 2" Rocking Piston Compressors are specifically designed for the demanding job of 24 hour operation. The oil-less design makes them ideal for pond aeration systems. Available in 1/4, 1/2, 3/4 and 2 hp models, Stratus™ SRC Series Compressors are assembled in the USA.

Features

- Universal dual voltage, 1725 RPM (60Hz) motor
- Oil-less operation
- Permanently lubricated bearings
- Includes Stratus™ Smart-Start technology to start under load
- Superior quality, flexible cup material for increased reliability
- Die-cast body components for overall strength
- Single or double cylinder design
- Two year limited warranty (wearable parts are exempt)
- Inlet/Outlet Size:
 - 1/4 hp - 3/4 hp: 1/4" fpt
 - 2 hp: 3/8" fpt
- Maximum psi:
 - 1/4 hp - 3/4 hp: max 30 psi
 - 2 hp: max 125 psi

Units include

- Air inlet filter
- Rubber feet
- 5' power cord



SRC25



SRC50



SRC75



SRC2002

Units include: Air inlet filter, rubber feet, 5' power cord

| Part # | hp | Amps* /Volts | Cost per 24 Hours** | cfm Air Flow @ Water Depth of: | | | | | | Stocking Code | Ship Weight | List Price |
|---------|-----|-----------------|------------------------|--------------------------------|------|------|------|------|------|------------------|----------------|---------------|
| | | | | 0' | 10' | 20' | 30' | 40' | 50' | | | |
| SRC25 | 1/4 | 1.7/115 | \$0.40 | 2.3 | 2.2 | 2.0 | 1.9 | 1.8 | 1.7 | 2536245 | 17 lbs. | \$714.99 |
| SRC252 | 1/4 | 0.9/230 | \$0.40 | 2.3 | 2.2 | 2.0 | 1.9 | 1.8 | 1.7 | 4536242 | 17 lbs. | \$714.99 |
| SRC50 | 1/2 | 3.6/115 | \$0.86 | 4.5 | 4.3 | 4.2 | 4.0 | 3.8 | 3.6 | 5674996 | 22 lbs. | \$899.99 |
| SRC502 | 1/2 | 1.8/230 | \$0.86 | 4.5 | 4.3 | 4.2 | 4.0 | 3.8 | 3.6 | 4674996 | 22 lbs. | \$899.99 |
| SRC75 | 3/4 | 4.5/115 | \$1.10 | 6.5 | 6.0 | 5.5 | 5.2 | 5.0 | 4.7 | 4817492 | 26 lbs. | \$1,089.99 |
| SRC752 | 3/4 | 2.3/230 | \$1.10 | 6.5 | 6.0 | 5.5 | 5.2 | 5.0 | 4.7 | 6817497 | 26 lbs. | \$1,089.99 |
| SRC2002 | 2 | 10/230 | \$4.96 | 12 | 11.7 | 11.4 | 11.2 | 10.8 | 10.5 | 62467497 | 62 lbs. | \$3,289.99 |


*Amps measured at 10' operating depth

**Cost figured at .09¢ per kwh, 24/7 operation, 10' operating depth. Actual electrical data will depend on operating conditions.



Stratus™ SRC Compressor Parts & Accessories

SRC Compressor Rebuild Kits



- Kits include piston cup, cylinders, O-rings and cup retainer screws
- SRC75K includes valve plates with leaf valves installed

SRC50K



| Part # | Stocking Code | Ship Weight | List Price |
|---------|---------------|-------------|------------|
| SRC25K | 682491 | 1 lb. | \$109.99 |
| SRC50K | 2152243 | 1 lb. | \$202.99 |
| SRC75K* | 4197625 | 1 lb. | \$263.49 |
| SRC200K | 4332997 | 1 lb. | \$443.99 |
| SRC34K | 7347243 | 1 lb. | \$462.99 |

*Not for use with compressors equipped with Sound Shield



SRC25VP



SRC50VP

SRC25VP and SRC50VP are complete valve plates with leaf valves installed

| Part # | Stocking Code | Ship Weight | List Price |
|----------|---------------|-------------|------------|
| SRC25VP* | 5104992 | 1 lb. | \$139.99 |
| SRC50VP* | 3194993 | 2 lbs. | \$259.99 |

*Not for use with compressors equipped with Sound Shield

SRC Air Filters & Element

GAF2 filters are standard for Stratus™ SRC Rocking Piston Compressors



GAFE


GAF2

GAFE replacement filter elements fit all Stratus™ SRC models

| Part # | Description | Stocking Code | List Price |
|--------|----------------------------|---------------|------------|
| GAF2 | Complete filter - 1/4" mpt | 241246 | \$54.99 |
| GAFE | Replacement element | 65997 | \$7.99 |

SRC Shock Mount Foot

- Four per compressor, all SRC models use same feet. 1/4" - 20 threads



| Part # | Stocking Code | List Price |
|--------|---------------|------------|
| SRCSM | 24499 | \$5.99 |

SRC Capacitors

- Start/run capacitors



SRCCAP

| Part # | Description | Stocking Code | List Price |
|----------|--------------|---------------|------------|
| SRCCAP | 1/4 & 1/2 hp | 648741 | \$64.99 |
| SRC75CAP | 3/4 hp | 943124 | \$57.49 |

Stratus™ ERP Compressor Parts & Accessories

ERP Compressor Rebuild Kits



Rebuilding
ERP Compressors
Step-By-Step



Kits include piston ring, gaskets, seals and leaf valves

| Part # | Stocking Code | Ship Weight | List Price |
|--------|---------------|-------------|------------|
| ERP25K | 359993 | 1 lb. | \$79.99 |
| ERP50K | 4104992 | 1 lb. | \$139.99 |
| ERP75K | 5129747 | 1 lb. | \$172.99 |



ERP50CAP

ERP Capacitors

- All models have field changeable start/run capacitors.

| Part # | Fits Compressor | Stocking Code | List Price |
|-----------|-------------------|---------------|------------|
| ERP25CAP | ERP25 - 115 volt | 617246 | \$22.99 |
| ERP252CAP | ERP252 - 230 volt | 518743 | \$24.99 |
| ERP50CAP | ERP50 - 115 volt | 320995 | \$27.99 |
| ERP502CAP | ERP502 - 230 volt | 620248 | \$26.99 |
| ERP75CAP | ERP75 - 115 volt | 725498 | \$33.99 |
| ERP752CAP | ERP752 - 230 volt | 726248 | \$34.99 |

ERP Air Filters & Element



ERPF12E

ERPF2

ERPF1 & ERPF2 Filter Features

- Good for sound reductions of 2 to 4 dB
- For compressor units up to 7.5 cfm
- Provide excellent filtration in areas of fine dust
- Connections: 1/4" mpt on ERPF1 and 3/8" mpt on ERPF2

| Part # | Fits Compressor | Stocking Code | List Price |
|---------|------------------------------------|---------------|------------|
| ERPF1 | Filter - 1/4 & 1/2 hp for ERP25/50 | 624741 | \$32.99 |
| ERPF2 | Filter - 3/4 hp for ERP75 | 924744 | \$32.99 |
| ERPF12E | Filter element for F1/F2 | 19748 | \$12.99 |

See page 47 for valved outlets, pressure gauges and relief valves



Stratus™ RV Rotary Vane Compressors

Long lasting, continuous duty compressors offer less depth capabilities than the diaphragm or rocking piston compressors but produce considerably more air per hp

- Medium pressure, oil free compressors are excellent for pond and lake aeration or de-icing
- Carbon vanes self adjust to maintain maximum efficiency and are easily replaced when worn out
- All models have an 18' maximum operating depth,
- Units include air filter and 6' power cord with plug
- Air outlet assemblies are available (see page 47) with two to six valves, allowing one pump to supply up to six air manifolds
- Units available in 115 or 230 volt
- One year limited warranty (wearable parts exempt)

| Part # | Description | Volts | Amps | cfm Air Flow @ Water Depth of: | | | | Stocking Code | Ship Weight | List Price |
|--------|----------------------------|-------|------|--------------------------------|------|------|------|---------------|-------------|------------|
| | | | | 0' | 6' | 12' | 18' | | | |
| RV33 | 1/4 hp Stratus rotary vane | 115 | 5 | 4.5 | 4.3 | 4.0 | 3.6 | 3809994 | 34 lbs. | \$1,079.99 |
| RV332 | 1/4 hp Stratus rotary vane | 230 | 2.5 | 4.5 | 4.3 | 4.0 | 3.6 | 5809996 | 34 lbs. | \$1,079.99 |
| RV75 | 3/4 hp Stratus rotary vane | 115 | 12 | 10.0 | 9.6 | 9.2 | 9.0 | 71120498 | 53 lbs. | \$1,493.99 |
| RV752 | 3/4 hp Stratus rotary vane | 230 | 6 | 10.0 | 9.6 | 9.2 | 9.0 | 71120496 | 53 lbs. | \$1,493.99 |
| RV100 | 1 hp Stratus rotary vane | 115 | 14 | 13.5 | 12.4 | 11.7 | 10.4 | 51445243 | 58 lbs. | \$1,926.99 |
| RV1002 | 1 hp Stratus rotary vane | 230 | 7 | 13.5 | 12.4 | 11.7 | 10.4 | 31445246 | 58 lbs. | \$1,926.99 |

Stratus™ RV Rotary Vane Compressor Parts & Accessories

Vane Kits for RV33 - 100 Compressors



Rotary vane compressors each have four self-wearing vanes, when worn they no longer catch air resulting in reduction of air flow.

- Kits include four vanes, gasket and two black, internal air filters
- Ship weight - 2 lbs.

| Part # | Description | Stocking Code | List Price |
|--------|------------------|---------------|------------|
| RV33V | RV33 repair kit | 7126743 | \$168.99 |
| RV75V | RV75 repair kit | 4164995 | \$219.99 |
| RV100V | RV100 repair kit | 6256124 | \$341.49 |

Internal Air Filters

Rotary vane compressors have two internal air filters. Air filter elements are included in repair kits or can be purchased separately. Black plug that holds filter does not come in repair kit.

All models use the same plugs and filters.



| Part # | Description | Stocking Code | List Price |
|--------|-----------------|---------------|------------|
| RVBF | Internal filter | 35996 | \$7.99 |
| RVBP | Black plug | 79374 | \$12.49 |
| RVBO | O-ring | 53743 | \$4.99 |

Air Filters & Filter Elements

Fits Stratus™ RV Rotary Vane Compressors

AC432 filter has 3/8" female threaded inlet

Ship weight - 1 lb. each.



| Part # | Description | Stocking Code | List Price |
|--------|----------------------------|---------------|------------|
| AC432 | 3/8" fpt complete filter | 635991 | \$47.99 |
| AC393 | Replacement filter element | 512974 | \$17.29 |

Check Valve for RV Compressors

Installs on the inlet side of the rotary vane compressors

- Installs between compressor and air filter (air filter not included)
- Prevents back flow of water in air lines
- Ship weight 1 lb.



| Part # | Fits | Stocking Code | List Price |
|--------|-------------|---------------|------------|
| RVC | RV33 | 434491 | \$45.99 |
| RVC2 | RV75, RV100 | 734493 | \$45.99 |



Valved Outlet Air Assemblies

Use when operating two or more pond diffusers from single pump

- Built-in pressure relief valve protects the pump if airlines become kinked, plugged or frozen
- Union coupling allows for quick and easy removal of the pump
- Air flow to each diffuser is controlled by adjustable ball valve
- 2' piece of flexible hose included on each line to dissipate heat and allow for easy tubing connection
- See remote valve assemblies on page 37 for applications where compressor is away from pond's edge

Rocking Piston Air Outlet Assemblies

- Includes pressure relief valve and swivel union for easy removal from compressor
- 1/4" threaded air inlets - fits all rocking piston compressors
- Set up for 3/8" tubing

| Part # | Outlets | Stocking Code | Ship Weight | List Price |
|--------|---------|---------------|-------------|------------|
| ERP1V* | 1 | 627746 | 2 lbs. | \$36.99 |
| ERP2V | 2 | 483998 | 3 lbs. | \$111.99 |
| ERP3V | 3 | 3101243 | 5 lbs. | \$134.99 |
| ERP4V | 4 | 8131247 | 7 lbs. | \$174.99 |
| ERP5V | 5 | 7149997 | 9 lbs. | \$199.99 |
| ERP6V | 6 | 4172493 | 10 lbs. | \$229.99 |

*Control valve not included with ERP1V



Rotary Vane Air Outlet Assemblies

- 1/4" threaded air inlets - for RV33 compressors
- 3/8" threaded air inlets - for RV75/RV100 compressors
- Set up for 1/2" tubing

| Part # | Outlets | Stocking Code | Ship Weight | List Price |
|--------|---------|---------------|-------------|------------|
| VO2N | 2 | 7103493 | 4 lbs. | \$137.99 |
| VO4N | 4 | 6161248 | 6 lbs. | \$214.99 |
| VO6N | 6 | 7218992 | 8 lbs. | \$291.99 |



Liquid Filled Pressure Gauges

- Fits easily onto rocking piston valves or rotary vane outlets
- 1/4" mpt connection
- Use on aeration systems to monitor operating pressure and ensure compressor is not overloaded



| Part # | Range | Stocking Code | Ship Weight | List Price |
|--------|----------|---------------|-------------|------------|
| G30L | 0-30 psi | 420992 | 1 lb. | \$27.99 |
| G50L | 0-50 psi | 822497 | 1 lb. | \$29.99 |

Pressure Relief Valves

- Protects your air compressor from excessive back pressure from frozen or kinked airlines, operating too deep, etc.
- 1/4" mpt

Available in

- 10 psi - Rotary vane compressors
- 25 psi - Stratus SRC rocking piston compressors
- 40 psi - Stratus ERP rocking piston compressors



| Part # | Psi | Stocking Code | Ship Weight | List Price |
|--------|-----|---------------|-------------|------------|
| PR10 | 10 | 614993 | 1 lb. | \$19.99 |
| PR25 | 25 | 211997 | 1 lb. | \$15.99 |
| PR40 | 40 | 914996 | 1 lb. | \$19.99 |



GAST Regenerative Blowers

The industry choice when high oxygen, low energy consumption and reliable service is needed

- Blowers have only one moving part - the impeller - and since the impeller touches nothing, there is no wear, no seals, no vibrations and no lubrication to be done
- 50 and 60 Hz operation, automatic thermal overload protection, UL approved and CSA certified, can be mounted in any position, lightweight, durable and compact
- Includes inlet air filter and outlet bleed valve
- 6' power cord on all blowers 1 hp and smaller
- Three year limited warranty (wearable parts are exempt)

Larger and three phase blowers are available – please inquire!

| Part # | hp | Volts | Amps@ 115v | cfm Air Flow @ Water Depth of: | | | | | Max. Depth | Outlet Pipe Size | Stocking Code | Ship Weight | List Price |
|--------|-----|------------|---------------|--------------------------------|-----|-----|-----|-----|------------|------------------|---------------|-------------|------------|
| | | | | 20' | 30' | 40' | 50' | 60' | | | | | |
| GB11 | 1/8 | 115/230 | 2.0 | 14 | - | - | - | - | 29" | 1½" | 4687991 | 24 lbs. | \$859.99 |
| GB21 | 1/3 | 115/230 | 3.8 | 28 | 19 | - | - | - | 39" | 1½" | 7907994 | 28 lbs. | \$1,134.99 |
| GB31N | 1/2 | 115/230 | 5.6 | 35 | 27 | 19 | 11 | - | 52" | 1½" | 6943993 | 37 lbs. | \$1,179.99 |
| GB41 | 1 | 115/230 | 9.8 | 73 | 64 | 52 | 28 | - | 58" | 2" | 51127995 | 45 lbs. | \$1,409.99 |
| GB415 | 1½ | 115/230 | 20.7 | 110 | 102 | 88 | 78 | 64 | 63" | 2" | 81567999 | 65 lbs. | \$1,959.99 |
| GB51 | 2½ | 115/230 | 23.6 | 135 | 125 | 111 | 100 | 82 | 65" | 2" | 41715196 | 83 lbs. | \$2,143.99 |
| GB63 | 5 | 230/460-3* | 6 @ 460 Volt | 188 | 178 | 167 | 157 | 147 | 105" | 2" | 72095998 | 115 lbs. | \$2,619.99 |



1.5 to 5 hp
Ship
Motor
Freight

*5 hp are three phase motors - specify 230 or 460v. All other blowers are also available in three phase.

Please specify 115 or 230 volt when ordering. Blower will be wired 115v if not specified!



Blower Only

Gast blowers are also available as blower only, no inlet air filter or bleed valve. Ideal for replacement applications where filter and bleed valve already exist. 6' power cord included on 1 hp and smaller units.

| Part # | Description | Stocking Code | Ship Weight | List Price |
|--------|--|---------------|-------------|------------|
| GB11B | ⅛ hp blower, no filter or bleed valve | 7639994 | 21 lbs. | \$799.99 |
| GB21B | ⅓ hp blower, no filter or bleed valve | 4839998 | 25 lbs. | \$1,049.99 |
| GB31BN | ½ hp blower, no filter or bleed valve | 3887992 | 32 lbs. | \$1,109.99 |
| GB41B | 1 hp blower, no filter or bleed valve | 21047994 | 38 lbs. | \$1,309.99 |
| GB415B | 1½ hp blower, no filter or bleed valve | 61463995 | 57 lbs. | \$1,829.99 |
| GB51B | 2½ hp blower, no filter or bleed valve | 41615995 | 75 lbs. | \$2,019.99 |
| GB63B* | 5 hp blower, no filter or bleed valve | 61895996 | 104 lbs. | \$2,369.99 |



1.5 to 5 hp
Ship
Motor
Freight

*3 Phase only - specify 230 or 460v

Replacement Air Filters for 1/8 to 5 hp Blowers

Use these high volume air filters as replacements on our Gast blowers (above) or any application requiring high volumes of prefiltered air



Complete Filter

| Part # | Mpt Connection | Fits Blowers hp | Stocking Code | Ship Weight | List Price |
|--------|----------------|-----------------|---------------|-------------|------------|
| SOL3 | 1½" | 1/8, 1/3, 1/2 | 745496 | 2 lbs. | \$64.99 |
| SOL5 | 2" | 1 | 364398 | 3 lbs. | \$91.99 |
| SOL7 | 2" | 1½, 2½, 5* | 5111994 | 4 lbs. | \$159.99 |

*5 hp blowers have two filters

Replacement Filter Cartridge

Includes canister and foam prefilter




| Part # | Stocking Code | Ship Weight | List Price |
|--------|---------------|-------------|------------|
| SOL31 | 417496 | 1 lb. | \$24.99 |
| SOL51 | 728698 | 1 lb. | \$40.99 |
| SOL71 | 641994 | 2 lbs. | \$59.99 |

DC Diaphragm Compressor Parts & Accessories

DC22, DC12, Repair Kits

If your air compressor runs but does not pump air after a couple years of service, chances are the diaphragm has cracked

- Kits include the diaphragm, head gasket and parts needed to rebuild compressor to "like new" performance
- Ship weight - 2 lbs.



| Part # | Description | Stocking Code | List Price |
|---------------|---------------------------|---------------|------------|
| RK22 | DC22 (1/20 hp) repair kit | 679497 | \$105.99 |
| DC12RK | DC12 (1/8 hp) repair kit | 467496 | \$89.99 |

Air Filters & Elements

Can also be used on a variety of other units as replacement air filters.

- **DC22F** Air filter is one piece, no replaceable element available
- **ERPF1** is available as complete filter or element only (**ERPF12E**)
- Ship weight - 1 lb. each.



ERPF1



DC22F



ERPF12E

| Part # | Description | Stocking Code | List Price |
|----------------|---------------------------|---------------|------------|
| DC22F | Replacement filter - DC22 | 115746 | \$20.99 |
| ERPF1 | Complete filter - 1/4"mpt | 624741 | \$32.99 |
| ERPF12E | Replacement element | 19748 | \$12.99 |



Installed by homeowner, Joseph Pesek (IN)

Stratus™ KLC Linear Diaphragm Air Compressors

These compressors combine outstanding performance with great value!

- Ultra quiet operation with very low energy usage
- Long life, even in continuous applications with minimal maintenance
- Operation at deeper than recommended depths will require more frequent replacement of diaphragms. See chart below for recommended operating depths.
- Three year limited warranty (wearable parts are exempt)



KLC25



KLC40, KLC60 & KLC80



KLC100 & KLC120

KLC Diaphragm Repair Kits

| Part # | Fits Model | Stocking Code | List Price |
|----------|----------------|---------------|------------|
| KLC25DK | KLC25 | 633747 | \$44.99 |
| KLC40DK | KLC40 | 340496 | \$53.99 |
| KLC68DK | KLC60, KLC80 | 654745 | \$72.99 |
| KLC100DK | KLC100, KLC120 | 581748 | \$108.99 |

| Part # | Watts | Compressor Outlet Size (Nominal) | cfm Air Flow @ Water Depth of: | | | | | | | | | Stocking Code | Ship Weight | List Price |
|--------|-------|----------------------------------|--------------------------------|-----|-----|-----|-----|-----|-----|-----|---------|---------------|-------------|------------|
| | | | 0' | 2' | 4' | 6' | 8' | 10' | 12' | 14' | | | | |
| KLC25 | 23 | 5/8" | 1.3 | 1 | 0.8 | 0.6 | 0.4 | 0.1 | — | — | 7197998 | 7 lbs. | \$263.99 | |
| KLC40 | 36 | 5/8" | 2.1 | 1.9 | 1.6 | 1.3 | 0.4 | 0.6 | 0.2 | — | 8257248 | 13 lbs. | \$342.99 | |
| KLC60 | 60 | 5/8" | 3.1 | 2.8 | 2.4 | 2.0 | 1.6 | 1.2 | 0.7 | 0.3 | 7295495 | 15 lbs. | \$393.99 | |
| KLC80 | 70 | 5/8" | 3.7 | 3.4 | 3.1 | 2.8 | 2.4 | 2.0 | 1.5 | 0.9 | 5358426 | 15 lbs. | \$477.89 | |
| KLC100 | 112 | 5/8" | 4.2 | 4.1 | 4.0 | 3.6 | 3.1 | 2.5 | 2.0 | 1.2 | 6487494 | 21 lbs. | \$649.99 | |
| KLC120 | 130 | 1" | 4.9 | 4.8 | 4.6 | 4.3 | 4.0 | 3.5 | 3.0 | 2.9 | 4560243 | 21 lbs. | \$746.99 | |

Recommended operation in shaded area



Linear Piston Compressors

Quiet, energy efficient, weather resistant and durable.
A perfect choice for summer and winter aeration!

- These compressors utilize a small piston instead of a diaphragm to pump air
- It is common for these motors to operate continuously for up to 8 years
- 5' power cord with 115 volt plug included - rubber elbow included for outlet connection
- Three year limited warranty (wearable parts are exempt)



ML28



ML45



ML60/ML80

ML100/ML120

ML200

ML Piston Repair Kits

| Part # | Fits Model | Stocking Code | List Price |
|---------|--------------|---------------|------------|
| ML28RK | ML28 | 459674 | \$76.99 |
| ML45RK | ML45 | 372073 | \$92.99 |
| ML60RK | ML60 | 4120125 | \$154.99 |
| ML80RK | ML80 | 6131747 | \$169.99 |
| ML120RK | ML100, ML120 | 8201495 | \$259.99 |
| ML200RK | ML200 | 4402223 | \$518.99 |

| Part # | Watts | Compressor Outlet Size | cfm Air Flow @ Water Depth of: | | | | | Max. Depth | Max. psi | Stocking Code | Ship Weight | List Price |
|--------|-------|------------------------|--------------------------------|-----|-----|-----|-----|------------|----------|---------------|-------------|------------|
| | | | 0' | 2' | 4' | 6' | 8' | | | | | |
| ML28 | 26 | 5/8" | 1.3 | 1.2 | 0.8 | 0.5 | — | 6' | 2.6 | 4249546 | 8 lbs. | \$321.99 |
| ML45 | 45 | 3/4" | 1.8 | 1.7 | 1.5 | 1.1 | — | 6' | 2.6 | 6289846 | 8 lbs. | \$373.99 |
| ML60 | 60 | 3/4" | 2.5 | 2.5 | 2.3 | 1.4 | 0.5 | 8' | 3.5 | 7377424 | 13 lbs. | \$486.99 |
| ML80 | 86 | 3/4" | 3.0 | 2.9 | 2.8 | 2.1 | 1.2 | 8' | 3.5 | 3395242 | 14 lbs. | \$509.99 |
| ML100 | 95 | 1" | 4.6 | 4.5 | 4.2 | 3.7 | 1.8 | 9' | 4.0 | 3581242 | 22 lbs. | \$749.99 |
| ML120 | 118 | 1" | 5.2 | 5.1 | 4.8 | 4.5 | 2.6 | 9' | 4.0 | 3596742 | 22 lbs. | \$769.99 |
| ML200 | 215 | 1" | 9.9 | 9.1 | 8.4 | 7.3 | 6.0 | 10' | 4.4 | 2960997 | 28 lbs. | \$1,239.99 |

Recommended operation in shaded area

Stratus™ KLC Aeration Systems

Our best selling koi pond filtration for good reason - these kits are reliable, effective and affordable.

- Ensure adequate oxygen and circulation during hot summer months
- De-icing capability during freezing months
- Kits available for water gardens and koi ponds up to 30,000 gallons
- Quiet and energy efficient
- All kits include compressor with 6' power cord, rubber membrane diffuser(s), connectors and 3/8" QuickSink Tubing
- Three year limited warranty (wearable parts are exempt)



LINEAR AERATION KITS



LA1

KLC25 Compressor
23 watt / 1.3 cfm

Estimated operating cost: \$1.51/mo.*



LA2

KLC40 Compressor
36 watt / 2.1 cfm

Estimated operating cost: \$2.37/mo.*



LA3

KLC60 Compressor
60 watt / 3.1 cfm

Estimated operating cost: \$3.94/mo.*



LA4

KLC80 Compressor
70 watt / 3.7 cfm

Estimated operating cost: \$4.60/mo.*

| Part # | Compressor Part Number | Watts | 3/8" Tubing | Air Diffusers Output | Aerates Ponds Up To** | Max. Depth Recommended | Stocking Code | Ship Weight | List Price |
|--------|------------------------|-------|-------------|----------------------|-----------------------|------------------------|---------------|-------------|------------|
| LA1 | KLC25 | 23 | 25' | 1 | 1000-7500 gallons | 6' | 5259492 | 15 lbs. | \$345.99 |
| LA2 | KLC40 | 36 | 50' | 2 | 2000-15000 gallons | 6' | 2371996 | 29 lbs. | \$495.99 |
| LA3 | KLC60 | 60 | 75' | 3 | 3000-22500 gallons | 7' | 6427491 | 37 lbs. | \$569.99 |
| LA4 | KLC80 | 70 | 100' | 4 | 4000-30000 gallons | 8' | 3524996 | 45 lbs. | \$699.99 |

See page 50 for more information on compressors

*Based on 24/7 operation at \$.09 per kWh. Actual cost will vary with operating conditions.

**Fish load, filtration capacity and other factors affect actual maximum pond size.



Deluxe Linear Aeration Kits

- Extra Quiet – you can barely hear them from only 5' away
- Energy Efficient – operates for only pennies per day
- Very Reliable – motors can often run constant for up to 8 years
- Oil-less design – provides clean, dry air with minimal maintenance
- Each kit includes compressor, 15' of weighted airline and air diffuser
- Three year limited warranty (wearable parts are exempt)

LASW

Includes ML28 compressor, 15' of 3/8" QuickSink Weighted Tubing and RAD6 Air Diffuser

LA10W

Includes ML45 compressor, 15' of 1/2" QuickSink Weighted Tubing and RAD12 Air Diffuser



LA15W

Includes ML80 compressor, 15' of 1/2" QuickSink weighted tubing and two RAD1250 air diffusers connected together



| Part # | Compressor Part Number | cfm Air Output | Aerates Ponds Up to* | Electrical Usage | Limited Warranty | Stocking Code | Ship Weight | List Price |
|--------|------------------------|----------------|----------------------|------------------|------------------|---------------|-------------|------------|
| LA5W | ML28 | 1.0 | 25' | 25 watts | 3 years | 4235957 | 13 lbs. | \$314.09 |
| LA10W | ML45 | 1.6 | 50' | 45 watts | 3 years | 4288797 | 18 lbs. | \$383.89 |
| LA15W | ML80 | 2.8 | 75' | 80 watts | 3 years | 2396485 | 24 lbs. | \$526.69 |

See page 50 for more information on compressors

**Fish load, filtration capacity and other factors affect actual maximum pond size.



QuickSink Weighted PVC Airline

Thick wall PVC hose is guaranteed not to crack or split!

- Works in all temperatures for easy installation – even in cold weather!
- Five year limited warranty



Large rolls ship motor freight

| Part # | Length | Stocking Code | Ship Weight | List Price |
|--|-----------------|---------------|--------------|-------------|
| 3/8" QuickSink Airline (.687" O.D.) | | | | |
| L3PVC | Cut any length | 31134 | 20 lbs./100' | \$1.50/foot |
| L3PVC5 | 50' roll-boxed | 344997 | 10 lbs. | \$59.99 |
| L3PVC1 | 100' roll-boxed | 782493 | 20 lbs. | \$109.99 |
| L3PVCR | 500' Roll | 6374991 | 115 lbs. | \$499.99 |
| 1/2" QuickSink Airline (1" O.D.) | | | | |
| L5PVC | Cut any length | 31614 | 44 lbs./100' | \$2.15/foot |
| L5PVC1 | 100' roll-boxed | 4133420 | 44 lbs. | \$177.89 |
| L5PVCR | 500' Roll | 7644991 | 245 lbs. | \$859.99 |
| 5/8" QuickSink Airline (1.12" O.D.) | | | | |
| L6PVC | Cut any length | 31951 | 53 lbs./100' | \$2.60/foot |
| L6PVC1 | 100' roll-boxed | 5149994 | 53 lbs. | \$199.99 |
| L6PVCR | 500' Roll | 2689999 | 290 lbs. | \$919.99 |
| 3/4" QuickSink Airline (1.36" O.D.) | | | | |
| L7PVC | Cut any length | 32447 | 77 lbs./100' | \$3.25/foot |
| L7PVCR | 300' Roll | 3637494 | 260 lbs. | \$849.99 |

Pallet Discounts Available!

Contact us for details

Polyethylene Airline – Non-Weighted

A new and improved poly tubing that is stronger and more flexible than our previous poly tubing. Use between compressor and weighted tubing when compressor is located away from pond's edge

- Can be buried or left exposed
- Available in a variety of roll lengths to minimize fittings



| Part # | Size (I.D.) | Roll Length | Stocking Code | Ship Weight | List Price |
|--------|-------------|-------------|---------------|-------------|------------|
| PT035 | 3/8" | 50 | 517591 | 3 lbs. | \$21.99 |
| PT031 | 3/8" | 100 | 231999 | 5 lbs. | \$39.99 |
| PT032 | 3/8" | 200 | 863993 | 8 lbs. | \$79.99 |
| PT051 | 1/2" | 100 | 439197 | 5 lbs. | \$48.99 |
| PT052 | 1/2" | 200 | 675996 | 10 lbs. | \$94.99 |
| PT054 | 1/2" | 400 | 1119992 | 19 lbs. | \$149.99 |
| PT062 | 5/8" | 200 | 795996 | 11 lbs. | \$119.99 |
| PT064 | 5/8" | 400 | 1183998 | 22 lbs. | \$229.99 |



Stainless Steel Hose Clamps

These clamps have hundreds of uses! Keep plenty on hand for all your air and water plumbing projects!



| Part # | Size (I.D.) | Stocking Code | Case Quantity | List Price |
|--------|-----------------|---------------|---------------|------------|
| HC1 | 1/4" - 5/8" | 71498 | 100 | \$1.99 |
| HC2 | 3/8" - 7/8" | 21493 | 100 | \$1.99 |
| HC3 | 7/16" - 1" | 41791 | 100 | \$2.39 |
| HC34 | 1/2" - 1 1/4" | 91791 | 100 | \$2.39 |
| HC4 | 3/4" - 1 3/4" | 91876 | 50 | \$2.49 |
| HC5 | 2 1/2" - 3 1/2" | 52627 | 50 | \$3.49 |

Tubing Fittings Tubing available on page 52

Couplings



| Part # | Size | Stocking Code | List Price |
|--------|-------------|---------------|------------|
| IC1212 | 5/8" x 5/8" | 42594 | \$3.99 |
| IC1234 | 5/8" x 3/4" | 54546 | \$6.99 |
| IC3434 | 3/4" x 3/4" | 73244 | \$4.99 |

Male Adapters



| Part # | Size | Stocking Code | List Price |
|---------|----------------------|---------------|------------|
| PMA12 | 1/2" mpt x 5/8" barb | 63243 | \$4.99 |
| PMA34 | 3/4" mpt x 3/4" barb | 83894 | \$5.99 |
| PMA3412 | 3/4" mpt x 5/8" barb | 73242 | \$4.99 |

Brass Male Adapters



| Part # | Size | Stocking Code | List Price |
|--------|----------------------|---------------|------------|
| BA37 | 1/4" mpt x 3/8" barb | 42247 | \$2.99 |
| BA50 | 1/4" mpt x 1/2" barb | 73747 | \$4.99 |

Couplings



| Part # | Size | Stocking Code | List Price |
|--------|-------------|---------------|------------|
| TC3838 | 3/8" x 3/8" | 91028 | \$1.45 |
| TC1212 | 1/2" x 1/2" | 71096 | \$1.55 |
| TC1238 | 1/2" x 3/8" | 51254 | \$1.78 |

Male Adapters



| Part # | Size | Stocking Code | List Price |
|--------|----------------------|---------------|------------|
| TA1238 | 1/2" mpt x 3/8" barb | 81252 | \$1.79 |
| TA1212 | 1/2" mpt x 1/2" barb | 1253 | \$1.79 |
| TA3438 | 3/4" mpt x 3/8" barb | 21464 | \$2.09 |
| TA3412 | 3/4" mpt x 1/2" barb | 50764 | \$1.08 |

Splitters

SPL Splitters

- Ideal for water or air
- 1/2" barbed inlets
- 3/8" barbed outlets
- 1/4" ball valves



SPL382



| Part # | Size | Stocking Code | Ship Weight | List Price |
|--------|----------|---------------|-------------|------------|
| SPL382 | 2 valves | 831497 | 1 lb. | \$41.99 |
| SPL383 | 3 valves | 638245 | 2 lbs. | \$50.99 |
| SPL384 | 4 valves | 746493 | 3 lbs. | \$61.99 |

Larger aluminum block and valves for higher flow applications

- Ideal for water or air
- 1/2" barbed inlets
- 1/2" barbed outlets
- 1/2" ball valves



SPL122



| Part # | Size | Stocking Code | Ship Weight | List Price |
|--------|----------|---------------|-------------|------------|
| SPL122 | 2 valves | 137494 | 2 lbs. | \$49.99 |
| SPL123 | 3 valves | 644997 | 2 lbs. | \$59.99 |
| SPL124 | 4 valves | 852498 | 3 lbs. | \$69.99 |

Aeration Accessory Kit

This kit has 140 of the most commonly used fittings for installing aeration systems including connectors, adapters, stainless steel clamps and more. Each kit also has a nut driver, tubing cutter and Teflon tape all in a convenient storage case.



| Part # | Description | Stocking Code | Ship Weight | List Price |
|--------|------------------------|---------------|-------------|------------|
| PATK | Aeration accessory kit | 3218329 | 8 lbs. | \$309.69 |

Don't see the fittings you need?

The EasyPro Pond & Water Feature catalog has a huge selection of plumbing fittings and accessories. Request a copy on our website www.easypro.com or call us toll free at 800-448-3873





QuickSink™ Weighted Diffusers

Same great membrane diffuser performance
in a sinking design!

- Weighted base with powder coated finish
- Sch. 80 PVC air manifold check valve
- Includes inlet air fittings for 3/8", 1/2" or 5/8" tubing, tubing clamps and strain relief
- Built in check valve prevents backflow of water up air line
- Five year limited warranty (wearable parts exempt)



QS1



QS2

Weighted design eliminates need for gravel
and reduces installation time!



Shown assembled
with strain relief
included for
durability



| Part # | Description | Recommended Airflow (cfm) | Stocking Code | Ship Weight | List Price |
|--------|--------------------------|---------------------------|---------------|-------------|------------|
| QS1 | Weighted single diffuser | .8 - 3 | 8125248 | 9 lbs. | \$166.99 |
| QS2 | Weighted dual diffuser | 1.6 - 6 | 2170243 | 11 lbs. | \$226.99 |




Air Diffuser Manifolds *Weighted design for easy installation!*

- Polyethylene underlay keeps diffuser from settling into pond bottom
- Available with weighted RAD650W diffusers or AS650 alumina air diffusers
- Includes check valve to prevent water from filling air line when not in use, strain relief barb fitting for tubing connection, underlay and clamp




DM2



DM4



DM6



DM4S

| Part # | Number of Diffusers | Recommended Airflow (cfm) | Tubing Connection | Size of Underlay | Stocking Code | Ship Weight | List Price |
|--------|---------------------|---------------------------|-------------------|------------------|---------------|-------------|------------|
|--------|---------------------|---------------------------|-------------------|------------------|---------------|-------------|------------|

Manifolds with Membrane Diffusers

| | | | | | | | |
|-----|---|------------|-------------------|-------------------|---------|---------|----------|
| DM2 | 2 | .8 - 3.4 | 3/8", 1/2" & 5/8" | 11 1/4" x 20" | 377994 | 9 lbs. | \$103.99 |
| DM4 | 4 | 1.6 - 6.8 | 3/8", 1/2" & 5/8" | 22 1/2" x 22 1/2" | 4118496 | 11 lbs. | \$157.99 |
| DM6 | 6 | 2.4 - 10.2 | 3/8", 1/2" & 5/8" | 22 1/2" x 22 1/2" | 5157493 | 14 lbs. | \$209.99 |

Manifolds with Alumina Diffusers

| | | | | | | | |
|------|---|-----------|-------------------|-------------------|---------|---------|----------|
| DM2S | 2 | 1.0 - 1.4 | 3/8", 1/2" & 5/8" | 11 1/4" x 20" | 188496 | 8 lbs. | \$117.99 |
| DM4S | 4 | 2.0 - 2.8 | 3/8", 1/2" & 5/8" | 22 1/2" x 22 1/2" | 6149245 | 9 lbs. | \$198.99 |
| DM6S | 6 | 3.0 - 4.2 | 3/8", 1/2" & 5/8" | 22 1/2" x 22 1/2" | 5193497 | 10 lbs. | \$257.99 |

Advanced membrane design!

- Enhanced durability
- Improved efficiency
- Lower maintenance



Bottom View of MD3

Membrane Diffusers

A great alternative to air stones in many aeration applications

- Hundreds of "I" slots that open as air pressure builds inside of the diffuser
- Center of the membrane does not have slots and acts as a check valve when air flow stops
- Diffusers have a 3/4" male thread inlet and are 10" in diameter
- Uniform bubble distribution with up to 3 cfm air flow

| Part # | Case Quantity | Stocking Code | Ship Weight | List Price |
|--------|---------------|---------------|-------------|------------|
| MD3 | 20 | 529998 | 2 lbs. | \$39.99 |



Rubber Membrane Air Diffusers

Incredibly strong. Ideal for pond aeration, circulation and destratifying applications

- Unlike air stones these diffusers are easy to clean
- In testing they produce a slightly larger air bubble than air stones which translates into less oxygen transfer into the water, so for fish holding tanks, raceways, fish production ponds, etc. we recommend staying with the air stones below
- Barbed inlets have multiple size barbs, simply cut to fit tubing
- Excellent for ponds and water gardens since they actually produce more circulation and water movement



| Part # | Length | Inlet Air Fitting | Recommended Airflow (cfm) | Maximum Airflow (cfm) | Case Quantity | Stocking Code | Ship Weight | List Price |
|---------|--------|-------------------|---------------------------|-----------------------|---------------|---------------|-------------|------------|
| RAD4 | 4" | 1/4" - 3/8" | .2 | 1.1 | 12 | 511625 | 1 lb. | \$15.49 |
| RAD6 | 6" | 1/4" - 3/8" | .4 | 1.7 | 12 | 415524 | 1 lb. | \$20.69 |
| RAD650 | 6" | 1/2" mpt | .4 | 1.7 | 12 | 315527 | 1 lb. | \$20.69 |
| RAD650W | 6" | 1/2" mpt weighted | .4 | 1.7 | 12 | 619273 | 2 lbs. | \$25.69 |
| RAD8 | 8" | 3/8" - 1/2" | .7 | 2.5 | 12 | 219276 | 1 lb. | \$25.69 |
| RAD850 | 8" | 1/2" mpt | .7 | 2.5 | 12 | 819276 | 1 lb. | \$25.69 |
| RAD12 | 12" | 3/8" - 1/2" | .9 | 3.5 | 6 | 529923 | 2 lbs. | \$39.89 |
| RAD1250 | 12" | 1/2" mpt | .9 | 3.5 | 6 | 329929 | 2 lbs. | \$39.89 |



Pro-Glass Alumina Air Stones

Alumina Air Stones - three times stronger than white silica air stones!

- Creates finer bubbles for increased aeration efficiency with no increase in pressure
- Inlet fittings are set into the body of the diffuser, making them much less likely to break or twist loose
- Higher density means self-weighting
- More resistant to ozone

The Best Choice
for aquaculture applications



Contact us for volume pricing

| Part # | Dimensions | Fitting Size | Recommended Airflow (cfm) | Stocking Code | Ship Weight | List Price |
|--------|--------------------------|--------------|---------------------------|---------------|-------------|------------|
| AS15 | 1 1/2" x 1 1/2" x 1 1/2" | 3/16" barb | .20 | 710515 | 1 lb. | \$14.49 |
| AS325 | 1 1/2" x 1 1/2" x 3" | 1/4" barb | .30 | 315944 | 1 lb. | \$21.99 |
| AS337 | 1 1/2" x 1 1/2" x 3" | 3/8" barb | .30 | 215942 | 2 lbs. | \$21.99 |
| AS637 | 1 1/2" x 1 1/2" x 6" | 3/8" barb | .50 | 319576 | 2 lbs. | \$26.99 |
| AS650 | 1 1/2" x 1 1/2" x 6" | 1/2" npt | .50 | 619575 | 2 lbs. | \$26.99 |
| AS937 | 1 1/2" x 1 1/2" x 9" | 3/8" barb | .75 | 529726 | 2 lbs. | \$40.99 |
| AS950 | 1 1/2" x 1 1/2" x 9" | 1/2" npt | .75 | 629728 | 2 lbs. | \$40.99 |
| AS1237 | 1 1/2" x 1 1/2" x 12" | 3/8" barb | 1.0 | 633345 | 3 lbs. | \$45.99 |
| AS1250 | 1 1/2" x 1 1/2" x 12" | 1/2" npt | 1.0 | 433347 | 3 lbs. | \$45.99 |




EasyPro offers a variety of weatherproof enclosures to protect aeration compressors from the elements. Without protection the life of any air system will be greatly reduced.

Mock Rock™ Landscape Boulders

Mock Rock™ Boulders are ideal for concealing air pumps, water pumps, pond filters, UVs, lighting transformers and other equipment.

- Commercial grade construction stands up to the elements – will not fade or crack, recycled material
- All rocks come standard with one vent – additional vents can be ordered if needed



Three Sizes

DMBR: Measures 19" long x 14" wide x 12" high, includes one 3" vent

DLB1: Measures 30" long x 23" wide x 18" high, includes one 3" vent

DLB2: Measures 56" long x 42" wide x 30" high, includes one 4" vent

**ships motor freight*

| Part # | Color | Dimensions | Vent Included | Case Quantity | Stocking Code | Ship Weight | List Price |
|--------|-------|---------------------------------------|---------------|---------------|---------------|-------------|------------|
| DMBR | Brown | 19" long x 14" wide x 12" high | One 3" vent | 10 | 697495 | 4 lbs.* | \$129.99 |
| DLB1F | Gray | 30" long x 23" wide x 18" high | One 3" vent | 6 | 4142493 | 6 lbs.* | \$189.99 |
| DLB1R | Brown | 30" long x 23" wide x 18" high | One 3" vent | 6 | 2142495 | 6 lbs.* | \$189.99 |
| DLB2F | Gray | 56" long x 42" wide x 30" high | One 4" vent | 4 | 7374996 | 28 lbs.† | \$499.99 |
| DLB2R | Brown | 56" long x 42" wide x 30" high | One 4" vent | 4 | 5374995 | 28 lbs.† | \$499.99 |
| DLB3S | – | Additional 3" louvered vent installed | – | – | 313497 | 1 lb. | \$17.99 |
| DLB4S | – | Additional 4" screened vent installed | – | – | 722495 | 1 lb. | \$29.99 |

**Dimensional shipping rate applies †Ships motor freight*



Roto-Molded Cabinets

This polyethylene cabinet is an economical alternative to the steel cabinets

- Designed to hold air compressors up to the RV33 (1/4 hp rotary vane) in size.
- The small foot print makes it easy to hide!
- Ideal for housing all linear compressors, DC22 (PA10), DC12 (PA12), SRC25 (PA34), SRC50 (PA66) and RV33 (PA50)
 - Roto-molded in a tan color which blends well into existing landscape
 - Built in louvers allow fresh air into cabinet, an optional cooling fan is recommended for large compressors or in hot locations, fan comes installed in opposite hole with louver



SC25F1



SC25SU



| Part # | Description | Stocking Code | Ship Weight | List Price |
|--------|--|---------------|-------------|------------|
| SC25 | Cabinet, 15"w x 25"l x 15"h | 2179992 | 22 lbs. | \$239.99 |
| SC25F1 | Cabinet with 115v fan installed | 3224997 | 24 lbs. | \$299.99 |
| SC25F2 | Cabinet with 230v fan installed | 9232498 | 24 lbs. | \$309.99 |
| SC25SU | Noise reducing foam for SC25 (installed) | 273498 | – | \$97.99 |



Post Mounted Lockable Cabinets

Top and front wall open for easy access and service

- 11 1/2" w x 18" l x 11 1/2" t - will hold all linear compressors and the DC12, DC22, SRC25, and SRC50 compressors
- 18 gauge galvanized steel with powder coat finish
- Three 1 1/4" knock outs for airlines plus one for power source
- All cabinets come complete with mounting bracket, cooling fan and electrical box
- Also available with a raised base for use on the ground when pole mounting is not an option.
- 5' power cord pre-wired to plug cabinet into GFCI protected outlet
- 115v 13 amp max. / 230v 15 amp max.



SC18G

Noise reduction option available – high quality acoustical foam reduces motor sound considerably



| Part # | Description | Stocking Code | Ship Weight | List Price |
|--------|---|---------------|-------------|------------|
| SC18 | Pole mount cabinet with 115v fan | 4307493 | 19 lbs. | \$409.99 |
| SC182 | Pole mount cabinet with 230v fan | 9337498 | 19 lbs. | \$449.99 |
| SC18G | Ground mount cabinet with 115v fan | 7335998 | 22 lbs. | \$447.99 |
| SC18G2 | Ground mount cabinet with 230v fan | 7344247 | 22 lbs. | \$458.99 |
| SC18SU | Noise reducing foam upgrade (installed) | 659995 | - | \$79.99 |




SC22

Lockable Steel Cabinets

Standard Cabinet

- 16 1/2" w x 22" l x 19" t - will hold all compressors up to RV100 or multiple smaller units
- With stainless steel lock to protect against vandalism
- Includes compressor mounting base to keep compressor off the ground
- 14 gauge galvanized steel with powder coat paint finish
- Tapered lid - makes front wall shorter allowing easier access to compressor
- Has six 1 1/4" knockouts for airlines and one knockout for incoming power
- Optional fans recommended on any compressors operating in hot climates and on 3/4 hp and larger in all climates



SC22D1

Improved Design!

All models now include a 6' power cord.

SC22D2 now has dual 230v outlets for maintenance or upgrades.

Deluxe Cabinet

- Standard cabinet above with cooling fan and electrical box installed
- Cooling fan kits include fan, guard, power cord and hardware
- 6' power cord pre-wired to plug cabinet into GFCI protected outlet
- 115v 15 amp max. / 230v 15 amp max.

CAD



| Part # | Description | Stocking Code | Ship Weight | List Price |
|--------|---|---------------|-------------|------------|
| SC22 | Standard locking cabinet | 6397497 | 50 lbs. | \$529.99 |
| SC22D1 | Deluxe cabinet with electric & 115v fan installed | 6512998 | 53 lbs. | \$683.99 |
| SC22D2 | Deluxe cabinet with electric & 230v fan installed | 8524995 | 53 lbs. | \$699.99 |
| SC22SU | Noise reducing foam upgrade (installed) | 797494 | - | \$129.99 |



Large Lockable Steel Cabinets

These larger cabinets are ideal for lake aeration projects where multiple compressors are used or for applications needing one compressor and a liquid dosing pump.

- 16 gauge galvanized steel with powder coat finish
- 24"w x 28"l x 20"t, includes two motor mounting plates
- Deluxe cabinets include electrical box and dual high volume cooling fan installed
- Locking hinges hold lid open during service and maintenance
- Order equipment pad for dusty applications (bottom air intake on cabinets) or soft/mucky sites to support the weight of the cabinet



SC28ND1
Inside detail with dual 115v cooling fans



SC28N
with optional SMBASE33 equipment pad

| Part # | Description | Stocking Code | Ship Weight | List Price |
|----------|---|---------------|-------------|------------|
| SC28N | Large locking cabinet | 3824998 | 85 lbs. | \$1,099.99 |
| SC28ND1 | Deluxe large cabinet with electric & 115v dual cooling fans installed | 71012494 | 94 lbs. | \$1,349.99 |
| SC28ND2 | Deluxe large cabinet with electric & 230v dual cooling fans installed | 31087494 | 94 lbs. | \$1,449.99 |
| SC28NFK1 | Dual cooling fan kit** for SC28N cabinet, 115v | 4110994 | 5 lbs. | \$147.99 |
| SC28NFK2 | Dual cooling fan kit** for SC28N cabinet, 230v | 2119994 | 5 lbs. | \$159.99 |
| SC28SU | Noise reducing foam for SC28N cabinet (installed) | 5123743 | 2 lbs. | \$164.99 |
| SMBASE33 | Optional equipment pad, 32" x 32" x 3" thick | 588395 | 18 lbs. | \$103.99 |

**Fan kits above include fans, guards, power cords and mounting hardware for SC28N cabinet



Large Cabinets Ship Motor Freight

Lockable Steel Cabinet Accessories

| Part # | Description | Stocking Code | Ship Weight | List Price |
|--------|---|---------------|-------------|------------|
| SCFK1 | Cooling fan kit* for SC18, SC22 cabinet, 115v | 154748 | 2 lbs. | \$72.99 |
| SCFK2 | Cooling fan kit* for SC18, SC22 cabinet, 230v | 759992 | 2 lbs. | \$79.99 |

*Fan kits above include fan, guard, power cord and mounting hardware

| | | | | |
|----------|--|---------|--------|----------|
| SCELK1 | Electrical component kit [†] for SC22, 115v | 421748 | 1 lb. | \$28.99 |
| SCELK2 | Electrical component kit [†] for SC22, 230v | 729993 | 1 lb. | \$39.99 |
| SCFAN1 | Replacement fan for SC18, SC22, SC25, SC28N - 115v | 935928 | 2 lbs. | \$47.89 |
| SCFAN2 | Replacement fan for SC18, SC22, SC25, SC28N - 230v | 740796 | 2 lbs. | \$54.39 |
| SCFANG | Replacement fan guard for SC18, SC22, SC25, SC28N | 36223 | 1 lb. | \$8.29 |
| SC28ELK1 | Electrical component kit [†] for SC28, 115v | 462248 | 2 lbs. | \$82.99 |
| SC28ELK2 | Electrical component kit [†] for SC28, 230v | 9115494 | 2 lbs. | \$153.99 |

†All electrical kits include outlet, pvc and mounting hardware. No power cord included.

Dual Cooling Fan kit for SC28N cabinet

| | | | | |
|----------|---|---------|--------|----------|
| SC28NFK1 | Dual cooling fan kit** for SC28 cabinet, 115v | 8110992 | 2 lbs. | \$147.99 |
| SC28NFK2 | Dual cooling fan kit** for SC28 cabinet, 230v | 2119997 | 2 lbs. | \$159.99 |

**Fan kits above include fans, power cord and mounting hardware for SC28 cabinet



SCELK1 Electrical Outlet



SCFAN1 Replacement Fan Only



SCFANG Replacement Fan Guard

Surface Aeration

Fountains create good water movement at the pond's surface and are helpful in keeping pollen, duckweed, watermeal and other surface debris under control.

EasyPro offers a wide variety of fountains and surface aerators. Our volume allows us to sell the best fountains at the lowest prices. A variety of patterns and sizes (ranging from 1/3 to 25 hp) and light packages for night time displays, assures we have a fountain for virtually every application. Shop and compare - we offer the best selection and lowest prices in the industry!



Surface aeration is available in several styles ranging from high volume to highly decorative. Since water is heavy, the more decorative the spray pattern, the less volume of water is pumped.



High Volume Maximum Water Movement

These units focus on moving the maximum amount of water and not on decorative looks. Fish farms, waste water treatment ponds, retention ponds and other applications requiring maximum water movement with high oxygen transfer will benefit the most from this design. While not the prettiest to look at, these units are by far the best bang for the dollar when water quality management is needed.



Medium Volume Moderate Water Movement with Visual Appeal

A modified version of the high volume units above, these fountains use a nozzle to guide the water into a "V" shaped display. Some volume is sacrificed to achieve the higher spray, but overall, decent water movement is produced. A good compromise between high volume and decorative units. These units are a good choice for ponds requiring water quality improvement but also a visually attractive display.



Decorative Minimum Water Movement with Maximum Appeal

For ponds requiring maximum visual appeal. Instead of a high volume propeller, decorative fountains use an impeller to build pressure and then force the water out through various nozzles to create a tall, visually appealing fountain. These units pump minimal water and create minimal circulation so they should be viewed as mostly decorative. Office buildings, condo associations, parks, and zoos are the most common applications. Use of a diffused aeration system in conjunction with a decorative fountain for water quality management.



BEAUTIFUL by day
STUNNING by night



The Perfect Fountain for Small Ponds!

Starburst Mini Floating Pond Fountain

Designed for ponds as small as 15' in diameter and features built-in, super bright lights and super easy installation.

- Powered by an energy-efficient asynchronous mag drive pump
- Six super bright, cool white LED lights embedded in float
- Spray pattern: 2.5' tall x 6' diameter
- Float diameter: 15"
- Minimum required pond depth: 18"
- Wattage: Fountain 110 watts, Lights 5 watts
- 30' Cord
- One year limited warranty (wearable parts are exempt)



2.5' tall x 6' diameter
Recommended for ponds larger than 15' in diameter



| Part # | Description | Stocking Code | Ship Weight | List Price |
|--------|-------------------------|---------------|-------------|------------|
| MWF36 | Starburst Mini Fountain | 4431997 | 13 lbs. | \$575.99 |

AquaFloat™ Floating Fountain Head


Build your own fountain by simply hooking a pump to this head. Ideal for use with existing lawn sprinkling pump.

- The fountain head has a 24" diameter high density float and a decorative float cover
- The spray nozzle threads on/off for easy cleaning
- Inlet connection is 2" female threads




| Fountain Performance Chart | | | | | |
|----------------------------|-----|-------------|--|-----|-------------|
| Rocket Nozzle | | | Wide Umbrella Nozzle | | |
| Spray Pattern | gpm | Ft. of Head | Spray Pattern | gpm | Ft. of Head |
| 6'h x 3'd | 40 | 10' | 4'h x 15'd | 62 | 11' |
| 8'h x 3'd | 45 | 13' | 6'h x 20'd | 77 | 14' |
| 10'h x 3'd | 51 | 15' | 8'h x 24'd | 82 | 19' |
| 12'h x 3'd | 55 | 16' | Ft. of head column is the amount of pressure the nozzle requires | | |
| 14'h x 3'd | 61 | 20' | | | |
| 16'h x 3'd | 65 | 23' | | | |

Select a pump that will deliver the gpm @ ft. of head shown



Rocket Nozzle




Wide Umbrella Nozzle



Narrow Umbrella Nozzle

| Part # | Description | Stocking Code | Ship Weight | List Price |
|--------|--|---------------|-------------|------------|
| ACF1N | Fountain head w/rocket nozzle | 6172498 | 14 lbs. | \$229.99 |
| ACF2N | Fountain head w/wide umbrella nozzle | 9172497 | 14 lbs. | \$229.99 |
| ACF3N | Fountain head w/narrow umbrella nozzle | 3172496 | 14 lbs. | \$229.99 |
| ACFRN | Rocket nozzle only | 544991 | 3 lbs. | \$59.99 |
| ACFWU | Wide umbrella nozzle only | 444994 | 3 lbs. | \$59.99 |
| ACFNU | Narrow umbrella nozzle only | 144992 | 3 lbs. | \$59.99 |



AquaFountain™


1/2 hp & 1 hp Fountains



Wide Umbrella Nozzle



Narrow Umbrella Nozzle



Rocket Nozzle

Beautiful, reliable and affordable for over 25 years! The best value in fountains!

- Long lasting, energy efficient motor designed for continuous duty operation, with built in thermal and over current protection
- Floats are made from high density foam and protected by a decorative float cover
- Intake screens are aluminum and prevent leaves, algae, sticks, etc. from plugging pump
- 30" minimum operating depth
- 115v units come with timer and GFI; 230v units include timer only, purchase GFI locally
- Pre-assembled and ready to install
- Two year limited warranty (wearable parts are exempt)

See pages 62-64 for AquaShine™ light kits that turn your fountain into a beautiful night time display!



Fountains include rocket and umbrella nozzles. Purchase narrow umbrella separately below.

GFI with timer included on all 115v models
230v units include timer only panel, without GFI



| Part # | hp | Power Cord Length/Gauge | Voltage/ Amps | Rocket Spray Dimensions | Wide Umbrella Spray Dimensions | Stocking Code | Ship Weight | List Price |
|---------------------|-----|-------------------------|---------------|-----------------------------|--------------------------------|---------------|-------------|------------|
| 1/2 hp, 115v | | | | | | | | |
| AF50 | 1/2 | 100'/12 ga. | 115/7.0 | 8' H x 2' dia. | 6' H x 15' dia. | 31441497 | 59 lbs. | \$1,859.99 |
| AF5015 | 1/2 | 150'/12 ga. | 115/7.0 | 8' H x 2' dia. | 6' H x 15' dia. | 61604245 | 67 lbs. | \$2,069.99 |
| AF5020 | 1/2 | 200'/10 ga. | 115/7.0 | 8' H x 2' dia. | 6' H x 15' dia. | 42154497 | 102 lbs. | \$2,779.99 |
| 1 hp, 115v | | | | | | | | |
| AF100 | 1 | 100'/12 ga. | 115/11.0 | 16' H x 5' dia. | 8' H x 26' dia. | 81766995 | 82 lbs. | \$2,279.99 |
| AF10015 | 1 | 150'/10 ga. | 115/11.0 | 16' H x 5' dia. | 8' H x 26' dia. | 32247498 | 110 lbs. | \$2,899.99 |
| AF10020 | 1 | 200'/10 ga. | 115/11.0 | 16' H x 5' dia. | 8' H x 26' dia. | 82464493 | 125 lbs. | \$3,179.99 |
| 1 hp, 230v | | | | | | | | |
| AF1002* | 1 | 100'/12 ga. | 230/5.5 | 16' H x 5' dia. | 8' H x 26' dia. | 51728241 | 78 lbs. | \$2,229.99 |
| AF100215* | 1 | 150'/12 ga. | 230/5.5 | 16' H x 5' dia. | 8' H x 26' dia. | 21813498 | 90 lbs. | \$2,339.99 |
| AF100220* | 1 | 200'/12 ga. | 230/5.5 | 16' H x 5' dia. | 8' H x 26' dia. | 91968495 | 98 lbs. | \$2,539.99 |
| AF100225* | 1 | 250'/12 ga. | 230/5.5 | 16' H x 5' dia. | 8' H x 26' dia. | 42131246 | 106 lbs. | \$2,749.99 |
| SCFNU | | | | Narrow umbrella nozzle only | | 85449923 | 3 lbs. | \$59.99 |

*230 volt fountains only have timer. GFI must be purchased locally.



AF5020
AF10015
AF10020
AF100220
AF100225



Shown with EasyPro AquaFountain & Narrow Umbrella Nozzle sold on page 59

AquaShine™

Stainless Steel, Color Changing LED Fountain Lighting

Brilliant color changing lights are sure to make your fountain dazzle long after the sun goes down!

- Stainless steel 17 watt lights have both true warm white diodes and color changing diodes
- Quick connect plugs on controller, cables and lights for easy assembly. Each light has a 2' pigtail.
- Stainless steel mounting brackets and hardware
- Weather resistant digital timer/controller with remote control makes selecting a color and adjusting the brightness easy.
- Remote control works up to 1000' away!
- All power cords, splitters and lights can be changed or replaced easily using modular, quick connect components
- Red, green, blue, warm white, lavender, cyan and yellow-green solid colors plus several pre-programmed sequences with additional colors.
- 2, 3, 4 and 6 light kits available
- Three year limited warranty on lights
- One year limited warranty on controller and cord



See page 64 for "What's in a Kit", additional power cords and digital controllers



Shown on the Kasco 1 hp Fountain

2, 3, 4 and 6 Light Kits designed for use with

Kasco 1/2-5 hp Fountains - pages 65-67
 EasyPro Aqua Fountains - page 61
 EasyPro Floating Fountain Heads - page 60

Works well with most common fountains.
 Slight on-site hardware modification may be needed.



| Part # | Description | Power Cord | Stocking Code | Ship Weight | List Price |
|--------|-------------|------------|---------------|-------------|------------|
|--------|-------------|------------|---------------|-------------|------------|

Two Light Kits for fountains up to 3/4 hp

| | | | | | |
|----------|---|------|----------|-------------|------------|
| RGB2-100 | 2 RGBW LED Light Kit for fountains up to 3/4 hp | 100' | 71201245 | 16, 12 lbs. | \$1,549.99 |
| RGB2-150 | 2 RGBW LED Light Kit for fountains up to 3/4 hp | 150' | 61317498 | 16, 18 lbs. | \$1,699.99 |
| RGB2-200 | 2 RGBW LED Light Kit for fountains up to 3/4 hp | 200' | 41464745 | 16, 23 lbs. | \$1,889.99 |

Three Light Kits for fountains up to 2 hp

| | | | | | |
|----------|---|------|----------|-------------|------------|
| RGB3-100 | 3 RGBW LED Light Kit for fountains up to 2 hp | 100' | 61511247 | 18, 12 lbs. | \$1,949.99 |
| RGB3-150 | 3 RGBW LED Light Kit for fountains up to 2 hp | 150' | 41604243 | 18, 18 lbs. | \$2,069.99 |
| RGB3-200 | 3 RGBW LED Light Kit for fountains up to 2 hp | 200' | 31747625 | 18, 23 lbs. | \$2,254.99 |

Four Light Kits for fountains up to 2 hp

| | | | | | |
|----------|---|------|----------|-------------|------------|
| RGB4-100 | 4 RGBW LED Light Kit for fountains up to 2 hp | 100' | 71797995 | 20, 12 lbs. | \$2,319.99 |
| RGB4-150 | 4 RGBW LED Light Kit for fountains up to 2 hp | 150' | 41937493 | 20, 18 lbs. | \$2,499.99 |
| RGB4-200 | 4 RGBW LED Light Kit for fountains up to 2 hp | 200' | 32076996 | 20, 23 lbs. | \$2,679.99 |

Six Light Kits for fountains up to 5 hp - fit Kasco one piece floats

| | | | | | |
|-----------|---|------|----------|-------------|------------|
| RGB6N-100 | 6 RGBW LED Light Kit for fountains up to 5 hp | 100' | 72522625 | 31, 12 lbs. | \$3,254.99 |
| RGB6N-150 | 6 RGBW LED Light Kit for fountains up to 5 hp | 150' | 42658248 | 31, 18 lbs. | \$3,429.99 |
| RGB6N-200 | 6 RGBW LED Light Kit for fountains up to 5 hp | 200' | 82836494 | 31, 23 lbs. | \$3,659.99 |




Fountain Lighting

Stainless Steel, Warm White LED Fountain Lighting

Radiant warm white LED fountain light kits that bring your fountain to life!

- Stainless steel 11 watt lights with warm white diodes
- Quick connect plugs on controller, cables and lights for easy assembly. Each light has a 2' pigtail.
- Stainless steel mounting brackets and hardware
- Weather resistant digital timer/controller with built-in voltage regulator can be used with cords up to 300'.
- All power cords, splitters and lights can be changed or replaced easily using modular quick connect components
- 2, 3, 4 and 6 light kits available
- Three year limited warranty on lights
- One year limited warranty on controller and cord

See page 64 for "What's in a Kit", additional power cords and digital controllers



Shown above with EasyPro AquaFountain & Narrow Umbrella Nozzle.

Shown on right with EasyPro Aqua Fountain & Rocket Nozzle.

AquaFountains sold on page 61.



2 Light Kit Shown on EasyPro 1 hp AquaFountain



3 Light Kit Shown on Kasco 1 hp Fountain

2, 3, 4 and 6 Light Kits designed for use with

Kasco 1/2-5 hp Fountains - pages 65-67
EasyPro Aqua Fountains - page 61
EasyPro Floating Fountain Heads - page 60

Works well with most common fountains.
Slight on-site hardware modification may be needed.



| Part # | Description | Power Cord | Stocking Code | Ship Weight | List Price |
|---|---|------------|---------------|-------------|------------|
| Two Light Kits for fountains up to 3/4 hp | | | | | |
| WFL2-100 | 2 Warm White LED Light Kit for fountains up to 3/4 hp | 100' | 2833127 | 11, 12 lbs. | \$1,074.99 |
| WFL2-150 | 2 Warm White LED Light Kit for fountains up to 3/4 hp | 150' | 6922245 | 11, 18 lbs. | \$1,189.99 |
| WFL2-200 | 2 Warm White LED Light Kit for fountains up to 3/4 hp | 200' | 51007494 | 11, 23 lbs. | \$1,299.99 |
| Three Light Kits for fountains up to 2 hp | | | | | |
| WFL3-100 | 3 Warm White LED Light Kit for fountains up to 2 hp | 100' | 41053994 | 14, 12 lbs. | \$1,359.99 |
| WFL3-150 | 3 Warm White LED Light Kit for fountains up to 2 hp | 150' | 31162497 | 14, 18 lbs. | \$1,499.99 |
| WFL3-200 | 3 Warm White LED Light Kit for fountains up to 2 hp | 200' | 71239995 | 14, 23 lbs. | \$1,599.99 |
| Four Light Kits for fountains up to 2 hp | | | | | |
| WFL4-100 | 4 Warm White LED Light Kit for fountains up to 2 hp | 100' | 71301994 | 16, 12 lbs. | \$1,679.99 |
| WFL4-150 | 4 Warm White LED Light Kit for fountains up to 2 hp | 150' | 41394993 | 16, 18 lbs. | \$1,799.99 |
| WFL4-200 | 4 Warm White LED Light Kit for fountains up to 2 hp | 200' | 21487993 | 16, 23 lbs. | \$1,919.99 |
| Six Light Kits for fountains up to 5 hp - fit Kasco one piece floats | | | | | |
| WFL6N-100 | 6 Warm White LED Light Kit for fountains up to 5 hp | 100' | 41859994 | 23, 12 lbs. | \$2,399.99 |
| WFL6N-150 | 6 Warm White LED Light Kit for fountains up to 5 hp | 150' | 41906493 | 23, 18 lbs. | \$2,459.99 |
| WFL6N-200 | 6 Warm White LED Light Kit for fountains up to 5 hp | 200' | 72014995 | 23, 23 lbs. | \$2,599.99 |



What's in an AquaShine™ Lighting Kit?

Color Changing and Warm White AquaShine™ Kits sold on pages 62-63

| | | | | | |
|--|--|--|--|---|--|
| 2 Light Kits for Fountains up to 3/4 hp | | Quick Connect Power Cable Choose 100', 150' or 200' | | 2 x 1 Splitter | |
| 3 Light Kits for Fountains up to 2 hp | | Quick Connect Power Cable Choose 100', 150' or 200' | | 3 x 1 Splitter | |
| 4 Light Kits for Fountains up to 3 hp | | Quick Connect Power Cable Choose 100', 150' or 200' | | 4 x 1 Splitter | |
| 6 Light Kits for 3 hp to 5 hp Fountains | | Quick Connect Power Cable Choose 100', 150' or 200' | | 1 - 2 x 1 Splitter 2 - 3 x 1 Splitters | |

*Remote Control not included in Warm White Fountain Light (WFL) kits

**Warm White fixtures shown. Light diodes vary per kit.

AquaShine™ Parts



Power Cords for AquaShine™ Light Kits

Quick Connect ends allow for easy cord replacement and allow existing light systems to be lengthened. (400' maximum)

| Part # | Description | Length | Quick Connect Pins | Stocking Code | Ship Weight | List Price |
|---------|--|--------|--------------------|---------------|-------------|------------|
| LKC5100 | 100' Power cord for RGBW color changing lights | 100' | 5 | 7294494 | 12 lbs. | \$379.99 |
| LKC5150 | 150' Power cord for RGBW color changing lights | 150' | 5 | 2429342 | 18 lbs. | \$553.99 |
| LKC5200 | 200' Power cord for RGBW color changing lights | 200' | 5 | 2570393 | 23 lbs. | \$735.99 |
| LKC2100 | 100' Power cord for warm white lights | 100' | 2 | 5178248 | 12 lbs. | \$229.99 |
| LKC2150 | 150' Power cord for warm white lights | 150' | 2 | 8252647 | 18 lbs. | \$325.99 |
| LKC2200 | 200' Power cord for warm white lights | 200' | 2 | 7333246 | 23 lbs. | \$429.99 |



RGBC4M

Digital Controllers for AquaShine™ Lights

Warm White - 2 pin

| Part # | Max Lights | Stocking Code | Ship Weight | List Price |
|--------|------------|---------------|-------------|------------|
| WLC4 | 4 | 9152281 | 3 lbs. | \$196.49 |
| WLC6 | 6 | 1237925 | 3 lbs. | \$306.99 |

RGB Color Changing - 5 pin

| Part # | Max Lights | Stocking Code | Ship Weight | List Price |
|--------|------------|---------------|-------------|------------|
| RGBC4M | 4 | 1234829 | 8 lbs. | \$302.99 |
| RGBC6M | 6 | 6356492 | 11 lbs. | \$459.99 |





1/2 to 5 hp VFX Aerating Fountains

These Kasco fountains combine decorative good looks along with high oxygen transfer, making them the perfect choice for surface aeration. Kasco fountains are easy to install and energy efficient.

- Outstanding oxygen transfer rates, aesthetically pleasing patterns and low overall operating costs – each unit is fully self contained and floats in place in your pond or lake
- They come complete with motor assembly, float, bottom screen, mooring ropes, power cord and control panel (includes a weatherproof enclosure, GFI protection, a timer for fountain and a photo eye for lights)
- New one piece float on 2 & 5 hp fountains



VFX2400
Float style varies by hp size



| Part # | Description | Cord Length | Voltage | Amps | Min. Water Depth | Approx. gpm | Warranty | Stocking Code | Ship Weight | List Price |
|--------|-------------|-------------|---------|------|------------------|-------------|----------|---------------|-------------|------------|
|--------|-------------|-------------|---------|------|------------------|-------------|----------|---------------|-------------|------------|

1/2 hp - 5' high x 15' diameter spray pattern

| | | | | | | | | | | |
|-------------|-----------------|------|-----|-----|-----|----|---------|----------|-------------|------------|
| VFX2400 | 1/2 hp fountain | 100' | 115 | 5.6 | 15" | 89 | 2 Years | 71594902 | 36, 21* | \$1,945.00 |
| VFX2400-150 | 1/2 hp fountain | 150' | 115 | 5.6 | 15" | 89 | 2 Years | 62074608 | 28, 24, 21* | \$2,530.00 |

3/4 hp - 5.5' high x 21' diameter spray pattern

| | | | | | | | | | | |
|--------------|-------------------|------|-----|-----|-----|-----|---------|----------|----------------|------------|
| VFX3400 | 3/4 hp fountain | 100' | 115 | 7.3 | 18" | 111 | 2 Years | 71763826 | 41, 21* | \$2,151.00 |
| VFX3400-150 | 3/4 hp fountain | 150' | 115 | 7.3 | 18" | 111 | 2 Years | 62276325 | 32, 24, 21* | \$2,776.00 |
| VFX3400H | 3/4 hp fountain | 100' | 230 | 3.7 | 18" | 111 | 2 Years | 43343147 | 45, 8, 17* | \$4,077.00 |
| VFX3400H-150 | 3/4 hp fountain** | 150' | 230 | 3.7 | 18" | 111 | 2 Years | 73971264 | 31, 24, 8, 17* | \$4,843.00 |

1 hp - 8' high x 26' diameter spray pattern

| | | | | | | | | | | |
|--------------|-----------------|------|-----|------|-----|-----|---------|----------|----------------|------------|
| VFX4400 | 1 hp fountain** | 100' | 115 | 11.3 | 19" | 186 | 2 Years | 42348486 | 34, 17, 21* | \$2,864.00 |
| VFX4400-150 | 1 hp fountain** | 150' | 115 | 11.3 | 19" | 186 | 2 Years | 62824906 | 34, 40, 21* | \$3,445.00 |
| VFX4400-200 | 1 hp fountain** | 200' | 115 | 11.3 | 19" | 186 | 2 Years | 53195543 | 34, 52, 21* | \$3,897.00 |
| VFX4400H | 1 hp fountain | 100' | 230 | 5.7 | 19" | 186 | 2 Years | 23562905 | 50, 8, 17* | \$4,345.00 |
| VFX4400H-150 | 1 hp fountain** | 150' | 230 | 5.7 | 19" | 186 | 2 Years | 44204961 | 35, 24, 8, 17* | \$5,128.00 |
| VFX4400H-200 | 1 hp fountain** | 200' | 230 | 5.7 | 19" | 186 | 2 Years | 54411602 | 35, 31, 8, 17* | \$5,380.00 |

2 hp - 8' high x 32' diameter spray pattern. Also available with three phase motors. Call for details.

| | | | | | | | | | | |
|--------------|-----------------|------|-----|----|-----|-----|---------|----------|--------------------|------------|
| VFX8400H | 2 hp fountain** | 100' | 230 | 11 | 20" | 336 | 3 Years | 75917123 | 56, 17, 8, 11, 26* | \$7,216.00 |
| VFX8400H-150 | 2 hp fountain** | 150' | 230 | 11 | 20" | 336 | 3 Years | 46071286 | 56, 24, 8, 11, 26* | \$7,404.00 |
| VFX8400H-200 | 2 hp fountain** | 200' | 230 | 11 | 20" | 336 | 3 Years | 26233649 | 56, 31, 8, 11, 26* | \$7,602.00 |

5 hp - 9' high x 34' diameter spray pattern. Also available with three phase motors. Call for details.

| | | | | | | | | | | |
|-------------|-----------------|------|-----|----|-----|-----|---------|----------|--------------------|-------------|
| VFX5.1H | 5 hp fountain** | 100' | 230 | 20 | 26" | 800 | 3 Years | 47676024 | 86, 26, 8, 11, 40* | \$9,361.00 |
| VFX5.1H-150 | 5 hp fountain** | 150' | 230 | 20 | 26" | 800 | 3 Years | 38463228 | 86, 48, 8, 11, 40* | \$10,321.00 |
| VFX5.1H-200 | 5 hp fountain** | 200' | 230 | 20 | 26" | 800 | 3 Years | 79070846 | 86, 60, 8, 11, 40* | \$11,062.00 |

*Dimensional rates apply on floats **Power cord includes quick disconnect
Note: All 5 hp Kasco units and units with 150'+ cords ship factory direct.

See pages 62-64 and page 70 for light kits to turn your fountain into a beautiful night time display





J Series Decorative Fountains

3/4 to 5 hp – You get multiple spray nozzles with each fountain, allows you to change the look of your fountain as desired. See pages 62-64 and 70 for light kits.

Kasco
Authorized Service Center

EasyPro can handle all Kasco fountain warranty and non-warranty repairs in-house.

Features

- Each J Series fountain comes with five spray nozzles. See chart on page 67 for nozzles included with each model.
- Fountains come complete with motor, float, nozzles, power cord, control panel (with timer/GFI) and mooring ropes
- Operate in as little as 18-26 inches of water (depends on hp)
- All fountains may be shipped small parcel for convenience

J Series Warranties

- 3/4 and 1 hp : two year warranty
- 2 hp: three year warranty
- 3 and 5 hp: five year warranty



JF4400
Float style varies by hp size



| Part # | Description | Cord Length | Voltage | Amps*** | Min. Water Depth | Warranty | Stocking Code | Ship Weight | List Price |
|--|-----------------|-------------|---------|---------|------------------|----------|---------------|--------------------|-------------|
| 3/4 hp J Series Fountains | | | | | | | | | |
| JF3400 | 3/4 hp fountain | 100' | 115 | 6.7 | 18" | 2 Years | 31893383 | 42, 21* | \$2,309.00 |
| JF3400-150 | 3/4 hp fountain | 150' | 115 | 6.7 | 18" | 2 Years | 42386204 | 34, 24, 21* | \$2,910.00 |
| JF3400-200 | 3/4 hp fountain | 200' | 115 | 6.7 | 18" | 2 Years | 82606783 | 34, 31, 21* | \$3,179.00 |
| JF3400H | 3/4 hp fountain | 100' | 230 | 3.3 | 18" | 2 Years | 83614564 | 42, 8, 18* | \$4,408.00 |
| JF3400H-150 | 3/4 hp fountain | 150' | 230 | 3.3 | 18" | 2 Years | 74252527 | 34, 24, 8, 18* | \$5,186.00 |
| JF3400H-200 | 3/4 hp fountain | 200' | 230 | 3.3 | 18" | 2 Years | 64455064 | 34, 31, 8, 18* | \$5,433.00 |
| 1 hp J Series Fountains | | | | | | | | | |
| JF4400 | 1 hp fountain | 100' | 115 | 10.7 | 19" | 2 Years | 42580547 | 37, 17, 21* | \$3,147.00 |
| JF4400-150 | 1 hp fountain | 150' | 115 | 10.7 | 19" | 2 Years | 73061064 | 37, 40, 21* | \$3,733.00 |
| JF4400-200 | 1 hp fountain | 200' | 115 | 10.7 | 19" | 2 Years | 43350524 | 37, 52, 21* | \$4,086.00 |
| JF4400H | 1 hp fountain | 100' | 230 | 5.3 | 19" | 2 Years | 34046703 | 45, 8, 18* | \$4,935.00 |
| JF4400H-150 | 1 hp fountain** | 150' | 230 | 5.3 | 19" | 2 Years | 24728128 | 37, 24, 8, 18* | \$5,766.00 |
| JF4400H-200 | 1 hp fountain** | 200' | 230 | 5.3 | 19" | 2 Years | 84943783 | 37, 31, 8, 18* | \$6,029.00 |
| 2 hp J Series Fountains - Also available with three phase motors. Call for details. | | | | | | | | | |
| JF8400H | 2 hp fountain** | 100' | 230 | 10 | 20" | 3 Years | 35629304 | 59, 17, 8, 10, 26* | \$6,865.00 |
| JF8400H-150 | 2 hp fountain** | 150' | 230 | 10 | 20" | 3 Years | 45743284 | 59, 24, 8, 10, 26* | \$7,004.00 |
| JF8400H-200 | 2 hp fountain** | 200' | 230 | 10 | 20" | 3 Years | 35898265 | 59, 31, 8, 10, 26* | \$7,193.00 |
| 3 hp J Series Fountains - Also available with three phase motors. Call for details. | | | | | | | | | |
| JF3.1H | 3 hp fountain** | 100' | 230 | 13.4 | 24" | 5 Years | 26506704 | 68, 17, 8, 10, 34* | \$7,935.00 |
| JF3.1H-150 | 3 hp fountain** | 150' | 230 | 13.4 | 24" | 5 Years | 56661684 | 68, 24, 8, 10, 34* | \$8,124.00 |
| JF3.1H-200 | 3 hp fountain** | 200' | 230 | 13.4 | 24" | 5 Years | 37284062 | 68, 60, 8, 10, 34* | \$8,883.00 |
| 5 hp J Series Fountains - Also available with three phase motors. Call for details. | | | | | | | | | |
| JF5.1H | 5 hp fountain** | 100' | 230 | 20 | 26" | 5 Years | 47613708 | 88, 26, 8, 11, 40* | \$9,285.00 |
| JF5.1H-150 | 5 hp fountain** | 150' | 230 | 20 | 26" | 5 Years | 98505046 | 88, 48, 8, 11, 40* | \$10,372.00 |
| JF5.1H-200 | 5 hp fountain** | 200' | 230 | 20 | 26" | 5 Years | 59167603 | 88, 60, 8, 11, 40* | \$11,180.00 |

*Dimensional rates apply on floats **Power cord includes quick disconnect
 Note: All 3 hp and 5 hp Kasco units and units with 150'+ cords ship factory direct.
 ***Amp draw may vary up to 10% depending on nozzle used


Kasco

J Series Decorative Fountain Nozzles


Twist and lock nozzles for easy pattern changes



Balsam - 3 Tier
2, 3, 5 hp




Sequoia
3/4, 1 hp



Spruce
2, 3, 5 hp




Birch
3/4, 1, 2, 3, 5 hp



Redwood
2, 3, 5 hp



Linden - 2 Tier
3/4, 1, 2, 3, 5 hp



Cypress
3/4, 1 hp



Willow
3/4, 1 hp

Nozzles for Kasco J Series Fountains

- Available as 3/4, 1, 2, 3, 5, and 7.5HP units
- Increased flow for dramatically cleaner, defined patterns without increased amp draw
- One piece, tapered float for easier assembly and improved look at the surface
- Twist and lock nozzles for easy pattern changes
- Float pairs perfectly with snap-on clips in Kasco light kits. See light kits on pages 62-64 and page 70
- Warranties shown in pricing table on page 66



| Pattern | 3/4 hp Ht. x Dia. | 1 hp Ht. x Dia. | 2 hp Ht. x Dia. | 3 hp Ht. x Dia. | 5 hp Ht. x Dia. |
|---------|----------------------|--------------------|--------------------|--------------------|--------------------|
| Willow | 6.5' x 21' | 9' x 31' | - | - | - |
| Sequoia | 13' x 8' | 18' x 11' | - | - | - |
| Cypress | 7' x 17' | 9' x 28' | - | - | - |
| Linden | 9' x 29' | 12' x 31' | 15.5' x 38' | 20.5' x 38' | 24.5' x 46' |
| Birch | 7' x 5' | 11' x 8' | 11' x 10' | 16' x 12' | 24' x 14' |
| Balsam | - | - | 14' x 32' | 19' x 34' | 18' x 34' |
| Spruce | - | - | 21' x 10' | 26' x 12' | 31' x 12' |
| Redwood | - | - | 22' x 6' | 27' x 6' | 32' x 6' |

Kasco Premium Nozzles for J Series Fountains



Palm



Mighty Oak



Magnolia



Mahogany

These nozzles can be purchased separately. Will need to specify year of fountain. Call to order.



Kasco Surface Aerators

Summary

- 50' power cord standard, longer lengths available
- Designed for continuous duty operation in fresh or salt water
- Thermal overload protection with automatic reset
- Easy to install/remove, making it great for portable emergency operation
- Warranties: two years on 1/2 - 1 hp, three years on 2 - 5 hp
- Operates in as little as 15" of water
- Control panel not included, see page 70

| Part # | Description | Voltage/Amps | Approx. gpm | Min. Operating Depth | Stocking Code | Ship Weight | List Price |
|---------|----------------|--------------|-------------|----------------------|---------------|-------------|------------|
| AF2400 | 1/2 hp aerator | 115/5.0 | 600 | 15" | 81084867 | 31, 20* | \$1,323.00 |
| AF3400 | 3/4 hp aerator | 115/6.7 | 800 | 18" | 71185726 | 35, 20* | \$1,446.00 |
| AF3400H | 3/4 hp aerator | 230/3.4 | 800 | 18" | 61240665 | 36, 20* | \$1,513.00 |
| AF4400 | 1 hp aerator | 115/11.3 | 1200 | 19" | 71395645 | 45, 20* | \$1,702.00 |
| AF4400H | 1 hp aerator | 230/5.7 | 1200 | 19" | 51415323 | 41, 20* | \$1,726.00 |
| AF8400H | 2 hp aerator | 230/11 | 1400 | 20" | 63020068 | 53, 50* | \$3,683.00 |
| AF3.1H | 3 hp aerator | 230/13.4 | 2500 | 24" | 83772827 | 71, 59* | \$4,601.00 |
| AF5.1H | 5 hp aerator** | 230/20 | 4500 | 26" | 75380846 | 80, 26, 59* | \$6,562.00 |


*Dimensional rates apply on floats **5 hp includes 100' power cord with quick disconnect



Kasco AquatiClear

Aquaticlear is a water circulator, reimagined! This clog-resistant circulator produces continuous water movement to keep docks, marinas, canals, shorelines and other areas free from algae, floating debris and foul odors.

- Unique designs allows floating debris to slip off the guard rather than wrap around the motor shaft or prop
- Easily mount with Horizontal Float Kit or Dock Mount Kit
- 50' power cord standard. Longer cord lengths available.
- Two year warranty



Use with Dock Mount (KACDM) sold below or Flotation Kit (KFK) sold on page 69



| Part # | Description | Voltage/Amps | Thrust | Minimum Operating Depth | Stocking Code | Ship Weight | List Price |
|----------|---|--------------|---------|-------------------------|---------------|-------------|------------|
| KAC2400 | Kasco 1/2 hp AquatiClear | 115/5.4 | 30 lbs. | 30" | 6979084 | 30 lbs. | \$1,194.00 |
| KAC3400 | Kasco 3/4 hp AquatiClear | 115/6.6 | 36 lbs. | 30" | 41080764 | 34 lbs. | \$1,318.00 |
| KAC3400H | Kasco 3/4 hp AquatiClear | 230/3.3 | 36 lbs. | 30" | 51079947 | 35 lbs. | \$1,317.00 |
| KAC4400 | Kasco 1 hp AquatiClear | 115/9.1 | 41 lbs. | 30" | 71230825 | 37 lbs. | \$1,501.00 |
| KAC4400H | Kasco 1 hp AquatiClear | 230/4.5 | 41 lbs. | 30" | 91270184 | 37 lbs. | \$1,549.00 |
| KACDM | Dock Mount Kit for AquatiClear (1" pipe supplied locally) | | | | 4381305 | 15 lbs. | \$465.00 |



Kasco De-icer Water Agitators

Prevent costly ice damage!

Kasco de-icers are designed to prevent the formation of damaging ice around docks and boats. Thousands of these units are being used in marinas, harbors, waterfront developments and recreational ponds to prevent costly ice damage. De-icers come complete with power cord and two 20' suspension ropes.

Time and temperature control – save money in reduced electrical usage!

The controller (C20), designed exclusively for Kasco, will only operate when both the timer and thermostat are activated, unlike regular timers which run the motor every day at a set time. This controller will only operate when the temperature requires it. A temperature only controller (C10) is available that operates motor whenever freezing conditions exist.

Kasco de-icers can be used with the optional flotation kits (KFK) to create horizontal circulation. These circulators are excellent for de-icing applications but also have proven very effective for summertime use in preventing stagnant water.

Used in marinas, bays or lake coves, irregular shaped ponds and other similar applications; these circulators are a cost effective way to improve water quality.

A 1/2 hp circulator can effectively circulate water in a one acre pond twelve feet deep. Circulators are an ideal choice for shallow bodies of water where diffused air systems do not work.



Ideal for fresh or saltwater use



25' power cords standard on 115v de-icers and circulators. 230v units have 50' cord. Longer cords available.



Use with Dock Mount (KDM) or Flotation Kit (KFK) sold below



| Part # | Description | Voltage/Amps | Stocking Code | Ship Weight | List Price |
|--------------|--|--------------|---------------|-------------|------------|
| KD12 | De-icer, 1/2 hp | 115/5.0 | 7863607 | 25 lbs. | \$1,016.00 |
| KD34 | De-icer, 3/4 hp | 115/6.7 | 6943505 | 35 lbs. | \$1,110.00 |
| KD34H | De-icer, 3/4 hp | 230/3.35 | 5979204 | 35 lbs. | \$1,152.00 |
| KD44 | De-icer, 1 hp | 115/11.3 | 41039553 | 45 lbs. | \$1,223.00 |
| KD44H | De-icer, 1 hp | 230/5.7 | 61112658 | 45 lbs. | \$1,309.00 |
| C10 | Temperature only controller | – | 397385 | 3 lbs. | \$118.75 |
| C20 | Time and temperature controller | – | 5231364 | 4 lbs. | \$282.15 |
| KDM | Dock mount hardware (1" pipe supplied locally) | – | 4381304 | 14 lbs. | \$465.00 |
| KFK | Flotation kit for circulators/de-icers | – | 3454757 | 19 lbs. | \$535.00 |





Kasco Fountain Lighting Packages

Kasco offers several high quality LED lighting packages to complement their line of fountains. A well lit fountain display at night is a sure way to attract attention.

- RGB Color Lights – Color changing LED lights in sealed composite fixtures feature nine colors with adjustable brightness, three automatic sequencing modes or rhythmic sequencing following your music. Now includes snap on clips.
- KL3C11/KL6C11 Lights – Industrial grade composite LED light kits, uses 11 watts per fixture and includes color choices of white, blue, red, yellow or green. Includes disconnect on cords. Now includes snap on clips.
- KL3S19/KL6S19 Lights – These bright stainless steel LED light kits use 19 watts per fixture and come in white only. This series of lights is certified to UL and CSA standards. Includes colored lens caps.

All Kasco LED light kits include fixtures, mounting brackets and 100' power cord with quick-disconnect ends. Longer cord lengths available, call for pricing.



| Part # | Description | Includes Disconnect | Warranty | Stocking Code | Ship Weight | List Price |
|--------|--|---------------------|----------|---------------|-------------|------------|
| KL3RGB | Three light LED kit for 1 hp and smaller | Yes | 2 Years | 21437463 | 22 lbs. | \$1,753.00 |
| KL6RGB | Six light LED kit for 2 hp & 3 hp | Yes | 2 Years | 32533804 | 49 lbs. | \$3,090.00 |
| KL3C11 | Three light LED kit for 1 hp and smaller | Yes | 2 Years | 4833125 | 14 lbs. | \$1,016.00 |
| KL6C11 | Six light LED kit for 2 hp and larger | Yes | 2 Years | 51498145 | 30 lbs. | \$1,827.00 |
| KL3S19 | Stainless steel three light LED kit | No | 3 Years | 61899128 | 27 lbs. | \$2,316.00 |
| KL6S19 | Stainless steel six light LED kit | No | 3 Years | 63396447 | 54 lbs. | \$4,142.00 |

Kasco Replacement Power Cords and Control Panels

Power Cords - No Quick Disconnect. The power cords below are for use on 1 hp and larger fountains

| Part # | Length | Gauge Cable | Voltage | Fits Kasco Models | Stocking Code | Ship Weight | List Price |
|--------|--------|-------------|---------|---|---------------|-------------|------------|
| KC25 | 25' | 16 | 115v | 1/2, 3/4 hp deicers, aerators | 379263 | 4 lbs. | \$93.25 |
| KC50 | 50' | 16 | 115v | 1/2, 3/4 hp deicers, aerators, fountains | 4129204 | 6 lbs. | \$152.00 |
| KC501 | 50' | 14 | 115v | 1 hp deicers, aerators, fountains | 6180638 | 7 lbs. | \$212.50 |
| KC502 | 50' | 14 | 230v | 3/4, 1, 2 hp deicers, aerators, fountains | 8180204 | 7 lbs. | \$212.00 |
| KC100 | 100' | 14 | 115v | 1/2, 3/4 hp deicers, aerators, fountains | 4310256 | 15 lbs. | \$365.00 |
| KC1002 | 100' | 14 | 230v | 3/4, 1 hp deicers, aerators, fountains | 6290709 | 15 lbs. | \$342.00 |



The power cords below are for use on 1 hp and larger fountains

These fountains all have a quick disconnect cord. A 30" stub cord with first half of quick disconnect is included with fountain. The following prices are for second half of the quick disconnect with length of cable shown. Power cords up to 400' available - please inquire.

Power Cords with quick disconnect

| Part # | Length | Gauge Cable | Voltage | Fits Kasco Models | Stocking Code | Ship Weight | List Price |
|--|--------|-------------|---------|-------------------------|---------------|-------------|------------|
| Power Cords - With Quick Disconnect | | | | | | | |
| KC100A | 100' | 12 | 115v | 1 hp - 115v units | 3703808 | 17 lbs. | \$828.00 |
| KC100B | 100' | 12 | 230v | 2, 3, 5 hp - 230v units | 7621356 | 17 lbs. | \$731.00 |
| KC150D | 150' | 12 | 230v | 1, 2, 3 hp - 230v units | 6855105 | 24 lbs. | \$1,006.00 |
| KC150E | 150' | 10 | 115v | 1 hp - 115v units | 51207007 | 38 lbs. | \$1,420.00 |

KC100A



Replacement Power Cord Stubs - connects to motor, 34" long stub cord with first half of quick disconnect plug

| Part # | Length | Gauge Cable | Voltage | Fits Kasco Models | Stocking Code | Ship Weight | List Price |
|--------|--------|-------------|---------|-------------------------|---------------|-------------|------------|
| KCS1 | 34" | 14 | 115v | 115v units | 7129633 | 2 lbs. | \$152.50 |
| KCS2 | 34" | 14 | 230v | 230v units (up to 3 hp) | 2129634 | 2 lbs. | \$152.50 |
| KCS3 | 34" | 12 | 230v | 5 hp units | 3239709 | 2 lbs. | \$282.00 |

Control Panels with timer and photo eye

| Part # | Description | Stocking Code | Ship Weight | List Price |
|--------|--|---------------|-------------|------------|
| C25 | 15 amp panel with 115 V GFCI, timer and photo eye | 9344406 | 3 lbs. | \$420.00 |
| C85 | 20 amp panel with 230 V GFCI, 115 volt outlet, timer and photo eye | 71942584 | 10 lbs. | \$2,369.00 |




C25

Palatial Display Solar Fountain


High quality direct drive solar fountains designed for shallow or smaller ponds (up to 1 acre) where you want the beauty of a fountain. With four included nozzles, you can pick which style suits your pond the best.

- Operates in as little as 24" of water
- Four nozzles included
- High output DC maintenance-free brushless water cooled motor
- 100' power cord included** (up to 400' available)
- Super-efficient MaxEnergy™ solar controller includes with 4 bi-facial solar panels providing longer run times
- Turn-key system includes racking, panels, grounding clamp, mounting pole, debris screen, etc.
- The total panel array measure 130" W x 82" H.
- 2 year fountain warranty. 15 years on the solar panels


Turn-key system includes racking, panels, grounding clamp, mounting pole, debris screen, etc.




Jupiter Pattern



Equinox Pattern



Neutron Pattern



Nova Pattern



| Part # | Description | Approx. gpm | Solar Panels/Wattage | # of Nozzles | Stocking Code | Ship Weight | List Price |
|---------------|----------------------------------|-------------|----------------------|--------------|---------------|-------------|------------|
| DSF100 | Palatial Solar Fountain - 100 ft | 80 | 4 / 1480 | 4 | 26196132 | 520 lbs. | \$7,995.00 |

**Power cord lengths offered up to 400 ft. Call for pricing on longer lengths.

Note: All Outdoor Water Solutions units ship factory direct.

Outdoor water solutions™

Palatial / Classic Series / Ozark Jet Display Fountains

Designed to have minimal maintenance because of their high quality stainless steel water cooled pumps and motors.

Nozzle patterns have been refined and tested and offer outstanding patterns and compare to companies selling similar fountains for 40-50% more money.

- Available as a 1/2, 3/4, 1, 1.5, 2, 3, 5 and 7.5 hp units
- Easy access to the pump and motor for maintenance
- Low profile display heads
- 1/2 hp includes 4 nozzles. 3/4 hp fountains and larger include one nozzle with three different spray patterns
- Industry leading submersible pumps and motors
- Available in Single or Three Phase and 115v, 230v, or 460v (on certain models)
- Optional quick disconnects available



1/2 hp Palatial Series Design
3/4 - 3 hp Classic Series Display Design



5 hp & 7.5 hp Ozark Jet Design


1/2 hp Palatial Nozzles



Jupiter Pattern



Equinox Pattern




Neutron Pattern




Nova Pattern


3/4 hp - 7.5 hp Classic Series Display Nozzles



Orion Pattern



Nebula Pattern



Sirius Pattern

Fountain Lighting Packages



OWRGB2-100



OWRGB4-100



Note: All Outdoor Water Solutions units ship factory direct.

Palatial / Classic Series / Ozark Jet Display Fountains

| Part # | Description | Voltage/Amps | Power Cord** | Warranty | Stocking Code | Ship Weight (lbs.)* | List Price |
|--|--|--------------|--------------|----------|---------------|---------------------|-------------|
| 1/2 hp – with 36" PolyStyrene-Filled Float, submersible motor and pump, induction tube, 4 nozzles, debris screen and 115v or 230v GFCI/ELCI plug | | | | | | | |
| OWPD50-100 | 1/2 hp Palatial Display Fountain* | 110/12 | 100' | 2 Years | 71546136 | 24, 55 | \$1,995.00 |
| OWPD50-150 | 1/2 hp Palatial Display Fountain* | 110/12 | 150' | 2 Years | 61623635 | 24, 65 | \$2,095.00 |
| OWPD502-100 | 1/2 hp Palatial Display Fountain* | 230/6 | 100' | 2 Years | 41546138 | 24, 55 | \$1,995.00 |
| OWPD502-150 | 1/2 hp Palatial Display Fountain* | 230/6 | 150' | 2 Years | 91623637 | 24, 65 | \$2,095.00 |
| 3/4 hp – with ELCI, water cooled motor & pump, 36" Polystyrene-filled float, induction tube, (1) nozzle with (3) display configurations, & SS debris screen | | | | | | | |
| OWCD752-100 | 3/4 hp Classic Series Display Fountain | 230/8 | 100' | 2 Years | 72088635 | 24, 60 | \$2,695.00 |
| OWCD752-150 | 3/4 hp Classic Series Display Fountain | 230/8 | 150' | 2 Years | 52166134 | 24, 73 | \$2,795.00 |
| OWCD752-200 | 3/4 hp Classic Series Display Fountain | 230/8 | 200' | 2 Years | 52243632 | 24, 87 | \$2,895.00 |
| 1 hp – with ELCI, water cooled motor & pump, 36" Polystyrene-filled float, induction tube, (1) nozzle with (3) display configurations, & SS debris screen | | | | | | | |
| OWCD12-100 | 1 hp Classic Series Display Fountain | 230/9.8 | 100' | 2 Years | 92398639 | 24, 60 | \$3,095.00 |
| OWCD12-150 | 1 hp Classic Series Display Fountain | 230/9.8 | 150' | 2 Years | 82476135 | 24, 75 | \$3,195.00 |
| OWCD12-200 | 1 hp Classic Series Display Fountain | 230/9.8 | 200' | 2 Years | 72553639 | 24, 90 | \$3,295.00 |
| 1.5 hp – with ELCI, water cooled motor & pump, 36" Polystyrene-filled float, induction tube, (1) nozzle with (3) display configurations, & SS debris screen | | | | | | | |
| OWCD1.5-100 | 1.5 hp Classic Series Display Fountain | 230/10 | 100' | 2 Years | 53328637 | 24, 64 | \$4,295.00 |
| OWCD1.5-150 | 1.5 hp Classic Series Display Fountain | 230/10 | 150' | 2 Years | 83406139 | 24, 79 | \$4,395.00 |
| OWCD1.5-200 | 1.5 hp Classic Series Display Fountain | 230/10 | 200' | 2 Years | 83483639 | 24, 94 | \$4,495.00 |
| 2 hp – units contain a start/run capacitor box with 230v ELCI plug | | | | | | | |
| OWCD22-100 | 2 hp Classic Series Display Fountain | 230/13.2 | 100' | 3 Years | 54801138 | 24, 102 | \$6,195.00 |
| OWCD22-150 | 2 hp Classic Series Display Fountain | 230/13.2 | 150' | 3 Years | 84878634 | 24, 117 | \$6,295.00 |
| OWCD22-200 | 2 hp Classic Series Display Fountain | 230/13.2 | 200' | 3 Years | 54956137 | 24, 132 | \$6,395.00 |
| 3 hp – units contain start/run capacitor box with optional control panel | | | | | | | |
| OWCD32-100 | 3 hp Classic Series Display Fountain | 230/17 | 100' | 3 Years | 55576138 | 24, 112 | \$7,195.00 |
| OWCD32-150 | 3 hp Classic Series Display Fountain | 230/17 | 150' | 3 Years | 65653636 | 24, 127 | \$7,295.00 |
| OWCD32-200 | 3 hp Classic Series Display Fountain | 230/17 | 200' | 3 Years | 86196135 | 24, 142 | \$7,995.00 |
| 5 hp – units contain start/run capacitor box with optional control panel | | | | | | | |
| OWCD52-100 | 5 hp Ozark Jet Display Fountain | 230/27.5 | 100' | 3 Years | 79296137 | 655 | \$11,995.00 |
| OWCD52-150 | 5 hp Ozark Jet Display Fountain | 230/27.5 | 150' | 3 Years | 59644883 | 675 | \$12,445.00 |
| OWCD52-200 | 5 hp Ozark Jet Display Fountain | 230/27.5 | 200' | 3 Years | 310032385 | 695 | \$12,945.00 |
| 7.5 hp – units contain start/run capacitor box with optional control panel | | | | | | | |
| OWCD7.52-100 | 7.5 hp Ozark Jet Display Fountain | 230/42 | 100' | 3 Years | 611621137 | 745 | \$14,995.00 |
| OWCD7.52-150 | 7.5 hp Ozark Jet Display Fountain | 230/42 | 150' | 3 Years | 912318639 | 765 | \$15,895.00 |
| OWCD7.52-200 | 7.5 hp Ozark Jet Display Fountain | 230/42 | 200' | 3 Years | 812628634 | 785 | \$16,295.00 |

*Dimensional rates apply on floats **Power cord lengths offered up to 400 ft. Call for pricing on longer lengths.

Control Panels - Single Phase

| Part # | Description | Stocking Code | Ship Weight | List Price |
|----------|-------------------------------|---------------|-------------|------------|
| OWCP-2HP | Fountain Control Panel - 2 hp | 31185752 | 7lbs. | \$1,395.00 |
| OWCP-3HP | Fountain Control Panel - 3 hp | 21185757 | 7 lbs. | \$1,395.00 |
| OWCP-5HP | Fountain Control Panel - 5 hp | 61355753 | 8 lbs. | \$1,595.00 |

Fountain Lighting Packages

| Part # | Description | For Use With | Power Cord** | Warranty | Stocking Code | Ship Weight | List Price |
|-------------|------------------|-----------------------------|--------------|----------|---------------|-------------|------------|
| OWRBG2-100 | 2 RGBW Light Kit | OWS Fountains up to 1.5 hp | 100' | 2 Years | 81610758 | 12, 16 lbs. | \$1,895.00 |
| OWRBG2-150 | 2 RGBW Light Kit | OWS Fountains up to 1.5 hp | 150' | 2 Years | 71695757 | 18, 16 lbs. | \$1,995.00 |
| OWRBG2-200 | 2 RGBW Light Kit | OWS Fountains up to 1.5 hp | 200' | 2 Years | 71780756 | 23, 16 lbs. | \$2,095.00 |
| OWRBG4-100 | 4 RGBW Light Kit | OWS Fountains 1 hp to 3 hp | 100' | 2 Years | 62120756 | 12, 20 lbs. | \$2,495.00 |
| OWRBG4-150 | 4 RGBW Light Kit | OWS Fountains 1 hp to 3 hp | 150' | 2 Years | 52205758 | 18, 20 lbs. | \$2,595.00 |
| OWRBG4-200 | 4 RGBW Light Kit | OWS Fountains 1 hp to 3 hp | 200' | 2 Years | 82290757 | 23, 20 lbs. | \$2,695.00 |
| OWRBG4X-100 | 4 RGBW Light Kit | OWS Fountains 5 hp & 7.5 hp | 100' | 2 Years | 83464564 | 100 lbs. | \$4,075.95 |
| OWRBG4X-150 | 4 RGBW Light Kit | OWS Fountains 5 hp & 7.5 hp | 150' | 2 Years | 43558064 | 150 lbs. | \$4,185.95 |
| OWRBG4X-200 | 4 RGBW Light Kit | OWS Fountains 5 hp & 7.5 hp | 200' | 2 Years | 93651564 | 200 lbs. | \$4,295.95 |

**Power cord lengths offered up to 400 ft. Call for pricing on longer lengths. White lights are also available.

Note: All Outdoor Water Solutions units ship factory direct.





Classic Series Aerating Fountains

Outdoor Water Solutions aerating fountains offer a lot of water movement and high oxygen transfer rates designed to look great while offering beneficial aeration.

- Available as a 1/2, 1, 2, 3 and 5 hp units
- High performance and longevity due to their water cooled motors and specially designed props and nozzles
- Floats are constructed of polyethylene molded plastic with UV inhibitors and filled with non-hygroscopic pressure molded polystyrene foam.
- All models come standard with a stainless steel screen to keep debris out.
- See Pages 72-73 for aerating fountain light options
- Optional 2 hp - 5 hp control panel available. See Page 73 for options.
- 2 year warranty on the 1/2 and 1 hp models
- 3 year warranty on the 2, 3 and 5 hp models



| Part # | Description | Power Cord** | Voltage/Max Amps | Approx. gpm | Min. Depth | Stocking Code | Ship Weight (lbs.)* | List Price |
|---|---------------------------------|--------------|------------------|-------------|------------|---------------|---------------------|------------|
| 1/2 hp - 36" polystyrene-filled float, water-cooled stainless steel submersible motor, 100-150ft power cord, aerating nozzle, timer, debris screen, and 230v ELCI plug | | | | | | | | |
| OWSA50-100 | 1/2 hp Aerify | 100' | 115/12 | 500 | 18" | 21468636 | 55/26 | \$1,895.00 |
| OWSA50-150 | 1/2 hp Aerify | 150' | 115/12 | 500 | 18" | 31546137 | 65/26 | \$1,995.00 |
| OWSA502-100 | 1/2 hp Aerify | 100' | 230/6 | 500 | 18" | 61468638 | 55/26 | \$1,895.00 |
| OWSA502-150 | 1/2 hp Aerify | 150' | 230/6 | 500 | 18" | 71546134 | 65/26 | \$1,995.00 |
| 1 hp - 36" polystyrene-filled float, water-cooled stainless steel submersible motor, 100-150ft power cord, aerating nozzle, timer, debris screen, and 230v ELCI plug | | | | | | | | |
| OWSA12-100 | 1 hp Classic Aerating Fountain | 100' | 230/9.8 | 1000 | 24" | 72166137 | 49/20/14/26 | \$2,795.00 |
| OWSA12-150 | 1 hp Classic Aerating Fountain | 150' | 230/9.8 | 1000 | 24" | 62243635 | 49/20/14/26 | \$2,895.00 |
| OWSA12-200 | 1 hp Classic Aerating Fountain | 200' | 230/9.8 | 1000 | 24" | 42321137 | 49/20/14/26 | \$2,995.00 |
| 2 hp - 36" polystyrene-filled float, water-cooled stainless steel submersible motor, 100-150ft power cord, aerating nozzle, timer, debris screen, and 230v ELCI plug | | | | | | | | |
| OWSA22-100 | 2 hp Classic Aerating Fountain* | 100' | 230/13.2 | 1200 | 34" | 62786136 | 63/25/26 | \$3,595.00 |
| OWSA22-150 | 2 hp Classic Aerating Fountain* | 150' | 230/13.2 | 1200 | 34" | 52921756 | 63/25/26 | \$3,770.00 |
| OWSA22-200 | 2 hp Classic Aerating Fountain* | 200' | 230/13.2 | 1200 | 34" | 63057383 | 63/25/26 | \$3,945.00 |
| 3 hp - 36" polystyrene-filled float, water-cooled stainless steel submersible motor, aerating nozzle, timer, ELCI, and debris screen. Optional Control Panel | | | | | | | | |
| OWSA32-100 | 3 hp Classic Aerating Fountain* | 100' | 230/17 | 1400 | 36" | 43638634 | 75/25/26 | \$4,695.00 |
| OWSA32-150 | 3 hp Classic Aerating Fountain* | 150' | 230/17 | 1400 | 36" | 43774253 | 75/25/26 | \$4,870.00 |
| OWSA32-200 | 3 hp Classic Aerating Fountain* | 200' | 230/17 | 1400 | 36" | 53909882 | 75/25/26 | \$5,045.00 |
| 5 hp - 36" polystyrene-filled float, water-cooled stainless steel submersible motor, aerating nozzle, timer, ELCI, and debris screen. Optional Control Panel | | | | | | | | |
| OWSA52-100 | 5 hp Classic Aerating Fountain* | 100' | 230/27.5 | 1400 | 48" | 25498637 | 75/25/26 | \$7,095.00 |
| OWSA52-150 | 5 hp Classic Aerating Fountain* | 150' | 230/27.5 | 1400 | 48" | 85692384 | 75/25/26 | \$7,345.00 |
| OWSA52-200 | 5 hp Classic Aerating Fountain* | 200' | 230/27.5 | 1400 | 48" | 45886138 | 75/25/26 | \$7,595.00 |

*Dimensional rates apply on floats **Power cord lengths offered up to 400 ft. Call for pricing on longer lengths.

Note: All Outdoor Water Solutions units ship factory direct.




Aerify Aerating Solar Fountains

Perfect for shallow or remote ponds where aeration is needed.

The Aerify Solar fountains are high quality, direct drive solar powered fountains designed for shallow or smaller ponds (up to one acre) where extra aeration is needed while still getting the visual benefits of a fountain.

- High output DC maintenance-free brushless water cooled motor
- Proprietary prop design to maximize GPM and oxygen transfer
- Operates in a minimum of 18" of water
- Pumps up to 500 GPM for optimal aeration
- 100' power cord included** (up to 400' available)
- Super-efficient MaxEnergy™ solar controller includes 4 bi-facial solar panels providing longer run times
- Turn-key system includes racking, panels, grounding clamp, mounting pole, debris screen, etc.
- The total panel array measure 130" W x 82" H.
- 2 year warranty on fountain. 15 years on the solar panels.



• Super-efficient MaxEnergy™ solar controller included with 4 bi-facial solar panels providing longer run times while the proprietary prop design moves up to 500 gpm for optimal aeration!

| Part # | Description | Approx. gpm | Solar Panels | # of Nozzles | Stocking Code | Ship Weight | List Price |
|--------|-----------------------|-------------|--------------|--------------|---------------|-------------|------------|
| ASF100 | Aerify Solar Fountain | 500 | 4 | 1 | 56196136 | 515 lbs. | \$7995.00 |

**Power cord lengths offered up to 400 ft. Call for pricing on longer lengths.

Note: All Outdoor Water Solutions units ship factory direct.





Outdoor water solutions

Surface Aerators

Surface Aerators do a great job in pond aeration, especially if your pond is 3-8' deep or heavily stocked with fish. Guaranteed to boil the water with its patented diffuser system and stainless steel water cooled motor. Also works great for remediation ponds, water treatment plants, lagoons, etc.

- Available in sizes from 1/2 hp up to 5 hp.
- Styrene filled float for extra stability, superior to hollow floats
- Highest oxygen transfer rates available
- Warranties: 2 years on the 1/2-1hp, three years on the 2-5 hp
- 50' power cord included with the 1/2, 3/4, 1 & 1.5hp models. Lengths up to 400' available
- 1/2 hp 110v has a GFCI. 1/2 hp 230v - 5 hp has an ELCI.
- Starter boxes included for 2 - 5+ hp in an outdoor rated enclosure.
- See pages 72-73 for fountain light options.



HVA05, HVA052, HVA342, HVA102, HVA1.52
1/2, 3/4, 1, 1.5 hp Aerator



HVA22, HVA32
2 & 3 hp Aerator



HVA52
5 hp Aerator

| Part # | Description | Voltage/Max Amps | Approx. gpm | Minimum Depth | SOTR/HR | Stocking Code | Ship Weight | List Price |
|---------|--------------------------|------------------|-------------|---------------|---------|---------------|-------------|------------|
| HVA05 | 1/2 hp Surface Aerator | 115/12 | 500 | 18" | 2.3 | 81270757 | 32/24/22 | \$1,495.00 |
| HVA052 | 1/2 hp Surface Aerator | 230/6 | 500 | 18" | 2.3 | 51270756 | 32/24/22 | \$1,495.00 |
| HVA342 | 3/4 hp Surface Aerator* | 230/8 | 500 | 18" | 2.3 | 51759504 | 32/24/23 | \$2,070.00 |
| HVA102 | 1 hp Surface Aerator | 230/9.8 | 1475 | 24" | 3.0 | 71610754 | 45/24/22 | \$1,895.00 |
| HVA1.52 | 1.5 hp Surface Aerator* | 230/10 | 1475 | 24" | 3.0 | 92375756 | 45/24/22 | \$2,795.00 |
| HVA22 | 2.0 hp Surface Aerator** | 230/13.2 | 1700 | 36" | 5.5 | 63714503 | 74/24 | \$4,370.00 |
| HVA32 | 3.0 hp Surface Aerator** | 230/17 | 2700 | 36" | 6 | 64564503 | 82/24 | \$5,370.00 |
| HVA52 | 5.0 hp Surface Aerator** | 230/27.5 | 3400 | 39" | 15 | 26795757 | 235 | \$7,995.00 |

* 3/4 and 1.5 hp available in 230v 3 phase and 460v 3 phase

** 2, 3 and 5 hp available in 230v single phase, 230v 3 phase and 460v 3 phase

Call for 7.5 hp to 20 hp options



NEW!

Aquarian Solar Surface Aerator

The same performance as an OWS Surface Aerator, but off-grid. Designed for max aeration and oxygen transfer. No power required!

- High output DC maintenance-free brushless water cooled motor
- Proprietary prop design to maximize GPM and oxygen transfer
- Operates in a minimum of 12" of water
- Super-efficient MaxEnergy™ solar controller includes 4 bi-facial solar panels providing longer run times
- 2 year warranty on fountain. 15 years on solar panels.
- 100' power cord included** (up to 400' available)

| Part # | Description | Approx. gpm | Minimum Depth | SOTR/HR | Stocking Code | Ship Weight | List Price |
|--------|--------------------------------|-------------|---------------|------------|---------------|-------------|------------|
| OWSSA | Aquarian Solar Surface Aerator | up to 1475 | 24" | up to 3.0# | 56196134 | 515 lbs. | \$7,995.00 |

**Power cord lengths offered up to 400 ft. Call for pricing on longer lengths.



Note: All Outdoor Water Solutions units ship factory direct.

Ice-Away™ Pond and Dock De-Icer

Manufactured to run for years with minimal maintenance. There are no seals to replace, no oil to change as we only use high quality water-cooled motors.

- Patented motor mount/diffuser redirects water flow creating a larger coverage area vs. competitors
- Submersible motor is water cooled. No seals or bearings to fail. Longer life motor
- Designed to move 500 GPM with its higher 3,450 RPM motors
- Computer designed, high speed, foul resistant propeller
- (2) 10' sling ropes provided
- Two-year warranty



OWD150

The Ice-Away™ can cover a larger area of water than the 3/4 hp oil-filled de-icers when installed 10' deep. Customers have Ice-Aways that are still running after 20+ years of service.



OWDIPG
Optional Prop Guard protects from excess trash and debris



OWFK
Optional Float converts the pond de-icer into a surface aerator

| Part # | Description | Voltage | Amps | Power Cord | Stocking Code | Ship Weight | List Price |
|--------------|------------------|---------|------|------------|---------------|-------------|------------|
| OWDI50 | 1/2 hp 115v unit | 115 | 12 | 25' | 8796002 | 27 lbs. | \$995.00 |
| OWDI50-50 | 1/2 hp 115v unit | 115 | 12 | 50' | 3820008 | 32 lbs. | \$1,025.00 |
| OWDI50-100 | 1/2 hp 115v unit | 115 | 12 | 100' | 7956005 | 40 lbs. | \$1,195.00 |
| OWDI502 | 1/2 hp 230v unit | 230 | 6 | 25' | 4796004 | 27 lbs. | \$995.00 |
| OWDI502-50 | 1/2 hp 230v unit | 230 | 6 | 50' | 5820008 | 32 lbs. | \$1,025.00 |
| OWDI502-100 | 1/2 hp 230v unit | 230 | 6 | 100' | 4956003 | 40 lbs. | \$1,195.00 |
| OWDI110 | 1 hp 115v unit | 115 | 14 | 25' | 8956004 | 30 lbs. | \$1,195.00 |
| OWDI110-50 | 1 hp 115v unit | 115 | 14 | 50' | 4980003 | 35 lbs. | \$1,225.00 |
| OWDI110-100 | 1 hp 115v unit | 115 | 14 | 100' | 71004005 | 43 lbs. | \$1,255.00 |
| OWDI1102 | 1 hp 230v unit | 230 | 9.8 | 25' | 5956006 | 30 lbs. | \$1,195.00 |
| OWDI1102-50 | 1 hp 230v unit | 230 | 9.8 | 50' | 7980003 | 35 lbs. | \$1,225.00 |
| OWDI1102-100 | 1 hp 230v unit | 230 | 9.8 | 100' | 31004002 | 43 lbs. | \$1,255.00 |
| OWFK | Flotation Kit | | | | 6308002 | 22 lbs. | \$385.00 |
| OWGFI | GFCI - 115v | | | | 2127963 | 1 lb. | \$159.95 |
| OWFGFI2 | GFCI - 230v | | | | 7127964 | 1 lb. | \$159.95 |
| OWDIPG | Propeller Guard | | | | 749603 | 2 lbs. | \$62.00 |

Note: All Outdoor Water Solutions units ship factory direct.





scott aerator



Display Fountains

A great choice for ponds needing aeration and decorative looks!

- High quality, American made fountains will keep your water sparkling clean while providing healthy aeration
- Most environmentally friendly system on the market
- Large flow rate does a fantastic job moving unwanted debris off of the surface
- Oil free, stainless steel submersible motor
- Industry leading, five year motor warranty
- Designed for 24 hour continuous operation
- Salt water approved
- Easy to install
- Does not include timer or GFI, see GF13 on bottom of this page
- Designed to be left in water year-round - even in freezing climates
- Five year unconditional warranty on oil-less motors



Light kits available on page 79



| Part # | hp | Amps/Volts | Spray Dimensions h x w | Minimum Pond Depth | Power Cord* | Stocking Code | Ship Weight | List Price |
|--------|-----|------------|------------------------|--------------------|-------------|---------------|----------------|------------|
| SAF03 | 1/3 | 9/115 | 5' x 18' | 32" | 70' | 31471737 | 14, 41 lbs. | \$1,899.00 |
| SAF05 | 1/2 | 10/115 | 6½' x 22' | 32" | 70' | 81498084 | 14, 44 lbs. | \$1,933.00 |
| SAF07 | 3/4 | 7/230 | 6½' x 23' | 32" | 70' | 41739884 | 14, 46 lbs. | \$2,245.00 |
| SAF10 | 1 | 10.6/230 | 7' x 25' | 36" | 100' | 31908837 | 21, 49 lbs. | \$2,463.00 |
| SAF20 | 2 | 11.5/230 | 11' x 25' | 42" | 100' | 62792306 | 21, 72, 3 lbs. | \$3,989.00 |
| SAF30 | 3 | 14/230 | 12' x 30' | 38" | 100' | 73212304 | 21, 82, 3 lbs. | \$4,589.00 |

*Longer cord lengths available

| Part # | Description | Stocking Code | Ship Weight | List Price |
|--------|--------------------------------------|---------------|-------------|------------|
| GF13 | Control panel with 115v GFCI & timer | 8199994 | 3 lbs. | \$249.99 |



GF13



Amherst Fountain

Add beauty to your water feature while contributing to a healthy aquatic environment through oxygen transfer and water circulation.

- Classic, stately spray pattern provides a very distinct separation of all three tiers, capped by an impressive column reaching heights of over 35 feet.
- Utilizes a stainless steel, oil-free submersible motor - environmentally friendly
- The Amherst Fountain is proudly manufactured in the USA and carries an unconditional, 5-year motor warranty.
- Designed to withstand subzero conditions without damage! No winterization is required.
- Includes 100 feet of submersible, 12-gauge cable. Longer lengths are also available.
- Approved for use in saltwater



| Part # | hp | Amps/Volts | Minimum Pond Depth | Stocking Code | Ship Weight | List Price |
|--------|----|------------|--------------------|---------------|-------------|------------|
| AMF10 | 1 | 11.5/115 | 44" | 52617953 | 73 lbs. | \$3,378.00 |
| AMF102 | 1 | 8.2/230 | 44" | 22617957 | 87 lbs. | \$3,378.00 |
| AMF152 | 1½ | 10.6/230 | 54" | 73650253 | 113 lbs. | \$4,710.00 |
| AMF302 | 3 | 14/230 | 60" | 54788738 | 215 lbs. | \$6,179.00 |



WARRANTY: All Scott Aerator motors are unconditionally warranted for five years against motor defects in materials or workmanship, under normal operation conditions. All other product components are warranted for one year from date of purchase.

scott aerator

Display Fountain Lighting

Illuminate your fountain with these quality systems in warm white or color changing RGB options!


- All kits include stainless steel mounting hardware and an all-weather transformer with fully programmable digital timer.
- 100' power cords standard. Longer cords available.

Night Glo

- Stainless lights, 9 watts each, 1230 lumens
- 2800K warm white
- 12 ga power cord with quick disconnect end for easy installation or removal

Color Changing RGB

- Stainless lights, 15 watts each
- Long range remote control works up to 1000' away, allowing you to change colors and dim lights.
- Red, white, blue and green solid colors, plus several rotating patterns with additional colors



| Part # | Description | Cord Length | Stocking Code | Ship Weight | List Price |
|-----------|--------------------------------------|-------------|---------------|-------------|------------|
| SA2WW-10 | Night Glo 2 light warm white LED set | 100' | 1824189 | 28 lbs. | \$999.00 |
| SA4WW-10 | Night Glo 4 light warm white LED set | 100' | 71397556 | 36 lbs. | \$1,694.00 |
| SA2RGB-10 | Color changing 2 light RGB LED set | 100' | 51131088 | 28 lbs. | \$1,371.00 |
| SA4RGB-10 | Color changing 4 light RGB LED set | 100' | 71566686 | 36 lbs. | \$1,899.00 |





Cambridge
Multi-tiered classic spray pattern
up to 30' high and 40' wide*



Gusher
Adjustable vertical column
spraying up to 25' high and 1' wide*



Skyward
Cone-shaped pattern
up to 30' high x 40' wide*

* Spray dimensions above are for a 1 hp Triad Fountain. See table below for spray dimensions of all models.

scott aerator Triad Fountain

Three fountains in ONE! A spectacular focal point to your outdoor paradise while simultaneously vastly improving the health of your pond. Three distinct brass nozzles are included and all can be easily changed in minutes – no tools are required!

- Choose from the more traditional geyser style of the "Gusher" nozzle, or a more elegant, cascading pattern such as the "Cambridge" and "Skyward" nozzles.
- All three nozzles provide a dynamic, aesthetically pleasing addition to your pond or lakescape while also helping maintain water clarity and oxygen levels and promoting an overall healthy aquatic environment.
- Manufactured utilizing a stainless steel, oil-free, submersible motor and pump, making it the most environmentally friendly fountain on the market.
- Designed to withstand subzero conditions without damage! No winterization is required.
- Includes 100 feet of submersible, 12-gauge cable. Longer lengths are also available.
- Designed for use in fresh or salt water.
- Five year unconditional warranty on oil-less motors

SPRAY PATTERN DIMENSIONS (H x D)

| hp | Cambridge | Gusher | Skyward |
|----|-----------|----------|-----------|
| 1 | 30' x 40' | 25' x 1' | 30' x 40' |
| 1½ | 35' x 45' | 35' x 1' | 40' x 50' |
| 3 | 40' x 55' | 50' x 1' | 50' x 70' |



| Part # | hp | Amps/Volts | Minimum Pond Depth | Stocking Code | Ship Weight | List Price |
|--------|----|------------|--------------------|---------------|-------------|------------|
| TF10 | 1 | 11.5/115 | 44" | 72489306 | 65 lbs. | \$3,212.00 |
| TF102 | 1 | 8.2/230 | 44" | 52489307 | 81 lbs | \$3,212.00 |
| TF152 | 1½ | 10.6/230 | 54" | 53489058 | 113 lbs. | \$4,502.00 |
| TF302 | 3 | 14/230 | 60" | 54788736 | 215 lbs. | \$6,179.00 |



WARRANTY: All Scott Aerator motors are unconditionally warranted for five years against motor defects in materials or workmanship, under normal operation conditions. All other product components are warranted for one year from date of purchase.



Rosewood



Gusher



Tudor



Baystone



Millbrook

scott aerator The Great Lakes Fountain

Five Fountains in ONE! Add a spectacular focal point to your outdoor paradise! The Great Lakes Fountain includes five individually distinct brass nozzles that can be changed in minutes without tools! It will give you the ultimate range of display choices for an aesthetically pleasing addition to your pond or lake.

Features

- 3/4 and 1 hp, 60 Hz, single phase motors, both in 115 and 230 volts
- Designed for use in fresh or salt water
- Submersible 100' in length, 12-gauge electric cable included - longer lengths available
- Approved for use in salt water
- Manufactured in the USA
- Components withstand sub-zero conditions without damage

Worry-free Winterizing

Scott Aerator Company has engineered all its water features to eliminate the need for costly, time-consuming winterizing products and procedures. Just leave your fountain in the water, turn off its power supply and forget about it all winter.

All components will withstand sub-zero conditions without damage.



SPRAY PATTERN DIMENSIONS (H x D)

| hp | Gusher | Rosewood | Baystone | Millbrook | Tudor |
|-----|----------|-----------|-----------|-----------|-----------|
| 3/4 | 30' x 3' | 25' x 35' | 10' x 25' | 12' x 25' | 10' x 35' |
| 1 | 35' x 3' | 30' x 40' | 14' x 30' | 15' x 30' | 12' x 40' |

Enhance your Great Lakes Fountain by adding one of the fountain lighting systems from Scott Aerator found on page 79.



Baystone



Rosewood



Millbrook



Tudor



Gusher

| Part # | hp | Amps/Volts | gpm Flow | Minimum Pond Depth | Stocking Code | Ship Weight | List Price |
|---------|-----|------------|----------|--------------------|---------------|-------------|------------|
| GLF75 | 3/4 | 10.9/115 | 65 | 34" | 72199456 | 14, 41 lbs. | \$2,838.00 |
| GLF752 | 3/4 | 6.8/230 | 65 | 34" | 52199454 | 14, 44 lbs. | \$2,838.00 |
| GLF100 | 1 | 11.5/115 | 75 | 34" | 32537352 | 14, 46 lbs. | \$3,274.00 |
| GLF1002 | 1 | 8.2/230 | 75 | 34" | 72537351 | 21, 49 lbs. | \$3,274.00 |



WARRANTY: All Scott Aerator motors are unconditionally warranted for five years against motor defects in materials or workmanship, under normal operation conditions. All other product components are warranted for one year from date of purchase.




scott **aerator** AquaSweep Muck Blaster

Move algae, debris, muck, and silt with Aquasweep!

Improve water quality while safely removing sediment buildup. AquaSweep products can keep your waterfront, dock area or canal clean from algae, trash and decaying surface debris, and forcefully blast muck, silt and decaying leaves off the bottom. AquaSweep has been the top debris and muck mover in the industry since it launched back in 1994!

- Fully adjusts in any direction – ideal for eliminating problems above and below the water.
- Manually adjust in any direction or use with optional oscillator (below)
- High-velocity water propulsion pushes debris away from swimming areas, docks or boat lifts.
- 50' long cord with a rugged, marine-grade, water-resistant plug (longer lengths available)
- Includes dock mount plate, pole & yoke assembly. Designed to reach depths up to 7'
- Saltwater compatible
- Unconditional 5-year motor warranty



| Part # | Description | Approx. Flow | Amps | Stocking Code | Ship Weight | List Price |
|--------|------------------------------|--------------|------|---------------|-------------|------------|
| SAQS05 | AquaSweep, 1/2 hp 115v motor | 400 gpm | 10 | 71240005 | 55 lbs. | \$1,600.00 |
| SAQS07 | AquaSweep, 3/4 hp 115v motor | 450 gpm | 10.5 | 61481807 | 57 lbs. | \$1,912.00 |
| SAQS10 | AquaSweep, 1 hp 115v motor | 500 gpm | 11.5 | 51580234 | 59 lbs. | \$2,039.00 |



AquaSweep Oscillator 360 Unlock the potential of AquaSweep

Use this programmable oscillator to turn your AquaSweep automatically! Program the unit to cover from 20 degrees up to a full 360 degrees of your beach or dock area. Preset to rotate 20 degrees every 20 minutes. Comes with two year warranty.

- Comes complete with stainless steel mounting plate
- Stainless steel pole and yoke assembly designed to reach depths up to 7'
- Includes 50' power cord
- Two year motor warranty

Maximize Your Coverage Area

Lake Bottom Coverage

- 1/2 HP Up to 50 feet in one direction (100 foot diameter)
- 3/4 HP Up to 60 feet in one direction (120 foot diameter)
- 1 HP Up to 75 feet in one direction (150 foot diameter)

Surface Water Flow

- 1/2 HP Up to 100 feet in one direction (200 foot diameter)
- 3/4 HP Up to 150 feet in one direction (300 foot diameter)
- 1 HP Up to 200 feet in one direction (400 foot diameter)



| Part # | Description | Stocking Code | Ship Weight | List Price |
|--------|----------------------------------|---------------|-------------|------------|
| SAQ20 | AquaSweep Oscillator 360 upgrade | 5840606 | 55 lbs. | \$934.00 |



Complete Fish Systems

Ideal for classrooms, aquaponics, hydroponics, retail fish sales and more!

Excellent filtration is the key to any fish system, which is why we use EasyPro® Pressurized Bead Filters for the best in mechanical and biological filtration.



RCS2BL

The Fish System 1

This single tank set up requires less than 6' x 8' of space. Commonly used in retail stores and pond shops, but can also be found in many aquaculture classrooms.

System Includes:

- One PT6530 300 gallon fish tank - 65" diameter x 30" deep with pre-drilled drain holes for easy installation
- One EX3600 EasyPro® 3600 gph external pump. This whisper quiet, low-RPM pump is also energy efficient at only 1.4 amps
- One PBF1800 EasyPro® Bead Filter rated for up to 60 pounds of fish. Add the optional backflush blower to make your routine cleaning faster and use less water.
- Includes all necessary fittings, valves, unions, pipe, etc.

System 1

| Part # | Stocking Code | List Price |
|--------|---------------|------------|
| RCS2N | 42057066 | \$2,690.69 |



System 1 with Backflush Blower

| Part # | Stocking Code | List Price |
|--------|---------------|------------|
| RCS2BL | 32391458 | \$3,108.69 |



Best Seller

RCS3N

The Fish System 2

Dual 300 gallon tanks allow you to keep different species or sizes of fish in the same system. A best selling system due to its increased capacity with minimal additional cost to a single tank setup.

System Includes:

- Two PT6530 300 gallon fish tanks - each is 65" diameter x 30" deep with pre-drilled drain holes for easy installation
- One EX4500 EasyPro® 4500 gph external pump. This whisper quiet, low-RPM pump is also energy efficient at only 2.7 amps
- One PBF3600 EasyPro® Bead Filter rated for up to 150 lbs. of fish. Add the optional backflush blower to make your routine cleaning faster and use less water.
- Includes all necessary fittings, valves, unions, pipe, etc.

System 2

| Part # | Stocking Code | List Price |
|--------|---------------|------------|
| RCS3N | 73209126 | \$4,184.19 |



System 2 with Backflush Blower

| Part # | Stocking Code | List Price |
|--------|---------------|------------|
| RCS3BL | 13543517 | \$4,602.19 |



Round, Flat Bottom Tanks

We've sold these tanks all over the United States and in Canada for a wide variety of applications including aquaculture production, koi display tanks, filtration tanks, holding tanks, etc. Tanks are nestable for reduced shipping cost. Does not contain bottom drain - use bulkhead fittings found in our Pond & Water Feature catalog.

| Part # | Diameter | Depth | Capacity | Stocking Code | List Price |
|--------|----------|-------|------------|---------------|------------|
| PT6530 | 65" | 30" | 300 gallon | 5751999 | \$939.99 |





DURALINER™ POND LINING

The trusted choice of professional landscapers, nurseries, koi pond and water garden installers!

High quality 45 and 60 mil EPDM liner & accessories with the manufacturing capacity 100% focused on the Pond Market - not the roofing market.

For 2026, EasyPro has added an additional domestic manufacturer to produce DuraLiner. This increases production capacity and ensures steady product availability as demand grows, and also helps control pricing of both boxed & rolled liner products.

Liner from both manufacturing locations meets/exceeds lake & pond industry requirements for 45 mil EPDM fish safe rubber liner.

The look & feel may vary slightly.

VIDEO



- Easy to shape and form! Stays flexible even in extreme temperatures from -40° to 175°F.
- Weather and UV resistant - will not crack with age.
- Puncture resistant
- Fish and plant friendly
- More consistent throughout the roll & width. Does not contain the imperfections & blisters like other brands
- Available in pre-cut sizes, custom cut for your project, and by the roll for larger ponds
- 20 year limited warranty

50' ROLLS



| Part # | Rolled Liner Size | Core Length | Stocking Code | Approx. Ship Weight | List Price |
|------------------------------|-------------------|-------------|---------------|---------------------|------------|
| 45 mil EPDM DuraLiner | | | | | |
| RPL105 | 10' x 50' | 7' | 8490009 | 185 lbs. | \$800.00 |
| RPL155 | 15' x 50' | 7' | 9735005 | 265 lbs. | \$1,200.00 |
| RPL205 | 20' x 50' | 7' | 4980004 | 350 lbs. | \$1,600.00 |
| RPL255 | 25' x 50' | 7' | 51225008 | 430 lbs. | \$2,000.00 |
| RPL305 | 30' x 50' | 7' | 31470004 | 510 lbs. | \$2,400.00 |
| RPL355 | 35' x 50' | 11' | 21715002 | 600 lbs. | \$2,800.00 |
| RPL405 | 40' x 50' | 11' | 71960004 | 685 lbs. | \$3,200.00 |
| RPL505 | 50' x 50' | 11' | 82450002 | 850 lbs. | \$4,000.00 |

60 mil EPDM DuraLiner

| | | | | | |
|----------|-----------|-----|----------|----------|------------|
| RPL6-305 | 30' x 50' | 7' | 81800007 | 660 lbs. | \$2,700.00 |
| RPL6-405 | 40' x 50' | 11' | 92400006 | 860 lbs. | \$3,600.00 |

100' ROLLS



| Part # | Rolled Liner Size | Core Length | Stocking Code | Approx. Ship Weight | List Price |
|------------------------------|-------------------|-------------|---------------|---------------------|------------|
| 45 mil EPDM DuraLiner | | | | | |
| RPL051 | 5' x 100' | 7' | 5490004 | 185 lbs. | \$800.00 |
| RPL101 | 10' x 100' | 7' | 6980005 | 350 lbs. | \$1,600.00 |
| RPL151 | 15' x 100' | 7' | 91470005 | 510 lbs. | \$2,400.00 |
| RPL201 | 20' x 100' | 7' | 81960003 | 675 lbs. | \$3,200.00 |
| RPL251 | 25' x 100' | 11' | 42450002 | 850 lbs. | \$4,000.00 |
| RPL301 | 30' x 100' | 11' | 32940004 | 1,010 lbs. | \$4,800.00 |
| RPL351 | 35' x 100' | 11' | 53430007 | 1,175 lbs. | \$5,600.00 |
| RPL401 | 40' x 100' | 11' | 83920009 | 1,335 lbs. | \$6,400.00 |
| RPL501 | 50' x 100' | 11' | 96000004 | 1,660 lbs. | \$8,000.00 |

60 mil EPDM DuraLiner

| | | | | | |
|----------|------------|-----|----------|-----------|------------|
| RPL6-151 | 15' x 100' | 7' | 61800007 | 660 lbs. | \$2,700.00 |
| RPL6-501 | 50' x 100' | 11' | 76000004 | 2070 lbs. | \$9,000.00 |

CUT TO LENGTH

| Part # | Description | Stocking Code | Ship Weight | List Price |
|--------|--|---------------|-------------|----------------|
| RPL45 | 45 mil EPDM DuraLiner - Specify width and length | 21154 | — | \$1.73/sq. ft. |
| RPL60 | 60 mil EPDM DuraLiner - Specify width and length | 41238 | — | \$1.94/sq. ft. |



DuraLiner™ Pond Liner Underlayment

- Non-woven geotextile fabric in two widths - 5' and 10' – easy to match up to the EPDM liner
- Provides additional tear and puncture protection from roots, stones or any other sharp objects
- Can be used on top of liner as well to protect from punctures when adding gravel
- Provides enhanced soil stability and erosion control

Volume Pricing
on ten rolls or more.
Contact us for details



RP33 / RP36



| Part # | Description | Stocking Code | Ship Weight | List Price |
|---------------------------------------|--|---------------|-------------|-----------------|
| 4 oz. DuraLiner™ Underlayment | | | | |
| FPU | 4 oz. 5' or 10' wide x any length | 1213 | – | \$0.40/sq. ft. |
| PLU5360 | 4 oz. 5' wide x 360' roll | 6232807 | 65 lbs. | \$291.00 roll |
| PLU10360 | 4 oz. 10' wide x 360' roll | 7465595 | 125 lbs. | \$581.99 roll |
| 10 oz. DuraLiner™ Underlayment | | | | |
| FPU10 | 10 oz. 5' or 10' wide x any length | 2467 | – | \$0.65/sq. ft. |
| PLU10-5360 | 10 oz. 5' wide x 360' roll | 3512798 | 130 lbs. | \$640.99 roll |
| PLU10-10360 | 10 oz. 10' wide x 360' roll - 10 foot core | 81023996 | 255 lbs. | \$1,279.99 roll |
| 15 oz. DuraLiner™ Rock Pads | | | | |
| RP33 | 15 oz. 3' x 3' | 716794 | 1 lb. | \$20.99 |
| RP36 | 15 oz. 3' x 6' | 827195 | 2 lbs. | \$33.99 |

Underliner Vent System

Helps to prevent uplifting or floating of pond liners caused by methane gases in organic soils or high water tables

- Provides a strong, secure channel for ground water and gases to freely flow through to designated exits (GE4EO end outlets)
- Prefabricated 6" strip consisting of a molded grid wrapped in geotextile fabric to permit a high flow of water into the molded grid while restraining soil particles



- Easy to install – no heavy equipment or skilled labor needed – Simply roll out in the deepest portion of your pond
- Comes in 150' long rolls, is 6" wide and 1" tall



GE4EO
4" End Outlet



Ships from our warehouse - no minimum order!

| Part # | Description | Stocking Code | Ship Weight | List Price |
|--------|--------------------------------|---------------|-------------|------------|
| GE6150 | Underliner Vent - 6"x150' roll | 4338249 | 24 lbs. | \$409.99 |
| GE4EO | 4" End outlet | 324258 | 3 lbs. | \$29.39 |



Liner Air Vent

- Use these 1 1/2" vents to release air or water trapped under pond liners
- Includes 1 1/2" bulkhead fitting and pressure relief fitting
- Helps prevent liner from floating up when air (or water) gets trapped underneath



| Part # | Description | Stocking Code | Ship Weight | List Price |
|--------|----------------|---------------|-------------|------------|
| LAV | Liner air vent | 144997 | 1 lb. | \$59.99 |



Mid Michigan Ponds (MI)



Greenline Inc. (MI)

EasyWeave Reinforced Woven Polyethylene Pond Liners

Ideal for lining large ponds – up to 75,000 square feet in one piece and custom made to your pond size

These EasyWeave polyethylene liners are engineered to offer great strength in a light weight liner material. The material is UV stabilized to offer years of worry free protection against the damaging rays of the sun. Unlike regular multi-layered liners which simply stack the layers of liner on top of each other, these liners are woven together – this gives the ultimate in strength. Because of the light weight and strength, these liners can be manufactured in sizes up to 75,000 square feet.

Features

- Designed for easy installation and long life span
- Puncture, abrasion and chemically resistant construction
- High strength HDPE woven core that provides superior dimensional stability
- Outstanding UV, ozone and oxidation resistance
- Unlike standard PVC liners, which need 12" of soil over the entire liner, these liners do not require coverage other than around the edges – this lowers the overall installation cost dramatically!
- Custom made liners require approximately 10-14 days for manufacturing and delivery

45 and 60 mil EPDM Pond Liner and PVC Liners are also available. See our Pond & Water Feature Catalog for additional liner options.



20 year limited warranty when under water, 10 year limited warranty when exposed to direct sunlight

Pipe boots are available for sealing around incoming lines below water, contact us for details

Liner Panel Size Parameters

Width: 12' width increment standard, 6' increment width available for additional \$150.00
Length: Any desired length in 1' increments up to 300' long

See our website for video installations of liner, spec sheets, training and design tips

Applications

- Aquaculture
- Pond liner
- Soil remediation
- Exposed applications
- Oil and gas
- Irrigation reservoirs and canals
- Water management
- Hydroponic farming
- Fracking

| Part # | Thickness | Maximum Panel Size** | Maximum Pallet Size Liner | Square Fee Quantity | Stocking Code | Ship Weight per 1000 sq. ft. | List Price per sq. ft. |
|--------|-----------|----------------------|---------------------------|---------------------|---------------|------------------------------|------------------------|
| WCP24 | 24 mil | 75,000 | 18,000' | 1000' - 10000' | 2427 | 80 lbs. | \$0.59 |
| | | | | 10001' - 20000' | 9404 | 80 lbs. | \$0.56 |
| | | | | 20000' - 40000' | 6378 | 80 lbs. | \$0.53 |
| | | | | 40000'+ | — | | Call |
| WCP30 | 30 mil | 65,000 | 16,000' | 1000' - 10000' | 9446 | 93 lbs. | \$0.61 |
| | | | | 10001' - 20000' | 5422 | 93 lbs. | \$0.58 |
| | | | | 20000' - 40000' | 1387 | 93 lbs. | \$0.55 |
| | | | | 40000'+ | — | | Call |

****Liners over 16,000 sq. ft. come as large roll and ship on flat bed truck**



Outside Inc. (MI)

Fish Shipping Bags

- Most commonly used for hauling live fish
- Bags are made from the finest materials
- Our standard bag is 18" x 34", 3 mil and guaranteed waterproof
- Available in 100 or 250 count box

Save 5% on three or more boxes of OB250

| Part # | Description | Stocking Code | Ship Weight | List Price |
|--------|---------------|---------------|-------------|------------|
| OB100 | 100 count box | 856242 | 12 lbs. | \$74.99 |
| OB250 | 250 count box | 2124498 | 31 lbs. | \$165.99 |



Bander & Bands


Use this handy tool to quickly and securely close your fish shipping bags. For maximum holding power use two bands on each bag.

| Part # | Description | Stocking Code | Ship Weight | List Price |
|--------|--------------------|---------------|-------------|------------|
| BBT | Bag sealing tool | 431705 | 2 lbs. | \$45.29 |
| BB | Bands, 100 per bag | 75526 | 1 lb. | \$7.89 |



Game Fish Food

- High quality general purpose fish food designed for feeding trout, bluegill, catfish and other game fish in farm ponds and lakes
- Floating pellets available in 3.0 mm (1/8") for younger fish or 5.0 mm (3/16") for larger fish



| Part # | Description | Stocking Code | Ship Weight | List Price |
|--------|------------------|---------------|-------------|------------|
| FD18 | 44 lb. bag 1/8" | 843756 | 48 lbs. | \$56.99 |
| FD316 | 44 lb. bag 3/16" | 743750 | 48 lbs. | \$56.99 |



Koi Medic Salinity Meter

- Very accurate, easy to use salinity meter
- Simply turn on and dip into pond, LCD will display salt content
- Includes protective case
- Auto shutoff, drop shock 6', 150 hour battery life, water resistant, low battery warning, 0.00 - 1.00% range 0.01 resolution, includes four 1.5v button cell batteries



KMS

Eco pH+ Tester

- This simple to use tester gives fast, accurate pH readings, is water resistant and floats if dropped in pond
- Controlling pH levels will help balance water chemistry, enhance fish colors, promote spawning and control CO2 level
- Includes protective case
- Auto shutoff, drop shock, 150 hour battery life, water resistant, low battery warning



KPH

Four 1.5v button cell batteries included

| Part # | Description | Case Quantity | Stocking Code | Ship Weight | List Price |
|--------|--------------------------|---------------|---------------|-------------|------------|
| KMS | Koi Medic salinity meter | — | 6125598 | 2 lbs. | \$156.99 |
| KPH | Eco pH+ tester | — | 299993 | 1 lb. | \$124.99 |





5-in-1 Test Strips

- Tests for nitrate, nitrite, total hardness, total alkalinity and pH
- Fresh water use
- Water should be tested regularly to maintain good water quality
- 50 test strips in each bottle



| Part # | Case Quantity | Stocking Code | Ship Weight | List Price |
|--------|---------------|---------------|-------------|------------|
| TS5 | 12 | 919498 | 1 lb. | \$25.99 |



Water Test Kit

Accurate, affordable and easy to use

LaMotte has grouped the most popular water tests into a convenient easy to carry package with nine test kits.



9 Test Kit tests for

Ammonia, Nitrite, pH, Alkalinity, Chloride, Hardness, Carbon Dioxide, Temperature, Dissolved Oxygen

| Part # | Description | Stocking Code | Ship Weight | List Price |
|---------|-------------|---------------|-------------|------------|
| L363302 | 9 Test Kit | 4346287 | 6 lbs. | \$407.39 |



DO200-4

DO200



YSI Meters

Economy Oxygen Meter

The YSI DO200 is designed for quick, accurate oxygen and temperature readings!

- Hand held and easy to use
- Watertight IP67 housing
- Automatic temperature compensation
- Manual salinity compensation
- Low battery indicator with 500 hour battery life
- Screw on cap membranes with low stirring, fast response probe
- Choose a 12' (4 meter) or 30' (10 meter) cable, order separately

| Part # | Description | Stocking Code | Ship Weight | List Price |
|---------|--|---------------|-------------|------------|
| D200 | Model DO200 Oxy/Temp metric meter w/o cable or probe | 8395993 | 3 lbs. | \$439.99 |
| D200-4 | Oxygen/Temp probe w/12' cable for DO200 | 3413994 | 2 lbs. | \$459.99 |
| D200-10 | Oxygen/Temp probe w/30' cable for DO200 | 5429296 | 3 lbs. | \$476.99 |

We offer the lowest prices on all YSI products! Contact us for any item not shown!

| | | | |
|--|--|---|--------------------------------------|
| A | | DuraLiner84 | R |
| Aeration & Supplies | | Dyes9,14 | Rock Covers56 |
| Aeration Kits | | E | S |
| Linear26, 27, 50,51 | | EasyWeave Pond Liner85 | Septic & Wastewater Treatment.....10 |
| Rocking Piston 24-26, 28-33, | | F | Solar Aeration Kits..... 42-43 |
| 38,39, 44 | | Fish Display Systems.....83 | Sound Shield 24-25 |
| Rotary Vane.....34-36, 39, 46 | | Fish Food87 | Splitters.....53 |
| Solar.....42-43 | | Fish Shipping Bags.....87 | Surface Aeration..... 59-81 |
| Wind40-41 | | Fittings, Tubing.....53 | T |
| Aeration, Submerged23-44, 50, 51 | | Floating Fountain Head.....60 | Tank, Fish83 |
| Aeration, Surface.....59-81 | | Fountain Light Kits ..62-64, 70, 72-73, | Tubing, Airline52 |
| Air Diffusers.....54-55 | | 77 | Tubing, Fittings..... 52-53 |
| Airline, Tubing52 | | Fountains 59-82 | U |
| Airstones.....55 | | G | Underliner Vent System85 |
| Algaecides..... 14-15 | | Game Fish Food87 | V |
| AquaFloat.....60 | | H | Valve Assemblies, Remote Access ..37 |
| AquaFountain61 | | Herbicides 14, 16-21 | Valve Boxes.....37 |
| Aquaculture Supplies.....87-88 | | Hose Clamps52 | Valved Outlet Assemblies.....47 |
| Aquatic Weed Control 14, 16-21 | | I | W |
| Aquatic Weed Rakes/Cutters..... 11 | | Identify Aquatic Weeds & Algae..... 12 | Water Testing 87-88 |
| B | | K | Water Treatments 5-21 |
| Bacteria 4-6, 9 | | Koi Medic Salinity Meter87 | Windmills..... 40-41 |
| Bander & Bands87 | | L | Y |
| Barley Straw Pellets..... 10 | | Lamotte Test Kit88 | YSI Meters.....88 |
| Becker Windmills 40-41 | | Landscape Boulders56 | |
| Blowers, Regenerative.....48 | | Liner, EPDM Rubber84 | |
| C | | Liner, EasyWeave85 | |
| Cabinets.....56-58 | | Liner, Underlayment86 | |
| Compressors, Linear50 | | M | |
| Compressors, Rocking Piston25, 44 | | Membrane Diffuser Assembly ..54-55 | |
| Compressors with Sound Shield25 | | O | |
| Compressors, Rotary Vane46 | | Ordering Information91 | |
| Compressors & Parts 45-47, 49 | | P | |
| D | | Pond Dyes.....7, 9,14 | |
| De-icers77, 82 | | Pressure Gauges47 | |
| Diaphragm Compressor49-50 | | Pressure Relief Valves47 | |
| Diffused Aeration Kits.....26-43, 51 | | | |
| Diffusers.....54-55 | | | |



Branded Promotions

EasyPro® Branded Materials:
Banners • Displays

FREE Data Sheets

(Digital Only - in your resource portal)

Available for download any time!

We offer a variety of digital sell sheets, SDS sheets and more on easypro.com or in your **resource portal**. Just download and print to use as handouts. These are a more in-depth look at EasyPro® products and are great resources to share.



FREE EasyPro's Guide to Effective Pond Management

PAF2 - Digital and Print

Full-size, full color, educational brochure.

Leverage EasyPro's proven approach to effective pond management to communicate with your customers.

This easy-to-read guide helps you educate your customers about the importance of using a combination of aeration, water treatments and aquatic weed and algae control to get the pond of their dreams.

- Packaged in quantities of 25. *Call for higher quantities.*
- Download the PDF from easypro.com or your **resource portal** to share via email

Download digital promotional pieces, manuals and SDS sheets from your resource portal



Increase sales and inspire your customers with visual merchandising. Full-color banners are perfect for in-store displays and trade shows!

FREE Retractable Banners

34" x 83" • Includes pull-up stand and soft-sided carry case



BN36G
Water Gardening

BN36F
Water Features

BN36L
Lake & Pond Management

FREE Aisle Banners

16" x 24" • 13 oz. vinyl • with corner grommets



BN1209
Pond-Vive

BN1210
Pond Dyes

BN1211
Sludge Remover

BN1212
Sentinel Aeration

FREE Wall Banners

24" x 48" • 13 oz. vinyl • with corner grommets



BN2405 - Lake & Pond Sold Here

Note: Banners with updated branding will be available when our current stock is depleted.



Where to Buy

EasyPro Pond Products are available across the U.S. and Canada through our growing network of distributors and dealers. Purchasing EasyPro items through these local suppliers has become the easiest and most cost effective choice for landscape professionals and homeowners. Use the "Where to Buy" section on our website or contact us at 800-448-3873 and we can help you find an EasyPro supplier near you.



Customer Service

Technical Assistance We believe it's best to invest time upfront helping you select the right products, rather than addressing the problems and added expense that can result from incorrect choices later. Our team is happy to provide free design assistance for ponds, waterfalls, aeration, filtration, and more. When possible, please include a diagram of your layout so we have a clear visual reference. Diagrams can be faxed to 231-834-5537 or emailed to quotes@easypro.com.

Large Orders If you require large quantities of an item or multiple items, please provide a list of the products and quantities needed so we can prepare a price quote.



Ordering

For your convenience there is a PDF order form in your resource portal. This order form may be filled out electronically and submitted by email or fax.

Place orders in any of the following ways:

Telephone Orders by phone can be placed at 231-834-7720 or toll free at 800-448-3873; Monday to Friday; 8am to 5pm Eastern time.

Fax Orders by fax can be sent to 231-834-5537

Email Send orders to orders@easypro.com. This email is for orders only. For special project quote requests (ponds, Just-A-Falls, fountains, aeration, etc.) email to quotes@easypro.com. For any other questions, quotes or services, please call us at 800-448-3873.



Shipping Information

Items Less Than 150 Pounds typically ship UPS or Fed-Ex. We strive to provide economical, on time and secure delivery of product. Occasionally additional carrier fees are charged for bulky items (filter material, pond kits, etc.), unpackaged goods (i.e. flex pipe, kink-free tubing, etc.), hazardous goods and other special considerations.

Large and/or heavy items are shipped motor freight Last year, we shipped more than 3 million pounds of freight over truck lines. Because of our large volume, we're able to negotiate higher discounts with carriers, making our rates very competitive. Motor freight companies charge a residential fee when delivering to a residence.

Damaged Shipments: Please inspect your shipment before signing for it! Once you sign for your shipment, the carrier will not be liable for shortages or damage. You can refuse a damaged shipment or accept it with clear notification of damage on the bill of lading. Please call us immediately if you refuse a damaged order so we can accept it back from the carrier and reship your order.



Returns

All returns must have an RA# (Return Authorization Number). This lets us know what is coming back and what to do with it (i.e. credit your account, replace product, etc.). A 10% restock fee will apply to returns unless it is our shipment error. Packages sent to us without an RA# written on them will be refused. All products, including warranty items, must be returned to us shipping prepaid. We will pay the shipping charges on warranty items back to you, but not from you to us. Product over 90 days old is not returnable for credit. Special orders, cut liner and used items are not returnable.

Obtain a Return Authorization ("RA") number by calling EasyPro at 800-448-3873 or via email at warranty@easypro.com.



Payments

Credit Cards We accept VISA, MasterCard, Discover and American Express.

Money Orders/Checks Money orders or business checks are accepted as payment.

Net 30 Account Companies wishing to set up an account with us need to fill out our credit application. Schools, institutions and governmental agencies are pre-approved with use of a purchase order number. Interest will accrue on all invoices over 30 days. No orders will be shipped to customers with invoices over 60 days old until account is brought current.



Hours

Business Hours Monday through Friday, 8:00 a.m. to 5:00 p.m. EST

Sales, marketing, shipping and office are closed Saturdays and Sundays.

We will be closed for the following 2026 holidays:

Good Friday – Friday, April 3

Memorial Day – Saturday, May 23 and Monday, May 25

Independence Day (US) – Friday, July 3 and Saturday, July 4

Labor Day – Saturday, September 5 and Monday, September 7

Thanksgiving (US) - Thursday, November 26 and Friday, November 27

Christmas - Thursday, December 24 through Friday, January 1



Warranty

EasyPro honors all manufacturers' warranties. Each manufacturer has their own warranty procedure. Some manufacturers allow us to determine warranty for them, while others handle their own warranties. Submersible pumps that have been taken apart, run out of water, have been altered or have cuts to the power cord will not be covered by warranty. Also, any product not used for its intended purpose, altered, damaged, improperly maintained or neglected will not be covered. Shipping costs to us (or to the manufacturer) are not covered by warranty, please insure package when shipping back to us. If product is covered by warranty we will pay shipping costs to ship new/ repaired item back to you. Product returned to us for warranty that is deemed in working condition will be shipped back to you at your expense. Be sure your electrical supply is proper before returning pumps to us – each year we get numerous returns that are in good working order only to find the problem was in the electrical supply! A bench fee of \$25.00 will be charged for each pump returned to us that is not broken. Each year we test hundreds of pumps, many of which are fine. This fee covers time and materials used in testing pumps that are in good working order.

Continuous improvement is our goal, therefore products may change from these shown. All prices are subject to change without notice. We make every effort to maintain printed prices however, due to circumstances out of our control, they may change.



4385 East 110th
Grant, MI 49327

231-834-7720
800-448-3873
Fax: 231-834-5537

info@easypro.com
www.easypro.com

Current Resident or

Issued January 2026


Catalog #56WL

The Lake & Pond Management Catalog

The Pond & Water Feature Catalog



Water Treatments
Fountains
Lake & Pond Aeration
Aquaculture Supplies



Recreational Swim Ponds
Ornamental Ponds
Water Features
Water Treatments

We're proud to offer the largest selection of products in the industry!

Contact us via phone or visit our website to view or request printed catalogs

