

WARMING TRENDS[®]

SUPERIOR FIRE FEATURE SYSTEMS



DEALER CATALOG

NOT FOR DISTRIBUTION. AUTHORIZED USE ONLY.

JANUARY 2026

WARMING TRENDS[®]

SUPERIOR DESIGN. SUPERIOR PERFORMANCE.
SUPERIOR FIRE FEATURE SYSTEMS.



Competitor Burner with 180K BTUs

DON'T SETTLE FOR **LESS.**



U180 CROSSFIRE® Brass Burner with 180K BTUs

The patented CROSSFIRE® Brass Burner is the most fuel-efficient burner in the industry, producing taller, brighter, and more natural flames all while consuming less fuel.

SUPERIOR PRODUCTS | DESIGNED, ENGINEERED, & ASSEMBLED IN THE USA | OUTSTANDING CUSTOMER SERVICE

TABLE OF CONTENTS

QUICK REFERENCE GUIDE	6
BURNERS	
<i>Options for Circular and Square Openings</i>	7
<i>Options for Rectangular Openings</i>	12
AON COLLECTION	
<i>Fire Tables</i>	19
NEW <i>Capstone Fire Tables</i>	21
NEW <i>Architectural GFRC Vessels</i>	23
NEW <i>Architectural Metal Vessels</i>	25
OUTDOOR FIREPLACE INSERT KITS	27
READY-TO-FINISH KITS	29
GAS INSERT KITS FOR PAVER FIRE PITS	
<i>Universal Gas Insert Kits</i>	36
<i>Specialized Gas Insert Kits</i>	39
PLATES, PANS, and COVERS	43
IGNITIONS and ELECTRONIC ACCESSORIES	53
<i>Clearance Diagrams For Ignition Systems</i>	58
PARTS, LOGS, and MEDIA	60
WARRANTY	67
CALIFORNIA RESIDENT: PROP 65 WARNING	68
CONTACT US	69



The Dealer Catalog is intended only for the possession and use of the distribution partners of Warming Trends and contains confidential information not meant to be disclosed to others, including competitors. Sharing, duplicating, or distributing the Dealer Catalog is prohibited to anyone other than Dealers, Distributors, or others authorized in writing by Warming Trends. Our distribution partners may share prices or other information in the dealer catalog with customers as needed to enable individual sales.

Warming Trends maintains a Minimum Advertised Price (MAP) policy and it is strictly enforced with each of our selling partners.

For more information and resource materials, please visit our website. www.Warming-Trends.com



WE DIDN'T INVENT FIRE, **WE PERFECTED IT.**

We transformed the outdoor fire market with our invention of the patented **CROSSFIRE® BRASS BURNER**, a design that continues to set the benchmark for performance and durability decades later.

Today, Warming Trends is the trusted leader in luxury outdoor fire features, known across the industry for unmatched innovation, craftsmanship, and reliability. From custom fire features to advanced ignition systems, every product carries the same hallmark of performance that made the **CROSSFIRE® BRASS BURNER**, the standard.

All of our products are designed, engineered, and assembled in the USA, ensuring precision and quality you can rely on. Built and supported by a team of dedicated experts, every product reflects our commitment to excellence. We relentlessly pursue innovation and perfection in outdoor fire, paired with unrivaled customer service, to deliver an exceptional experience to our partners and their customers.

Thank you for choosing Warming Trends. We're proud to help fuel your success.

Call a Warming Trends Flame Specialist at (303) 346-2224 to discuss the best Fire Feature System for your next outdoor project.

QUICK REFERENCE GUIDE

If you have a standard-sized fire feature, the chart below may help determine which Warming Trends burner will be the best fit for you. Our universal burners simplify selection because they fill either square or circular openings.

BURNER MATCH FOR COMMON INTERIOR DIMENSIONS


for Square and Circular Fire Features

INTERIOR DIMENSION	SKU	PAGE NUMBER
18"	U60	8
	U100	8
24"	U100	8
	U140	8
30"	U180	9
	U240	9
36"	U300	9
42"	U360	10
48"	U420	10
60"	U560	10

PRO TIP

Plate / pan should be sized slightly smaller than the measurement of the opening. This allows easier installation and removal for service.

When selecting your burner, we recommend a minimum 3" of clearance from all interior sides of the enclosure to the nearest edge of the burner to avoid damage to the enclosure.



Scan here for a digital version of our Instruction Manual.



UNIVERSAL BURNER OPTIONS FOR... **SQUARE** and **CIRCULAR OPENINGS**

Designed for circular or square fire features, these standard sized **CROSSFIRE® BRASS BURNERS** range from 60K to 560K BTUs. All Warming Trends burner systems are "universal" and accommodate either LP (liquid propane) or NG (natural gas). Customers do not need to specify gas type when purchasing a burner system. Orders for ignition systems do require gas type specification.

When deciding which burner is best for your project, remember to consult the guide on page 6 for information about size compatibility.

NEED A DIFFERENT SIZE, CUSTOM SHAPE, OR HAVE BTU QUESTIONS?


Whatever your question, our team is happy to help. Call our Flame Specialists at (303) 346-2224.

COMPLETE THE FEATURE WITH MEDIA, PAGE 60–63


SEE PAGE 53 FOR AVAILABLE COMPATIBLE IGNITION SYSTEMS



The new pinwheel design works seamlessly with both Circular and Square features, delivering improved plate performance and a more efficient footprint.




SQUARE/CIRCLE 60 - For 18" opening or larger




SKU	DESCRIPTION	
U60	60K BTU CROSSFIRE® Burner	
Recommended parts - Plate: ALPL18C (circle) or ALPL18S (square) • Flexline Kit: FK1		
CIRCLE	U60ALPL18C	with 18" Circular Plate
CIRCLE	U60ALPL18CFK1	with 18" Circular Plate + FK1
SQUARE	U60ALPL18S	with 18" Square Plate
SQUARE	U60ALPL18SFK1	with 18" Square Plate + FK1

SQUARE/CIRCLE 100 - For 24" opening or larger




SKU	DESCRIPTION	
U100	100K BTU CROSSFIRE® Burner	
Recommended parts - Plate: ALPL18C (circle) or ALPL18S (square) • Flexline Kit: FK2		
CIRCLE	U100ALPL18C	with 18" Circular Plate
CIRCLE	U100ALPL18CFK1	with 18" Circular Plate + FK1
SQUARE	U100ALPL18S	with 18" Square Plate
SQUARE	U100ALPL18SFK1	with 18" Square Plate + FK1

SQUARE/CIRCLE 140 - For 24" opening or larger




SKU	DESCRIPTION	
U140	140K BTU CROSSFIRE® Burner	
Recommended parts - Plate: ALPL24C (circle) or ALPL24S (square) • Flexline Kit: FK1		
CIRCLE	U140ALPL24C	with 24" Circular Plate
CIRCLE	U140ALPL24CFK1	with 24" Circular Plate + FK1
SQUARE	U140ALPL24S	with 24" Square Plate
SQUARE	U140ALPL24SFK1	with 24" Square Plate + FK1

SQUARE/CIRCLE 180 - For 30" opening or larger




SKU	DESCRIPTION	
U180	180K BTU CROSSFIRE® Burner	
Recommended parts - Plate: ALPL30C (circle) or ALPL30S (square) • Flexline Kit: FK1		
CIRCLE	U180ALPL30C	with 30" Circular Plate
CIRCLE	U180ALPL30CFK1	with 30" Circular Plate + FK1
SQUARE	U180ALPL30S	with 30" Square Plate
SQUARE	U180ALPL30SFK1	with 30" Square Plate + FK1

SQUARE/CIRCLE 240 - For 30" opening or larger




SKU	DESCRIPTION	
U240	240K BTU CROSSFIRE® Burner	
Recommended parts - Plate: ALPL30C (circle) or ALPL30S (square) • Flexline Kit: FK1		
CIRCLE	U240ALPL30C	with 30" Circular Plate
CIRCLE	U240ALPL30CFK1	with 30" Circular Plate + FK1
SQUARE	U240ALPL30S	with 30" Square Plate
SQUARE	U240ALPL30SFK1	with 30" Square Plate + FK1

SQUARE/CIRCLE 300 - For 36" opening or larger




SKU	DESCRIPTION	
U300	300K BTU CROSSFIRE® Burner	
Recommended parts - Plate: ALPL36C (circle) or ALPL36S (square) • Flexline Kit: FK2		
CIRCLE	U300ALPL36C	with 36" Circular Plate
CIRCLE	U300ALPL36CFK2	with 36" Circular Plate + FK2
SQUARE	U300ALPL36S	with 36" Square Plate
SQUARE	U300ALPL36SFK2	with 36" Square Plate + FK2

SQUARE/CIRCLE 360 - For 42" opening or larger




SKU	DESCRIPTION	
U360	350K BTU CROSSFIRE® Burner	
Recommended parts - Plate: ALPL42C (circle) or ALPL42S (square) • Flexline Kit: FK2		
CIRCLE	U360ALPL42C	with 42" Circular Plate
CIRCLE	U360ALPL42CFK2	with 42" Circular Plate + FK2
SQUARE	U360ALPL42S	with 42" Square Plate
SQUARE	U360ALPL42SFK2	with 42" Square Plate + FK2

SQUARE/CIRCLE 420 - For 48" opening or larger



SKU	DESCRIPTION	
U420	420K BTU CROSSFIRE® Burner	
Recommended parts - Plate: ALPL48C (circle) or ALPL48S (square) • Flexline Kit: FK2		
CIRCLE	U420ALPL48C	with 48" Circular Plate
CIRCLE	U420ALPL48CFK2	with 48" Circular Plate + FK2
SQUARE	U420ALPL48S	with 48" Square Plate
SQUARE	U420ALPL48SFK2	with 48" Square Plate + FK2

SQUARE/CIRCLE 560 - For 60" opening or larger




SKU	DESCRIPTION	
U560	560K BTU CROSSFIRE® Burner	
Recommended parts - Plate: ALPL60C (circle) or ALPL60S (square) • Flexline Kit: FK2		
CIRCLE	U560ALPL60C	with 60" Circular Plate
CIRCLE	U560ALPL60CFK2	with 60" Circular Plate + FK2
SQUARE	U560ALPL60S	with 60" Square Plate
SQUARE	U560ALPL60SFK2	with 60" Square Plate + FK2

IGNITION OPTIONS

Light your fire feature with the simplicity of a match or choose a fully automatic ignition system. Learn more starting on page 53.



SKU BREAKDOWN	BTU			Size of Plate		Flex Line Kit	
	U	360	ALPL	42	C	FK	2
	Universal CROSSFIRE® Brass Burner			Plate or Pan		Shape of Plate or Pan	



The revolutionary WATERSTOP® fitting protects valves and gas lines from water and debris.

WATERSTOP® PROTECTION

Standard on Every CROSSFIRE® Brass Burner

Every CROSSFIRE® Brass Burner includes our patented WATERSTOP® fitting which blocks water and debris from entering the gas valve, keeps the gas line dry, and allows the manifold to self-purge any accumulated water without compromising flame performance.

Why it matters for your projects:

- Engineered water mitigation without compromising flame quality.
- Unmatched protection for valve boxes and gas lines - greater reliability and fewer service calls.
- Integrated as standard equipment on every CROSSFIRE® burner. No add-ons required.

OPTIONS FOR RECTANGULAR FIRE FEATURES and OUTDOOR FIREPLACES

Designed for rectangular fire features, these **CROSSFIRE® BRASS BURNERS** range from 90K to 480K BTUs.

All Warming Trends burner systems are "universal" and accommodate either LP (liquid propane) or NG (natural gas). Customers do not need to specify gas type when purchasing a burner system. Orders for ignition systems do require gas type specification.

NEED A DIFFERENT SIZE, CUSTOM SHAPE, OR HAVE BTU QUESTIONS?

Whatever your question, our team is happy to help. Call our Flame Specialists at (303) 346-2224.

COMPLETE THE FEATURE WITH MEDIA, PAGE 60-63

SEE PAGE 53 FOR AVAILABLE COMPATIBLE IGNITION SYSTEMS

LINEAR




H-STYLE



TREE-STYLE




LINEAR UL90 - For 20" x 6" opening or larger




SKU	DESCRIPTION
UL90	90K BTU Linear CROSSFIRE® Burner
Recommended parts - Plate: ALPL206 • Flexline Kit: FK1	
UL90ALPL206	with 20" x 6" Rectangular Plate
UL90ALPL206FK1	with 20" x 6" Plate + FK1

LINEAR UL110 - For 26" x 6" opening or larger




SKU	DESCRIPTION
UL110	110K BTU Linear CROSSFIRE® Burner
Recommended parts - Plate: ALPL266 • Flexline Kit: FK1	
UL110ALPL266	with 26" x 6" Rectangular Plate
UL110ALPL266FK1	with 26" x 6" Plate + FK1

LINEAR UL130 - For 32" x 8" opening or larger




SKU	DESCRIPTION
UL130	130K BTU Linear CROSSFIRE® Burner
Recommended parts - Plate: ALPL328 • Flexline Kit: FK1	
UL130ALPL328	with 32" x 8" Rectangular Plate
UL130ALPL328FK1	with 32" x 8" Plate + FK1

LINEAR UL150 - For 38" x 8" opening or larger




SKU	DESCRIPTION
UL150	150K BTU Linear CROSSFIRE® Burner
Recommended parts - Plate: ALPL388 • Flexline Kit: FK1	
UL150ALPL388	with 38" x 8" Rectangular Plate
UL150ALPL388FK1	with 38" x 8" Plate + FK1

LINEAR UL170 - For 40" x 8" opening or larger




SKU	DESCRIPTION
UL170	170K BTU Linear CROSSFIRE® Burner
Recommended parts - Plate: ALPL408 • Flexline Kit: FK1	
UL170ALPL408	with 40" x 8" Rectangular Plate
UL170ALPL408FK1	with 40" x 8" Plate + FK1

LINEAR UL190 - For 44" x 8" opening or larger



SKU	DESCRIPTION
UL190	190K BTU Linear CROSSFIRE® Burner
Recommended parts - Plate: ALPL448 • Flexline Kit: FK1	
UL190ALPL448	with 44" x 8" Rectangular Plate
UL190ALPL448FK1	with 44" x 8" Plate + FK1

LINEAR UL210 - For 50" x 10" opening or larger




SKU	DESCRIPTION
UL210	210K BTU Linear CROSSFIRE® Burner
Recommended parts - Plate: ALPL5010 • Flexline Kit: FK1	
UL210ALPL5010	with 50" x 10" Rectangular Plate
UL210ALPL5010FK1	with 50" x 10" Plate + FK1

LINEAR UL250 - For 56" x 10" opening or larger




SKU	DESCRIPTION
UL250	250K BTU Linear CROSSFIRE® Burner
Recommended parts - Plate: ALPL5610 • Flexline Kit: FK2	
UL250ALPL5610	with 56" x 10" Rectangular Plate
UL250ALPL5610FK2	with 56" x 10" Plate + FK2

LINEAR UL270 - For 62" x 12" opening or larger




SKU	DESCRIPTION
UL270	270K BTU Linear CROSSFIRE® Burner
Recommended parts - Plate: ALPL6212 • Flexline Kit: FK2	
UL270ALPL6212	with 62" x 12" Rectangular Plate
UL270ALPL6212FK2	with 62" x 12" Plate + FK2

H-STYLE UH120 - For 28" x 15" opening or larger




SKU	DESCRIPTION
UH120	120K BTU H-Style CROSSFIRE® Burner
Recommended parts - Plate: ALPL2815 • Flexline Kit: FK1	
UH120ALPL2815	with 28" x 15" Rectangular Plate
UH120ALPL2815FK1	with 28" x 15" Plate + FK1

H-STYLE UH160 - For 34" x 17" opening or larger




SKU	DESCRIPTION
UH160	160K BTU H-Style CROSSFIRE® Burner
Recommended parts - Plate: ALPL3417 • Flexline Kit: FK1	
UH160ALPL3417	with 34" x 17" Rectangular Plate
UH160ALPL3417FK1	with 34" x 17" Plate + FK1

H-STYLE UH200 - For 40" x 17" opening or larger




SKU	DESCRIPTION
UH200	200K BTU H-Style CROSSFIRE® Burner
Recommended parts - Plate: ALPL4017 • Flexline Kit: FK1	
UH200ALPL4017	with 40" x 17" Rectangular Plate
UH200ALPL4017FK1	with 40" x 17" Plate + FK1

H-STYLE UH240 – For 46" x 17" opening or larger




SKU	DESCRIPTION
UH240	240K BTU H-Style CROSSFIRE® Burner
Recommended parts - Plate: ALPL4617 • Flexline Kit: FK1	
UH240ALPL4617	with 46" x 17" Rectangular Plate
UH240ALPL4617FK1	with 46" x 17" Plate + FK1

H-STYLE UH300 – For 56" x 25" opening or larger




SKU	DESCRIPTION
UH300	300K BTU H-Style CROSSFIRE® Burner
Recommended parts - Plate: ALPL5625 • Flexline Kit: FK2	
UH300ALPL5625	with 56" x 25" Rectangular Plate
UH300ALPL5625FK2	with 56" x 25" Plate + FK2

H-STYLE UH340 – For 62" x 25" opening or larger




SKU	DESCRIPTION
UH340	340K BTU H-Style CROSSFIRE® Burner
Recommended parts - Plate: ALPL6225 • Flexline Kit: FK2	
UH340ALPL6225	with 62" x 25" Rectangular Plate
UH340ALPL6225FK2	with 62" x 25" Plate + FK2

TREE-STYLE UT110 – For 20" x 11" opening or larger




SKU	DESCRIPTION
UT110	110K BTU Tree-Style CROSSFIRE® Burner
Recommended parts - Plate: ALPL2011 • Flexline Kit: FK1	
UT110ALPL2011	with 20" x 11" Rectangular Plate
UT110ALPL2011FK1	with 20" x 11" Plate + FK1

TREE-STYLE UT170 - For 28" x 11" opening or larger




SKU	DESCRIPTION
UT170	170K BTU Tree-Style CROSSFIRE® Burner
Recommended parts - Plate: ALPL2811 • Flexline Kit: FK1	
UT170ALPL2811	with 28" x 11" Rectangular Plate
UT170ALPL2811FK1	with 28" x 11" Plate + FK1

TREE-STYLE UT230 - For 36" x 11" opening or larger




SKU	DESCRIPTION
UT230	230K BTU Tree-Style CROSSFIRE® Burner
Recommended parts - Plate: ALPL3611 • Flexline Kit: FK1	
UT230ALPL3611	with 36" x 11" Rectangular Plate
UT230ALPL3611FK1	with 36" x 11" Plate + FK1

TREE-STYLE UT290 - For 44" x 14" opening or larger




SKU	DESCRIPTION
UT290	290K BTU Tree-Style CROSSFIRE® Burner
Recommended parts - Plate: ALPL4414 • Flexline Kit: FK2	
UT290ALPL4414	with 44" x 14" Rectangular Plate
UT290ALPL4414FK2	with 44" x 14" Plate + FK2

TREE-STYLE UT350 - For 58" x 14" opening or larger




SKU	DESCRIPTION
UT350	350K BTU Tree-Style CROSSFIRE® Burner
Recommended parts - Plate: ALPL5814 • Flexline Kit: FK2	
UT350ALPL5814	with 58" x 14" Rectangular Plate
UT350ALPL5814FK2	with 58" x 14" Plate + FK2

TREE-STYLE UT410 - For 66" x 14" opening or larger



SKU	DESCRIPTION
UT410	410K BTU Tree-Style CROSSFIRE® Burner
Recommended parts - Plate: ALPL6614 • Flexline Kit: FK2	
UT410ALPL6614	with 66" x 14" Rectangular Plate
UT410ALPL6614FK2	with 66" x 14" Plate + FK2

TREE-STYLE UT470 - For 74" x 14" opening or larger



SKU	DESCRIPTION
UT470	470K BTU Tree-Style CROSSFIRE® Burner
Recommended parts - Plate: ALPL7414 • Flexline Kit: FK2	
UT470ALPL7414	with 74" x 14" Rectangular Plate
UT470ALPL7414FK2	with 74" x 14" Plate + FK2



SKU BREAKDOWN	BTU		Size of Plate		Flex Line Kit	
	U	360	ALPL	42	C	FK2
	Universal CROSSFIRE® Brass Burner		Plate or Pan		Shape of Plate or Pan	



AON FIRE TABLE COLLECTION


Our beautiful powder-coated metal **AON FIRE TABLES** will stand out as an elegant, timeless addition to any outdoor living space. These tables are expertly engineered and built for outstanding durability and performance. Our products are proudly designed, engineered, and assembled in the USA.

FEATURES

- CROSSFIRE® 2.0 with WATERSTOP® fitting protects gas line and ignition from water and debris
- Recessed control box
- Included flush cover provides for a smooth "table top" when not in use
- Standard push-button ignition (see upgrade options starting on page 53)
- Detachable faceplate and lift-out pan provide for easy installation and maintenance
- Adjustable, leveling feet
- Inset toe kick

COLOR OPTIONS


Request a color sample by emailing orders@warming-trends.com or by calling 303-346-2224. Actual colors may vary from images.



BLACK



DEEP BLUE



DARK BRONZE



CHARCOAL



SAND PEBBLE

RECTANGULAR FIRE TABLES

SKU	DESCRIPTION
103834	48"L x 30"W x 18"H • 170,000 BTU CROSSFIRE® Burner • 28" x 18" Rectangular Pan • 10" Top Ledge • Push Button Ignition System
103840	60"L x 34"W x 18"H • 230,000 BTU CROSSFIRE® Burner • 40" x 14" Rectangular Pan • 10" Top Ledge • Push Button Ignition System
103846	72"L x 38"W x 18"H • 290,000 BTU CROSSFIRE® Burner • 52" x 18" Rectangular Pan • 10" Top Ledge • Push Button Ignition System

SQUARE FIRE TABLES

SKU	DESCRIPTION
103816	40"L x 40"W x 18"H • 140,000 BTU CROSSFIRE® Burner • 20" Square Pan • 10" Top Ledge • Push Button Ignition System
103822	48"L x 48"W x 18"H • 180,000 BTU CROSSFIRE® Burner • 28" Square Pan • 10" Top Ledge • Push Button Ignition System
103828	56"L x 56"W x 18"H • 240,000 BTU CROSSFIRE® Burner • 36" Square Pan • 10" Top Ledge • Push Button Ignition System

CIRCULAR FIRE TABLES

SKU	DESCRIPTION
104851	36"W x 18"H • 100,000 BTU CROSSFIRE® Burner • 18" Circular Pan • 9" Top Ledge • Push Button Ignition System
104857	42"W x 18"H • 140,000 BTU CROSSFIRE® Burner • 22" Circular Pan • 10" Top Ledge • Push Button Ignition System
104863	48" W x 18"H • 180,000 BTU CROSSFIRE® Burner • 28" Circular Pan • 10" Top Ledge • Push Button Ignition System

OPTIONAL ACCESSORIES

- **SOFT COVERS**
- **20 LB PROPANE TANK COVERS**



IGNITION UPGRADE OPTIONS

All AON™ Fire Tables come equipped with a push button ignition system. Upgrade ignition options may be viewed on [page 53](#).



Cobalt Low Voltage Ignition System™, Carbon Low Voltage Ignition System™, Mercury Ignition System™ and Platinum Ignition System™ are trademarks owned by and used with permission from Catalyst Electronics, LLC.



AON CAPSTONE FIRE TABLE



The **AON CAPSTONE FIRE TABLE** is a modern architectural fire feature designed to anchor high-end outdoor spaces with clean lines and premium materials. A combination of an impressive GFRC capstone and a beautiful powder-coated aluminum base results in a unique feature that truly reflects your personal design aesthetic. Choose from an extensive selection of colors and finishes. Scan above for our complete offering.

FEATURES

- **CROSSFIRE® 2.0 Burner with WATERSTOP® fitting** protects gas line and valve box from water and debris
- Standard push-button ignition (see upgrade options starting on page 53)
- Recessed Control Box
- Detachable faceplate and lift-out pan provide for easy installation and maintenance
- Adjustable, leveling feet
- Optional aluminum cover available





OVERALL TABLE DIMENSIONS	DESCRIPTION
56"L x 34"W Overall Size	40"L x 22"W x 17 3/4"H Rectangular Aluminum Base with a 56"L x 34"W x 3"H GFRC Top • 170,000 BTU CROSSFIRE® Burner with WATERSTOP® • 28"L x 10"W Burner Opening • Push Button Ignition System
72"L x 42"W Overall Size	48"L x 30"W x 17 3/4"H Rectangular Aluminum Base with a 72"L x 42"W x 3"H GFRC Top • 170,000 BTU CROSSFIRE® Burner with WATERSTOP® • 28"L x 10"W Burner Opening • Push Button Ignition System
84"L x 42"W Overall Size	60"L x 30"W x 17 3/4"H Rectangular Aluminum Base with a 84"L x 42"W x 3"H GFRC Top • 290,000 BTU CROSSFIRE® Burner with WATERSTOP® • 49"L x 14"W Burner Opening • Push Button Ignition System

COLOR OPTIONS

Select your size and then one base color and one tabletop color to complete your custom Capstone table. Color samples may be ordered by emailing orders@warming-trends.com or by calling (303) 346-2224. Actual colors may vary from images.

BASE COLOR OPTIONS



TABLETOP COLOR OPTIONS



20 LB PROPANE TANK COVERS

Available in matching base color options.




IGNITION UPGRADE OPTIONS

We offer a range of ignition upgrades to compliment your project needs.

See page 53.



Cobalt Low Voltage Ignition System™, Carbon Low Voltage Ignition System™, Mercury Ignition System™ and Platinum Ignition System™ are trademarks owned by and used with permission from Catalyst Electronics, LLC.



AON ARCHITECTURAL CONCRETE VESSELS




Beautifully engineered from lightweight GFRG (Glass Fiber Reinforced Concrete), **AON ARCHITECTURAL CONCRETE VESSELS** combine sophisticated design with exceptional durability to deliver high-end impact without the weight of traditional concrete. An excellent option when looking to add a unique fire element to any outdoor design.

FEATURES

- **CROSSFIRE®** Burner with **WATERSTOP®** fitting protects gas line and valve box from water and debris.
- The look of traditional concrete at a fraction of the weight. Easier to handle, ship, and install.
- Four designer colors to match any aesthetic.
- Comes standard match-lit. Pair with the Cobalt Low Voltage Ignition System for the ultimate in convenience.

COLOR OPTIONS

Request a color sample by emailing orders@warming-trends.com or by calling (303) 346-2224. Actual colors may vary from images.



BLACK



WHITE



CHARCOAL



SAND PEBBLE



Aura (Bowl)

Scan here for complete selection



SIZE	DESCRIPTION
SMALL	26" W x 8 1/2" H + U100 Burner • 48" x 1/2" Flex Line + 1/2" Key Valve
MEDIUM	32" W x 10 1/2" H + U100 Burner • 48" x 1/2" Flex Line + 1/2" Key Valve
LARGE	37 1/2" W x 14" H + U140 Burner • 48" x 1/2" Flex Line + 1/2" Key Valve



Halo (Round Wok)

SIZE	DESCRIPTION
SMALL	24" W x 8 1/2" H + U100 Burner • 48" x 1/2" Flex Line + 1/2" Key Valve
MEDIUM	31" W x 11" H + U100 Burner • 48" x 1/2" Flex Line + 1/2" Key Valve
LARGE	38 1/2" W x 14 3/4" H + U140 Burner • 48" x 1/2" Flex Line + 1/2" Key Valve



Ember (Square Wok)

SIZE	DESCRIPTION
SMALL	24" W x 24" L x 12" H + U100 Burner • 48" x 1/2" Flex Line + 1/2" Key Valve
MEDIUM	31" W x 31" L x 10" H + U100 Burner • 48" x 1/2" Flex Line + 1/2" Key Valve
LARGE	41 3/4" W x 41 3/4" L x 16 1/4" H + U140 Burner • 48" x 1/2" Flex Line + 1/2" Key Valve

IGNITE WITH CONFIDENCE

When coupled with the WATERSTOP® fitting standard on universal CROSSFIRE® 2.0 burners, the addition of a Cobalt Low Voltage Ignition System™ delivers unmatched reliability, convenience, and adherence to building and safety codes. Ideal for installations around pools, spas or other water features.



We offer a range of ignition upgrades to compliment your project needs. **See page 53.**

Cobalt Low Voltage Ignition System™, Carbon Low Voltage Ignition System™, Mercury Ignition System™ and Platinum Ignition System™ are trademarks owned by and used with permission from Catalyst Electronics, LLC.



AON ARCHITECTURAL METAL VESSELS




AON ARCHITECTURAL METAL VESSELS offer a distinct alternative to cast fire features. Their sleek profile and refined finish deliver a modern, architectural look while maintaining exceptional strength and long-term performance outdoors.

FEATURES

- **CROSSFIRE®** Burner with **WATERSTOP®** fitting protects gas line and valve box from water and debris.
- Material stability in outdoor environments, minimizing concerns related to moisture exposure, surface wear, and seasonal conditions.
- Four designer colors to match any aesthetic.
- Comes standard match-lit. Pair with the Cobalt Low Voltage Ignition System for the ultimate in convenience.

COLOR OPTIONS

Request a color sample by emailing orders@warming-trends.com or by calling (303) 346-2224. Actual colors may vary from images.




BLACK



WHITE



CHARCOAL



SAND PEBBLE



Ascend (Round Wok)

Scan here for complete selection



SIZE	DESCRIPTION
SMALL	24" W x 24" L x 10" H • U100 Burner • 48" x ½" Flex Line + ½" Key Valve
MEDIUM	30" W x 30" L x 10" H • U100 Burner • 48" x ½" Flex Line + ½" Key Valve



Pinnacle (Square Wok)

SIZE	DESCRIPTION
SMALL	24" W x 24" L x 10" H • U100 Burner • 48" x ½" Flex Line + ½" Key Valve
MEDIUM	30" W x 30" L x 10" H • U100 Burner • 48" x ½" Flex Line + ½" Key Valve



IGNITE WITH CONFIDENCE

When coupled with the WATERSTOP® fitting standard on universal CROSSFIRE® 2.0 burners, the addition of a Cobalt Low Voltage Ignition System™ delivers unmatched reliability, convenience, and adherence to building and safety codes. Ideal for installations around pools, spas or other water features.



We offer a range of ignition upgrades to compliment your project needs. **See page 53.**

Cobalt Low Voltage Ignition System™, Carbon Low Voltage Ignition System™, Mercury Ignition System™ and Platinum Ignition System™ are trademarks owned by and used with permission from Catalyst Electronics, LLC.



OUTDOOR FIREPLACE INSERT KITS

The **OUTDOOR FIREPLACE INSERT KITS** are elegant kits designed to easily complete a beautiful gas-fueled outdoor fireplace.

Whether your project calls for a small, medium, large, or extra large outdoor fireplace, Warming Trends® has you covered. Each insert kit includes a steel grate, **CROSSFIRE®** Brass Burner, raised black powder-coated plate, and all connections needed for a quick and complete installation.

Determine the correct size insert kit based on the interior width of your fireplace. Then choose between an H-Style or Tree-Style **CROSSFIRE®** Brass Burner to complete your outdoor fireplace insert kit.


KIT DOES NOT INCLUDE STONE / ENCLOSURE.



120K BTU Tree-Style



160K BTU Tree-Style



230K BTU Tree-Style



290K BTU Tree-Style

24" OPENING OR LARGER

104694	120,000 BTU H-Style Fireplace Kit • 15 1/2" x 9 3/4" Elevated Plate • 19" x 17" Grate • Push Button Ignition System • Optional Ceramic Log Sets (Sold Separately)
104696	110,000 BTU Tree-Style Fireplace Kit • 15 1/2" x 9 3/4" Elevated Plate • 19" x 17" Grate • Push Button Ignition System • Optional Ceramic Log Sets (Sold Separately)

30" OPENING OR LARGER

104355	120,000 BTU H-Style Fireplace Kit • 15 1/2" x 9 3/4" Elevated Plate • 22 3/4" x 17" Grate • Push Button Ignition System • Optional Ceramic Log Sets (Sold Separately)
104357	110,000 BTU Tree-Style Fireplace Kit • 15 1/2" x 9 3/4" Elevated Plate • 22 3/4" x 17" Grate • Push Button Ignition System • Optional Ceramic Log Sets (Sold Separately)

36" OPENING OR LARGER

104359	160,000 BTU H-Style Fireplace Kit • 21 1/2" x 9 3/4" Elevated Plate • 29" x 17" Grate • Push Button Ignition System • Optional Ceramic Log Sets (Sold Separately)
104361	170,000 BTU Tree-Style Fireplace Kit • 21 1/2" x 9 3/4" Elevated Plate • 29" x 17" Grate • Push Button Ignition System • Optional Ceramic Log Sets (Sold Separately)

42" OPENING OR LARGER

104363	200,000 BTU H-Style Fireplace Kit • 27" x 10 1/2" Elevated Plate • 32 1/2" x 17" Grate • Push Button Ignition System • Optional Ceramic Log Sets (Sold Separately)
104365	230,000 BTU Tree-Style Fireplace Kit • 27" x 10 1/2" Elevated Plate • 32 1/2" x 17" Grate • Push Button Ignition System • Optional Ceramic Log Sets (Sold Separately)

48" OPENING OR LARGER

104367	240,000 BTU H-Style Fireplace Kit • 34 3/4" x 10 1/2" Elevated Plate • 43 1/2" x 17" Grate • Push Button Ignition System • Optional Ceramic Log Sets (Sold Separately)
104369	290,000 BTU Tree-Style Fireplace Kit • 34 3/4" x 10 1/2" Elevated Plate • 43 1/2" x 17" Grate • Push Button Ignition System • Optional Ceramic Log Sets (Sold Separately)

MEDIA OPTIONS

Complete the look with your choice of log sets and lava rock. See options beginning on page 60.



IGNITION UPGRADE OPTIONS

All **Outdoor Fireplace Insert Kits** come equipped with a push button ignition system. Upgrade options may be viewed on page 53.



Cobalt Low Voltage Ignition System™, Carbon Low Voltage Ignition System™, Mercury Ignition System™ and Platinum Ignition System™ are trademarks owned by and used with permission from Catalyst Electronics, LLC.



READY-TO-FINISH COLLECTION

READY-TO-FINISH KITS

These fire features are made with aluminum frames, covered with durable concrete board, and are ready to be easily completed on site. Just place it, connect to the gas supply, add your choice of stone or other veneer and your personalized fire feature is complete.

All Ready to Finish Kits come standard as match-lit. Please check our additional ignitions on page 53.

Ready-to-Finish Kits come with a Fire Pit Vent Kit (FPVK), but they do not come pre-installed as placement and installation depends on veneer. Vents are to be installed by contractor on site.

SQUARE READY-TO-FINISH KITS

FS3636

36" L x 36" W x 18" H Aluminum Frame with Concrete Board Attached
U140 CROSSFIRE® Burner
24" Aluminum Pan with 2" Sidewalls
Fire Pit Vent Kit
Flexline Kit: FK1
4" Key Valve Extension

FS4848

48" L x 48" W x 18" H Aluminum Frame with Concrete Board Attached
U180 CROSSFIRE® Burner
30" Aluminum Pan with 2" Sidewalls
Fire Pit Vent Kit
Flexline Kit: FK1
4" Key Valve Extension

FS5454

54" L x 54" W x 18" H Aluminum Frame with Concrete Board Attached
U300 CROSSFIRE® Burner
36" Aluminum Pan with 2" Sidewalls
Fire Pit Vent Kit
Flexline Kit: FK2
4" Key Valve Extension

FS6060

60" L x 60" W x 18" H Aluminum Frame with Concrete Board Attached
U300 CROSSFIRE® Burner
42" Aluminum Pan with 2" Sidewalls
Fire Pit Vent Kit
Flexline Kit: FK2
4" Key Valve Extension



FS3636 shown

RECTANGULAR LINEAR READY-TO-FINISH KITS

FR4830

48" L x 30" W x 18" H Aluminum Frame with Concrete Board Attached
UL110 Linear CROSSFIRE® Burner
28" x 10" Aluminum Pan with 2" Sidewalls
Fire Feature Vent Kit
Flexline Kit: FK1
4" Key Valve Extension

FR6036

60" L x 36" W x 18" H Aluminum Frame with Concrete Board Attached
UL150 Linear CROSSFIRE® Burner
38" x 14" Aluminum Pan with 2" Sidewalls
Fire Feature Vent Kit
Flexline Kit: FK1
4" Key Valve Extension

FR7242

72" L x 42" W x 18" H Aluminum Frame with Concrete Board Attached
UL210 Linear CROSSFIRE® Burner
48" x 18" Aluminum Pan with 2" Sidewalls
Fire Pit Vent Kit
Flexline Kit: FK1
4" Key Valve Extension



FR6036 shown

RECTANGULAR TREE-STYLE READY-TO-FINISH KITS

FRT4830

48" L x 30" W x 18" H Aluminum Frame with Concrete Board Attached
UT170 Tree-Style CROSSFIRE® Burner
28" x 10" Aluminum Pan with 2" Sidewalls
Fire Feature Vent Kit
Flexline Kit: FK1
4" Key Valve Extension

FRT6036

60" L x 36" W x 18" H Aluminum Frame with Concrete Board Attached
UT230 Tree-Style CROSSFIRE® Burner
38" x 14" Aluminum with 2" Sidewalls
Fire Pit Vent Kit
Flexline Kit: FK1
4" Key Valve Extension

FRT7242

72" L x 42" W x 18" H Aluminum Frame with Concrete Board Attached
UT290 Tree-Style CROSSFIRE® Burner
48" x 18" Aluminum Pan with 2" Sidewalls
Fire Pit Vent Kit
Flexline Kit: FK2
4" Key Valve Extension



FRT7242 shown

CIRCULAR READY-TO-FINISH KITS

FC42

42" W x 18" H Aluminum Frame with Concrete Board Attached
U140 Universal CROSSFIRE® Burner
24" Aluminum Pan with 2" Sidewalls
Fire Pit Vent Kit
Flexline Kit: FK1
4" Key Valve Extension

FC54

54" W x 18" H Aluminum Frame with Concrete Board Attached
U180 Universal CROSSFIRE® Burner
30" Aluminum Pan with 2" Sidewalls
Fire Pit Vent Kit
Flexline Kit: FK1
4" Key Valve Extension

FC60

60" W x 18" H Aluminum Frame with Concrete Board Attached
U240 Universal CROSSFIRE® Burner
36" Aluminum Pan with 2" Sidewalls
Fire Pit Vent Kit
Flexline Kit: FK2
4" Key Valve Extension

FC72

72" W x 18" H Aluminum Frame with Concrete Board Attached
U360 Universal CROSSFIRE® Burner
48" Aluminum Pan with 2" Sidewalls
Fire Pit Vent Kit
Flexline Kit: FK2
4" Key Valve Extension



FC42 shown



**IF YOU CAN DREAM IT,
WE CAN MAKE IT.**

The sky's the limit - let us create your custom fire feature.



GAS INSERTS COLLECTION

GAS INSERT KITS for **PAVER FIRE FEATURES**

Warming Trends makes it easy to install or convert a paver fire feature to gas with our **GAS INSERT KITS**. Warming Trends Universal and Specialized Gas Insert Kits are designed to work with a variety of paver company block kits, including everything you need to convert your paver fire feature to gas.


NEED A DIFFERENT SIZE, CUSTOM SHAPE, OR HAVE BTU QUESTIONS?

Whatever your question, our team is happy to help. Call our Flame Specialists at (303) 346-2224.

UNIVERSAL PAVER INSERT KITS

INCLUDED IN EACH KIT:

- CROSSFIRE® Brass Burner with WATERSTOP® Fitting
- Aluminum Plate
- Flex Line / Key Valve Kit
- 4" x 8" Adjustable Mounting Bracket
- Flexible Metal Support Collars and Tapcon Screws
(Works with new or existing fire pit)



*Universal Paver Kits work with a variety of paver company block kits.


KIT DOES NOT INCLUDE STONE / ENCLOSURE OR VENTS.

Manufacturer recommends 18 square inches of ventilation on opposing sides of the fire feature.

Collars provide support for the aluminum plate and allow a range of plate sizes to be used, adding up to 3" to the plate size.

See page 65 for available collar options.


CIRCULAR OPENING 23" - 26"



UPK140C23

U140 Universal CROSSFIRE® Burner • 23" Circular Aluminum Plate • Flexline Kit: FK1 • 8" Key Valve Extension • (4) Collars


CIRCULAR OPENING 26" - 29"



UPK140C26

U140 Universal CROSSFIRE® Burner • 26" Circular Aluminum Plate • Flexline Kit: FK1 • 8" Key Valve Extension • (4) Collars


CIRCULAR OPENING 29" - 32"



UPK180C29

U180 Universal CROSSFIRE® Burner • 29" Circular Aluminum Plate • Flexline Kit: FK1 • 8" Key Valve Extension • (5) Collars


CIRCULAR OPENING 35" - 38"



UPK240C35

U240 Universal CROSSFIRE® Burner • 35" Circular Aluminum Plate • Flexline Kit: FK1 • 8" Key Valve Extension • (6) Collars


CIRCULAR OPENING 39" - 42"



UPK240C39


U240 Universal CROSSFIRE® Burner • 39" Circular Aluminum Plate • Flexline Kit: FK1 • 8" Key Valve Extension • (7) Collars

SQUARE OPENING 23" - 26"



UPK140S23


U140 Universal CROSSFIRE® Burner • 23" Square Aluminum Plate • Flexline Kit: FK1 • 8" Key Valve Extension • (4) Collars



SQUARE OPENING 26" - 29"

UPK140S26


U140 Universal CROSSFIRE® Burner • 26" Square Aluminum Plate • Flexline Kit: FK1 • 8" Key Valve Extension • (4) Collars



SQUARE OPENING 29"-32"

UPK180S29


U180 Universal CROSSFIRE® Burner • 29" Square Aluminum Plate • Flexline Kit: FK1 • 8" Key Valve Extension • (5) Collars



SQUARE OPENING 35" - 38"

UPK240S35


U240 Universal CROSSFIRE® Burner • 35" Square Aluminum Plate • Flexline Kit: FK1 • 8" Key Valve Extension • (6) Collars



SQUARE OPENING 39" - 42"

UPK240S39

U240 Universal CROSSFIRE® Burner • 39" Square Aluminum Plate • Flexline Kit: FK1 • 8" Key Valve Extension • (7) Collars



RECTANGULAR OPENING 32"L x 17 1/2"W - 35"L x 20 1/2" W

UPK160H3217

UH160 H-Style CROSSFIRE® Burner • 32" L x 17 1/2" W Rectangular Aluminum Plate • Flexline Kit: FK1 • 8" Key Valve Extension • (5) Collars


SPECIALIZED PAVER INSERT KITS

The **SPECIALIZED GAS INSERT KITS** fit top-selling paver fire pit brands and are easier to install than ever before! The mounting brackets and collars have been engineered for a perfect fit, eliminating the need for a drilling or sawing to install. Each kit includes all components to create an exceptional fire feature.



INCLUDED IN EACH KIT:

- CROSSFIRE® Brass Burner
- Aluminum Plate
- Flex Line / Key Valve Kit
- Flexible, No-Drill Collars
- Vents (2)
- Mounting Bracket




Flexible, No-Drill Collar
(Install between courses of block to support plate.)



Key Valve / Mounting Bracket
(Replaces one block and provides support for next course of block)



CROSSFIRE® Brass Burner



Aluminum Plate



Vents
(Vents replace one block and provide support for the next course of block)

KIT DOES NOT INCLUDE PAVERS.

Collars provide support for the aluminum plate and allow a range of plate sizes to be used, adding up to 3" to the plate size.

BELVEDERE PAVER INSERT KIT

104312	U240 CROSSFIRE® Brass Burner • 36" Circular Aluminum Plate • Aluminum Donut 40" OD x 30" ID • Flexline Kit: FK1 • (6) 19" Flexible, No Drill Flat Collar 2" Drop • (2) 6" x 11 5/8" Vent • 6" x 11 1/8" Belvedere Mounting Bracket
--------	--

BRANDON PAVER INSERT KIT - SQUARE

UPKBS	U180 CROSSFIRE® Brass Burner • 27 1/4" Square Aluminum Plate • Flexline Kit: FK1 • 14" x 3 1/2" Mounting Bracket • (6) Flexible, No Drill Collars • (2) 14" x 3 1/2" Vents
-------	--

COUNTRY INSERT KIT

105012	U180 CROSSFIRE® Brass Burner • 29" Circular Aluminum Plate • Flexline Kit: FK1 • 8 3/4" x 4" Mounting Bracket • (5) COLLARF) Flexible, No Drill Collars • (2) 8 3/4" x 4" Vents
--------	---

KEYSTONE FIREPLACE KIT

X007	UT230 Tree-Style CROSSFIRE® Brass Burner • 20" x 8" Rectangular Aluminum Plate • FL3612 + KV12B Angled Threaded Key Valve • KEY12 • Keystone Bracket • Match Lit Ignition Kit
------	---

PALMETTO PAVER INSERT KIT

104559	U240 CROSSFIRE® Brass Burner • 31 1/2" Circular Aluminum Plate • Flexline Kit: FK1 • (5) Flexible, No Drill Collars • (2) 8 5/8" x 4" Vent + 8 5/8" x 4" Mounting Bracket
--------	---

POLYCOR PAVER INSERT KIT - SQUARE

103441	U180 CROSSFIRE® Brass Burner • 28" Square Aluminum Plate • Flexline Kit: FK1 • 14 1/2" x 5" Mounting Bracket • (4) Flexible, No Drill Collars • (2) 14 1/2" x 5" Vents
--------	--

POLYCOR PAVER INSERT KIT - RECTANGULAR

103446	UH160 H-Style CROSSFIRE® Brass Burner • 42 1/2" x 13 1/2" Rectangular Aluminum Plate • Flexline Kit: FK1 • 14 1/2" x 5" Mounting Bracket • (4) Flexible, No Drill Collars • (2) 14 1/2" x 5" Vents
--------	--

PRESCOTT PAVER INSERT KIT

UPKPS	U180 CROSSFIRE® Brass Burner • 27 1/4" Square Aluminum Plate • Flexline Kit: FK1 • 9" x 4 1/2" Mounting Bracket • (6) Flexible, No Drill Collars • (2) 9" x 4 1/2" Vents
-------	--

RAFFINATO PAVER INSERT KIT

UPKRR	UH160 H-Style CROSSFIRE® Brass Burner • 32" x 17 ¾" Rectangular Aluminum Plate • Flexline Kit: FK1 • 14" x 3 ½" Mounting Bracket • (5) Flexible, No Drill Collars • (2) 14" x 3 ½" Vents
--------------	--

RUMBLESTONE PAVER INSERT KIT

105009	U180 CROSSFIRE® Brass Burner • 30" Circular Aluminum Plate • Flexline Kit: FK1 • (5) Flexible, No Drill, Flat Collars • (2) 3 ½" x 9 ¾" Vents • 3 ½" x 9 ¾" Mounting Bracket
---------------	--

SUNSET PAVER INSERT KIT

104376	U240 CROSSFIRE® Brass Burner • 35 ½" Circular Aluminum Plate • Flexline Kit: FK1 • (6) Flexible, No Drill Collars • (2) 8 ⅝" x 4" Vent • 8 ⅝" x 4" Mounting Bracket
---------------	---

VALENCIA PAVER INSERT KIT

UPKVL	U180 CROSSFIRE® Brass Burner • 29" Circular Aluminum Plate • Flexline Kit: FK1 • 9 ¼" x 3" Mounting Bracket • (5) Flexible, No Drill Collars • (2) 9 ¼" x 3" Vents
--------------	--

WESTON PAVER INSERT KIT

UPKBW	U240 CROSSFIRE® Brass Burner • 39" Circular Aluminum Plate • Flexline Kit: FK1 • 11 ⅜" x 4" Mounting Bracket • (6) Flexible, No Drill Collars • (2) 11 ⅜" x 4" Vents
--------------	--

IGNITIONS FOR PAVER FIRE FEATURE KITS

We offer a range of ignition systems for your gas insert kit. See page 53.



PAVER INSERT KITS

Whether you're upgrading an existing paver design or starting fresh, our Gas Insert Kits make it simple to create a one-of-a-kind fire feature with lasting performance and unmatched flame. Our Flame Specialists are ready to help you design the perfect fit.

Call us today at (303) 346-2224. Let's build the fire feature you've been imagining.



EXPERTS IN COMMERCIAL APPLICATIONS AND DESIGN.

Big or small, Warming Trends can help create the perfect gathering spot for any commercial space.



PLATES, PANS, and COVERS

Warming Trends precision-cut **PLATES**, **PANS**, and **COVERS** are made from durable and corrosion-resistant aluminum.

TECH TIP

Plate / pan should be sized slightly smaller than the measurement of the opening. This allows easier installation and removal for service. Knockouts are provided for standard plates and pans up to 36".

Don't see the size you need? We can customize plates, pans and covers for the size you need. Call or e-mail for details and a quote.

CIRCULAR PLATES AND PANS

Range plates and pans can be cut to any size within the dimensions described.



STANDARD PLATES

SKU	DESCRIPTION
ALPL18C	18" Circular
ALPL24C	24" Circular
ALPL30C	30" Circular
ALPL36C	36" Circular
ALPL42C	42" Circular
ALPL48C	48" Circular
ALPL60C	60" Circular

STANDARD PANS (Pans include 2" welded sidewall)

SKU	DESCRIPTION
ALPAN18C	18" Circular
ALPAN24C	24" Circular
ALPAN30C	30" Circular
ALPAN36C	36" Circular
ALPAN42C	42" Circular
ALPAN48C	48" Circular
ALPAN60C	60" Circular

RANGE PLATES


SKU	DESCRIPTION
ALPL12-17C	12" - 17.9" Circular
ALPL19-23C	18.1" - 23.9" Circular
ALPL25-29C	24.1" - 29.9" Circular
ALPL31-35C	30.1" - 35.9" Circular
ALPL37-41C	36.1" - 41.9" Circular
ALPL43-47C	42.1" - 47.9" Circular
ALPL49-59C	48.1" - 59.9" Circular
ALPL61-66C	61.1" - 66.9" Circular
ALPL67-72C	67" - 72.9" Circular
ALPL73-80C	73" - 80.9" Circular
ALPLCUST	Aluminium plate customized to any shape or size

RANGE PANS

SKU	DESCRIPTION
ALPAN12-17C	12" - 17.9" Circular
ALPAN19-23C	18.1" - 23.9" Circular
ALPAN25-29C	24.1" - 29.9" Circular
ALPAN31-35C	30.1" - 35.9" Circular
ALPAN37-41C	36.1" - 41.9" Circular
ALPAN43-47C	42.1" - 47.9" Circular
ALPAN49-59C	49" - 59" Circular
ALPANCUST	Aluminium pan customized to any shape or size

SQUARE PLATES AND PANS

Range plates and pans can be cut to any size within the dimensions described.



STANDARD PLATES

SKU	DESCRIPTION
ALPL18S	18" Square
ALPL24S	24" Square
ALPL30S	30" Square
ALPL36S	36" Square
ALPL42S	42" Square
ALPL48S	48" Square
ALPL60S	60" Square

STANDARD PANS (Pans include 2" welded sidewall)

SKU	DESCRIPTION
ALPAN18S	18" Square
ALPAN24S	24" Square
ALPAN30S	30" Square
ALPAN36S	36" Square
ALPAN42S	42" Square
ALPAN48S	48" Square
ALPAN60S	60" Square

RANGE PLATES

SKU	DESCRIPTION
ALPL12-17S	12" - 17.9" Square
ALPL19-23S	18.1" - 23.9" Square
ALPL25-29S	24.1" - 29.9" Square
ALPL31-35S	30.1" - 35.9" Square
ALPL37-41S	36.1" - 41.9" Square
ALPL43-47S	42.1" - 47.9" Square
ALPL49-59S	48.1" - 59.9" Square
ALPL61-66S	60.1" - 66.9" Square
ALPL67-72S	67" - 72" Square
ALPL73-80S	73" - 80" Square
ALPLCUST	Aluminium plate customized to any shape or size

RANGE PANS

SKU	DESCRIPTION
ALPAN12-17S	12" - 17.9" Square
ALPAN19-23S	18.1" - 23.9" Square
ALPAN25-29S	24.1" - 29.9" Square
ALPAN31-35S	30.1" - 35.9" Square
ALPAN37-41S	36.1" - 41.9" Square
ALPAN43-47S	42.1" - 47.9" Square
ALPAN49-59S	48.1" - 59" Square
ALPANCUST	Aluminium pan customized to any shape or size

STANDARD RECTANGULAR PLATES

SKU	DESCRIPTION
ALPL2011	20" X 11" Rectangular Aluminum Plate
ALPL2217	22" X 17" Rectangular Aluminum Plate
ALPL266	26" X 6" Rectangular Aluminum Plate
ALPL2811	28" X 11" Rectangular Aluminum Plate
ALPL2815	28" X 15" Rectangular Aluminum Plate
ALPL2917	29" X 17" Rectangular Aluminum Plate
ALPL328	32" X 8" Rectangular Aluminum Plate
ALPL3417	34" X 17" Rectangular Aluminum Plate
ALPL3611	36" X 11" Rectangular Aluminum Plate
ALPL388	38" X 8" Rectangular Aluminum Plate
ALPL4017	40" X 17" Rectangular Aluminum Plate
ALPL408	40" X 8" Rectangular Aluminum Plate
ALPL4118	41" X 18" Rectangular Aluminum Plate
ALPL4414	44" X 14" Rectangular Aluminum Plate
ALPL448	44" X 8" Rectangular Aluminum Plate
ALPL4617	46" X 17" Rectangular Aluminum Plate
ALPL5010	50" X 10" Rectangular Aluminum Plate
ALPL5018	50" X 18" Rectangular Aluminum Plate
ALPL5610	56" X 10" Rectangular Aluminum Plate
ALPL5625	56" X 25" Rectangular Aluminum Plate
ALPL5814	58" X 14" Rectangular Aluminum Plate
ALPL5918	59" X 18" Rectangular Aluminum Plate
ALPL6215	62" X 15" Rectangular Aluminum Plate
ALPL6225	62" X 25" Rectangular Aluminum Plate
ALPL6614	66" X 14" Rectangular Aluminum Plate
ALPL7414	74" X 14" Rectangular Aluminum Plate



RECTANGULAR RANGE PLATES

SKU	LENGTH	WIDTH
PLR2312	18" - 23.9"	6" - 12.9"
PLR2912	24" - 29.9"	6" - 12.9"
PLR3512	30" - 35.9"	6" - 12.9"
PLR4112	36" - 41.9"	6" - 12.9"
PLR4712	42" - 47.9"	6" - 12.9"
PLR5312	48" - 53.9"	6" - 12.9"
PLR6112	54" - 61.9"	6" - 12.9"
PLR6712	62" - 67.9"	6" - 12.9"
PLR7312	68" - 73.9"	6" - 12.9"
PLR7912	74" - 79.9"	6" - 12.9"
PLR8512	80" - 85.9"	6" - 12.9"
PLR9112	86" - 91.9"	6" - 12.9"
PLR9712	92" - 97.9"	6" - 12.9"
PLR10312	98" - 103.9"	6" - 12.9"
PLR10912	104" - 109.9"	6" - 12.9"
PLR11512	110" - 115.9"	6" - 12.9"
PLR12012	116" - 120"	6" - 12.9"
PLR2317	18" - 23.9"	13" - 17.9"
PLR2917	24" - 29.9"	13" - 17.9"
PLR3517	30" - 35.9"	13" - 17.9"
PLR4117	36" - 41.9"	13" - 17.9"
PLR4717	42" - 47.9"	13" - 17.9"
PLR5317	48" - 53.9"	13" - 17.9"
PLR6117	54" - 61.9"	13" - 17.9"
PLR6717	62" - 67.9"	13" - 17.9"
PLR7317	68" - 73.9"	13" - 17.9"
PLR7917	74" - 79.9"	13" - 17.9"
PLR8517	80" - 85.9"	13" - 17.9"
PLR9117	86" - 91.9"	13" - 17.9"
PLR9717	92" - 97.9"	13" - 17.9"
PLR10317	98" - 103.9"	13" - 17.9"
PLR10917	104" - 109.9"	13" - 17.9"
PLR11517	110" - 115.9"	13" - 17.9"
PLR12017	116" - 120"	13" - 17.9"
PLR2923	24" - 29.9"	18" - 23.9"
PLR3523	30" - 35.9"	18" - 23.9"
PLR4123	36" - 41.9"	18" - 23.9"

SKU	LENGTH	WIDTH
PLR4723	42" - 47.9"	18" - 23.9"
PLR5323	48" - 53.9"	18" - 23.9"
PLR6123	54" - 61.9"	18" - 23.9"
PLR6723	62" - 67.9"	18" - 23.9"
PLR7323	68" - 73.9"	18" - 23.9"
PLR7923	74" - 79.9"	18" - 23.9"
PLR8523	80" - 85.9"	18" - 23.9"
PLR9123	86" - 91.9"	18" - 23.9"
PLR9723	92" - 97.9"	18" - 23.9"
PLR10323	98" - 103.9"	18" - 23.9"
PLR10923	104" - 109.9"	18" - 23.9"
PLR11523	110" - 115.9"	18" - 23.9"
PLR12023	116" - 120"	18" - 23.9"
PLR4129	36" - 41.9"	24" - 29.9"
PLR4729	42" - 47.9"	24" - 29.9"
PLR5329	48" - 53.9"	24" - 29.9"
PLR6129	54" - 61.9"	24" - 29.9"
PLR6729	62" - 67.9"	24" - 29.9"
PLR7329	68" - 73.9"	24" - 29.9"
PLR7929	74" - 79.9"	24" - 29.9"
PLR8529	80" - 85.9"	24" - 29.9"
PLR9129	86" - 91.9"	24" - 29.9"
PLR9729	92" - 97.9"	24" - 29.9"
PLR10329	98" - 103.9"	24" - 29.9"
PLR10929	104" - 109.9"	24" - 29.9"
PLR11529	110" - 115.9"	24" - 29.9"
PLR12029	116" - 120"	24" - 29.9"
PLR4136	37" - 41.9"	30" - 36"
PLR4736	42" - 47.9"	30" - 36"
PLR5336	48" - 53.9"	30" - 36"
PLR6136	54" - 61.9"	30" - 36"
PLR6736	62" - 67.9"	30" - 36"
PLR7336	68" - 73.9"	30" - 36"
PLR7936	74" - 79.9"	30" - 36"
PLR8536	80" - 85.9"	30" - 36"
PLR9136	86" - 91.9"	30" - 36"
PLR9736	92" - 97.9"	30" - 36"
PLR10336	98" - 103.9"	30" - 36"
PLR10936	104" - 109.9"	30" - 36"
PLR11536	110" - 115.9"	30" - 36"
PLR12036	116" - 120"	30" - 36"

Range plates and pans can be cut to any size within the dimensions described.

CIRCULAR COVERS

STANDARD CIRCULAR COVERS

SKU	DESCRIPTION
FPC20C	20" Circular + 1 handle. For 18" opening
FPC26C	26" Circular + 1 handle. For 24" opening
FPC32C	32" Circular + 1 handle. For 30" opening
FPC38C	38" Circular + 2 handles. For 36" opening
FPC44C	44" Circular + 2 handles. For 42" opening
FPC50C	50" Circular + 2 handles. For 48" opening
FPC62C	62" Circular + 2 handles. For 60" opening

CIRCULAR RANGE COVERS

SKU	DESCRIPTION
CCR1419	14" - 19.9" Circular + 1 handle. For 12" - 17.9" opening
CCR2025	20.1" - 25.9" Circular + 1 handle. For 18.1" - 23.9" opening
CCR2631	26.1" - 31.9" Circular + 1 handle. For 24.1" - 29.9" opening
CCR3237	32.1" - 37.9" Circular + 1 handle. For 30.1" - 35.9" opening
CCR3843	38.1" - 43.9" Circular + 2 handles. For 36.1" - 41.9" opening
CCR4449	44.1" - 49.9" Circular + 2 handles. For 42.1" - 47.9" opening
CCR5055	50.1" - 55.9" Circular + 2 handles. For 48.1" - 53.9" opening
CCR5661	56" - 61.9" Circular + 2 handles. For 54" - 59.9" opening
CCR6267	62.1" - 67.9" Circular + 2 handles. For 60.1" - 65.9" opening
CCR6872	68" - 72" Circular + 2 handles. For 66" - 70" opening



Covers over 42" will be cut into multiple pieces.


SQUARE COVERS

STANDARD SQUARE COVERS

SKU	DESCRIPTION
FPC20S	20" Square + 1 handle. For 18" opening
FPC26S	26" Square + 1 handle. For 24" opening
FPC32S	32" Square + 1 handle. For 30" opening
FPC38S	38" Square + 2 handles. For 36" opening
FPC44S	44" Square + 2 handles. For 42" opening
FPC50S	50" Square + 2 handles. For 48" opening
FPC62S	62" Square + 2 handles. For 60" opening

SQUARE RANGE COVERS

SKU	DESCRIPTION
CSR1419	14" - 19.9" Square + 1 handle. For 12" - 17.9" opening
CSR2025	20.1" - 25.9" Square + 1 handle. For 18.1" - 23.9" opening
CSR2631	26.1" - 31.9" Square + 1 handle. For 24.1" - 29.9" opening
CSR3237	32.1" - 37.9" Square + 1 handle. For 30.1" - 35.9" opening
CSR3843	38.1" - 43.9" Square + 2 handles. For 36.1" - 41.9" opening
CSR4449	44.1" - 49.9" Square + 2 handles. For 42.1" - 47.9" opening
CSR5055	50.1" - 55.9" Square + 2 handles. For 48.1" - 53.9" opening
CSR5661	56" - 61.9" Square + 2 handles. For 54" - 59.9" opening
CSR6267	62.1" - 67.9" Square + 2 handles. For 60.1" - 65.9" opening
CSR6872	68" - 72" Square + 2 handles. For 66" - 70" opening



Covers over 42" will be cut into multiple pieces.



DESIGNED FOR **ELEGANCE.**
ENGINEERED FOR **PREFORMANCE.**

AON 48" square in Black

RECTANGULAR RANGE COVERS

SKU	DESCRIPTION	LENGTH	WIDTH
CRR2312	18" - 23.9" x 6" - 12.9" Rectangular + 1 handle	18" - 23.9"	6" - 12.9"
CRR2912	24" - 29.9" x 6" - 12.9" Rectangular + 1 handle	24" - 29.9"	6" - 12.9"
CRR3512	30" - 35.9" x 6" - 12.9" Rectangular + 1 handle	30" - 35.9"	6" - 12.9"
CRR4112	36" - 41.9" x 6" - 12.9" Rectangular + 2 handles	36" - 41.9"	6" - 12.9"
CRR4712	42" - 47.9" x 6" - 12.9" Rectangular + 2 handles	42" - 47.9"	6" - 12.9"
CRR5312	48" - 53.9" x 6" - 12.9" Rectangular + 2 handles	48" - 53.9"	6" - 12.9"
CRR6112	54" - 61.9" x 6" - 12.9" Rectangular + 2 handles	54" - 61.9"	6" - 12.9"
CRR6712	62" - 67.9" x 6" - 12.9" Rectangular + 2 handles	62" - 67.9"	6" - 12.9"
CRR7312	68" - 73.9" x 6" - 12.9" Rectangular + 2 handles	68" - 73.9"	6" - 12.9"
CRR7912	74" - 79.9" x 6" - 12.9" Rectangular + 2 handles	74" - 79.9"	6" - 12.9"
CRR8512	80" - 85.9" x 6" - 12.9" Rectangular + 2 handles	80" - 85.9"	6" - 12.9"
CRR9112	86" - 91.9" x 6" - 12.9" Rectangular + 2 handles	86" - 91.9"	6" - 12.9"
CRR9712	92" - 97.9" x 6" - 12.9" Rectangular + 2 handles	92" - 97.9"	6" - 12.9"
CRR10312	98" - 103.9" x 6" - 12.9" Rectangular + 2 handles	98" - 103.9"	6" - 12.9"
CRR10912	104" - 109.9" x 6" - 12.9" Rectangular + 2 handles	104" - 109.9"	6" - 12.9"
CRR11512	110" - 115.9" x 6" - 12.9" Rectangular + 2 handles	110" - 115.9"	6" - 12.9"
CRR12212	116" - 120" x 6" - 12.9" Rectangular + 2 handles	116" - 120"	6" - 12.9"
CRR2317	18" - 23.9" x 13" - 17.9" Rectangular + 1 handle	18" - 23.9"	13" - 17.9"
CRR2917	24" - 29.9" x 13" - 17.9" Rectangular + 1 handle	24" - 29.9"	13" - 17.9"
CRR3517	30" - 35.9" x 13" - 17.9" Rectangular + 1 handle	30" - 35.9"	13" - 17.9"
CRR4117	36" - 41.9" x 13" - 17.9" Rectangular + 2 handles	36" - 41.9"	13" - 17.9"
CRR4717	42" - 47.9" x 13" - 17.9" Rectangular + 2 handles	42" - 47.9"	13" - 17.9"
CRR5317	48" - 53.9" x 13" - 17.9" Rectangular + 2 handles	48" - 53.9"	13" - 17.9"
CRR6117	54" - 61.9" x 13" - 17.9" Rectangular + 2 handles	54" - 61.9"	13" - 17.9"
CRR6717	62" - 67.9" x 13" - 17.9" Rectangular + 2 handles	62" - 67.9"	13" - 17.9"
CRR7317	68" - 73.9" x 13" - 17.9" Rectangular + 2 handles	68" - 73.9"	13" - 17.9"
CRR7917	74" - 79.9" x 13" - 17.9" Rectangular + 2 handles	74" - 79.9"	13" - 17.9"
CRR8517	80" - 85.9" x 13" - 17.9" Rectangular + 2 handles	80" - 85.9"	13" - 17.9"
CRR9117	86" - 91.9" x 13" - 17.9" Rectangular + 2 handles	86" - 91.9"	13" - 17.9"
CRR9717	92" - 97.9" x 13" - 17.9" Rectangular + 2 handles	92" - 97.9"	13" - 17.9"
CRR10317	98" - 103.9" x 13" - 17.9" Rectangular + 2 handles	98" - 103.9"	13" - 17.9"
CRR10917	104" - 109.9" x 13" - 17.9" Rectangular + 2 handles	104" - 109.9"	13" - 17.9"
CRR11517	110" - 115.9" x 13" - 17.9" Rectangular + 2 handles	110" - 115.9"	13" - 17.9"
CRR12017	116" - 120" x 13" - 17.9" Rectangular + 2 handles	116" - 120"	13" - 17.9"

TECH TIP

Covers should be sized at least 2" larger than the measurement of the opening. This allows easier installation and removal for service.

Covers over 42" will be cut into multiple pieces.

RECTANGULAR RANGE COVERS

SKU	DESCRIPTION	LENGTH	WIDTH
CRR2923	24" - 29.9" x 18" - 23.9" Rectangular + 1 handle	24" - 29.9"	18" - 23.9"
CRR3523	30" - 35.9" x 18" - 23.9" Rectangular + 1 handle	30" - 35.9"	18" - 23.9"
CRR4123	36" - 41.9" x 18" - 23.9" Rectangular + 2 handles	36" - 41.9"	18" - 23.9"
CRR4723	42" - 47.9" x 18" - 23.9" Rectangular + 2 handles	42" - 47.9"	18" - 23.9"
CRR5323	48" - 53.9" x 18" - 23.9" Rectangular + 2 handles	48" - 53.9"	18" - 23.9"
CRR6123	54" - 61.9" x 18" - 23.9" Rectangular + 2 handles	54" - 61.9"	18" - 23.9"
CRR6723	62" - 67.9" x 18" - 23.9" Rectangular + 2 handles	62" - 67.9"	18" - 23.9"
CRR7323	68" - 73.9" x 18" - 23.9" Rectangular + 2 handles	68" - 73.9"	18" - 23.9"
CRR7923	74" - 79.9" x 18" - 23.9" Rectangular + 2 handles	74" - 79.9"	18" - 23.9"
CRR8523	80" - 85.9" x 18" - 23.9" Rectangular + 2 handles	80" - 85.9"	18" - 23.9"
CRR91123	86" - 91.9" x 18" - 23.9" Rectangular + 2 handles	86" - 91.9"	18" - 23.9"
CRR9723	92" - 97.9" x 18" - 23.9" Rectangular + 2 handles	92" - 97.9"	18" - 23.9"
CRR10323	98" - 103.9" x 18" - 23.9" Rectangular + 2 handles	98" - 103.9"	18" - 23.9"
CRR10923	104" - 109.9" x 18" - 23.9" Rectangular + 2 handles	104" - 109.9"	18" - 23.9"
CRR11523	110" - 115.9" x 18" - 23.9" Rectangular + 2 handles	110" - 115.9"	18" - 23.9"
CRR12223	116" - 122" x 18" - 23.9" Rectangular + 2 handles	116" - 122"	18" - 23.9"
CRR4130	36" - 41.9" x 24" - 30" Rectangular + 2 handles	36" - 41.9"	24" - 30"
CRR4730	36" - 41.9" x 24" - 30" Rectangular + 2 handles	42" - 47.9"	24" - 30"
CRR5330	48" - 53.9" x 24" - 30" Rectangular + 2 handles	48" - 53.9"	24" - 30"
CRR6130	54" - 61.9" x 24" - 30" Rectangular + 2 handles	54" - 61.9"	24" - 30"
CRR6730	62" - 67.9" x 24" - 30" Rectangular + 2 handles	62" - 67.9"	24" - 30"
CRR7330	68" - 73.9" x 24" - 30" Rectangular + 2 handles	68" - 73.9"	24" - 30"
CRR7930	74" - 79.9" x 24" - 30" Rectangular + 2 handles	74" - 79.9"	24" - 30"
CRR8530	80" - 85.9" x 24" - 30" Rectangular + 2 handles	80" - 85.9"	24" - 30"
CRR9130	86" - 91.9" x 24" - 30" Rectangular + 2 handles	86" - 91.9"	24" - 30"
CRR9730	92" - 97.9" x 24" - 30" Rectangular + 2 handles	92" - 97.9"	24" - 30"
CRR10330	98" - 103.9" x 24" - 30" Rectangular + 2 handles	98" - 103.9"	24" - 30"
CRR10930	104" - 109.9" x 24" - 30" Rectangular + 2 handles	104" - 109.9"	24" - 30"
CRR11530	110" - 115.9" x 24" - 30" Rectangular + 2 handles	110" - 115.9"	24" - 30"
CRR12230	116" - 122" x 24" - 30" Rectangular + 2 handles	116" - 122"	24" - 30"



IGNITION SYSTEMS COLLECTION



IGNITION SYSTEMS

Whether for convenience, safety or code requirements, Warming Trends® has the perfect ignition system for your next project. Choose from push button, battery-operated, or fully automatic ignitions to quickly and easily start your fire feature.

Our line of ignitions is engineered and built for outstanding performance and reliability. We've designed out the issues that commonly plague outdoor ignitions – wind, water and debris. All **CROSSFIRE®** Brass Burners are also built with our patented **WATERSTOP®** fitting that provides an unrivaled layer of protection to keep gas lines and valve box clean and dry. Warming Trends ignitions also provide outstanding BTU performance at industry-leading prices.

IGNITION SYSTEMS



MATCH LIT

All CROSSFIRE® Burners come standard as a manual **MATCH LIT SYSTEM**. Lighting the burner is easy and safe. Place the flame from an already lit match or BBQ lighter near a jet at the outside edge of the burner. Then, slowly turn the key valve to release a small amount of gas allowing the flame to ignite the burner. Once lit, use the key to turn the flame up to the desired height. Remember - turn the gas on slowly with an existing flame at the tip of a jet - flame first, gas second.



PUSH BUTTON IGNITION

The same as the ignition on your grill, simply open the key valve partway and push the button to ignite your burner. The **PUSH BUTTON IGNITION** a very convenient and economical way to eliminate the need to use a match to light your burner system.

SKU	DESCRIPTION
PBIK3.0	Push Button Ignition Kit: Spark Igniter Rod and Wire + Push Button Battery Operated Control Module
PBIK3.0MBR	Push Button Ignition Kit + Mounting Bracket + (2) 3/4" Street Elbows
PBIK3.0MBRFK1	Push Button Ignition Kit + Mounting Bracket + FK1 + 3" and 12" Key + (2) Pre-mounted 3/4" Street Elbows
PBIK3.0MBRFK2	Push Button Ignition Kit + Mounting Bracket + FK2 + 3" and 12" Key + (2) Pre-mounted 3/4" Street Elbows



PBIK3.0MBR





MERCURY IGNITION SYSTEM

The **MERCURY IGNITION SYSTEM™** requires no electricity, making it particularly well-suited for unique or remote locations without power to the pit. The Mercury operates through a standing pilot that lights the burner and re-lights it should conditions require. The pilot system works with a code compliant safety shut-off to provide a cost-effective ignition for residential or commercial installations. The Mercury delivers 240,000 BTUs of gas output per hour.

SKU	DESCRIPTION
MERCLP	Mercury Ignition Spark Igniter with Internal Safety Shutoff + 3' Pilot for use with any Burner up to 240K BTU + FIT180 + Liquid Propane
MERCNG	Mercury Ignition Spark Igniter with Internal Safety Shutoff + 3' Pilot for use with any Burner up to 240K BTU + FIT180 + Natural Gas
103088	Mercury Ignition Spark Igniter with Internal Safety Shutoff + 6' Pilot for use up to 240K BTU + Fit180 + Natural Gas
103089	Mercury Ignition Spark Igniter with Internal Safety Shutoff + 6' Pilot for use up to 240K BTU + Fit180 + Liquid Propane



MERCURY IGNITION SYSTEM



CARBON LOW VOLTAGE IGNITION SYSTEM

The **CARBON LOW VOLTAGE IGNITION SYSTEM™** is a fully automatic, 3 Volt ignition that operates on (2) D cell batteries. Thus, the Carbon is an excellent option for low-voltage installations in unique locations or where electricity is unavailable. The batteries are housed behind the faceplate, which slides out for quick and easily access. A push-button remote for use with the Carbon is also available. The Carbon delivers 360,000 BTUs of gas output per hour and meets National Standards for low voltage applications.

SKU	DESCRIPTION
105772	Carbon 3V Battery Powered Electronic Ignition System Natural Gas
105773	Carbon 3V Battery Powered Electronic Ignition System Liquid Propane
105774	Carbon 3V Direct Wire Electronic Ignition System Natural Gas
105775	Carbon 3V Direct Wire Electronic Ignition System Liquid Propane



CARBON IGNITION SYSTEM

TECH TIP

Aluminum covers help protect electronic ignition systems from the elements. Available in standard and custom sizes. See page 53.



COBALT LOW VOLTAGE IGNITION SYSTEM

The **COBALT LOW VOLTAGE IGNITION SYSTEM™** is a fully automatic, 12 Volt ignition. It is ideal for installations near pools, spas and other water features. It is compatible with home automation systems and an available power lead allows direct wiring into multi-unit transformers. Additionally, onboard diagnostics makes trouble shooting easier. The Cobalt delivers 490,000 BTUs of gas output per hour and meets National Standards for low voltage applications.

SKU	DESCRIPTION
105023	Cobalt 12 Volt Electronic Ignition System - Valve Box Hot Surface Igniter/Pilot + 12V Transformer for ½" Manifolds. Maximum Gas Output 490,000/hr - Natural Gas
105024	Cobalt 12 Volt Electronic Ignition System - Valve Box Hot Surface Igniter/Pilot + 12V Transformer for ½" Manifolds. Maximum Gas Output 490,000/hr - Liquid Propane
105025	Cobalt 12 Volt Electronic Ignition System - Valve Box Hot Surface Igniter/Pilot + 12V Transformer for ¾" Manifolds. Maximum Gas Output 490,000/hr - Natural Gas
105026	Cobalt 12 Volt Electronic Ignition System - Valve Box Hot Surface Igniter/Pilot + 12V Transformer for ¾" Manifolds. Maximum Gas Output 490,000/hr - Liquid Propane



COBALT LOW VOLTAGE IGNITION SYSTEM™

Ideal for installations near pools, spas, or other water features. 490,000 BTU output, 12 volt system.



PLATINUM IGNITION SYSTEM

The **PLATINUM IGNITION SYSTEM™** is a 24V, fully automatic ignition system. It delivers an outstanding 680,000 BTUs of gas output per hour. It is compatible with home automation systems and an available power lead allows direct wiring into multi-unit transformers. Additionally, onboard diagnostics makes trouble shooting easier. The Platinum is the go-to 24V ignition in the industry, renowned for its durability and reliability, especially in high-capacity installations.

SKU	DESCRIPTION
103063	Platinum 24 Volt Electronic Ignition System - Valve Box Hot Surface Igniter + 24V Transformer for ½" Manifolds. Maximum Gas Output 680,000 BTU/h - Natural Gas
103064	Platinum 24 Volt Electronic Ignition System - Valve Box Hot Surface Igniter + 24V Transformer for ½" Manifolds. Maximum Gas Output 680,000 BTU/h - Liquid Propane
103065	Platinum 24 Volt Electronic Ignition System - Valve Box Hot Surface Igniter + 24V Transformer for ¾" Manifolds. Maximum Gas Output 680,000 BTU/h - Natural Gas
103066	Platinum 24 Volt Electronic Ignition System - Valve Box Hot Surface Igniter + 24V Transformer for ¾" Manifolds. Maximum Gas Output 680,000 BTU/h - Liquid Propane



PLATINUM IGNITION SYSTEM™

24V electronic system with 680,000 BTU delivery. Innovative, robust design.

Cobalt Low Voltage Ignition System™, Carbon Low Voltage Ignition System™, Mercury Ignition System™, and Platinum Ignition System™ are trademarks owned by and used with permission from Catalyst Electronics, LLC. Please specify fuel type (LP or NG) when ordering ignitions.

ELECTRONIC ACCESSORIES

Want to turn your fire feature on remotely? We've got you covered. We offer **ELECTRONIC ACCESSORIES** that keep your fire feature safe and easy to use.



3 VOLT REMOTE

SKU	DESCRIPTION
3VRC	ON/OFF Remote Control for 3 Volt Ignition System. Only compatible with 3VIK Ignition.



KEY CHAIN REMOTE

SKU	DESCRIPTION
KCRC	ON/OFF Wireless Key Chain Remote Control & Plug In Receiver for Platinum and Cobalt Ignition Systems.



1 Hour Dial

2 Hour Dial

DIAL TIMERS

Available in 1 hour, 2 hour, and 12 hour options for automatic shut off with NEMA Rated outdoor enclosure.

SKU	DESCRIPTION
DTES1HR	1 Hour Dial Timer with Manual Emergency Shut-off for use on Gas Line. Up to 170K BTUs NG/LP.
DT2HRNB	2 Hour Dial Timer with NEMA Rated Enclosure.
DT12HRNB	12 Hour Dial Timer with NEMA Rated Enclosure.



EMERGENCY STOP


SKU	DESCRIPTION
EMERSTOP	Push Button Emergency Stop with shell and weatherproof lift cover. Recommended for commercial properties.

TECH TIP

Typically commercial projects require an Emergency Stop and electronic ignition. Consult your local code.


MATCH LIT IGNITION CLEARANCE DIAGRAM

MATCH LIT CLEARANCE DIAGRAM




INSTALLATION AND CLEARANCE DIAGRAM - MERCURY IGNITION SYSTEM

MERCURY CLEARANCE DIAGRAM



ELECTRONICS AND CLEARANCE DIAGRAM - PLATINUM, COBALT, AND DIRECT WIRE CARBON IGNITION SYSTEMS



TECH TIP Aluminum covers help protect electronic ignitions systems and burner systems from the elements. Available in standard, range and custom sizes, see options beginning on page 43.

For additional ignition system installation details, see the applicable guides on the Resources page of our website www.warming-trends.com



LOGS, MEDIA, and PARTS

Complete the look of your fire feature with the perfect accents. Choose from fire glass, log sets or other media options.

Custom steel and FireStorm® Log Sets are available. Contact us for information. Call [303-346-2224](tel:303-346-2224).

OAK CLASSIC LOG SETS



Available for 24"- 30", 36"- 42", and 48" Fire Features.

SKU	DESCRIPTION
OCS	Handcrafted for 24" - 30" Fire Feature (9 pieces)
OCM	Handcrafted for 36 - 42" Fire Feature (12 pieces)
OCL	Handcrafted for 48" Fire Feature (15 pieces)

CHARRED LOG SETS



Available for 24"- 30", 36"- 42", and 48" Fire Features.

SKU	DESCRIPTION
CHS	Handcrafted for 24" - 30" Fire Feature (9 pieces)
CHM	Handcrafted for 36 - 42" Fire Feature (12 pieces)
CHL	Handcrafted for 48" Fire Feature (15 pieces)

STEEL LOG SETS



Available for 18", 24", 30", and 36" Fire Features.


SKU	DESCRIPTION
SLS18	Handcrafted to fit 18" Fire Feature
SLS24	Handcrafted to fit 24" Fire Feature
SLS30	Handcrafted to fit 30" Fire Feature
SLS36	Handcrafted to fit 36" Fire Feature
SLSCUST	Custom Handcrafted Steel Log Set

FIRESTORM® STEEL LOG


Handcrafted, one-of-a-kind steel gas log features an integrated burner to create a beautiful flame pattern.



Handcrafted Steel Log




CFBL150



Aluminum Plate

SKU	DESCRIPTION
FSL32	32" Steel log with integrated UL150 CROSSFIRE® Burner on a 38" x 10" aluminum plate

Additional sizes ranging from 20" - 48" available. Call (303) 346 - 2224 for information.



MEDIA

1/2" REFLECTIVE FIRE GLASS 10 lb bag



COPPER



BLACK



PACIFIC BLUE



GRAY



COBALT



STARFIRE



EVERGREEN

1/2" FIRE GLASS CUBES 10 lb bag



COPPER



BLACK



STARFIRE



PACIFIC BLUE

3/4" RECYCLED FIRE GLASS 10 lb bag



AUBURN



DARK BLUE



ICE



LIGHT BLUE



ONYX

Scan the QR Code to easily calculate how much lava rock or fire glass will be needed with the Fire Glass Calculator.



Additional Options Available Upon Request

LAVA ROCK



BLR

1" - 2" Black Lava Rock,
1 bag per 1 cubic foot
45 lb bag



LRR

1" - 2" Gray / Black Lava
Rock, 1 bag per 1 cubic foot
50 lb bag

LAVA ROCK & ROLLED LAVA GUIDE

- 24" PLATE = 1 BAG
- 30" PLATE = 2 BAGS
- 36" PLATE = 3 BAGS
- 42" PLATE = 4 BAGS
- 48" PLATE = 4 - 5 BAGS
- 60" PLATE = 7 - 8 BAGS
- 1 BAG = 1 CUBIC FOOT

PARTS

SKU	DESCRIPTION
FK1	Kit includes: (1) 36" L x 3/4" Diameter Flex Line + 3/4" Key Valve + 3" Key and 12" Key + (1) 1/2" x 2" Nipple
FK2	Kit includes: (2) 36" L x 3/4" Diameter Flex Line + 3/4" Key Valve + 3" Key and 12" Key + (2) 3/4" x 3" Nipple + (2) 3/4" Tee + (1) 3/4" x 1/2" Male Reducing Fitting
FIT180	Flex Line & Key Valve Connection Fitting. Kit includes: (1) 1/2" x 2" Nipple.
FIT250	Flex Line & Key Valve Connection Fitting. Kit includes: (1) 3/4" x 1/2" MM Reducer Fitting + (2) 3/4" Tee + (1) 3/4" x 3" Nipple
FIT300	Flex Line & Key Valve Connection Fitting. Kit includes: (2) 3/4" x 3" Nipple + (2) 3/4" Tee
FKM1	Mercury Ignition Single Flex Line Kit - For use with any burner 249K BTUs and below. Kit includes: (1) 36" L x 3/4" Diameter Flex Line + (1) 1/2" x 2" Nipple
FKM2	Mercury Ignition Dual Flex Line Kit. Kit includes: (2) 36" L x 3/4" Diameter Flex Line + (2) 3/4" Tees + (1) 3/4" x 3" Nipples + (1) 3/4" Male x 1/2" Male Reducing Fitting + (1) 3/4" Male x 1/2" Female Hex Reducer Bushing
REDUCER3412	Reducer 3/4" Male x 1/2" Male Fitting
FL3612	36" L x 1/2" Diameter Flex Line (MM)
FL3634	36" L x 3/4" Diameter Flex Line (MM)
KV12	1/2" Key Valve + 3" Key
KV34	3/4" Key Valve + 3" Key
KEY3	3" Key
KEY12	12" Key
KEY24	24" Key
KVE4	4" Threaded metal Key Valve Extension
KVE8	8" Threaded metal Key Valve Extension
DRIPLEG12	1/2" Drip Leg Kit
DRIPLEG34	3/4" Drip Leg Kit
LPRH	Liquid Propane Regulator mounted on 5/16" (internal diameter) 10' hose with hand wheel quick connect. For use up to 200K BTUs with a 20 lb Propane Tank.



FK1

For use with any burner 249K BTUs and below.



FK2

For use with any burner 250K BTUs and above.



FKM1

For use with Mercury Ignition and any burner 249K BTUs and below.



FKM2

For use with Mercury Ignition and any burner 250K BTUs and above.

PARTS CONTINUED

SKU	DESCRIPTION
REGLP200	Regulator 3/8" NPT female outlet 200K BTU/hr capacity. Maximum inlet pressure 250 PSI. Low pressure outlet 11" W.C. Liquid Propane
COLLAR	Paver Kit Adjustable Install Collar 19" + (6) Screws
COLLARF	19" flexible, No drill Collar for installation between courses of block
FPVK	Fire Pit Vent Kit: (2) 12" x 3 7/8" Vents (18 square inches of vent area per vent) + (8) Screws
VENTVL	(2) 9 1/4" X 3" Each Vent replaces one block, provides block support and 18" of venting
VENTBW	(2) 11 3/8" X 4" Each Vent replaces one block, provides block support and 18" of venting
VENTRR	(2) 14" x 3.5" Each vent replaces one block, provides block support and 18" of venting
VENTBS	(2) 14" x 3.5" Each Vent replaces one block, provides block support and 18" of venting
VENTPS	(2) 9" x 4.5" Each Vent replaces one block, provides block support and 18" of venting
103685	(2) 11.312" x 6" Each Vent replaces one block, provides block support and 18" of venting
103633	(2) 8.625" x 4" Each Vent replaces one block, provides block support and 18" of venting



REGLP200



COLLAR



COLLARF



VENTVL

CREATE YOUR
PERFECT NIGHT.



WARRANTY

FULL LIFETIME WARRANTY FOR CROSSFIRE® BURNERS

Warming Trends warrants that each Warming Trends® Crossfire® and other jetted-flame-brass burners sold through Warming Trends' distribution network (each as "Burner") is free from defects in materials and workmanship and conforms to its specifications, which are available upon request. We offer a lifetime, full warranty for our Burners, regardless of ownership, beginning on the date of purchase ("Warranty Period"). This warranty is transferable, but we reserve the right to require proof of ownership for any transferred burners including proof that the Burner was not acquired through improper means or unauthorized re-sellers. During the Warranty Period, Warming Trends provides repair and exchange services for the Burners, without charge. If a Burner does not function as warranted during the Warranty Period and, after a reasonable number of attempts, Warming Trends is unable to either 1) make it do so or 2) replace it with one that is at least functionally equivalent, you may return it to Warming Trends and your money will be refunded. The warranty stated above will not apply to the extent that there has been misuse or use contrary to specifications or the appropriate user or operating manual, installation defect, accident, modification, unsuitable physical or operating environment, operation in other than the specified operating environment (e.g., outdoor burners should only be used outdoors) improper maintenance by you, or failure caused by a product for which Warming Trends is not responsible. With respect to Burners, the warranty is voided by removal or alteration of any identification labels or marks on any Burner or part.

ITEMS NOT COVERED BY FULL WARRANTY FOR BURNERS

OTHER THAN AS EXPRESSLY STATED ABOVE, WARMING TRENDS DOES NOT WARRANT UNINTERRUPTED OR ERROR-FREE OPERATION OF ANY BURNER, OR THAT WARMING TRENDS WILL CORRECT ALL DEFECTS.

This warranty is specific to Burners and does not apply to any other product sold by Warming Trends, which may be covered by separate warranties with different terms. Warming Trends does not warrant any services related to our Burners, including installation, unless we provided those services to you. You may have warranty rights from the service provider, but we make no representations or warranties express or implied regarding any third-party service provider and our warranties do not apply to failures caused by their work.

IGNITION SYSTEMS WARRANTIES

RESIDENTIAL INSTALLATIONS

Platinum Ignition Systems™ and Cobalt Ignition Systems™ are warranted for three (3) years from date of purchase. In the event a Platinum Ignition Systems™ and Cobalt Ignition Systems™ must be replaced due to a defect or malfunction of the system, Warming Trends® will repair or replace the system at no cost for the first three (3) years. This warranty does not cover labor costs and will be automatically voided if the ignition system is installed or used with a non-specified burner, accessories or recommended plate or pan, and cover.

12VIK and 3VIK systems are warranted for one (1) year from the date of purchase and, thereafter, are covered by a limited warranty for two (2) years from date of purchase. In the event a 12VIK and 3VIK system must be replaced due to a defect or malfunction of the system, Warming Trends® will repair or replace the system at no cost for the first year. In the event a 12VIK and 3VIK system fails after the first year from date of purchase and within two years from date of purchase, Warming Trends will repair or replace the system for a cost of 50% of the current list price. This warranty does not cover labor costs.

P24VIK Systems are warranted for three (3) years from date of purchase. In the event a system must be replaced due to a defect or malfunction of the system, Warming Trends will repair or replace the system at no cost for the first three (3) years. This warranty does not cover labor costs.

Mercury Ignition Systems™ are warranted for three (3) years from date of purchase. In the event a Mercury Ignition system must be replaced due to a defect or malfunction of the system, Warming Trends will repair or replace the system at no cost for the first three years.

This warranty does not cover labor costs and will be automatically voided if the ignition system is installed or used with a non-specified burner, accessories or recommended plate or pan, and cover.

Push Button Ignition Systems are warranted for one (1) year from date of purchase. In the event a Push Button Ignition System must be replaced due to a defect or malfunction of the system, Warming Trends will repair or replace the system at no cost. This warranty does not cover labor costs and will be automatically voided if the ignition system is installed or used with a non-specified burner, accessories or recommended plate or pan, and cover.

COMMERCIAL INSTALLATIONS

Platinum Ignition Systems™ and Cobalt Ignition Systems™ are warranted for one (1) year from date of purchase. In the event a Platinum or Cobalt Ignition System must be replaced due to a defect or malfunction of the system, Warming Trends will repair or replace the system at no cost. This warranty does not cover labor costs and will be automatically voided if the ignition system is installed or used with a non-specified burner, accessories or recommended plate or pan, and cover.

12VIK, 3VIK, and P24VIK systems are warranted for one (1) year from date of purchase. In the event a 12VIK, 3VIK, or P24VIK system must be replaced due to a defect or malfunction of the system, Warming Trends will repair or replace the system at no cost. This warranty does not cover labor costs.

Mercury Ignition Systems™ are warranted for one (1) year from date of purchase. In the event a Mercury Ignition system must be replaced due to a defect or malfunction of the system, Warming Trends will repair or replace the system at no cost for the first year. This warranty does not cover labor costs and will be automatically voided if the ignition system is installed or used with a non-specified burner, accessories or recommended plate or pan, and cover.

Push Button Ignition Systems are warranted for six (6) months from date of purchase. In the event a Push Button Ignition System must be replaced due to a defect or malfunction of the system, Warming Trends will repair or replace the system at no cost. This warranty does not cover labor costs and will be automatically voided if the ignition system is installed or used with a non-specified burner, accessories or recommended plate or pan, and cover.

ITEMS NOT COVERED BY WARRANTIES FOR IGNITION SYSTEMS

Warming Trends does not warrant any services related to our Electronic and Manual Ignition Systems, including, without limitation, installation, unless we provided those services to you. You may have warranty rights from the service provider, but we make no representations or warranties express or implied regarding any third-party service provider and our warranties do not apply to failures caused by their work. Problems or defects in the functioning of the systems due to gas plumbing or electrical installed by others are not covered by any warranty offered by Warming Trends.

AON FIRE TABLE WARRANTIES

Residential Installations

Warming Trends warrants the fabrication and structure of each AON™ fire table (each, an "AON") for 3 years from the purchase date. This warranty is transferable, but we reserve the right to require proof of ownership for any transferred AONs including proof that the AON was not acquired through improper means or unauthorized re-sellers. Burners and Ignition Systems included in AONs are covered by the applicable warranties above. Warming Trends warrants the powder coating on AONs for 12 months from date of delivery. Warming Trends does not warrant against any damage occurring during or after installation or for normal wear and tear, including fading due to exposure to sunlight. The flush-mounted lids are susceptible to damage due to their intended use. Chips may occur on the corners and edges of the lids over time and are not covered by warranty. Warming Trends recommends covering your AON during inclement weather or seasonal changes.

Commercial Installations


Warming Trends warrants the fabrication and structure of each AON for 1 year from the purchase date. This warranty is transferable, but we reserve the right to require proof of ownership for any transferred AONs including proof that the AON was not acquired through improper means or unauthorized re-sellers. Burners and Ignition Systems included in AONs are covered by the applicable warranties above. Warming Trends warrants the powder coating on AONs for 12 months from date of delivery. Warming Trends does not warrant against any damage occurring during or after installation or for normal wear and tear, including fading due to exposure to sunlight. The flush mounted lids are susceptible to damage due to their intended use. Chips may occur on the corners and edges of the lids over time and are not covered by warranty. Warming Trends recommends covering your AON during inclement weather or seasonal changes.

ITEMS NOT COVERED BY WARRANTIES FOR AON FIRE TABLES

Media made from ceramic or steel must be at least 4" from edges of the AON as excessive heat can cause warping and damage to the structure of the AON. Incorrect use of media shall void the above warranties. Warming Trends does not warrant against the natural process of steel aging or rusting. Warming Trends does not warrant any services related to our AONs, including installation, unless we provided those services to you. You may have warranty rights from the service provider, but we make no representations or warranties express or implied regarding any third-party service provider and our warranties do not apply to failures caused by their work. Warming Trends does not warranty against damage caused by improper ventilation. AON's are equipped with leveling feet which are to be used to create ventilation around the entire base perimeter of up to 2" of clear space.

DISCLAIMER OF ADDITIONAL WARRANTIES

OTHER THAN THE SPECIFIC WARRANTIES SET FORTH IN THIS WARRANTY POLICY, WARMING TRENDS MAKES NO REPRESENTATIONS OR WARRANTIES WITH RESPECT TO ITS BURNERS OR IGNITION SYSTEMS, WHETHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.



PROP 65 WARNING



WARNING: This product can expose you to chemicals including nickel, which is known to the State of California to cause cancer, carbon monoxide and Bisphenol A, which are known to the State of California to cause birth defects or other reproductive harm, and lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

CONTACT US

NEED REPLACEMENT PARTS, QUESTIONS, OR NEED ASSISTANCE? OUR TEAM IS HAPPY TO HELP.

Call our Flame Specialists at (303) 346 - 2224 or email us at orders@warming-trends.com.

Compliance with the following codes:

1. 2021, 2018, 2015, 2012, and 2009 International Fire Code® (IFC)
2. 2021, 2018, 2015, 2012, and 2009 International Fuel Gas Code® (IFGC)
3. 2024, 2021, 2018, 2015, 2012, and 2009 Uniform Mechanical Code® (UMC)*
4. 2020, 2015, and 2010 Natural Gas and Propane Installation Code**

*Uniform Plumbing Code is a copyrighted publication of the International Association of Plumbing and Mechanical Officials

**Copyrighted publication of Canadian Standard Association

Compliance with the following standards:

1. ANSI Z21.97/CSA 2.41-2017 Outdoor Decorative Gas Appliances
Product: Outdoor Decorative Gas Fire Feature and Fireplaces



ICC-ES Report PMG-1213

ALL THE BURNERS LISTED IN THE QR CODE BELOW ARE CERTIFIED FOR USE IN OUTDOOR FIRE FEATURES AND OUTDOOR FIREPLACES.



Scan to view the most up-to-date Certified Burners List.

WARMING TRENDS[®]

**YOUR VISION. OUR FLAME.
ENDLESS POSSIBILITIES.**



Call a Warming Trends Flame Specialist at (303) 346 - 2224
or email us at orders@warming-trends.com.