

THE BOOK OF IN-LITE



in-lite[®]
OUTDOOR LIGHTING

**CREATING MAGICAL OUTDOOR
SPACES SINCE 1999**

MAKE YOUR OUTDOOR SPACE SPECIAL

Your garden is the most beautiful part of your home — until night falls and its charm fades into darkness. But when in-lite lighting turns on, the magic begins. Your eyes are drawn to the highlights you've illuminated: a stunning tree, a cozy lounge spot, or a vibrant flower bed. This is the in-lite moment — a magical transformation we want everyone to experience. While daylight reveals everything equally, in-lite lighting lets you create personal accents and turn your garden into a unique, enchanting space at night.

For over 25 years, we've been crafting the perfect outdoor lighting. Our low-voltage system is easy and safe to install, featuring energy-efficient, high-quality LEDs that cast natural, atmospheric light. From towering trees to delicate plants, the in-lite range has you covered. With the in-lite app, you're in full control: dim, adjust colors, set scenes, and more. In just moments, your garden becomes a magical retreat where the ambiance lasts well into the night.


in-lite makes outdoor spaces special.



 Follow us on @inlite_global

CONTENTS

THE SYSTEM	8
SMART LIGHTING	10



**DISCOVER
SMART
LIGHTING**
P.10

PRODUCTS	
Recessed lights	14
Spotlights	26
Undercap lights	34
Path lights	40
Wall lights	50
Ceiling lights	60

HUBS	66
ACCESSORIES	70
GARDEN CREATION	72
CONCEPTS	74
INNOVATION	80




NEW
BREEZE
P.41 / P.80

in-lite | breathe

MORE THAN A BRAND

in-lite is more than just an outdoor lighting brand. We are a company with a mission: to help as many people as possible see and experience that lighting belongs in every outdoor space. We fulfill this mission by designing beautiful outdoor lighting fixtures and, above all, by inspiring people to discover what lighting can add to their outdoor environment. And we don't do this alone. A strong network of partners and outdoor professionals shares our mission. We train these professionals and inspire them with unique ways to apply outdoor lighting. Together, we create outdoor spaces that become truly special places you can enjoy well into the evening.



**EASY TO
INSTALL**



**PERFECT
LIGHT**



**QUALITY
& DESIGN**



SMART

THE IN-LITE SYSTEM

HUB 1

The transformer is the heart of the in-lite system. Choose from HUB-75, HUB-100, SMART HUB-75, SMART HUB-150 or SMART HUB-300. Add the VA value of your lighting to determine which HUB is suitable.

CABLES 2

The cable can be rolled out from the transformer and guided along the fixtures. There are three types of cables available: 14/2, 12/2, and 10/2.

EASY-LOCK 3

Use the EASY-LOCK to safely connect your in-lite fixtures at any point along the main cable line.

SMART BRIDGE 4

SMART BRIDGE allows you to connect the in-lite Smart system to the internet and to other smart home systems such as Google Home, Alexa, and more.

CABLE SPLITTING 5


Use the CC-2 cable connector to create a new branch from the main cable line and extend the reach of your system.

ACCESSORIES 6

Is the main cable too short? Use an extension cord. Want to connect up multiple fixtures to an extension cord? Use SPLITTER.


CABLE ENDS 7

The cable can end at any point without forming a closed system. Finish off the ends with the included CABLE CAPS to avoid short-outs.



SMART LIGHTING

The basis of the Smart system consists of a SMART HUB and the in-lite app. You can connect any fixture to this Smart transformer and easily set your preferences via a smartphone or tablet.



TURN MOMENTS INTO SCENES

With the in-lite app, your outdoor lighting effortlessly becomes part of your daily life. Change the colors and create scenes easily with the touch of your finger, control zones separately, set routines, and share your settings with others.



CONNECT YOUR HOME

Let your outdoor lighting become part of your smart home. With SMART HUB, the in-lite app, and SMART BRIDGE accessory, you can easily integrate your lighting with any smart home system and simplify how you control it.



SMART HOME CONNECTION

Choosing SMART HUB unlocks endless possibilities for smarter, more personalized lighting control, especially with accessories like SMART BRIDGE. This device connects your Bluetooth system to your Wi-Fi network, seamlessly integrating your outdoor lighting with your smart home system.

Whether you're at home or away, the in-lite app gives you full control. With SMART BRIDGE, your outdoor lighting becomes an intuitive, connected, and vibrant extension of your home—perfectly tailored to your needs.

ADVANTAGES OF SMART BRIDGE

AUTOMATIC UPDATES

COMPATIBLE WITH SMART HOME SYSTEMS

REMOTE CONTROL

SMART HOME SYSTEMS

Smart technology has never made life this easy. The in-lite app, available for iOS and Android, integrates seamlessly with popular smart home systems like Google Home, Apple HomeKit, Amazon Alexa, Gira KNX, and Matter-compatible platforms—all thanks to SMART BRIDGE. This accessory lets you control your outdoor lighting effortlessly through a smart home app or even voice commands. Just say, "Hey Google, turn on in-lite!" and watch the magic happen.



“HEY GOOGLE,
TURN ON IN-LITE”



PRODUCT GROUP

RECESSED LIGHTS

Recessed lights are perfect for adding an atmospheric glow to paths, decks, driveways, facades, or borders. Whether you are envisioning a subtle, starry pathway or need powerful lighting to highlight tall trees and striking facades, in-lite offers a wide range of recessed lights to suit every need and application.



**DISCOVER ALL
RECESSED LIGHTS**
www.in-lite.com



PUCK
1.50 W | 2.50 VA | 2900 K
CRI 96 | IP 67 | \varnothing 2-3/8" / 60 mm



PUCK 22
0.60 W | 0.60 VA | 2900 K
CRI 96 | IP 67 | \varnothing 7/8" / 22 mm





NEW

MODULAR RINGS

Personalize your recessed lights with stylish rings.
More info on p.25.

NEW



HYVE 22

0.20 W | 0.20 VA | 3100 K
CRI 95 | IP 67
ø 7/8" / 22 mm

HYVE 22 (ADD RING)

0.20 W | 0.20 VA | 3000 K
CRI 95 | IP 67
ø 7/8" / 22 mm



HYVE

0.80 W | 0.80 VA | 3000 K
CRI 95 | IP 67
ø 2-3/8" / 60 mm



NEW

FUSION 22

0.20 W | 0.20 VA | 2750 K
CRI 93 | IP 67
ø 7/8" / 22 mm


FUSION 22 (ADD RING)

0.20 W | 0.20 VA | 2750 K
CRI 93 | IP 67
ø 7/8" / 22 mm



FUSION

0.90 W | 1.00 VA | 2650 K
CRI 93 | IP 67
ø 2-3/8" / 60 mm



SPIKE 22 & 60

for installing recessed lights
in soil, gravel or grass.

NEW



DOT 22

0.36 W | 0.50 VA | 2850 K
CRI 98 | IP 67
ø 7/8" / 22 mm

DOT 22 (ADD RING)

0.36 W | 0.50 VA | 2850 K
CRI 98 | IP 67
ø 7/8" / 22 mm




DOT

0.40 W | 0.80 VA | 2850 K
CRI 98 | IP 67
ø 2-3/8" / 60 mm



RING 28 SHIELD
eliminates glare
from ø 7/8" / 22 mm
recessed lights.

NEW



FLUX 22

1.20 W | 2.00 VA | 3000 K
CRI 90 | IP 67
ø 7/8" / 22 mm

FLUX 22 (ADD RING)

1.20 W | 2.00 VA | 3000 K
CRI 90 | IP 67
ø 7/8" / 22 mm



FLUX

1.50 W | 2.50 VA | 3000 K
CRI 92 | IP 67
ø 2-3/8" / 60 mm






**SMART FLUX
TONE**

6.00 W | 9.50 VA | CRI 85+ | RGBW | 3100K
IP 67 | ø 2-3/8" / 60 mm | in-lite Smart



in-lite | smart



BIG FLUX

3.00 W | 4.20 VA | 3100 K
CRI 93 | IP 67
ø 2-3/8" / 60 mm



**BIG FLUX
ASYMMETRIC**

3.00 W | 4.20 VA | 3100 K
CRI 93 | IP 67
ø 2-3/8" / 60 mm



**BIG FLUX
NARROW**

3.00 W | 4.20 VA | 3100 K
CRI 93 | IP 67
ø 2-3/8" / 60 mm





BIG NERO

7.50 W | 11.90 VA | 3100 K | CRI 92
 IP 67 | ø 4-15/16" / 125 mm | in-lite Motion


BIG NERO NARROW

7.50 W | 11.90 VA | 3100 K | CRI 91
 IP 67 | ø 4-15/16" / 125 mm | in-lite Motion



NERO

3.00 W | 4.70 VA | 3100 K | CRI 93 | IP 67 | ø 3-3/4" / 95 mm



IN-LITE MOTION
 adjusts the light source
 with a magnet without
 opening the fixture.

MORE RECESSED LIGHTS

Discover more recessed lights and matching accessories. Personalize your recessed lights with different ring colors and styles to achieve the perfect design and atmosphere for your outdoor space.



DB-LED

0.50 W | 0.50 VA | 2850 K
CRI 94 | IP 67 | ø 7/8" / 22 mm




EVO GROUND 300

1.00 W | 1.00 VA | 3000 K
CRI 95 | IP 67 | 11-13/16" / 300 mm



LUNA

3.00 W | 5.00 VA | 3100 K
CRI 94 | IP 67 | ø 2-3/8" / 60 mm




EVO FLOOD

5.00 W | 8.00 VA | 3000 K
CRI 97 | IP 67 | 17" / 426 mm

NEW

MODULAR RINGS

Personalize your recessed lights with stylish and modular rings. Available in three colors: Black, Pearl Grey, and Stainless Steel.



PRODUCT GROUP
SPOTLIGHTS

Outdoor spotlights bring your garden to life after dark, illuminating everything from the smallest plants to the tallest trees. They add depth, ambiance, and a captivating experience to your outdoor space. With a variety of sizes and beam angles, there is always a spotlight perfectly suited to your garden's unique needs.




DISCOVER ALL SPOTLIGHTS
www.in-lite.com



AIM | AIM LOW | AIM EXTRA LOW

1.20 W | 2.10 VA | 3000 K | CRI 90 | IP 67 | 6-5/16" / 160 mm, 15-3/4" / 400 mm, 31-1/2" / 800 mm | *to be assembled with separate light sources





MICRO SCOPE

0.60 W | 1.10 VA | 2900 K
 CRI 91 | IP 67 | 6-1/2" / 165 mm




MINI SCOPE

1.00 W | 2.00 VA | 2900 K
 CRI 93 | IP 67 | 8-1/2" / 215 mm



SHIELD 1 & 2
 to eliminate glare
 from the light source
 on (MINI) SCOPE.



RISER 1 & 2
to adjust and
elevate SCOPE
spotlights above
the plants.




SCOPE

3.00 W | 5.20 VA | 3100 K | CRI 91 | IP 67 | 10-1/8" / 256 mm




SMART SCOPE TONE

6.00 W | 9.50 VA | CRI 85+ | RGBW | 3100 K | IP 67 | 10-1/2" / 267 mm | in-lite Smart




BRACE & BRACE BAND
for mounting SCOPE to a
tree or post at any height.



MINI SCOPE DUO

2.00 W | 4.00 VA | 2900 K
 CRI 93 | IP 67 | 31-1/2" / 800 mm



BIG SCOPE

5.00 W | 8.00 VA | 3100 K
 CRI 91 | IP 67 | 10-1/2" / 267 mm


BIG SCOPE NARROW

5.00 W | 7.90 VA | 3100 K
 CRI 92 | IP 67 | 10-1/2" / 267 mm



SUB

3.00 W | 4.70 VA | 3000 K
 CRI 91 | IP 68 | 5-7/8" / 150 mm



BRIGHTNESS
EVO HYDE



EVO FLEX



**SMART
EVO FLEX**



**SMART EVO
FLEX TONE**



PRODUCT GROUP **UNDERCAP LIGHTS**

From versatile light strips to fixtures for steps, walls, borders, and benches, linear lighting adds both ambiance and safety to every corner of your outdoor space.



**DISCOVER
UNDERCAP LIGHTS**
www.in-lite.com




EVO HYDE 180C

0.50 W | 0.60 VA | 2950 K
CRI 95 | IP 55 | 7-1/16" / 180 mm


EVO HYDE 550

2.00 W | 2.10 VA | 2950 K
CRI 93 | IP 55 | 21-7/8" / 556 mm



EVO FLEX

Available in 1, 2 and 3 metres / 39-3/8", 78-3/4", 118-1/8"
 6.50 W | 11.00 W | 14.50 W
 9.90 VA | 15.70 VA | 20.20 VA
 3000 K | CRI 86 | IP 67



DRIVER
 is required to operate
 EVO FLEX.




SMART DRIVER
 is required to
 operate SMART EVO
 FLEX and enables
 dimming.

in-lite | smart



SMART EVO FLEX

Available in 1, 2 and 3 metres
 / 39-3/8", 78-3/4", 118-1/8"
 6.50 W | 11.00 W | 14.50 W
 9.90 VA | 15.70 VA | 20.20 VA
 3000 K | CRI 86 | IP 67 | in-lite Smart




Dim the light intensity
 via the in-lite app.




SMART EVO FLEX TONE

Available in 1, 2, and 5 metres / 39-3/8", 78-3/4", 196-7/8"
 2.50 W | 4.50 W | 10.00 W
 4.50 VA | 7.50 VA | 14.50 VA
 CRI 85+ | RGBW | IP 67 | in-lite Smart



SMART DRIVER TONE
 is required to operate SMART EVO FLEX TONE and enables color-changing capabilities.



EVO FLEX ACCESSORIES

PROFILE 1 & 2

For straight under-cabinet mounting.

PROFILE 3

For straight mounting at eye level.

PROFILE 4

CLIPS

SPIKES

For curved shapes.

CORNERS

For 90° bends.

FIX

For retaining walls, benches, or steps.




in-lite | breathe

PRODUCT GROUP
PATH LIGHTS

Path lights illuminate terraces, borders, pathways, and driveways, combining safety with ambiance. With a variety of heights, designs, and beam angles, there's always a perfect path fixture to complement your garden.



**DISCOVER ALL
 PATH LIGHTS**
www.in-lite.com




BREEZE LOW

0.95 W | 1.70 VA | 2750 K | CRI 95
 IP 55 | 23-1/2" / 600 mm | in-lite Breathe

BREEZE

0.95 W | 1.70 VA | 2750 K | CRI 95
 IP 55 | 39" / 1000 mm | in-lite Breathe



(MINI) SWAY CAP
prevents direct glare
from the (MINI) SWAY
light source.



NAIL LOW

1.50 W | 1.50 VA | 2900 K
CRI 96 | IP 65 | 17-11/16" / 455 mm



NAIL

1.40 W | 1.50 VA | 2900 K
CRI 96 | IP 65 | 24" / 610 mm



MINI SWAY

0.50 W | 0.60 VA | 2900 K | CRI 95
IP 55 | 13-3/16" / 350 mm, 23-5/8" / 600 mm,
39-3/8" / 1000 mm



SWAY

1.00 W | 1.00 VA | 2900 K | CRI 95
IP 55 | 13-3/16" / 350 mm, 23-5/8" / 600 mm,
39-3/8" / 1000 mm



UPGRADED



SWAY TABLE

0.60 W | 0.50 VA | 2900 K | CRI 96 | IP 55
13" / 340 mm | in-lite Human Dimming



in-lite | human dimming



Also available in
100-230V



NEW



AIM FLOOR

1.20 W | 2.10 VA | 3000 K |
CRI 95 | IP 67 | 60-5/32" / 1528 mm
*to be assembled with separate light sources




Also available in
100-230V



VOQUE | BIG VOQUE

3.00 W | 5.00 W | 5.20 VA | 8.00 VA | 2750 K
CRI 89 | IP 55 | ø 11-13/16" / 300 mm
ø 17-11/16" / 450 mm




WINK
eliminates glare from
the ACE light source.



LIV LOW | LIV

1.50 W | 2.50 VA | 2750 K | CRI 95 | IP 55 | 14-9/16" / 372 mm, 24" / 612 mm



ACE | ACE HIGH

3.00 W | 5.30 VA | 3000 K | CRI 91 | IP 55 | 8-1/16" / 205 mm, 19-15/16" / 490 mm






EVO LOW | EVO

2.00 W | 2.10 VA | 2950 K | CRI 95
 IP 55 | 14-7/16" / 366 mm, 23-7/8" / 606 mm



DISC LOW | DISC

3.00 W | 4.90 VA | 2900 K | CRI 98
 IP 55 | 13-3/16" / 350 mm, 23-5/8" / 600 mm






PRODUCT GROUP
WALL LIGHTS

Wall lights add warmth and personality to your pergolas, fences, or facades. Choose the fixture design and the light effect that best suit your outdoor space.



**DISCOVER ALL
 WALL LIGHTS**
www.in-lite.com



MINI SWAY WALL

0.60 W | 0.50 VA | 2900 K
 CRI 96 | IP 55 | ø 2" / 50 mm



SWAY WALL

1.00 W | 1.00 VA | 2900 K
 CRI 95 | IP 55 | ø 3-3/8" / 85 mm





ACE DOWN

3.00 W | 5.30 VA | 3000 K
CRI 91 | IP 55 | 3-15/16" / 100 mm



ACE UP-DOWN

6.50 W | 10.30 VA | 3000 K
CRI 92 | IP 55 | 4-3/4" / 120 mm



FIT
allows a wall light to be mounted straight on a slanted wall.



SHUTTER 1 & 2
adjust the beam angle of ACE and HALO.



HALO DOWN

3.00 W | 5.00 VA | 3000 K
CRI 92 | IP 55 | 3-15/16" / 100 mm




HALO UP-DOWN

6.50 W | 10.00 VA | 3000 K
CRI 92 | IP 55 | 4-3/4" / 120 mm





Also available in
100-230V



DISC WALL


3.00 W | 4.90 VA | 2900 K
CRI 98 | IP 55 | ø 7-7/8" / 200 mm



EVO DOWN

2.00 W | 2.10 VA | 2950 K | CRI 95 | IP 53 | 12-5/8" / 320 mm





FIX 1
allows mounting
BLINK and WEDGE
on retaining walls,
benches, or steps.



CUBID

0.52 W | 0.60 VA | 2800 K
CRI 93 | IP 55 | 2" / 50 mm



BIG CUBID

1.00 W | 2.00 VA | 2900 K
CRI 93 | IP 55 | 2-7/8" / 72 mm



MINI WEDGE

0.60 W | 0.60 VA | 2900 K
CRI 95 | IP 55 | 2-3/8" / 60 mm



WEDGE

1.00 W | 1.60 VA | 2800 K
CRI 94 | IP 55 | 3-15/16" / 100 mm




MORE WALL LIGHTS

Discover more wall lights and personalize them with handy accessories. You can adjust the light source or simplify mounting to create the lighting experience that matches your needs.



EVO DOWN 100-230V

4.50 W | 11.50 VA | 3000 K
CRI 92 | IP 55 | 11-13/16" / 300 mm





WEDGE SLIM

1.00 W | 1.00 VA | 2800 K
CRI 96 | IP 55 | 7-7/8" / 200 mm



ACE (UP)-DOWN 100-230V

4.50 W | 8.50 W | 11.80 VA | 20.00 VA
3000 K | CRI 92 | IP 55 | 3-15/16" / 100 mm



BLINK

1.00 W | 1.70 VA | 2800 K
CRI 95 | IP 55 | ø 3-15/16" / 100 mm



HALO (UP)-DOWN 100-230V

4.50 W | 8.50 W | 11.50 VA | 20.00 VA
3000 K | CRI 92 | IP 55 | 5-1/8" 130 mm





PRODUCT GROUP
CEILING LIGHTS

Add a touch of inviting atmosphere to your pergolas, lounge areas, and porches. Enjoy a beautifully illuminated dining table or seating area in the evening with our ceiling lights.


DISCOVER ALL CEILING LIGHTS
www.in-lite.com



DISC PENDANT

3.00 W | 4.90 VA | 2900 K
 CRI 98 | IP 55 | ø 7-7/8" / 200 mm



DISC PENDANT 100-230V

4.50 W | 11.80 VA | 2900 K | CRI 98 | IP 55
 ø 7-7/8" / 200 mm | in-lite Human Dimming






SWAY PENDANT

0.90 W | 1.00 VA | 2900 K
CRI 96 | IP 55 | ø 3-3/8" / 85 mm



SWAY PENDANT 100-230V

2.50 W | 7.10 VA | 2900 K | CRI 96 | IP 55
ø 3-3/8" / 85 mm | in-lite Human Dimming



TOUCH DIMMER

Adjust the brightness of your wall, pendant, and ceiling fixtures with a simple touch, featuring 5 smooth dimming levels.



**MINI SCOPE
CEILING**

1.00 W | 2.00 VA | 2900 K
CRI 93 | IP 67 | \varnothing 1-7/8" / 47 mm

SCOPE CEILING

3.00 W | 4.80 VA | 3100 K
CRI 91 | IP 67 | \varnothing 2-5/8" / 66 mm



AIM CEILING

1.20 W | 2.10 VA | 3000 K | CRI 90 | IP 55 | 3-3/8" / 85 mm



THE HEART OF THE SYSTEM



HUB-75

HUB-75 is a high-quality and user-friendly transformer with a maximum installation power of 75 VA. Easily control up to two zones simultaneously with a simple touch of a button. Now equipped with the motion detector MOVE, which allows you to set up each line separately.



SMART HUB-75

SMART HUB-75 is a smart transformer with a maximum installation power of 75 VA. Individually control up to two smart lighting zones remotely via the in-lite app.



LEARN MORE
ABOUT HUBS
www.in-lite.com

CHOOSE YOUR HUB

The transformer is the heart of the in-lite system. Choose the right HUB based on your power requirements (total VA) and your preferred control method: manual on/off or remote control via the in-lite app.



HUB-75



HUB-100



SMART HUB-75



SMART HUB-150



SMART HUB-300

Maximum connection value	75 VA	100 VA	75 VA	150 VA	300 VA
Control	Buttons	Buttons	App	App	App
Cable outlets	2	2	2	3	3
Maximum connection value per cable outlet	75 VA	100 VA	75 VA	100 VA	130 VA
Cables can be controlled separately	✗	✗	✓	✓	✓
Suitable for Smart fixtures	✗	✗	✓	✓	✓
Suitable for Home Automation systems	✗	✗	✓	✓	✓
Maximum cable length 14/2	131,23 ft / 40 m	✗			
Maximum cable length 12/2	262,47 ft / 80 m	✗			
Maximum cable length 10/2	262,47 ft / 80 m	131,23 ft / 40 m	262,47 ft / 80 m	262,47 ft / 80 m	524,93 ft / 160 m

ACCESSORIES & INSTALLATION

With our handy accessories and installation tips, you get the most out of your outdoor lighting. By using the correct HUB PROTECTOR, cables, and cable connectors, you ensure a safe and durable installation while retaining the full 5-year warranty.



SMART BRIDGE

SMART BRIDGE links the in-lite Smart system to the internet and other popular smart home systems such as Google Home, Apple HomeKit, Alexa, Gira KNX, and Matter. This handy accessory lets you easily control your lighting via the in-lite app or with voice commands.



(SMART) MOVE

The MOVE and SMART MOVE accessories enhance convenience and safety by automatically activating your lights when motion is detected. Effortlessly customize your settings via the in-lite app with SMART MOVE.



LEARN MORE ABOUT
ACCESSORIES
www.in-lite.com



(SMART) HUB PROTECTOR

Always mount HUB transformers at least 50 cm (20 in) above the ground in a dry, sheltered location, such as inside your home, shed, or under a canopy or deck. Use a HUB PROTECTOR accessory when installing your HUB outdoors, as the warranty is void without it.



CABLE

Always use an in-lite cable when installing in-lite outdoor lighting for optimal results and to protect your system under our comprehensive 5-year warranty.




CC-2

Easily create a branch from your main cable line with our CC-2 cable connector. The updated CC-2 is now even more user-friendly, delivering improved reliability and a seamless connection every time.


CREATING GARDENS IN PHASES



PHASE 1



PHASE 2




STEP BY STEP

Phase your in-lite system by running extra cable throughout the entire space upfront. Start by installing the essential fixtures first and gradually add more lights over time to complete the full vision and achieve your dream outdoor space.

PHASE 3

SWAY CONCEPT



At in-lite, we love simplicity. To make choosing easier, we design concepts. A concept is a series of fixtures with a similar design and light output across multiple product categories. By choosing a concept, you automatically create a balanced and atmospheric design for your outdoor space.



EXPLORE THE FULL
SWAY CONCEPT
www.in-lite.com

1. **SWAY WALL**
2. **SWAY**
3. **MINI SWAY**
4. **SWAY PENDANT**
5. **SWAY TABLE**

SWAY concept consists of path lights, wall lights, ceiling lights and a table light. This concept blends seamlessly with the natural elements of your outdoor space. Its minimalist design creates an elegant, modern and unique look.

DISC CONCEPT




1. **DISC WALL** 2. **DISC PENDANT** 3. **DISC LOW**

Inspired by nature, the DISC concept features flowing lines and organic shapes that emphasize form and light distribution. Its gently curved light evokes the calm of morning dew, creating an elegant, soft, yet modern look. The collection includes path lights and wall lamps.



EXPLORE THE FULL
DISC CONCEPT
www.in-lite.com



1. **ACE** 2. **ACE DOWN** 3. **ACE UP-DOWN** 4. **ACE HIGH**


The ACE concept features a selection of path and wall lights in four different colors. This concept is suitable for elevating any outdoor space with its minimalist design and unique lighting effects.



**EXPLORE ALL
CONCEPTS**
www.in-lite.com

INNOVATION

At in-lite, we prioritize innovation, design, and user-friendliness. Our cutting-edge designs, advanced control techniques, and custom-crafted products ensure your outdoor lighting is not only stylish and functional but also easy to use.



NEW

in-lite | breathe

Our new BREEZE fixture brings in-lite Breathe to life, showcasing our latest innovation: light that breathes. With soft, rhythmic pulsations inspired by natural breathing and moonlight behind drifting clouds, in-lite Breathe technology transforms static lighting into a mesmerizing, dynamic experience.



in-lite | motion

in-lite Motion technology lets you effortlessly adjust the light source using a magnet—no need to open the fixture. This prevents moisture issues and ensures optimal performance. Featured in the BIG NERO, this technology allows you to simply place the magnet on the fixture to set your desired light angle.



MODULAR DESIGN

Many fixtures and concepts in the in-lite range are modular, offering you complete freedom to customize your lighting experience. Mix and match product colors and fixture heights to create tailored results.

With AIM, we took it a step further. Thanks to a patent-pending method, you can stack up to three AIM LIGHTHEADS and adjust them to achieve the desired lighting effect. This offers maximum flexibility and personalization for your outdoor lighting.




in-lite | human dimming

Human Dimming lets you effortlessly adjust brightness with a simple wave of your hand—no need to touch the fixture. This cutting-edge technology allows for intuitive, seamless light dimming, giving you complete control over the ambiance. Featured in several in-lite fixtures, including the DISC PENDANT, SWAY PENDANT, and SWAY TABLE.

EXTRAORDINARY SERVICE

Our experienced team is happy to help you with any questions you may have about in-lite products, installation, warranty, and lighting design. Looking for more inspiration? Visit www.in-lite.com or follow us on social media.



UNIQUE PROJECTS

Looking for lighting design advice for unique outdoor spaces? in-lite LAB is here to show the world why in-lite is the best lighting solution for every outdoor space. From the largest private gardens and hotels to restaurant terraces and semi-public outdoor spaces, our goal is to illuminate spaces with tailored expertise and creativity. We guide you through the entire process, including lighting design, product recommendations, installation, and maintenance.



INDEX

A

ACE	46
ACE DOWN	52
ACE DOWN 100-230V	59
ACE HIGH	46
ACE UP-DOWN	52
ACE UP-DOWN 100-230V	59
AIM	27
AIM CEILING	64
AIM FLOOR	44
AIM FLOOR 100-230V	44

B

BIG CUBID	57
BIG FLUX	21
BIG FLUX NARROW	21
BIG FLUX ASYMMETRIC	21
BIG NERO	23
BIG NERO NARROW	23
BIG SCOPE	32
BIG SCOPE NARROW	32
BIG VOQUE	45
BIG VOQUE 100-230V	45
BLINK	58
BREEZE	41
BREEZE LOW	41

C

CC-2	71
CUBID	57

D

DB-LED	25
DISC	48
DISC LOW	48
DISC PENDANT	61
DISC PENDANT 100-230V	61
DISC WALL	55
DISC WALL 100-230V	55
DOT	18
DOT 22	18
DOT 22 (ADD RING)	18

E

EVO	49
EVO DOWN	54
EVO DOWN 100-230V	59
EVO FLEX	36
EVO FLOOD	24
EVO GROUND 300	24
EVO HYDE 180C	35
EVO HYDE 550	35
EVO LOW	49

F

FLUX	19
FLUX 22	19
FLUX 22 (ADD RING)	19
FUSION	16
FUSION 22	16
FUSION 22 (ADD RING)	16

H

HALO DOWN	53
HALO DOWN 100-230V	59
HALO UP-DOWN	53
HALO UP-DOWN 100-230V	59
HUB-75	67
HYVE	17
HYVE 22	17
HYVE 22 (ADD RING)	17

L

LIV	47
LIV LOW	47
LUNA	25

M

MICRO SCOPE	29
MINI SCOPE	28
MINI SCOPE CEILING	65
MINI SCOPE DUO	33
MINI SWAY	42
MINI SWAY WALL	51
MINI WEDGE	56

N

NAIL	43
NAIL LOW	43
NERO	22

P

PUCK	15
PUCK 22	15

S

SCOPE	30
SCOPE CEILING	65
SMART BRIDGE	70
SMART EVO FLEX	37
SMART EVO FLEX TONE	38
SMART HUB-75	67
SMART HUB-150	69
SMART HUB-300	69
SMART HUB PROTECTOR	71
SMART FLUX TONE	20
SMART MOVE	70
SMART SCOPE TONE	31
SUB	33
SWAY	42
SWAY PENDANT	62
SWAY PENDANT 100-230V	62
SWAY TABLE	44
SWAY WALL	51

T

TOUCH DIMMER	63
--------------	----

V

VOQUE	45
VOQUE 100-230V	45

W

WEDGE	56
WEDGE SLIM	58

PHOTOGRAPHY Dion Doornik
Roel van der Aa

DESIGN MarkMyWork

in-lite®
OUTDOOR LIGHTING

www.in-lite.com

 @inlite_global

 @In-lite Global

 @inlite_global

 @inlite_lab

Are you a professional?
Follow us on

 @inlite_pros.na